ERRATUM Open Access



## Erratum to: 'Effects of milk containing only A2 beta casein versus milk containing both A1 and A2 beta casein proteins on gastrointestinal physiology, symptoms of discomfort, and cognitive behavior of people with self-reported intolerance to traditional cows' milk'

Sun Jianqin<sup>1</sup>, Xu Leiming<sup>2</sup>, Xia Lu<sup>3\*</sup>, Gregory W. Yelland<sup>4,5</sup>, Jiayi Ni<sup>6</sup> and Andrew Clarke<sup>7</sup>

Unfortunately, the original version of this article [1] contained an error. Figure 1 has been updated since it was last uploaded. BCM-7, GSH and MPO have all been removed and PD3 is replaced by VAS. The figure is included here. The figure legend has also been changed. It used to read as:

Study design. A1 = milk containing A1 and A2  $\beta$ -casein; A2 = milk containing only A2  $\beta$ -casein; hs-CRP, highly sensitive C-reactive protein; Hb, hemoglobin; IL-4, interleukin-4; Ig, immunoglobulin; BCM-7,  $\beta$ -casomorphin-7; GSH, glutathione; PD3, gastrointestinal symptoms of post-dairy digestive discomfort; SCIT, Subtle Cognitive Impairment Test; SCFA, short-chain fatty acids; MPO, myeloperoxidase.

It has now been changed to read as follows:

Study design. A1 = milk containing A1 and A2  $\beta$ -casein; A2 = milk containing only A2  $\beta$ -casein; hs-CRP, highly sensitive C-reactive protein; Hb, hemoglobin; IL-4, interleukin-4; Ig, immunoglobulin; VAS, visual analog scale scores; SCIT, Subtle Cognitive Impairment Test; SCFA, short-chain fatty acids.

There will be an update for these corrections as well as this erratum.

## **Author details**

<sup>1</sup>Clinical Nutrition Center, Huadong Hospital affiliated to Fudan University, Shanghai, China. <sup>2</sup>Department of Gastroenterology, Xin Hua Hospital affiliated to Shanghai Jiao Tong University School of Medicine, Shanghai,

\* Correspondence: xialu@medmail.com.cn

<sup>3</sup>Endoscopic Center, Shanghai Internal Medicine Center, Shanghai, China

China. <sup>3</sup>Endoscopic Center, Shanghai Internal Medicine Center, Shanghai, China. <sup>4</sup>Department of Gastroenterology, Central Clinical School, The Alfred Centre, Monash University, Melbourne, VIC, Australia. <sup>5</sup>School of Health Sciences, RMIT University, Bundoora, VIC, Australia. <sup>6</sup>S.P.R.I.M. China (Shanghai) Consulting Co., Ltd, Shanghai, China. <sup>7</sup>The a2 Milk Company Limited, Auckland, New Zealand.

Received: 19 April 2016 Accepted: 19 April 2016 Published online: 29 April 2016

## Reference

 Jianqin S, Leiming X, Lu X, Yelland GW, Ni J, Clarke A. Effects of milk containing only A2 beta casein versus milk containing both A1 and A2 beta casein proteins on gastrointestinal physiology, symptoms of discomfort, and cognitive behavior of people with self-reported intolerance to traditional cows' milk. Nutr J. 2016:15:35.

## Submit your next manuscript to BioMed Central and we will help you at every step:

- We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

Submit your manuscript at www.biomedcentral.com/submit





Timeline <i>Dates</i>	Cross-over Study: Timeline and Analyses						
	Day −13 Day 0	<b>Day 1</b> Nov 1	<b>Day 14</b> Nov 14	Day 15	Day 28	<b>Day 29</b> <i>Nov 29</i>	<b>Day 42</b> Dec 12
Trial Phase and Diet	2-week washout	Phase 1 Arm 1: A1/A2 milk Arm 2: A2/A2 milk		2-week washout		Phase 2 Arm 1: A2/A2 milk Arm 2: A1/A2 milk	
Analyses	Questionnaire Serum (CRP, HB, IL-4, IgG, IgG1, IgG2a, IgE) VAS SCIT Feces/SCFA	Questionr Smart P Serum VAS SCIT Feces/SC (measured with	rill CFA hin 12 hrs	Questic Seri VA SC Fae	um AS IT	Questic Smar Ser V/ SC Feces, (measured v if interventio	t Pill um AS IT /SCFA <i>vithin 12 hrs</i>

**Fig. 1** Study design. A1 = milk containing A1 and A2  $\beta$ -casein; A2 = milk containing only A2  $\beta$ -casein; hs-CRP, highly sensitive C-reactive protein; Hb, hemoglobin; IL-4, interleukin-4; Ig, immunoglobulin; VAS, visual analog scale scores; SCIT, Subtle Cognitive Impairment Test; SCFA, short-chain fatty acids