

RETRACTION NOTE

Open Access

Retraction Note: A meta-analysis of external fixator versus intramedullary nails for open tibial fracture fixation

Xian Xu, Xu Li, Lin Liu and Wei Wu*

Retraction

The Publisher and Editor regretfully retract this article [1] because the peer-review process was inappropriately influenced and compromised. As a result, the scientific integrity of the article cannot be guaranteed. A systematic and detailed investigation suggests that a third party was involved in supplying fabricated details of potential peer reviewers for a large number of manuscripts submitted to different journals. In accordance with recommendations from COPE we have retracted all affected published articles, including this one. It was not possible to determine beyond doubt that the authors of this particular article were aware of any third party attempts to manipulate peer review of their manuscript.

Received: 4 March 2015 Accepted: 4 March 2015
Published online: 26 March 2015

Reference

1. Xu X, Li X, Liu L, Wu W. A meta-analysis of external fixator versus intramedullary nails for open tibial fracture fixation. *J Orthop Surg Res.* 2014;9:75.

**Submit your next manuscript to BioMed Central
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



* Correspondence: weiwuortho@hotmail.com
Department of Traumatic Orthopedics, East Hospital, No.150 Jimo Road,
Pudong New District, Shanghai 200120, China