RESEARCH ARTICLE

The utility of ¹⁸F-FDG PET and PET/CT in the diagnosis and staging of chondrosarcoma: a meta-analysis

Qingyu Zhang¹, Yongming Xi², Dong Li¹, Zenong Yuan¹ and Jun Dong^{1*}

Abstract

Objective: Chondrosarcoma is the second most common primary bone sarcoma; however, unlike other tumors. the biopsy cannot easily make a definite diagnosis or predict the histological grade. This meta-analysis was performed to evaluate the utility of ¹⁸F-FDG PET and PET/CT to differentiate chondrosarcoma from benign cartilaginous lesions and to predict the histopathological grade of chondrosarcoma.

Material and methods: A comprehensive search was performed in three electronic databases including Medline/ PubMed, the Cochrane Library and Embase to retrieve diagnostic studies evaluating the role of ¹⁸F-FDG PET or PET/ CT for appraising the status of chondrosarcoma. Reference lists of related articles were also scrutinized manually. Useful data were extracted to calculate the pooled sensitivity, specificity, positive likelihood ratio (PLR), negative likelihood ratio (NLR), diagnostic odds ratio (DOR), the summary receiver operating characteristic curve (sROC), and the area under the curve (AUC) of ¹⁸F-FDG PET or PET/CT in diagnosing chondrosarcoma, and pooled weighted mean differences (WMD) of maximum standardized uptake value (SUVmax) between different entities of cartilaginous neoplasms by using Stata 19.0.


Results: A total of twelve studies provided sufficient data for the guantitative analysis. For the diagnosis of chondrosarcoma, the pooled sensitivity, specificity, and DOR of ¹⁸F-FDG PET were 0.84 (95% confidence interval [CI] 0.46 to 0.97), 0.82 (95% CI 0.55 to 0.94), and 24.244 (95% CI 1.985 to 96.148), respectively while those of ¹⁸F-FDG PET/CT were 0.94 (95% CI 0.86 to 0.97), 0.89 (95% CI 0.82 to 0.93), and 112.999 (95% CI 41.341 to 308.866), respectively. The pooled WMD of SUVmax were - 0.89 (95% CI -1.67 to -0.10) between benign cartilaginous lesions and grade 1 (G1) chondrosarcoma, -1.94 (95% CI -2.76 to -1.12) between G1 and grade 2 (G2) chondrosarcoma, and – 2.37 (95% CI –5.79 to 1.05) between G2 and grade 3 (G3) chondrosarcoma.

Conclusions: In a word, ¹⁸F-FDG PET/CT revealed excellent accuracy in the diagnosis of chondrosarcoma and might assist in clinical decision-making. Meanwhile, although SUVmax alone showed restricted ability to differentiate benign cartilaginous lesions and G1 chondrosarcoma, as well as between G2 and G3 chondrosarcoma, it can identify intermediate/high-grade chondrosarcoma from low-grade ones.

Level of evidence: Level I evidence, a summary of meta-analysis

Keywords: Chondrosarcoma, ¹⁸F-FDG PET, PET/CT, Diagnosis, Meta-analysis

Full list of author information is available at the end of the article





Open Access



data made available in this article, unless otherwise stated in a credit line to the data.

© The Author(s), 2020 Open Access This article is licensed under a Creative Commons Attribution 4.0 International License. which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons

The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the

^{*} Correspondence: slyydj2019@163.com

¹Department of Orthopedics, Shandong Provincial Hospital Affiliated to Shandong First Medical University, No.324, Road Jing Wu Wei Qi, Jinan 250021, Shandong, China

Introduction

Chondrosarcoma is the second most common primary malignant bone sarcoma characterized by the production of atypical cartilage matrix and invasive growth inside the pre-existing cortical and medullary bone tissue [1]. This malignant disorder could be further subcategorized to lowgrade (G1), intermediate-grade (G2), high-grade (G3), and dedifferentiated chondrosarcoma, which manifest diverse histological features and clinical behaviors [2]. G1 chondrosarcoma has little risk of metastasis and excellent prognosis [3] while an unfavorable outcome is generally associated with G2 and G3 chondrosarcoma, revealing 5year cumulative survival rates being 63-92% and 39-77%, respectively [3]. Dedifferentiated chondrosarcoma exhibits a biphasic differentiated nature (the conventional chondrosarcoma and the high-grade, non-cartilage-producing sarcoma) of tumor cells, predisposing patients with the worst prognosis [4]. The widely-accepted regimen for managing benign cartilaginous neoplasms (e.g., enchondroma and exostosis) is the follow-up, and marginal excision when symptoms arise [5]. Alternative options advocated for G1 chondrosarcoma include rigorous follow-up until the lesion progresses, wide excision or curettage, albeit the last approach may be accompanied by relapse [6]. Besides, neoadjuvant chemotherapy before surgery can be reserved for dedifferentiated chondrosarcoma [7] and radiotherapy (as a palliative treatment) for unresectable lesions [7, 8].

Therefore, the optimal therapeutic strategy of cartilaginous bone neoplasms should be established on the accurate diagnosis and staging. Although chondrosarcoma normally presents with increased pain, these symptoms and signs can be nonspecific and lead to a misdiagnosis of other musculoskeletal disorders such as osteomyelitis and osteoarthritis [2]. Up to date, the classification of this heterogeneous entity mainly relies on comprehensive considering clinical, imaging, and histological information, but a definitive diagnosis and grading are often difficult to achieve due to the discrepant interpretation among observers [9]. Meanwhile, tissue samples acquired by core needle biopsy may not be representative of the entire cartilaginous lesion, leading to underestimating the degree of dedifferentiation [10]. According to Laitinen et al.'s report enrolling 343 patients with osteochondroma, the concordance between the preoperative biopsy grading and the final post-surgical histologic diagnosis was observed in only 43% cases [10]. Conventional imaging methods such as X-ray, computed tomography (CT) scan, magnetic resonance imaging (MRI), and bone scintigraphy have been used as adjuvants for evaluating patients with suspected chondrosarcoma but often result in false negatives or false positives [11, 12].

¹⁸F-fluorodeoxyglucose (¹⁸F-FDG) avidity provides useful information regarding tumor biology and sarcomatous transformation by depicting glucose metabolism and identifying hypermetabolic foci [13]. Meanwhile, a hybrid of ¹⁸F- FDG positron emission tomography (PET) and computed tomography (CT) combines metabolic and anatomic data and may continue to improve diagnostic efficiency [13]. A series of studies have investigated the utility of ¹⁸F-FDG PET or PET/CT in the diagnosis and staging of chondrosarcoma and revealed contradictory conclusions [14-16]. A systematic review [17] published in 2017 attempted to summarize the optimal maximum standardized uptake value (SUVmax) to differentiate different groups of cartilaginous bone sarcoma but the reliability of its result was compromised due to several flaws. First, only 8 studies involving 166 chondroid neoplasms were listed. Second, the investigators did not appraise the diagnostic accuracy of ¹⁸F-FDG PET or ¹⁸F-FDG PET/CT for chondrosarcoma. Third, the variations of ¹⁸F-FDG avidity between different chondroid neoplasms were not compared with a standard approach of evidence-based medicine. Multiple highquality studies [14-16] on this topic were available in recent years and the current investigation aimed to further assess the ability of ¹⁸F-FDG PET and PET/CT to diagnose chondrosarcoma and to predict the histological grade by performing a meta-analysis.

Materials and methods

The methodological approach described later complied with the Preferred Reporting Items for a Systematic Review and Meta-analysis of Diagnostic Test Accuracy Studies (PRISMA-DTA) [18]. Ethical approval or informed consent was waived given that all data were retrieved from published literature. Database searching, eligibility assessment, data extraction, and methodological quality evaluation were performed by two investigators (QY Zhang and J Dong) independently and repeatedly. Any disagreement was resolved through discussion and consensus among the research team.

Search strategy

A systematic literature search was performed in three electronic databases including Medline/PubMed, Embase, and Cochrane Library using combinations of following keywords: ("PET" OR "positron emission tomography") AND ("chondroid" OR "cartilaginous" OR "cartilage" OR "chondrosarcoma") without language or publication period limitations. Meanwhile, reference lists of relevant articles (diagnostic studies, reviews, meta-analyses, and editorials) were carefully checked to avoid missing additional eligible studies.

Inclusion and exclusion criteria

Studies eligible for our meta-analysis must confirm the following criteria: (1) studies assessing the diagnostic or staging value of ¹⁸F-FDG PET or PET/CT in cartilaginous neoplasms (benign cartilaginous tumors and/or chondrosarcoma); (2) final diagnosis was confirmed by

histopathological examination for chondrosarcoma, and follow-up or histopathological examination for benign lesions (3) raw data such as the number of true-positive (TP), false positive (FP), false negative (FN), and true negative (TN) cases, or maximum standardized uptake value (SUVmax) of enrolled participants were provided. Exclusion criteria for this meta-analysis included (1) animal studies; (2) studies with less than five participants, and (3) posters displayed at the congress, abstracts, letters, and comments due to the lack of essential information.

If more than one article contained overlapping data, the most comprehensive or recent one was included.

Data extraction and methodological quality evaluation

Following data were extracted from original articles and entered into a standardized excel file: first author's surname, publication year, study design, number and characteristics of participants (i.e., age and gender), tumor histology, reference methods, details of index tests (i.e., ¹⁸F-FDG PET or PET/CT, injection dose and methods of analysis), SUVmax, and final diagnosis. Numbers of TP, FP, TN, and FN were extracted directly or recalculated through data obtained from original articles. The risk of bias of included studies was appraised by using the QUADAS-2 tool [19], which consisted of four key domains (i.e., patient selection, index test, reference standard, and flow and timing) involving 14 questions. These questions were answered with "yes" for a low risk of bias, "no" for a high risk of bias, and "unclear" if associated information was not clearly depicted [19].

Statistical analysis

Pooled sensitivity, specificity, positive likelihood ratio (PLR), negative likelihood ratio (NLR), and diagnostic odds ratio (DOR) were calculated using the bivariate meta-analysis framework (a random-effects model). In addition, summarized receiver operating characteristic (sROC) curves were constructed, with a larger area under the curve (AUC) indicating a better diagnostic accuracy of tests. Meanwhile, pooled weighted mean difference (WMD) as well as related 95% confidence intervals (CIs) was generated to evaluate continuous data (SUVmax), and a 95% CIs not covering 0 revealed a difference with statistical significance. Heterogeneity among included studies was assessed using the I^2 statistics. An I^2 value of 0% implied no observed heterogeneity, and > 50% suggested substantial heterogeneity. All data were analyzed using Stata version 19.0 (StataCorp, College Station, TX).

Results

Study selection and description

By searching electronic databases and reviewing reference lists of relevant publications, a total of 398 records were retrieved, among which 324 apparently ineligible articles were firstly discarded by screening titles and abstracts. Subsequently, full texts of the remaining ones were downloaded and scrutinized against the predefined criteria. Eventually, twelve [12, 14–16, 20–27] studies were included in the quantitative analysis. The selection process and reasons for exclusion were described in Fig. 1.


Study characteristics

All included studies are published in English and among them, three [12, 23, 27] were prospective, whereas nine [14–16, 20–22, 24–26] were retrospective. Sizes of these studies ranged from 7 to 95 and a total of 375 participants with suspected chondrosarcoma were involved. Only one [14] study investigated the diagnostic value of both ¹⁸F-FDG PET and PET/CT for chondrosarcoma. Six [12, 14, 16, 24-26] studies provided sufficient data about the distribution of SUVmax in different stages of chondrosarcoma. Main characteristics of the included studies were summarized in Table 1. As for the risk of bias, only two [23, 24] studies were judged as low risk in the section of index tests because the rest did not predefine the cutoff value of SUVmax for diagnosing chondrosarcoma. Meanwhile, nine [12, 14–16, 20–24] studies were judged as high risk of bias in flow and timing for the lack of a uniform reference test for all enrolled participants, which was hard to achieve and maybe ethically questionable in some situations. In nine studies [12, 14-16, 20-24], the golden standard to diagnose cartilaginous tumors was biopsy for those highly suggestive of malignancy and follow-up for those with benign manifestation. Results of the risk of bias assessment were summarized in Fig. 2.

Accuracy of ¹⁸F-FDG PET for the diagnosis of chondrosarcoma Six [14, 23, 24, 26, 27] studies provided data about the diagnostic accuracy of ¹⁸F-FDG PET for chondrosarcoma. As shown in Fig. 3a and b, the pooled sensitivity and specificity of ¹⁸F-FDG PET for diagnosing chondrosarcoma were 0.84 (95% CI, 0.46 to 0.97) and 0.82 (95% CI, 0.55 to 0.94), respectively. The pooled PLR, NLR, and DOR were 4.633 (95% CI, 1.443 to 14.875), 0.191 (95% CI, 0.037 to 0.986) and 24.244 (95% CI, 1.985 to 296.148), respectively, while the AUC was 0.89 (95% CI, 0.86 to 0.92) (Fig. 4a). The I^2 statistics for sensitivity and specificity values were 86.90% (95% CI, 76.80 to 97.00%) and 70.32% (95% CI, 42.57 to 98.07%), respectively, which indicated that substantial heterogeneity existed among included studies.

Accuracy of ¹⁸F-FDG PET/CT for the diagnosis of chondrosarcoma

Seven [12, 14–16, 20–22] studies provided data about the diagnostic accuracy of ¹⁸F-FDG PET/CT for



chondrosarcoma. As shown in Fig. 3c and d, the pooled sensitivity and specificity of ¹⁸F-FDG PET/CT for diagnosing chondrosarcoma were 0.94 (95%CI, 0.86 to 0.97) and 0.89 (95% CI, 0.82 to 0.93), respectively. The pooled PLR, NLR, and DOR were 8.265 (95% CI, 5.012 to 13.628), 0.073 (95% CI, 0.034 to 0.157), and 112.999 (95% CI, 41.341 to 308.866), respectively, while the AUC was 0.92 (95% CI, 0.89 to 0.94) (Fig. 4b). The I^2 statistics for sensitivity and specificity values were 15.79% (95% CI, 0 to 77.52%) and 0% (95% CI, 0 to 100%), respectively, indicating that no substantial heterogeneity existed among included studies.


Accuracy of ¹⁸F-FDG avidity for the staging of chondrosarcoma

Four [12, 14, 24, 26] studies recorded the ability of ¹⁸F-FDG avidity to make a distinction between benign cartilaginous lesions and G1 chondrosarcoma. The combined results (pooled WMD = -0.89 95% CI, -1.67 to -0.10, p= 0.027; I^2 statistic = 85.1%, p for heterogeneity < 0.001) suggested that SUVmax of benign cartilaginous lesions were slightly lower than that of G1 chondrosarcoma (Fig. 5a). Four [16, 24–26] studies recorded the ability of ¹⁸F-FDG avidity to differentiate between G1 and G2 chondrosarcoma. The SUVmax of G1 chondrosarcoma was significantly lower than that of G2 chondrosarcoma (pooled WMD = -1.94 95% CI, -2.76 to -1.12, p < 0.001; I^2 statistic = 20.5%, p for heterogeneity = 0.287) (Fig. 5b). Meanwhile, four [16, 24–26] studies recorded the ability of ¹⁸F-FDG avidity to differentiate between G2 and G3 chondrosarcoma. The pooled results revealed that there was no significant difference of SUVmax between G2 and G3 chondrosarcoma (pooled WMD = -2.37 95% CI, -5.79 to 1.05, p = 0.174; I^2 statistic = 68.3%, p for heterogeneity = 0.024) (Fig. 5c).

Discussion

An optimal therapeutic strategy (observation or active treatment) for chondrosarcoma relies on not only the prompt identification but also the correct differentiation between high/intermediate-grade and low-grade ones. Besides fine needle aspiration, imaging examination should be carried out to decide whether invasive procedures are needed and whether the histology and imaging findings are concordant. In this study, by comprehensively reviewing eligible studies and adapting multiple statistic methods, it is demonstrated that overall ¹⁸F-FDG PET/CT has a higher accuracy to differentiate


Autio	Year	Year Country	Design	Design Number of subjects	No. of patients with chondrosarcoma	Gender (M/F)	Age (mean, years)	Type of cartilaginous bone neoplasms	Inclusion interval	Imaging	Cutoff value of SUV _{max}	Injected dose	Reference test
Annovazzi et al. [14]	2019	Italy	£	95	60	40/55	53 ± 15	Enchondroma and chondrosarcoma	2011- 2017	PET and PET/CT	2.6	5 MBq/kg	Post-surgical histology diagnosis, clinical and radiologic follow-up
Purandare et al. [15]	2019	India	с	66	40	NR	NR	Chondrosarcoma, enchondroma, and osteochondroma	2008.1- 2018.6	PET/CT	3.1	5 MBq/kg	Post-surgical or a bioptic-histological diagnosis, clinical and radiologic follow-up
Vadi, et al [16]	2018	India	с	1	R	20/21	42.19 (17-69)	Chondrosarcoma	2010.1- 2016.12	PET/CT	NR	300-370 MBq	Pooled information from histological results and clinical or imaging follow-up
Jesus- Garcia et al. [12]	2016	Brazil	۵.	36	19	12/24	44 (21- 68)	Enchondroma and chondrosarcoma	2009.10- 2015.5	PET/CT	2.2	3.7 MBq/kg	Post-surgical histological diagnosis, clinical and radiologic follow-up
Costelloe et al. [20]	2013	USA	с	18	Ŀ	NR	NR	Enchondroma and chondrosarcoma	2007.1.1- 2010.10.1	PET/CT	NR	370 MBq or 555-740 MBq	Pooled information from histological results and clinical or imaging follow-up
Purandare et al. [21]	2009	India	с	12	4	7/5	29.9 ± 11.6 (15-50)	Osseocartilaginous tumor, chondrosarcoma	2005- 2007	PET/CT	1.3/3.3	370 MBq	Pooled information from histological results and clinical or imaging follow-up
Shin et al. [22]	2008	South Korea	۲	12	Q	NR	NR	Chondroblastoma, chondroma, enchondroma, and chondrosarcoma	2004.5- 2007.6	PET/CT	3.8	8.14 MBq/ kg	Pooled information from histological results and clinical or imaging follow-up
Strobel et al. [23]	2008	Switzerland	<u>م</u>	2	m	NR	NR	Chondrosarcoma, osteochondroma, chondroblastoma, and enchondroma	R	PET	2.5	350-400 MBq	Pooled information from histological results and clinical or imaging follow-up
Feldman et al. [24]	2005	USA	с	29	18	9/20	53 ± 17.58 (11-85)	Enchondroma, osteochondroma, and chondrosarcoma	2000- 2003	PET	5	5.18 MBq/ kg	Pooled information from histological results and clinical or imaging follow-up
Brenner et al. [25]	2004	USA	с	10	31	17/14	50.4 ± 14.3 (23-85)	Chondrosarcoma	1995.5- 2002.5	PET	NR	370 MBq	Post-surgical histology diagnosis
Lee et al. [26]	2004	USA	с	27	13	18/9	NR	Enchondroma, osteochondroma, and chondrosarcoma	1999- 2002	PET	NR	5.18 MBq/ kg	Histopathologic examination
Aoki et al. [27]	1999	Japan	ط	11	2	4/7	44.3 ± 21.0 (12-78)	Enchondroma, osteochondroma, and chondrosarcoma	1997.8- 1998.12	PET	1.3	5 MBq/kg	Histopathologic examination





chondrosarcoma from benign cartilaginous lesions (pooled DOR = 112.999, 95% CI, 41.341 to 308.866) in comparison with¹⁸F-FDG PET (pooled DOR = 24.244; 95% CI, 1.985 to 296.148). To our knowledge, this is the first meta-analysis presenting the relatively accurate diagnostic efficacy of ¹⁸F-FDG PET (sensitivity = 0.84; specificity = 0.82) and PET/CT (sensitivity = 0.94; specificity = 0.89) for the diagnosis of chondrosarcoma.

Generally, it was reported that benign chondroid lesions such as enchondromas and osteochondromas are not FDG avid [14–16]. According to the pooled results, although there was a statistically significant WMD of SUVmax between G1 chondrosarcoma and benign cartilaginous lesions (pooled WMD = -0.89, 95% CI, -1.67 to -0.10), differential diagnosis of these two variants can be challenging owing to their histologically analogical nature and partially overlapped SUVmax. The confidence intervals of the pooled sensitivity (95% CI, 0.46-

0.97) and specificity (95% CI, 0.55-0.94) were relatively wide, which was possibly on account of the small number of included studies, the little scale of sample size, and the significant between-study heterogeneity. Metabolic data alone is not substantial enough to provide robust data for the evaluation of chondrosarcoma. Meanwhile, only two [23, 24] studies pre-defined the cutoff value of SUVmax and it may not be possible to arrive a universally acknowledged SUVmax threshold (ranging from 1.3 to 3.1 in retrieved articles) that explicitly distinguish benign from malignant cartilaginous tumors [14, 23, 24, 26, 27]. A chondroid neoplasm with a SUVmax value of 1.5 would be considered as a benign tumor according to Jesus-Garcia et al.' criteria [12] but malignancy in Aoki et al.'s study [27]. Institution-specific threshold established through the cooperation of nuclear medicine specialists, orthopedic surgeons, and pathologists was recommended in the clinical practice.







chondrosarcoma, and (c) G2 and G3 chondrosarcoma. WMD, weighted mean difference; CI, confidence interval

The combination of CT with ¹⁸F-FDG PET (¹⁸F-FDG PET/CT) facilitates the analysis of the volume and aggressive characteristics of the cartilaginous tumor and therefore may increase the diagnostic efficacy [14]. The size of cartilaginous tumors was closely correlated with their histologic grade; the majority of intermediate/highgrade chondrosarcoma (79.3%) was 5 cm or more in the maximum diameter [28]. Meanwhile, if there were signs of invasion (i.e., cortical bone invasion, periosteal reaction, bone expansion, periostitis, and extraosseous soft tissue), it is very likely that these cartilaginous lesions are chondrosarcomas [2]. In addition, CT scans of other parts of the body, especially the chest, are crucial for conducting a comprehensive staging of patients with chondrosarcoma [1, 2]. Promising pooled sensitivity (94%) and specificity (89%) of ¹⁸F-FDG PET/CT for diagnosing chondrosarcoma were revealed in the current study; meanwhile, the relatively narrower 95% confidence intervals (0.86-0.97 and 0.82-0.93, respectively) and smaller heterogeneity ($I^2 = 15.69\%$ and 0%, respectively) in comparison with those of ¹⁸F-FDG PET indicated that these results were stable and persuasive. Whenever possible, ¹⁸F-FDG PET/PET, instead of ¹⁸F-FDG PET should be performed in patients with a suspicion of chondrosarcoma. However, PET/CT is not without disadvantages. Besides the additional radiation exposure associated with computed tomography, PET/CT is a costly and laborconsuming procedure that is not yet available in all hospitals [12]. Moreover, unlike thin-section dedicated CT, the CT section integrated with PET behaves poorly in presenting fine details such as depth of scalloping [14]. For the aim of getting a definitive diagnosis of a cartilaginous neoplasm, all available information such as patient age, clinical manifestation, lesion location, and the tumor growth rate must be taken into consideration [1, 2]. Creating a score that comprehensively summarizes these data as well as imaging and nuclear medicine findings will shed new light on the noninvasive diagnosis of cartilaginous neoplasms.

The current study was also designed to investigate the potential role of SUVmax to evaluate chondrosarcoma grading. The biological behavior of different chondrosarcoma entities varies greatly and the 2013 WHO classification of bone and soft tissue sarcoma clearly separates locally aggressive chondrosarcoma (atypical cartilaginous tumor or G1 chondrosarcoma) from definitely malignant cartilaginous tumors (G2 and G3 chondrosarcoma) [2]. It was postulated that the SUVmax values increased with the tumor grade [24] and the pooled result indeed demonstrated that ¹⁸F-FDG PET could accurately discriminate low-grade chondrosarcoma from intermediate-grade one with a pooled WMD of SUVmax being –3.25, albeit there was an evident overlap in SUVmax values between G2 and G3 chondrosarcoma. Significant heterogeneity of included studies ($I^2 = 68.3\%$ in the analysis of G2 and G3 chondrosarcoma) could be explained by the influence of the injected radiotracer dose, the time between injection and the initiation of detection, patient weight, body surface area, predictive cutoff value, detection equipment, and the individual characteristic of enrolled patients across included studies. Considering the differences of prognosis between benign cartilaginous lesions and G1 chondrosarcoma, as well as between G2 and G3 chondrosarcoma [3], SUVmax alone is not sufficient enough for grading chondrosarcoma and no matter what SUV-level of the cartilaginous lesions reveal, biopsy should not be resigned.

However, SUVmax did present crucial information for the management of chondrosarcoma. First, ¹⁸F-FDG PET can be performed in case that a high-grade chondrosarcoma is suspected by the initial manifestation or imaging (CT or MRI) in order to get a better tumor grading. Second, ¹⁸F-FDG PET scanning identifies tumor aggressiveness and extent visually and quantitatively, and therefore can direct the biopsy sampling by targeting the region of greatest SUVmax [29, 30]. This reduces the risk of false-negative results and re-biopsy as well as related complications. Third, SUVmax serves as a reference for image-guided percutaneous biopsy. For a cartilaginous lesion manifesting minimal likelihood of malignancy but high SUVmax, caution should be taken regarding the potential of elevating histologic grade based on pathological reports after operation. Last but not least, alteration of ¹⁸F-FDG avidity is an indication of relapse or sarcomatous transformation of cartilaginous neoplasms, and could be utilized in postoperative surveillance.

The relatively high price of ¹⁸F-FDG PET and PET/CT restricts its wide application in the clinical setting [12]. Normally, benign cartilaginous lesions and chondrosarcoma have certain different X-ray and clinical traits, which may provide information for the development of further diagnostic and therapeutic regimen (e.g., the necessity of biopsy) [2]. Therefore, ¹⁸F-FDG PET/CT should be performed only in cases with a high suspicion for malignant cartilaginous tumors (at the initial diagnosis, or when the possibility of malignant transformation of benign cartilaginous lesions or relapse of chondrosarcoma after treatment exists) prior to each biopsy, as a supplementary tool for assisting diagnosis and grading, guiding the fine needle aspiration and confirming the pathological result. MRI with contrast agent has ranked as a powerful method for the locoregional staging of malignant chondrosarcomas thanks to its spatial and contrast resolution, but it could not present metabolic data of the targeted lesions or be utilized for the wholebody assessment [31]. The current study has several limitations. The first is the absence of a standardized reference test for the diagnosis of chondrosarcoma. Either

follow-up without an anatomopathological examination or biopsies may result in false negatives. The duration of follow-up differed from study to study, exceeding 12 months in most of the included ones but in Shin et al.'s investigation [22], the minimum follow-up was only 6 months. Another major limitation is that during the merging of the diagnostic data, subgroup analyses on the basis of important indicators such as types of chondrosarcoma, cutoff value, and study design were not conducted. Only 12 studies were pooled in the quantitative analysis and most (75%) [14-16, 20-22, 24-26] of them were retrospective. Third, sample sizes of the included studies were quite small and hence this meta-analysis might be subject to variability and inadequacy in data collection. Lastly, yet importantly, evidence of heterogeneity in data concerning ¹⁸F-FDG PET existed throughout included studies, and therefore we emphasized the pooled DOR, which was a global measure encompassing value of sensitivity, specificity, PLR, and NLR, as the main outcome of interest to compare the diagnostic performance of ¹⁸F-FDG PET and PET/CT.

Conclusion

In a word, ¹⁸F-FDG PET/CT revealed excellent accuracy (pooled DOR = 112.999) in the diagnosis of chondrosarcoma and might assist in therapeutic decision-making. Although SUVmax alone showed restricted ability to differentiate benign cartilaginous lesions and G1 chondrosarcoma (pooled WMD = -0.89 95% CI, -1.67 to -0.10), as well as between G2 and G3 chondrosarcoma (pooled WMD = -2.37 95% CI, -5.79 to 1.05), it can identify intermediate/high-grade chondrosarcoma from low-grade ones (pooled WMD = -1.94 95% CI, -2.76 to -1.12). Cartilaginous lesions with high ¹⁸F-FDG-avidity should be highly monitored over the duration of treatment. More large-scale studies are still required to further warrant current findings.

Abbreviations

CT: Computed tomography; MRI: Magnetic resonance imaging; 18F-FDG: 18F-fluorodeoxyglucose; PET: Positron emission tomography; SUVmax: Maximum standardized uptake value; TP: True-positive; FP: Falsepositive; FN: False-negative; TN: True-negative; PLR: Positive likelihood ratio; NLR: Negative likelihood ratio; DOR: Diagnostic odds ratio; sROC: Summarized receiver operating characteristic; AUC: Area under curve; WMD: Weighted mean difference; CI: Confidence interval

Acknowledgements

We thank the authors of the included studies for their help.

Authors' contributions

DJ contributed to the idea of this study. ZQY and XYM searched literatures and screened them independently. ZQY, XYM, and LD extracted data from the twelve final articles and make tables. LD and YZN played an important role in analyzing the outcomes. LD, YZN, and DJ conducted the data analyses and make graphs. ZQY and XYM wrote the first draft. LD, YZN, and DJ revised the manuscript. ZQY, XYM, LD, YZN, and DJ approved the final version. The authors read and approved the final manuscript.

Funding

This study was supported by the Young Taishan Scholars Program of Shandong Province (QZ, No. tsqn201909183).

Availability of data and materials

All data analyzed during this study are included in this published article.

Ethics approval and consent to participate

This article does not contain any studies with human participants or animals performed by any of the authors.

Consent for publication

Not applicable.

Competing interests

The authors declare that they have no competing interests.

Author details

¹Department of Orthopedics, Shandong Provincial Hospital Affiliated to Shandong First Medical University, No.324, Road Jing Wu Wei Qi, Jinan 250021, Shandong, China. ²Department of Spine Surgery, Affiliated Hospital of Qingdao University, 16 Jiangsu Road, Qingdao 266000, Shandong Province, China.

Received: 4 December 2019 Accepted: 16 June 2020 Published online: 22 June 2020

References

- Afonso PD, Isaac A, Villagran JM. Chondroid tumors as incidental findings and differential diagnosis between enchondromas and low-grade chondrosarcomas. Semin Musculoskelet Radiol. 2019;23:3–18 https://doi.org/ 10.1055/s-0038-1675550.
- Christopher DM, Fletcher JA and Krishnan U. WHO classification of tumours of soft tissue and bone. International agency for research on cancer 4th edition Lyon. 2013: 110-111.
- Nota SP, Braun Y, Schwab JH, et al. The identification of prognostic factors and survival statistics of conventional central chondrosarcoma. Sarcoma. 2015;2015:623746 https://doi.org/10.1155/2015/623746.
- Strotman PK, Reif TJ, Kliethermes SA, et al. Dedifferentiated chondrosarcoma: a survival analysis of 159 cases from the SEER database (2001-2011). J Surg Oncol. 2017;116(2):252–7 https://doi.org/10.1002/jso. 24650.
- Suster D, Hung YP, Nielsen GP. Differential diagnosis of cartilaginous lesions of bone. ARCH Pathol Lab Med. 2020;144:71–82 https://doi.org/10.5858/ arpa.2019-0441-RA.
- Zoccali C, Baldi J, Attala D, et al. Intralesional vs. extralesional procedures for low-grade central chondrosarcoma: a systematic review of the literature. Arch Orthop Trauma Surg. 2018;138(7):929–37 https://doi.org/10.1007/ s00402-018-2930-0.
- Dhinsa BS, DeLisa M, Pollock R, et al. Dedifferentiated chondrosarcoma demonstrating osteosarcomatous differentiation. Oncol Res Treat. 2018;41: 456–60 https://doi.org/10.1159/000487803.
- Whelan JS, Davis LE. Osteosarcoma, chondrosarcoma, and chordoma. J Clin Oncol. 2018;36:188–93 https://doi.org/10.1200/JCO.2017.75.1743.
- Reliability of histopathologic and radiologic grading of cartilaginous neoplasms in long bones. J Bone Joint Surg Am. 2007;89(10):2113-2123. https://doi.org/10.2106/JBJS.F.01530.
- Laitinen MK, Stevenson JD, Parry MC, et al. The role of grade in local recurrence and the disease-specific survival in chondrosarcomas. Bone Joint J. 2018;100-B(5):662–6 https://doi.org/10.1302/0301-620X.100B5.BJJ-2017-1243.R1.
- Jesus-Garcia R, Osawa A, Filippi RZ, et al. Is PET-CT an accurate method for the differential diagnosis between chondroma and chondrosarcoma? Springerplus. 2016;5:236 https://doi.org/10.1186/s40064-016-1782-8.
- Abdellahi M, Karamian E, Najafinezhad A, et al. Diopside-magnetite; a novel nanocomposite for hyperthermia applications. J Mech Behav Biomed Mater. 2018;77:534–8 https://doi.org/10.1016/j.jmbbm.2017.10.015.
- Lim HJ, Johnny OC, Tan JW, et al. Utility of positron emission tomography/ computed tomography (PET/CT) imaging in the evaluation of sarcomas: a systematic review. Crit Rev Oncol Hematol. 2019;143:1–13 https://doi.org/10. 1016/j.critrevonc.2019.07.002.

- Annovazzi A, Anelli V, Zoccali C, et al. (18)F-FDG PET/CT in the evaluation of cartilaginous bone neoplasms: the added value of tumor grading. Ann Nucl Med. 2019;33(11):813–21 https://doi.org/10.1007/s12149-019-01392-3.
- Purandare NC, Puranik A, Shah S, et al. Can 18F-FDG PET/CT diagnose malignant change in benign chondroid tumors? Nucl Med Commun. 2019; 40(6):645–51 https://doi.org/10.1097/MNM.000000000001015.
- Vadi SK, Mittal BR, Gorla A, et al. 18F-FDG PET/CT in Diagnostic and prognostic evaluation of patients with suspected recurrence of chondrosarcoma. Clin Nucl Med. 2018;43(2):87–93 https://doi.org/10.1097/ RLU.000000000001947.
- Subhawong TK, Winn A, Shemesh SS, et al. F-18 FDG PET differentiation of benign from malignant chondroid neoplasms: a systematic review of the literature. Skelet Radiol. 2017;46(9):1233–9 https://doi.org/10.1007/s00256-017-2685-7.
- Frank RA, Bossuyt PM, McInnes M. Systematic reviews and meta-analyses of diagnostic test accuracy: the PRISMA-DTA statement. Radiology. 2018;289(2): 313–4 https://doi.org/10.1148/radiol.2018180850.
- Whiting PF, Rutjes AW, Westwood ME, et al. QUADAS-2: a revised tool for the quality assessment of diagnostic accuracy studies. Ann Intern Med. 2011;155(8):529–36 https://doi.org/10.7326/0003-4819-155-8-201110180-00009.
- Costelloe CM, Chuang HH, Chasen BA, et al. Bone windows for distinguishing malignant from benign primary bone tumors on FDG PET/ CT. J Cancer. 2013;4(7):524–30 https://doi.org/10.7150/jca.6259.
- Purandare NC, Rangarajan V, Agarwal M, et al. Integrated PET/CT in evaluating sarcomatous transformation in osteochondromas. Clin Nucl Med. 2009;34(6):350–4 https://doi.org/10.1097/RLU.0b013e3181a34525.
- Shin DS, Shon OJ, Han DS, et al. The clinical efficacy of (18)F-FDG-PET/CT in benign and malignant musculoskeletal tumors. Ann Nucl Med. 2008;22(7): 603–9 https://doi.org/10.1007/s12149-008-0151-2.
- Strobel K, Exner UE, Stumpe KD, et al. The additional value of CT images interpretation in the differential diagnosis of benign vs. malignant primary bone lesions with 18F-FDG-PET/CT. Eur J Nucl Med Mol Imaging. 2008; 35(11):2000–8 https://doi.org/10.1007/s00259-008-0876-0.
- 24. Feldman F, Van Heertum R, Saxena C, et al. 18FDG-PET applications for cartilage neoplasms. Skelet Radiol. 2005;34(7):367–74 https://doi.org/10. 1007/s00256-005-0894-y.
- Brenner W, Conrad EU, Eary JF. FDG PET imaging for grading and prediction of outcome in chondrosarcoma patients. Eur J Nucl Med Mol Imaging. 2004;31(2):189–95 https://doi.org/10.1007/s00259-003-1353-4.
- Lee FY, Yu J, Chang SS, et al. Diagnostic value and limitations of fluorine-18 fluorodeoxyglucose positron emission tomography for cartilaginous tumors of bone. J Bone Joint Surg Am. 2004;86(12):2677–85 https://doi.org/10.2106/ 00004623-200412000-00014.
- Aoki J, Watanabe H, Shinozaki T, et al. FDG-PET in differential diagnosis and grading of chondrosarcomas. J Comput Assist Tomogr. 1999;23(4):603–8 https://doi.org/10.1097/00004728-199907000-00022.
- Parlier-Cuau C, Bousson V, Ogilvie CM, et al. When should we biopsy a solitary central cartilaginous tumor of long bones? Literature review and management proposal. Eur J Radiol. 2011;77(1):6–12 https://doi.org/10.1016/ j.ejrad.2010.06.051.
- Roitman PD, Farfalli GL, Ayerza MA, et al. Is needle biopsy clinically useful in preoperative grading of central chondrosarcoma of the pelvis and long bones? Clin Orthop Relat Res. 2017;475:808–14 https://doi.org/10.1007/ s11999-016-4738-y.
- Purandare NC, Kulkarni AV, Kulkarni SS, et al. 18F-FDG PET/CT-directed biopsy: does it offer incremental benefit? Nucl Med Commun. 2013;34(3): 203–10 https://doi.org/10.1097/MNM.0b013e32835c5a57.
- Masciocchi C, Sparvoli L, Barile A. Diagnostic imaging of malignant cartilage tumors. Eur J Radiol 1998; 27 Suppl 1: S86-S90. https://doi.org/10.1016/ s0720-048x(98)00048-5.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

