ERRATUM

Erratum to: Magnetic Technique for Sentinel Lymph Node Biopsy in Melanoma: The MELAMAG Trial

Bauke Anninga, MSc¹, Samantha H. White, MBChB², Marc Moncrieff, MD², Peter Dziewulski, FRCS³, Jenny L. C. Geh, FRCSEdPLAST⁴, Joost Klaase, MD⁵, Hans Garmo, PhD¹, Fernanda Castro, PhD¹, Sarah Pinder, MD¹, Quentin A. Pankhurst, PhD⁶, Margaret A. Hall-Craggs, MD⁷, Michael Douek, MD¹, and MELAMAG Multicentre Trialists Group⁸

¹Division of Cancer Studies, King's College London, London, UK; ²Department of Plastic and Reconstructive Surgery, Norfolk and Norwich University Hospital, Norwich, UK; ³St Andrew's Anglia Ruskin (StAAR) Research Unit, Anglia Ruskin University, Chelmsford, UK; ⁴Department of Plastic and Reconstructive Surgery, Guy's and St. Thomas' NHS Foundation Trust, London, UK; ⁵Department of Surgery, Medical Spectrum Twente, Enschede, The Netherlands; ⁶UCL Healthcare Biomagnetics Laboratory, University College London, London, UK; ⁷Centre for Medical Imaging, University College London, London, UK; ⁸London, UK

ERRATUM TO: ANN SURG ONCOL DOI 10.1245/S10434-016-5113-7

In the initial online publication, the MELAMAG Multicentre Trialists Group was omitted from the author group. The MELAMAG Multicentre Trialists Group has been added in the publication as shown in this erratum.

The online version of the original article can be found under doi:[10.1245/s10434-016-5113-7](https://doi.org/10.1245/s10434-016-5113-7).

© Society of Surgical Oncology 2016
Published Online: 9 March 2016

M. Douek, MD
e-mail: michael.douek@kcl.ac.uk