CORRECTION

Correction to: Reply to “Complications in DIEP Flap Breast Reconstruction After Mastectomy for Breast Cancer: A Prospective Cohort Study Comparing Unilateral Versus Bilateral Reconstructions”

Ryckie G. Wade, MBBS, MClEd, PGCertHR, MRCS, FHEA^{1,2}, Sergio Razzano, MD (Hons)³, Elaine M. Sassoon, AB, FRCS (Plast)³, Richard M. Haywood, MBBS, FRCS (Plast)³, Justin C. R. Wormald, MBBS (Hons), MRes (Hons), MRCS⁴, and Andrea Figus, MD (Hons), PhD (Hons), FEBOPRAS^{5,6}

¹Leeds Teaching Hospitals Trust, Leeds, UK; ²University of Leeds, Leeds, UK; ³Norfolk and Norwich University Hospital, Norwich, UK; ⁴Great Ormond Street Hospital NHS Foundation Trust, London, UK; ⁵University Hospital, Cagliari, Italy; ⁶University of Cagliari, Cagliari, Italy

CORRECTION TO: ANN SURG ONCOL

[HTTPS://DOI.ORG/10.1245/S10434-017-6173-Z](https://doi.org/10.1245/s10434-017-6173-z)

In the original article Justin C. R. Wormald's middle initials were incorrect. They are correct as reflected in this erratum. The original article has also been corrected.

The online version of the original article can be found under <https://doi.org/10.1245/s10434-017-6173-z>.

© Society of Surgical Oncology 2017

Published Online: 20 November 2017

A. Figus, MD (Hons), PhD (Hons), FEBOPRAS
e-mail: andreafigus@hotmail.com