CORRECTION

Correction to: The Devil's in the Details: Discrepancy Between Biopsy Thickness and Final Pathology in Acral Melanoma

Ann Y. Lee, MD¹, Erica B. Friedman, MD¹, James Sun, MD², Aishwarya Potdar, MS², Hala Daou, BS², Norma E. Farrow, MD³, Clara R. Farley, MD⁴, John T. Vetto, MD⁵, Dale Han, MD⁵, Marvi Tariq, MD⁴, Richard Shapiro, MD¹, Georgia Beasley, MD³, Carlo M. Contreras, MD⁶, Iman Osman, MD⁷, Michael Lowe, MD⁴, Jonathan S. Zager, MD², and Russell S. Berman, MD¹

¹Department of Surgery, NYU Langone Health, New York, NY ; ²Department of Cutaneous Oncology, Moffitt Cancer Center, Tampa, FL; ³Department of Surgery, Duke University, Durham, NC; ⁴Department of Surgery, Emory University, Atlanta, GA; ⁵Department of Surgery, Oregon Health and Science University, Portland, OR; ⁶Department of Surgery, University of Alabama at Birmingham, Birmingham, AL; ⁷Ronald O. Perelman Department of Dermatology, NYU Langone Health, New York, NY

CORRECTION TO: ANN SURG ONCOL (2020) 27:5259–5266

[HTTPS://DOI.ORG/10.1245/S10434-020-08708-Y](https://doi.org/10.1245/S10434-020-08708-Y)

In the original online version of the article, Iman Osman's funding information was missing. Dr. Osman's work was supported by the NYU Melanoma Spore Grant P50 CA225450. The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1245/s10434-020-08708-y>.

© Society of Surgical Oncology 2021

Published Online: 23 April 2021

A. Y. Lee, MD
e-mail: ann.lee@nyulangone.org