CORRECTION

Correction to: Development and Evaluation of a Machine Learning Prediction Model for Flap Failure in Microvascular Breast Reconstruction

Anne C. O'Neill, MBBCh, PhD¹, Dongyang Yang, PhD², Melissa Roy, MD, MSc¹,
Stephanie Sebastiampillai, BSc¹, Stefan O. P. Hofer, MD, PhD¹, and Wei Xu, PhD²

¹Division of Plastic Surgery, Department of Surgery and Surgical Oncology, University Health Network, University of Toronto, Toronto, Canada; ²Department of Biostatistics, Princess Margaret Cancer Centre, University Health Network, Toronto, Canada

CORRECTION TO: ANN SURG ONCOL (2020) 27:3466–3475

[HTTPS://DOI.ORG/10.1245/S10434-020-08307-X](https://doi.org/10.1245/S10434-020-08307-X)

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

In the original online version of this article, Dongyang Yang's given name was misspelled. The original article was corrected.

The original article can be found online at <https://doi.org/10.1245/s10434-020-08307-x>.

© Society of Surgical Oncology 2021
Published Online: 1 November 2021

A. C. O'Neill, MBBCh, PhD
e-mail: Anne.O'Neill@uhn.ca