ASO VISUAL ABSTRACT

ASO Visual Abstract: Overall Survival is More Closely Associated with Peritoneal than Primary Appendiceal Pathological Grade in Pseudomyxoma Peritonei with Discordant Pathology

Ayaz Ahmed Memon, MBBS, MCPS, FCPS, FRCS, Chintamani Godbole, MS, DNB, MRCS(Ed), Tom Cecil, MD, FRCS, Sanjeev Dayal, MS, FRCS(Glas), Brendan Moran, MCh, FRCSI, Alexios Tzivanakis, MD, FRCS, Faheez Mohamed, MD, FRCS (Ed), and Norman J. Carr, FRCPath

Peritoneal Malignancy Institute, Basingstoke and North Hampshire hospital, Basingstoke, UK

In pseudomyxoma peritonei, discordance between the histological grade of the primary appendix tumour and the peritoneal disease has been described. This analysis ([http](http://doi.org/10.1245/s10434-021-10994-z)

[://doi.org/10.1245/s10434-021-10994-z](http://doi.org/10.1245/s10434-021-10994-z)) reports the outcomes in patients with pathological discordance in PMP from a high-volume centre.

DISCLOSURE The authors declare that they have no conflict of interest and have received no financial or material support for this study

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.