




ASO Visual Abstract: The Association of Frailty with Outcomes After Cancer Surgery—A Systematic Review and Meta-Analysis

Julia F. Shaw, MSc¹, Dan Budiansky, BHSc², Fayza Sharif, BSc¹, and Daniel I McIsaac, MD^{1,3,4,5}

¹School of Epidemiology and Public Health, University of Ottawa, Ottawa, Canada; ²Temerty Faculty of Medicine, University of Toronto, Toronto, Canada; ³Department of Anesthesiology and Pain Medicine, University of Ottawa, Ottawa, Canada; ⁴Department of Anesthesiology, The Ottawa Hospital Civic Campus, Ottawa, ON, Canada; ⁵Clinical Epidemiology Program, Ottawa Hospital Research Institute, Ottawa, Canada

Frailty is common among older adults. We systematically reviewed the association of frailty with adverse outcomes in older adults undergoing cancer surgery (<https://doi.org/10.12>

[45/s10434-021-11321-2](https://doi.org/10.1245/s10434-021-11321-2)). Frailty was significantly associated with increased odds of postoperative mortality, complications, adverse discharge, and increased length-of-stay.



DISCLOSURE The authors declare no competing interests. Daniel I. McIsaac receives salary support from a research chair funded by the Faculty of Medicine at the University of Ottawa, and a salary award from the Ottawa Hospital Anesthesia Alternate Funds Association.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.