



CORRECTION

Correction: ASO Visual Abstract: Double Negativity of MRI-Detected and Pathologically Diagnosed Extramural Venous Invasion is a Favorable Prognostic Factor for Rectal Cancer

Toshihiro Sakanaka, MD¹, Hiromitsu Iwamoto, MD, PhD¹, Kenji Matsuda, MD, PhD¹, Yasuyuki Mitani, MD, PhD¹, Yuki Nakamura, MD, PhD¹, Daisuke Murakami, MD¹, Norio Takemoto, MD¹, Masato Tamiya, MD¹, Takahiko Hyo, MD¹, Ibu Matsuzaki, MSc, IAC², Yuichi Kinoshita, PhD, CF, IAC², Hirokazu Nagai, CT, IAC², Akira Ikoma, MD, PhD³, Ryuta Iwamoto, MD², Yuichi Takahashi, MD², Fumiyoshi Kojima, MD, PhD², Shin-ichi Murata, MD, PhD², Tetsuro Sonomura, MD, PhD³, and Manabu Kawai, MD, PhD¹

¹Second Department of Surgery, Wakayama Medical University, Wakayama City, Japan; ²Department of Human Pathology, Wakayama Medical University, Wakayama, Japan; ³Department of Radiology, Wakayama Medical University, Wakayama, Japan

Correction to: Ann Surg Oncol

<https://doi.org/10.1245/s10434-024-14897-7>

In the original online version of this article, there is an error in the visual abstract.

The original article was corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1245/s10434-024-14897-7>.

© Society of Surgical Oncology 2024

Published online: 24 January 2024

H. Iwamoto, MD, PhD
e-mail: hiwa@wakayama-med.ac.jp