

Article Corrected

Vakaramoko D, Dié Kakou H, Lachaine J. Eliciting preferences for reimbursed drugs selection criteria in Côte d'Ivoire. *Patient*. Epub 2011 Jan 19. doi: 10.2165/11586060-000000000-00000

Corrections Made

A Published-Ahead-of-Print version of this article was made available online at <http://adisonline.com/thepatient/toc/publishahead> on 19 January 2011. An error was subsequently identified by the authors in that version of the article, and the following correction has therefore been made.

Page 5 (now page 129), Table II, which previously read:

Table II. Results of the binary logistic regression model^a

| Criteria and levels | Coefficient | Robust SEs | p-Value | Marginal effects | Efron's R ² | Relative importance (%) |
|----------------------------|-------------|------------|---------|------------------|------------------------|-------------------------|
| Cost effectiveness | | | | | 0.289 | 64 |
| Very cost effective | 4.19 | 0.303 | 0.0000 | 0.70 | | |
| Cost effective | 3.35 | 0.267 | 0.0000 | 0.62 | | |
| Low cost effectiveness | 0.83 | 0.232 | 0.0000 | 0.2 | | |
| Severity of disease | | | | | 0.134 | 30 |
| Very severe | 2.52 | 0.266 | 0.0000 | 0.52 | | |
| Severe | 2.48 | 0.260 | 0.0000 | 0.51 | | |
| Mild | 0.09 | 0.226 | 0.685 | 0.02 | | |
| Social class | | | | | 0.027 | 6 |
| Rich | 0.01 | 0.160 | 0.939 | -0.25 | | |
| Age | | | | | 0 | 0 |
| Adult | -1.04 | 0.164 | 0.0000 | 0 | | |
| Constant | -2.83 | 0.301 | 0.0000 | | | |

a Log likelihood = -479.25015; Efron's R² = 0.3903.

SE = standard error.

has now been corrected as follows:

Table II. Results of the binary logistic regression model^a

| Criteria and levels | Coefficient | Robust SEs | p-Value | Marginal effects | Efron's R ² | Relative importance (%) |
|----------------------------|--------------|--------------|---------------|------------------|------------------------|-------------------------|
| Cost effectiveness | | | | | 0.289 | 64 |
| Very cost effective | 4.19 | 0.303 | 0.0000 | 0.70 | | |
| Cost effective | 3.35 | 0.267 | 0.0000 | 0.62 | | |
| Low cost effectiveness | 0.83 | 0.232 | 0.0000 | 0.2 | | |
| Severity of disease | | | | | 0.134 | 30 |
| Very severe | 2.52 | 0.266 | 0.0000 | 0.52 | | |
| Severe | 2.48 | 0.260 | 0.0000 | 0.51 | | |
| Mild | 0.09 | 0.226 | 0.685 | 0.02 | | |
| Social class | | | | | 0.027 | 6 |
| Rich | <u>-1.04</u> | <u>0.164</u> | <u>0.0000</u> | -0.25 | | |
| Age | | | | | 0 | 0 |
| Adult | <u>0.01</u> | <u>0.160</u> | <u>0.939</u> | 0 | | |
| Constant | -2.83 | 0.301 | 0.0000 | | | |

a Log likelihood = -479.25015; Efron's R² = 0.3903.

SE = standard error.

Note

All online versions of this article have been updated to reflect these corrections.