Erratum to: Elastodynamic Responses of Magneto Micropolar Isotropic Media under the Gravitational Influence

Varun Kumar^{a,*} and Rafiya Nazir^{a,**}

^aDepartment of Mathematics, Lovely Professional University, Phagwara — 144411, Punjab, India
*e-mail: varun.kumar@hotmail.co.in
**e-mail: rafiyanazir25@gmail.com
Received January 12, 2022

DOI: 10.3103/S0025654422050181

The equation (2.1) should read as $\nabla \times \mathbf{h} = \mathbf{J} + \varepsilon_0 \frac{\partial \mathbf{E}}{\partial t}$.

The equation (2.2) should read as $\nabla \times \mathbf{E} = -\mu_0 \frac{\partial \mathbf{h}}{\partial t}$.

The equation (2.3) should read as $\mathbf{E} = -\mu_0 \left(\frac{\partial \mathbf{u}}{\partial t} \times H_0 \right)$.

The equation (2.5) should read as $(\lambda + \mu)\nabla(\nabla \cdot \mathbf{u}) + (\mu + K)\nabla^2 \mathbf{u} + K(\nabla \times \phi) - \nu\nabla\theta + \mathbf{F} + \mathbf{G} = \rho \frac{\partial^2 \mathbf{u}}{\partial t^2}$.

The equation (2.6) should read as $(\alpha + \beta + \gamma)\nabla(\nabla \cdot \phi) - \gamma\nabla \times (\nabla \times \phi) + K(\nabla \times \mathbf{u}) - 2K\phi = \rho j \frac{\partial^2 \phi}{\partial t^2}$.

The equation (2.11) should read as $\mathbf{F} = \mu_0(\mathbf{J} \times \mathbf{H}_0)$, $\mathbf{G} = \rho g(w_x, 0, -u_x)$.

The original article can be found online at https://doi.org/10.3103/S0025654422040203