the marginally discriminable condition of five intervals (six pulses).

DISCUSSION

The results of Experiment 1 suggest that PEST is not immune to arbitrary decisions made by E at the beginning of the experiment. The results of Experiment 2 suggest that the interactions between PEST rules and the specific experimental technique may be small. Experience has suggested that informal preliminary experimentation is important in judiciously selecting initial conditions (see also Stevens, 1955), that S prefers easy discrimination trials at the beginning of an experimental condition in order to better define his task, and that an extremely fine exit criterion may be self-defeating. The latter statements imply that ISD should initially be moderately large. We typically aim to obtain an estimate of threshold within 12-14 four-interval forced-choice trials. We approach this aim by setting ISD about 3 times the median expected threshold value with ISD equal to 31 EC. This procedure then employs an exit criterion of the order of 10% of the measured threshold. While the grain of the experiment

is coarse, these conditions impose a relatively low bias and provide an answer in a relatively small number of trials.

References

- Broadbent, D. E. *Perception and communication*. New York: Pergamon Press, 1958.
- Cornsweet, T. N. The staircase-method in psychophysics. *Amer. J. Psychol.*, 1962, 75, 485-491.
- Dallenbach, K. M. The staircase-method critically examined. *Amer. J. Psychol.*, 1966, 79, 654-656.
- Pollack, I. Iterative techniques for unbiased rating scales. *Quart. J. exp. Psychol.*, 1965, 17, 139-148.
- Pollack, I., Headly, P., & Maas, E. Modest Computer controlled psychoacoustical facility. *J. Acoust. Soc. Amer.*, 1966, 39, 1248 (A).
- Rosenthal, R. Covert communication in the psychological experiment. *Psychol. Bull.*, 1967, 67, 356-367.
- Smith, J. E. K. Stimulus programming in psychophysics. *Psychometrika*, 1961, 26, 27-34.
- Stevens, S. S. On the averaging of data. *Science*, 1955, 121, 113-116.
- Taylor, M. M., & Creelman, C. D. PEST: Efficient estimates on probability functions. *J. Acoust. Soc. Amer.*, 1967, 41, 782-787.
- Uttal, W. R., & Krissoff, M. Effect of stimulus pattern on temporal acuity in the somatosensory system. *J. exp. Psychol.*, 1966, 71, 878-883.

(Accepted for publication December 1, 1967)

Erratum

Curtis, D. W., Attneave, F., and Harrington, T. L. A test of a two-stage model of magnitude judgment. *Percept. and Psychophys.*, 1968, 3, 25-31. In addition to the misspelling of "logarithm" in a footnote, this paper contains several typographical errors: (1) The last sentence of the abstract is a telescoping of the following two sentences. "Individual values of the inferred sensory exponent, k , show significantly better uniformity over Os than do values of the phenotypical magnitude exponent n . The average value of k is almost identical with the exponent previously found to describe interval judgments of weights." (2) The missing standard error in Table 1 (associated with the value .746) is .032. (3) In Table 1 and elsewhere, estimates of the output exponent from the quotient n/k should be designated $\bar{m}$; thus the expression on p. 29, col. 2, line 12 should be " m vs $\bar{m}$," etc. (4) The word "data" should be inserted into the last sentence of Note 3, thus: "...the power model would have to fit data like ..."