Computer technology: Index to articles in *Behavior Research Methods, Instruments,* *& Computers* from 1977 to 1987

JOSEPH B. SIDOWSKI and GWENDOLYN E. CAMPBELL

University of South Florida, Tampa, Florida

This issue of the journal provides an index to the computer technology articles published in *Behavior Research Methods, Instruments, & Computers* from the beginning of 1977 through October 1987. Articles are listed under the various categories in the form of complete reference citations, except for the journal name. If an article is relevant to several topics, a complete citation is provided for each. If two or more categories contain related material, the Topic Guide refers the reader to the related topics.

The Topic Guide lists the categories and subcategories as they appear serially in the Computer Technology Index.

Topic Guide

Artificial Intelligence and Applications	492
Behavioral Medicine	492
Clinical Applications	492
Assessment	492
(See also Testing: Psychological Testing)	
Computer-Based Therapy	493
Management Information Systems (MIS)	493
Computer Conferencing	493
Computer Randomization Procedures	493
Computer Timing	494
Computer Utilities	
Data Storage and Management	494
Data Transfer	495
Computers	
Attitudes Toward Computers	495
General Use in Psychology	495
Impact on Society	495
Introduction to Computers	495
Psychological Theory (See also Simulations and Models)	495
Selection and Maintenance	496
Computers and the Handicapped	496
Computers in Education	496
Computer-Aided Instruction (CAI)	497
Mathematics	497
PLATO	498
Courseware	498
Student Laboratory	498
(See also Research Applications; Simulations and Models)	
EEG/EMG/ECG	499
(See also Research Applications: Biopsychology/Psychophysiology)	
Experiment Design	499
(See also Stimulus Generation and Selection; Statistical Analysis)	
Graphics	499
3D	499
Animation of Graphics	500
Hardware	500
Software	500
Hardware	500
Digitizer	500
Evaluation and Comparison	500
Light Pen	501
Modifications	501
CRT Modifications (See also Visual Display Systems)	501
Optical Scanner	501
Printers/Plotters	501
Touch Screen	501
Video Disk	501
Human Factors	501
Computer Training	501
Human-Computer Interactions	501
Image Processing	502
Industrial/Organizational Psychology	502
Interface (See also Research Applications)	502

Laboratory Control Programs (See also Research Applications).....	503
Language	
APL.....	504
Assembler/Machine Language.....	505
BASIC.....	506
C.....	512
COBOL.....	512
FORTH.....	512
FORTRAN.....	512
LISP.....	517
MACRO.....	517
PASCAL.....	517
PL/I.....	518
WATFIV.....	519
Motor Behavior.....	519
Networking and Timesharing.....	519
Observational Methods.....	520
Analysis of Data.....	520
Recorders.....	521
Operating Systems.....	521
CP/M.....	521
UNIX.....	521
Programming.....	521
Computer Language(s) for Psychology.....	521
ACT/InterACT.....	522
SKED.....	522
Debugging Tool(s).....	522
Introduction.....	522
Multitasking.....	522
Tips and Techniques.....	522
Research Applications (See also Simulations and Models)	
Animal Behavior.....	523
Audition.....	523
Biopsychology/Psychophysiology (See also EEG/EMG/ECG)....	523
Cognition and Memory (See also Speech; Sustained Work).....	524
Conditioning.....	525
Developmental.....	526
Eye Movement Measurements.....	526
General Research Applications.....	527
Other Research Applications.....	527
Perception and Sensation.....	528
(See also Theory of Signal Detectability)	
Problem Solving/Thinking.....	528
Psychopathology.....	528
Reaction Time.....	529
Reading Research.....	529
Social.....	529
Vision (See also Visual Display System).....	530
Simulations and Models	
Animal Behavior.....	530
Audition.....	530
Biopsychology/Psychophysiology.....	530
Cognition and Memory.....	530
Conditioning.....	531
Other Simulations and Models.....	531
Perception and Sensation.....	531
Problem Solving/Thinking.....	531
Social.....	531
Vision.....	531

Software	531
Evaluation and Comparison	531
MINITAB	532
SAS	532
SPSS	532
Sound	532
Synthesized Animal Communications	532
Tone Generator	532
Speech	532
Analysis of Speech	532
Synthesized Speech	532
Statistical Analysis	
ANCOVA & Follow-Up Tests	533
ANOVA & Follow-Up Tests	533
Chi-Square	534
Cluster Analysis	534
Correlations	534
Distributions	535
Factor Analysis	535
Fourier Analysis	535
Item Analysis	535
Kappa Coefficient	536
Lag Sequential Analysis	
(See Observational Methods: Analysis of Data)	
Matrix Operations	536
Multidimensional Scaling (MDS)	536
Metaanalysis	536
Nonparametric Statistics	536
Other Statistical Analysis	536
Probability	538
Regression	538
Scaling and Ratings	538
Sociometric	539
Sorting and Ranking	539
Spectral Analysis	539
Statistical Packages	539
(See also Software: Evaluation and Comparison)	
Time Series	540
Trend Analysis	540
Stimulus Generation and Selection (See also Experiment Design)	540
Computer Randomization Procedures	540
Structural Equations	541
Surveys/Questionnaires/Interviews	541
Computer Randomization Procedures	541
Scoring and Analysis	541
Sustained Work	541
Systems	
Mainframe	
CDC	541
Honeywell	542
IBM	543
ICL	543
PRIME	543
UNIVAC	543
VAX	544
XEROX	544
Microcomputer	
Apple	544
Atari	547
Commodore 64	547

Commodore Amiga	547
Commodore PET	547
Commodore VIC-20	548
Data General MicroNOVA	548
IBM	548
KIM-1	549
Macintosh	550
Radio Shack Color Computer	550
Tandy 2000	550
Timex Sinclair	550
TRS-80	550
Minicomputer	
Data General NOVA	551
DEC PDP-10	552
DEC PDP-11	552
DEC PDP-12	555
DEC PDP-15	555
DEC PDP-8	555
IBM	556
Testing	
Computer Tailoring	557
Instructional Testing	557
Computer Administration	557
Computer Randomization Procedures	557
Scoring and Analysis (See also Statistical Analysis)	557
Psychological Testing	557
(See also Clinical Applications: Assessment; Sustained Work)	
Computer Administration	558
Scoring and Analysis (See also Statistical Analysis)	558
Theory of Signal Detectability (TSD)	558
Visual Display System (See also Hardware: CRT Modifications)	559
Raster	559
Tachistoscope	559
Writing/Referencing/Publications	559
Reference/Reprint Management	559
Word Processing	559

Computer Technology Index

ARTIFICIAL INTELLIGENCE AND APPLICATIONS

- LESGOLD, A. M. (1984). Human skill in a computerized society: Complex skills and their acquisition. **16**, 79-87.
- SCHANK, R. C. (1978). Computer understanding of natural language. **10**, 132-138.
- SCHUMACHER, R. M., DeCOSTE, D., DUGAN, D., & GRUNZKE, P. M. (1986). Three programs for evaluation of human-computer interaction. **18**, 476-477.
- WHALEY, C. P. (1981). Computer-augmented decision making. **13**, 294-297.
- JOHNSON, J. H., GIANNETTI, R. A., & WILLIAMS, T. A. (1978). A self-contained microcomputer system for psychological testing. **10**, 579-581.
- JOHNSON, J. H., GODIN, S. W., & BLOOMQUIST, M. L. (1981). Human factors engineering in computerized mental health care delivery. **13**, 425-429.
- JOHNSON, J. H., HARRIS, W., THOMPSON, C., MARCUS, S., BLOCK, D., NOVAK, K., YINGST, N., ALLERT, A., HOBIN, G., BYRNES, E., STRAUCH, D., FELDMAN, C., NIEDNER, D., & FINK, A. (1981). New uses for the on-line computer medium in mental health care. **13**, 243-250.
- JOHNSON, J. H., WILLIAMS, T. A., KLINGLER, D. E., & GIANNETTI, R. A. (1977). Interventional relevance and retrofit programming: Concepts for the improvement of clinician acceptance of computer-generated assessment reports. **9**, 123-132.

BEHAVIORAL MEDICINE

- BALL, T. S. (1981). Selective applications of some extero- and interoceptive biofeedback devices. **13**, 543-545.
- DAVIDSON, R. S., & BREMSER, R. F. (1981). Applications of the microprocessor in the behavioral medicine laboratory. **13**, 546-549.
- GOTMAN, J. (1981). A computer system to assist in the evaluation of the EEGs of epileptic patients. **13**, 525-531.
- KAPLAN, H. L. (1982). An operating subsystem for continuous monitoring studies. **14**, 146-159.
- KAPLAN, H. L. (1987). Incorporating good programs into the larger laboratory context. **19**, 210-214.
- KOLODKIN, R. L., BILLINGHAM, K. A., & FELDMAN, H. S. (1981). Computers in biofeedback research and therapy. **13**, 532-542.
- POTTINGER, H. J., HUGHES, C. W., SCHROEDER, P., BAREFIELD, A., & CRAIGMILE, J. C. (1981). A microcomputer-based cardiometer with video display. **13**, 227-234.
- SCAMMON, M. E., KENNARD, M. M., STROEBEL, C. F., & GLUECK, B. C. (1981). A user-interactive graphics-based computer system for the analysis of the EEG. **13**, 517-524.
- SCHLUNDT, D. G., & BELL, C. (1987). Behavioral assessment of eating patterns and blood glucose in diabetes using the Self-Monitoring Analysis System. **19**, 215-223.
- MATTHEWS, T. J., KOBLLENZ, C. J., & WERDEN, J. I. (1984). Mental patients as computer operators. **16**, 230-233.
- SORRELL, S. P., GREIST, J. H., KLEIN, M. H., JOHNSON, J. H., & HARRIS, W. G. (1982). Enhancement of adherence to tricyclic antidepressants by computerized supervision. **14**, 176-180.
- SORRELL, S. P., SELMI, P. M., & JOHNSON, J. H. (1981). An on-line computer-based system for determining social costs and benefits. **13**, 511-514.
- SPAULDING, W., HARGROVE, D. S., CRINEAN, W. J., & MARTIN, T. (1981). A microcomputer-based laboratory for psychopathology research in rural settings. **13**, 616-623.
- WILLIAMS, T. A. (1977). Computer technology in mental health care: "Toys" or tools? **9**, 108-109.
- ZILM, D. H., DURAND, D., & KAPLAN, H. L. (1978). A microprocessor-controlled clinical tremometer. **10**, 177-181.
- ZIMMERMAN, D. P. (1987). Effects of computer conferencing on the language use of emotionally disturbed adolescents. **19**, 224-230.

Assessment

CLINICAL APPLICATIONS

- ANGLE, H. V. (1981). The interviewing computer: A technology for gathering comprehensive treatment information. **13**, 607-612.
- BIRCHNELL, J. (1981). The use of the computer in life history research. **13**, 624-628.
- BYRNES, E., & JOHNSON, J. H. (1981). Change technology and the implementation of automation in mental health care settings. **13**, 573-580.
- DILLON, M. J., & VAN HAAREN, F. (1980). BRS: A program for computer-managed point economies. **12**, 566.
- GREEN, R. S. (1980). Interactive scaling: A demonstration. **12**, 281-282.
- HARRIS, W. G., ESCHBACH, A. A., & JOHNSON, J. H. (1981). A self-contained mental health outpost: An automated approach to prevention. **13**, 581-584.
- BREMSER, R. F., & DAVIDSON, R. S. (1978). Microprocessor-assisted assessment in the clinical research laboratory. **10**, 582-584.
- BYERS, A. P. (1981). Psychological evaluation by means of an on-line computer. **13**, 585-587.
- DEMITA, M. A., JOHNSON, J. H., & HANSEN, K. E. (1981). The validity of a computerized visual searching task as an indicator of brain damage. **13**, 592-594.
- GIANNETTI, R. A., JOHNSON, J. H., WILLIAMS, T. A., & McCUSKER, C. F. (1977). Development of an on-line problem-oriented system for the evaluation of mental health treatment services. **9**, 133-138.
- JOHNSON, J. H., GIANNETTI, R. A., & WILLIAMS, T. A. (1979). Psychological systems questionnaire: An objective personality test designed for on-line computer presentation, scoring, and interpretation. **11**, 257-260.
- JOHNSON, J. H., & WILLIAMS, T. A. (1978). Using a microcomputer for on-line psychiatric assessment. **10**, 576-578.

- JOHNSON, J. H., WILLIAMS, T. A., GIANNETTI, R., KLINGLER, D. E., & NAKASHIMA, S. R. (1978). Organizational preparedness for change: Staff acceptance of an on-line computer-assisted assessment system. *10*, 186-190.
- KLEINMUNTZ, B., & KLEINMUNTZ, D. N. (1981). Psychodiagnosis in hypothetical problem spaces. *13*, 417-420.
- KLINGLER, D. E., MILLER, D. A., JOHNSON, J. H., & WILLIAMS, T. A. (1977). Process evaluation of an on-line computer-assisted unit for intake assessment of mental health patients. *9*, 110-116.
- LYONS, J. P., & BROWN, J. (1981). Reduction in clinical assessment time using computer algorithms. *13*, 407-412.
- MILLER, D. A., JOHNSON, J. H., KLINGLER, D. E., WILLIAMS, T. A., & GIANNETTI, R. A. (1977). Design for an on-line computerized system for MMPI interpretation. *9*, 117-122.
- MORF, M., ALEXANDER, P., & FUERTH, T. (1981). Fully automated psychiatric diagnosis: Some new possibilities. *13*, 413-416.
- SPACE, L. G. (1981). The computer as psychometrician. *13*, 595-606.
- STOUT, R. L. (1981). New approaches to the design of computerized interviewing and testing systems. *13*, 436-442.
- Computer-Based Therapy**
- ERDMAN, H. P., GREIST, J. H., KLEIN, M. H., JEFFERSON, J. W., & GETTO, C. (1981). The computer psychiatrist: How far have we come? Where are we heading? How far dare we go? *13*, 393-398.
- NEUMANN, D. (1986). A psychotherapeutic computer application: Modification of technological competence. *18*, 135-140.
- SELM, P. M., KLEIN, M. H., GREIST, J. H., JOHNSON, J. H., & HARRIS, W. G. (1982). An investigation of computer-assisted cognitive-behavior therapy in the treatment of depression. *14*, 181-185.
- SPACE, L. G. (1981). The computer as psychometrician. *13*, 595-606.
- Management Information Systems (MIS)**
- DOW, J., & JAKIELLO, D. (1981). How to manage the evolution of a computerized information system. *13*, 454-458.
- GREEN, R. S., & ATKISSON, C. C. (1981). A model system for psychotherapy research data management. *13*, 499-510.
- HALLENBECK, C. E., GALLAHER, R. B., & WARREN, J. Q. (1977). The community mental health center management game: Teaching administrative skills by means of computer simulation. *9*, 202-208.
- HANSEN, K. E., JOHNSON, J. H., & WILLIAMS, T. A. (1977). Development of an on-line management information system for community mental health centers. *9*, 139-143.
- KAHN, E. M., RAMM, D., & GIANTURCO, D. T. (1981). TOCRS—The therapy-oriented computer record system. *13*, 479-484.
- MEZZICH, J. E., DOW, J. T., & COFFMAN, G. A. (1981). Developing an efficient clinical information system for a comprehensive psychiatric institute: I. Principles, design, and organization. *13*, 459-463.
- MEZZICH, J. E., DOW, J. T., RICH, C. L., COSTELLO, A. J., & HIMMELHOCH, J. M. (1981). Developing an efficient clinical information system for a comprehensive psychiatric institute: II. Initial evaluation form. *13*, 464-478.
- PETERSON, L. L., DANA, K. O., REISCH, J. S., HIBBERD, T., KORMAN, M., MUNVES, P. I., NORTH, A. J., VAN HOOSE, T. A., & TRIMBOLI, F. (1981). An information processing system for the psychiatric emergency room. *13*, 485-498.
- SHERMAN, P. S. (1981). A computerized CMHC clinical and management information system: Saga of a "mini" success. *13*, 445-453.
- SPACE, L. G. (1981). The computer as psychometrician. *13*, 595-606.
- SPAULDING, W., CRINEAN, W. J., & MARTIN, T. (1983). Microcomputerized clinical and research laboratories in psychiatric inpatient settings. *15*, 171-176.
- COMPUTER CONFERENCING**
- ERGNER, D., & WELLENS, A. R. (1985). A split-screen electronic messaging system for Apple II computers. *17*, 556-564.
- FERGUSON, J. A. (1977). PLANET: A computer conferencing system and its evaluation through a case study. *9*, 92-95.
- SPELT, P. F. (1977). Evaluation of a continuing computer conference on simulation. *9*, 87-91.
- THORSON, E., & BUSS, T. F. (1977). Using computer conferencing to formulate a computer simulation of transitive behavior. *9*, 81-86.
- ZIMMERMAN, D. P. (1987). Effects of computer conferencing on the language use of emotionally disturbed adolescents. *19*, 224-230.
- ZINN, K. L. (1977). Computer facilitation of communication within professional communities. *9*, 96-107.
- COMPUTER RANDOMIZATION PROCEDURES**
- ALDRIDGE, J. W. (1987). Cautions regarding random number generation on the Apple II. *19*, 397-399.
- CHANG, J. J. (1986). Theoretical and methodological approaches to apparent movement of short-range process and pattern perception. *18*, 542-550.
- EDGE, S. E. (1979). A statistical check of the DECsystem-10 FORTRAN pseudorandom number generator. *11*, 529-530.
- FRAGASZY, R. J., & FRAGASZY, D. M. (1978). A program to generate Gellermann (pseudorandom) series of binary states. *10*, 83-88.
- GREEN, B. F., JR. (1977). FORTRAN subroutines for random sampling without replacement. *9*, 559.
- HETH, C. D. (1984). A Pascal version of a pseudorandom number generator. *16*, 548-550.
- KAPLAN, H. L. (1981). Effective random seeding of random number generators. *13*, 283-289.
- LEHMAN, R. S. (1977). An improved BASIC program to produce random samples without replacement. *9*, 555-556.
- NILSSON, T. H. (1978). Randomization without replacement using replacement without losing your place. *10*, 419.
- OSAKA, N. (1979). A microprocessor-based real-time BASIC random interstimulus interval generator with different probability density functions. *11*, 581-584.
- POLZELLA, D. J., & BOWER, S. M. (1982). BIRAND: A BASIC program to generate and test random binary sequences. *14*, 51.
- POST, T. A., & FOX, J. L. (1982). Programming experiments on a TERA 8510/A microcomputer. *14*, 276-280.
- RASMUSSEN, J. L. (1984). A FORTRAN program for statistical evaluation of pseudorandom number generators. *16*, 63-64.

- ROBERTSON, S. A. (1977). A BASIC program to produce random samples without replacement. **9**, 363-364.
- STRUBE, M. J. (1983). Tests of randomness for pseudorandom number generators. **15**, 536-537.
- WOODRUFF, B. (1985). RANDOMTOOLS: An Apple Pascal unit useful in randomization. **17**, 133-134.

COMPUTER TIMING

- ADAMS, J. K. (1985). Visually presented verbal stimuli by assembly language on the Apple II computer. **17**, 489-502.
- BALSAM, P. D., DEICH, J., O'CONNOR, K., & SCOPATZ, R. (1985). Microcomputers and conditioning research. **17**, 537-545.
- BÜHRER, M., SPARRER, B., & WEITKUNAT, R. (1987). Interval timing routines for the IBM PC/XT/AT microcomputer family. **19**, 327-334.
- COYNE, A. C. (1987). A software-based millisecond timer for the CP/M operating system. **19**, 47-48.
- DLHOPOLSKY, J. G. (1982). Software synchronizing of video displays and Z-80 processing in the Model III TRS-80. **14**, 539-544.
- DLHOPOLSKY, J. G. (1983). Limitations of high-level microcomputer languages in software designed for psychological experimentation. **15**, 459-464.
- DLHOPOLSKY, J. G. (1983). Machine language millisecond timers for the Z-80 microprocessor. **15**, 511-520.
- DORFMAN, D. (1987). Software timing of events in cognitive psychology experiments. **19**, 185-190.
- EAMON, D. B., & BUTLER, D. L. (1987). Writing programs on the Apple for the student psychology laboratory: Routines, subroutines, and sources of information. **19**, 88-98.
- ELSMORE, T. F. (1977). Time-of-day clocks and SKED: Techniques and applications. **9**, 231-232.
- FEMANO, P. A., & PFAFF, D. W. (1983). Time-interval acquisition on a 6502-based microcomputer. **15**, 521-529.
- FLEXSER, A. J. (1987). Accurate display timing using an enhanced BASIC for the Tandy Color Computer. **19**, 457-459.
- FLOWERS, J. H. (1982). Some simple Apple II software for the collection and analysis of observational data. **14**, 241-249.
- FLOWERS, J. H., & MURPHY, M. H. (1979). An economical microcomputer design for the generation and display of timed visual stimuli: The TDL VDB. **11**, 115-118.
- GOLDBAND, S. (1979). Real-time clocks for microcomputers in behavioral research. **11**, 111-114.
- GRAVES, R., & BRADLEY, R. (1987). Millisecond interval timer and auditory reaction time programs for the IBM PC. **19**, 30-35.
- GRICE, G. R. (1981). Accurate reaction time research with the TRS-80 microcomputer. **13**, 674-676.
- HAMPSON, P. J. (1984). Flasher 80: A modified version of PET Flasher. **16**, 323-324.
- HORMANN, C. A., & ALLEN, J. D. (1987). An accurate millisecond timer for the Commodore 64 or 128. **19**, 36-41.
- LANE, D. M., & ASHBY, B. (1987). PsychLib: A library of machine language routines for controlling psychology experiments on the Apple Macintosh computer. **19**, 246-248.
- LINCOLN, C. E., & LANE, D. M. (1980). Reaction time measurement errors resulting from the use of CRT displays. **12**, 55-57.
- MERIKLE, P. M., CHEESMAN, J., & BRAY, J. (1982). PET Flasher: A machine language subroutine for timing visual displays and response latencies. **14**, 26-28.
- MITTERER, J. O., & OSBORNE, B. (1982). Improved real-time control on the Apple by mimicking an on-board 60-Hz clock. **14**, 412-413.
- NILSSON, T. H. (1978). FOCAL patch for synchronized I/O, precision timing, and on-line files: On-line "reflexes" for general-purpose interpreter languages. **10**, 309-311.
- O'DELL, J. W. (1981). The MicroAce: An inexpensive computer controller. **13**, 682-685.
- OSAKA, N. (1979). A microprocessor-based real-time BASIC random interstimulus interval generator with different probability density functions. **11**, 581-584.
- PERERA, T. B. (1979). A comparison of BASIC language timing loops for the TRS-80 microcomputer. **11**, 592.
- PERONE, M. (1985). A software system for real-time laboratory use of TRS-80 microcomputers. **17**, 119-121.
- POST, T. (1979). Software control of reaction time studies. **11**, 208-211.
- POST, T. A., & FOX, J. L. (1982). Programming experiments on a TERA 8510/A microcomputer. **14**, 276-280.
- PRICE, J. M. (1979). Software timing for 6500 series microcomputers. **11**, 568-571.
- PRICE, J. M. (1986). Relocating 65xx software timing routines. **18**, 68-69.
- RAYFIELD, F. (1982). Experimental control and data acquisition with BASIC in the Apple computer. **14**, 409-411.
- RAYFIELD, F., & CARNEY, J. (1981). Controlling behavior experiments with BASIC on 6502-based microcomputers. **13**, 735-740.
- REED, A. V. (1979). Microcomputer display timing: Problems and solutions. **11**, 572-576.
- REED, A. V. (1982). The Radio Shack color computer in the experimental psychology laboratory: An evaluation. **14**, 109-112.
- SAWYER, T. A., & CASTELLAN, N. J., JR. (1985). A microcomputer-based technique for measuring response times in written protocols. **17**, 503-504.
- WATTS, B. H. (1986). FORTH, a software solution to real-time computing problems. **18**, 228-235.
- WESTALL, R., PERKEY, M. N., & CHUTE, D. L. (1986). Accurate millisecond timing on Apple's Macintosh using Drexel's MilliTimer. **18**, 307-311.
- WRIGHT, R. D. (1986). Amiga 1000 hardware timing and reaction-time key interfacing. **18**, 463-465.

COMPUTER UTILITIES

Data Storage and Management

- EVANS, S., NEIDEFFER, J., & GILFILLAN, L. (1982). APL functions for interactive data analysis: Preparation of data files. **14**, 475-481.
- GUY, R. F., POL, L. G., & BRANDON, C. W. (1982). Geographic coding of addresses: A computer system. **14**, 427-428.
- NILSSON, T. H. (1978). FOCAL patch for synchronized I/O, precision timing, and on-line files: On-line "reflexes" for general-purpose interpreter languages. **10**, 309-311.
- POST, T. A., & FOX, J. L. (1982). Programming experiments on a TERA 8510/A microcomputer. **14**, 276-280.
- RASMUSSEN, J. L. (1982). DATIN: An interactive data entry program. **14**, 488.
- RAUSCHER, H. M., & BUHYOFF, G. J. (1982). Utility subroutines for data manipulations. **14**, 37-38.

- SHAPIRO, N. R., ROSELLINI, R. A., & DeCOLA, J. P. (1981). UNISIM: A text-editing BASIC program for creation and modification of sequential disk files. *13*, 689-690.
- WALKER, S., & REITE, M. (1977). DATASTOR: A multivariate data handling system. *9*, 299.
- WEST, R. F. (1983). Data-editing BASIC programs for creating, modifying, and combining Apple II disk files. *15*, 387-388.

Data Transfer

- CAMPBELL, D. J. (1983). Machine language programs for high-speed transfer of data between the KIM-1 and the CBM/PET microcomputers. *15*, 547-548.
- POST, T. A., & FOX, J. L. (1982). Programming experiments on a TERA 8510/A microcomputer. *14*, 276-280.
- SCHREINER, R. C. (1978). LINC-to-PDP-11 tape translation. *10*, 865-866.
- WALOSZEK, G. (1983). Using the TRS-80 as a terminal for the PDP-11. *15*, 474.
- ZINTGRAFF, C., BARRINGER, D. D., & BREMNER, F. J. (1986). Data transfer concepts and strategies in a psychological research environment. *18*, 236-239.

COMPUTERS

Attitudes Toward Computers

- BYRNES, E., & JOHNSON, J. H. (1981). Change technology and the implementation of automation in mental health care settings. *13*, 573-580.
- JOHNSON, J. H., WILLIAMS, T. A., GIANNETTI, R. A., KLINGLER, D. E., & NAKASHIMA, S. R. (1978). Organizational preparedness for change: Staff acceptance of an on-line computer-assisted assessment system. *10*, 186-190.
- JOHNSON, J. H., WILLIAMS, T. A., KLINGLER, D. E., & GIANNETTI, R. A. (1977). Interventional relevance and retrofit programming: Concepts for the improvement of clinician acceptance of computer-generated assessment reports. *9*, 123-132.
- ROSEN, L. D., SEARS, D. C., & WEIL, M. M. (1987). COMPUTERPHOBIA. *19*, 167-179.
- STIMMEL, T., CONNOR, J. L., McCASKILL, E. O., & DURRETT, H. J. (1981). Teacher resistance to computer-assisted instruction. *13*, 128-130.
- WAGMAN, M. (1983). A factor analytic study of the psychological implications of the computer for the individual and society. *15*, 413-419.
- WEIL, M. M., ROSEN, L. D., & SEARS, D. C. (1987). The Computerphobia Reduction Program: Year 1. Program development and preliminary results. *19*, 180-184.

General Use in Psychology

- CARPENTER, D. L. (1986). A survey of microcomputer use in small psychology departments. *18*, 155-156.
- CASTELLAN, N. J., JR. (1981). On-line computers in psychology: The last 10 years, the next 10 years—The challenge and the promise. *13*, 91-96.
- CASTELLAN, N. J., JR. (1982). Computers in psychology: A survey of instructional applications. *14*, 198-202.
- CHURCH, R. M. (1983). The influence of computers on psychological research: A case study. *15*, 117-126.

- DOMBER, E. A., & MILLS, J. W. (1987). Computers and the liberal arts: Challenge to psychology. *19*, 136-138.
- DURRETT, H. J., JR., & ZWIENER, C. (1981). A microcomputer-based laboratory: Real-world experience. *13*, 209-212.
- FERGUSON, J. A. (1977). PLANET: A computer conferencing system and its evaluation through a case study. *9*, 92-95.
- FLOWERS, J. H., & LEGER, D. W. (1982). Personal computers and behavioral observation: An introduction. *14*, 227-230.
- GREEN, B. F., NULL, C. H., FURNAS, G., HAGEN, M., & RUMELHART, D. (1985). Advanced computing in psychology. *17*, 331-338.
- GRUPSMITH, E., & FERRES, S. (1979). Minicomputer labs that talk to maxicomputers. *11*, 156-158.
- HEWETT, T. T., & PERKEY, D. J. (1986). Bootstrapping microcomputers at Drexel University: The role of a faculty newsletter. *18*, 157-161.
- JOHNSON, R. N. (1978). Using the PET microcomputer. *10*, 474-475.
- LANE, D. M. (1987). Effects of availability of microcomputers on student and faculty research. *19*, 135.
- PAVEL, M. (1981). Results of a preliminary survey of computer users in psychological laboratories. *13*, 272-275.
- PERERA, T. B. (1986). Implementing faculty computer literacy programs. *18*, 162-164.
- POLSON, P. G. (1978). Microprocessors: Their impact on real-time computing in psychology. *10*, 139-147.
- POSNER, M. I., & OSGOOD, G. W. (1980). Computers in the training of inquiry. *12*, 87-95.
- SIDOWSKI, J. B. (1978). Introduction: Microcomputers in psychology. *10*, 463-467.
- SPELT, P. F. (1977). Evaluation of a continuing computer conference on simulation. *9*, 87-91.
- UTTAL, W. R. (1986). Computers in Vision Research: Introduction. *18*, 484-486.
- VESONDER, G. T., LESGOLD, A. M., & WOLF, R. V. (1978). The use of microprocessors in a timeshared computer facility for research, development, and teaching. *10*, 510-515.
- WILLIAMS, T. A. (1977). Computer technology in mental health care: "Toys" or tools? *9*, 108-109.
- ZINN, K. L. (1977). Computer facilitation of communication within professional communities. *9*, 96-107.

Impact on Society

- WAGMAN, M. (1983). A factor analytic study of the psychological implications of the computer for the individual and society. *15*, 413-419.

Introduction to Computers

- BAILEY, D. E. (1980). "Basic black" reascent: A new wardrobe. *12*, 96-102.
- PAVEL, M. (1978). What is a microprocessor? *10*, 238-240.

Psychological Theory

- BLACKMORE, W. R. (1981). Human software. *13*, 553-570.
- CHURCH, R. M. (1983). The influence of computers on psychological research: A case study. *15*, 117-126.
- COTTON, J. W. (1982). Where is the randomness for the human computer? *14*, 59-70.
- LESOLD, A. M. (1984). Human skill in a computerized society: Complex skills and their acquisition. *16*, 79-87.

- LOFTUS, G. (1985). Johannes Kepler's computer simulation of the universe: Some remarks about theory in psychology. *17*, 149-156.
- MASSARO, D. W. (1986). The computer as a metaphor for psychological inquiry: Considerations and recommendations. *18*, 73-92.
- NECHES, R. (1982). Simulation systems for cognitive psychology. *14*, 77-91.
- ZUCKER, S. W. (1986). The computational connection in vision: Early orientation selection. *18*, 608-617.

Selection and Maintenance

- AARONSON, D. (1979). DEC vs. DEC-compatible hardware. *11*, 159-162.
- BAILEY, D. E., WARD, W. H., SPEAR, T. L., LEATHERMAN, R. L., WAITE, J. L., & CHRISTIAN, T. W. (1979). The CLIPR remote laboratory microprocessor system: Development and applications. *11*, 281-292.
- BALSAM, P. D., DEICH, J., O'CONNOR, K., & SCOPATZ, R. (1985). Microcomputers and conditioning research. *17*, 537-545.
- BROWN, C. R. (1979). The development of a microprocessor-based system on a limited budget. *11*, 447-452.
- BROWN, E. L., & DEFFENBACHER, K. (1978). Microcomputers big and little: Selecting a low-cost laboratory computer network. *10*, 241-245.
- CABASE, I., JR. (1980). Computer maintenance service: Tymshare, Inc. *12*, 265.
- DERR, M. A., WRIGHT, C. E., & CORIELL, A. S. (1982). A satellite system for controlling real-time experiments. *14*, 264-271.
- DILLON, R. F., MILLMAN, B., TOMBAUGH, J. W., FERGUSON, W. R., & BEZANSON, W. R. (1979). A microcomputer-controlled laboratory: Hardware. *11*, 293-300.
- DURRETT, H. J., JR. (1978). Inexpensive microcomputer systems for research and instruction: A dream or reality? *10*, 345-351.
- GREGG, L. W. (1977). Maximizing the mini-uses of on-line computers. *9*, 67-71.
- HALE, D. (1978). Low-cost laboratory computing: Microcomputers in British psychology departments. *10*, 585-593.
- HANSEN, K. E. (1978). The advantages of 16-bit microcomputers. *10*, 535-538.
- HAYASHIDA, G. (1980). Computer depot repair service. *12*, 266.
- KALLMAN, H. J. (1986). A Commodore 64-based experimental psychology laboratory. *18*, 222-227.
- KAPLAN, H. L. (1981). Traditional minicomputers: A continuing role in the laboratory. *13*, 213-215.
- KIERAS, D. E. (1981). Effective ways to dispose of unwanted time and money with a laboratory computer. *13*, 145-148.
- LOWE, D. C. (1983). A Winchester hard-disk integrated computer-assisted instructional laboratory: Hardware and data management considerations. *15*, 181-182.
- MAYER, R. E. (1981). My many mistakes with microcomputers (or four years of fun trying to get my computer to run). *13*, 141-144.
- PALYA, W. L., ORTEGA, J., & WILSON, J. B. (1982). An inexpensive CRT terminal controller/computer. *14*, 92-98.
- PERERA, T. B. (1982). Buying and maintaining microcomputer systems. *14*, 71-76.
- REED, A. V. (1980). On choosing an inexpensive microcomputer for the experimental psychology laboratory. *12*, 607-613.
- REVLIN, R. (1981). External memory: High speed, low speed, and no speed. *13*, 149-152.
- SCHNEIDER, W. (1981). Basic computer troubleshooting and preventive computer maintenance operation. *13*, 153-162.
- SHAFFER, W. O., & SCHOLZ, K. W. (1980). Using the Heath H11 for reaction time experiments and computer-assisted instruction. *12*, 232-235.
- TEPAS, D. I. (1980). Picking a maintenance service: A user's view. *12*, 270-273.
- THOMAS, P. L. (1980). DEC field service: An industry leader. *12*, 263-264.
- TOMBAUGH, J. W., DILLON, R. F., MILLMAN, B., & BEZANSON, W. R. (1979). A microcomputer-controlled laboratory: Software. *11*, 301-310.
- TRELEASE, R. B., JR. (1982). Computer controllers: Adapting the Sinclair ZX-80 for laboratory use. *14*, 343-344.
- VOM SAAL, W., ECKERMAN, D. A., BALSAM, P., & MCDANIEL, C. (1984). Getting started with microcomputers in undergraduate education: Hints and guidelines. *16*, 144-146.
- WALLACE, R. A. (1980). Third-party maintenance and Sorbus' involvement. *12*, 267-269.
- WALLEN, M. R., & HOLLAN, J. D. (1979). The LNR laboratory. *11*, 151-155.

COMPUTERS AND THE HANDICAPPED

- AARONSON, D., & GABIAS, P. (1987). Computer use by the visually impaired. *19*, 275-282.
- DILORENZO, J. R., & ARDITI, A. (1987). Effect of artificial voice feedback delay in typing and its implications for the blind user. *19*, 283-285.
- FOULKE, E. (1987). Playing it by ear: Overcoming the limitations of speech synthesizers. *19*, 291-294.
- LAEFSKY, I. M., & ROEMER, R. A. (1978). A real-time control system for CAI and prothesis. *10*, 182-185.
- LAMBERT, R. M. (1987). The challenge of rationality in computer access for the visually impaired. *19*, 286-290.
- LANDY, M. S., COHEN, Y., & SPERLING, G. (1984). HIPS: Image processing under UNIX. Software and applications. *16*, 199-216.
- NOBLET, A., RIDELAIRE, H., & SYLIN, G. (1985). Equipment for the study of operating processes in braille reading. *17*, 107-113.
- PERERA, T. B., & COBB, E. S. (1978). A minicomputer-based learning analysis system for optimizing PSI instructional materials for the visually handicapped. *10*, 231-237.
- RIEDL, T. R. (1984). HIPS in action: Application of HIPS in research. *16*, 217-222.
- SHANTZ, M., & POIZNER, H. (1982). A computer program to synthesize American Sign Language. *14*, 467-474.
- WILLIAMS, T. T., LAMBERT, R. M., & WHITE, C. W. (1985). Interactive braille output for blind computer users. *17*, 265-267.

COMPUTERS IN EDUCATION

- ANDERSON, R. E., KROHN, K. R., & MONGIAT, M. L. (1980). Social data analysis instruction and the MISSIS system. *12*, 165-171.
- BUTLER, D. L., & KRING, A. M. (1984). Survey on present and potential instructional use of computers in psychology. *16*, 180-182.
- CASTELLAN, N. J., JR. (1982). Computers in psychology: A survey of instructional applications. *14*, 198-202.
- CASTELLAN, N. J., JR. (1986). Issues in the effective use of computers in introductory and advanced courses in psychology. *18*, 251-256.

- CROWELL, C. R., QUINTANAR, L. R., & GRANT, K. L. (1981). PROCTOR: An on-line student evaluation and monitoring system for use with PSI format courses. **13**, 121-127.
- DILLON, M. J., & VAN HAAREN, F. (1980). BRS: A program for computer-managed point economies. **12**, 566.
- DOMBER, E. A., & MILLS, J. W. (1987). Computers and the liberal arts: Challenge to psychology. **19**, 136-138.
- GRANT, M. J. (1983). Using a computer simulation to teach attitude surveying. **15**, 574-576.
- HEWETT, T. T. (1986). When every student has a computer: A new perspective on courseware and its development. **18**, 188-195.
- HEWETT, T. T. (1987). The computer as a tool in instructional computing: Students as software architects. **19**, 123-127.
- LANE, D. M. (1987). Effects of availability of microcomputers on student and faculty research. **19**, 135.
- MCCORD, J. (1986). Computing: Is it a better mousetrap? **18**, 210-213.
- MCDANIEL, C. R. (1984). Some ideas for beginners on using a microcomputer in an introductory psychology class. **16**, 153.
- MULLEN, B. (1984). SELECT1 and SELECT2: BASIC computer programs for selection data analysis in industrial/organizational psychology classes. **16**, 473-474.
- POSNER, M. I., & OSGOOD, G. W. (1980). Computers in the training of inquiry. **12**, 87-95.
- PSOTKA, J. (1982). Computers and education. **14**, 221-223.
- SCHAFFNER, P. E. (1984). An interactive gaming package for teaching and research in independent choice. **16**, 162-164.
- SPELT, P. F. (1981). Bridging the gap between micros and minis in the teaching laboratory. **13**, 198-200.
- STIMMEL, T., CONNOR, J. L., MCCASKILL, E. O., & DURRETT, H. J. (1981). Teacher resistance to computer-assisted instruction. **13**, 128-130.
- VOM SAAL, W., ECKERMAN, D. A., BALSAM, P., & MCDANIEL, C. (1984). Getting started with microcomputers in undergraduate education: Hints and guidelines. **16**, 144-146.
- WHITLOW, J. W., JR. (1987). Experiences from a life sciences laboratory: Using a paired-associates task as a teaching heuristic for programming instruction. **19**, 156-159.
- Computer-Aided Instruction (CAI)**
- AARONSON, D. (1983). What's happening in CAI: A survey of ongoing projects. **15**, 262-269.
- CASTELLAN, N. J., JR. (1983). Strategies for instructional computing. **15**, 270-279.
- EAMON, D. B., & BUTLER, D. L. (1985). Instructional programs for psychology: A review and analysis. **17**, 345-351.
- ELLIOTT, C. (1982). A very general problem-oriented CAI system. **14**, 165-169.
- GOLDSTEIN, L., & MOORE, T. (1983). Mechanical deductive techniques: Three microcomputer packages. **15**, 545-546.
- HALLENBECK, C. E., GALLAHER, R. B., & WARREN, J. Q. (1977). The community mental health center management game: Teaching administrative skills by means of computer simulation. **9**, 202-208.
- KELLEY, R. S., & TUGGLE, F. D. (1981). In the blink of an electronic eye: A prospectus. **13**, 434-435.
- LAESKY, I. M., & ROEMER, R. A. (1978). A real-time control system for CAI and prothesis. **10**, 182-185.
- LEOPOLD, A. S., & PSOTKA, J. (1984). Development and transfer of interactive videodisc instructional technology. **16**, 141-143.
- LESGOLD, A. M. (1982). Computer games for the teaching of reading. **14**, 224-226.
- McKNIGHT, L. R., WATERS, B. K., & LAMOS, J. P. (1978). Development and evaluation of a microcomputer testing terminal for testing and instruction. **10**, 340-344.
- MILLWARD, R. (1979). Teaching a computer to teach. **11**, 102-110.
- MILLWARD, R. B. (1980). BANDAID: First step toward an ICAI system. **12**, 178-192.
- MILLWARD, R., MAZZUCHELLI, L., MAGOON, S., & MOORE, R. (1978). Intelligent computer-assisted instruction. **10**, 213-217.
- MONTAGUE, W. E., & WULFECK, W. H., II (1984). Computer-based systems for applying psychological knowledge. **16**, 184-188.
- OLSON, R., FOLTZ, G., & WISE, B. (1986). Reading instruction and remediation with the aid of computer speech. **18**, 93-99.
- PAVEL, M., & AARONSON, D. (1983). CAI: Goals and perspectives: Computer users' group panel discussion. **15**, 280-283.
- PERERA, T. B., & COBB, E. S. (1978). A minicomputer-based learning analysis system for optimizing PSI instructional materials for the visually handicapped. **10**, 231-237.
- PETTY, L. C., & ROSEN, E. F. (1987). Computer-based interactive video systems. **19**, 160-166.
- SCHOLZ, K. W., & SNOW, L. H. (1978). AVID: An intelligent CAI system for small computers. **10**, 300-306.
- SHAFFER, W. O., & SCHOLZ, K. W. (1980). Using the Heath H11 for reaction time experiments and computer-assisted instruction. **12**, 232-235.
- SPIVEY, J. E., & JACKSON-SMITH, P. (1983). Computer simulation: A case of conflict. **15**, 187-190.
- SPIVEY, J. E., & JACKSON-SMITH, P. (1984). The electronic chalkboard. **16**, 172-175.
- WILLIAMS, M., HOLLAN, J., & STEVENS, A. (1981). An overview of STEAMER: An advanced computer-assisted instruction system for propulsion engineering. **13**, 85-90.
- WILSON, W. J., & OSTERGREN, L. A. (1986). BRAINSCAPE! A Pascal adventure in neuroanatomy for IBM-PCs and compatibles. **18**, 478-479.
- WOOD, L. E. (1980). An "intelligent" program to teach logical thinking skills. **12**, 256-258.
- Mathematics**
- BRADLEY, D. R. (1978). An interactive data-generating and answer-correcting system for problems in statistics. **10**, 218-227.
- BRADLEY, D. R., & CUTCOMB, S. (1977). Monte Carlo simulations and the chi-square test of independence. **9**, 193-201.
- BUTLER, D. (1986). Integrating statistical software into laboratories and laboratory courses. **18**, 241-244.
- CASTELLAN, N. J., JR. (1980). The use of matrix manipulation programs in teaching statistical methods. **12**, 172-177.
- COTTON, J. W., GALLAGHER, J. P., HOPKINS, M., & MARSHALL, S. P. (1978). A multimethod generative CAI system for remedial mathematics. **10**, 203-212.
- COTTON, J. W., MARSHALL, S. P., VARNHAGEN, S., & GALLAGHER, J. P. (1979). Theory of learning mathematics with

- computer-assisted instruction: Hierarchical and nonhierarchical options. **11**, 139-146.
- COTTON, J. W., MARSHALL, S. P., VARNHAGEN, S., & GALLAGHER, J. P. (1981). A computer-oriented task analysis method for mathematics instruction. **13**, 131-140.
- LEHMAN, R. S. (1987). A microcomputer-dependent statistics and design course. **19**, 128-130.
- LEVY, C. M. (1983). Microcomputer-based tutorials for teaching statistics. **15**, 127-129.
- PAVEL, M., MARCOVICI, S., SHERMAN, A., & FALMAGNE, J.-C. (1983). ARIS: A computer-assisted instruction system. **15**, 138-141.
- RAE, G. (1980). A guide to statistical techniques in psychology and education. **12**, 469-470.
- SCHAFFNER, P. E. (1983). A self-paced CAI package for selecting statistical methods. **15**, 130-134.
- PLATO**
- DEIGNAN, G. M., & DUNCAN, R. E. (1978). CAI in three medical training courses: It was effective! **10**, 228-230.
- HOLT, E. M. (1983). Problems in the evaluation of PLATO lessons. **15**, 155-157.
- HOLT, R. W. (1983). Applications of the PLATO computer system to research in social psychology. **15**, 145-147.
- HOLT, R. W. (1983). An introduction to the PLATO CAI system. **15**, 142-144.
- SIMUTIS, Z. M., & BARSAM, H. F. (1983). PLATO: Army applications. **15**, 148-154.
- Courseware**
- CASTELLAN, N. J., JR. (1984). A model for courseware development in psychology. **16**, 165-167.
- EAMON, D. B. (1984). Concepts underlying the development of modules. **16**, 168-171.
- HEWETT, T. T. (1986). When every student has a computer: A new perspective on courseware and its development. **18**, 188-195.
- PERERA, T. B. (1987). Writing and publishing instructional and research software. **19**, 84-87.
- PERKEY, M. N. (1986). The effect of a machine-rich environment on courseware development: The process and the product. **18**, 196-204.
- SPELT, P. F. (1984). Overview and examples of instructional modules. **16**, 176-179.
- Student Laboratory**
- ANDERSON, L. A., & LANE, D. M. (1987). Demonstration experiments in perception and cognitive psychology for the Macintosh computer. **19**, 249-251.
- BALSAM, P., FIFER, W., SACKS, S., & SILVER, R. (1984). Microcomputers in psychology laboratory courses. **16**, 150-152.
- BELMORE, S. M. (1983). RELEASE FROM PI: Comparison of traditional and computer modules in an experimental psychology laboratory. **15**, 191-194.
- BHARUCHA, J. J., MEIKE, B., & BAIRD, J. C. (1987). The Macintosh as a user-friendly laboratory for perception and cognition. **19**, 131-134.
- BUTLER, D. (1986). Integrating statistical software into laboratories and laboratory courses. **18**, 241-244.
- BUTLER, F. E., & GRISHAM, M. G. (1977). SKED-controlled experimentation in an undergraduate instructional laboratory. **9**, 219-221.
- CHUTE, D. L. (1986). MacLaboratory for psychology: General experimental psychology with Apple's Macintosh. **18**, 205-209.
- EAMON, D. B. (1980). LABSIM: A data-driven simulation program for instruction in research design and statistics. **12**, 160-164.
- EAMON, D. B. (1982). CEDATS: A cognitive experimental design and testing system. **14**, 142-145.
- EAMON, D. B. (1986). Integrating a computer component into the student psychology laboratory: Problems and prospects. **18**, 245-250.
- ECKERMAN, D. A. (1981). Developing a laboratory course using PASCAL on the Apple II. **13**, 204-208.
- EDDY, D. R. (1979). Application of color displays to problems in the undergraduate laboratory. **11**, 131-134.
- FAZIO, R. H., & BACKLER, M. H. (1983). Computer lessons for a social psychology research methods course. **15**, 135-137.
- FISCHLER, I. (1980). An on-line laboratory in cognition and perception. **12**, 116-119.
- FORBACH, G. B. (1979). EXPER SIM: Review and update. **11**, 519-522.
- HEWETT, T. T. (1985). Teaching students to model neural circuits and neural networks using an electronic spreadsheet simulator. **17**, 339-344.
- HIRTLE, S. C., & KALLMAN, H. J. (1985). An integrated approach to computer usage in the teaching of experimental psychology. **17**, 359-362.
- KEENAN, J. M., & KELLER, R. A. (1980). Teaching cognitive processes: Software for laboratory instruction in memory and cognition. **12**, 103-110.
- KORNBROT, D. E. (1981). ARTIST: A computer system for creating and running psychology experiments. **13**, 351-359.
- LEHMAN, R. S. (1980). What simulation can do to the statistics and design course. **12**, 157-159.
- LEHMAN, R. S. (1987). A microcomputer-dependent statistics and design course. **19**, 128-130.
- LESGOLD, A. M., & FITZHUGH, R. J. (1977). An on-line psychology laboratory for teaching and research. **9**, 184-188.
- LEVY, C. M. (1980). Getting an on-line departmental teaching laboratory on-line. **12**, 111-113.
- LEVY, C. M., & DURNIN, M. W. (1981). Modeling on microcomputers. **13**, 201-203.
- LOWE, D. C. (1983). A Winchester hard-disk integrated computer-assisted instructional laboratory: Hardware and data management considerations. **15**, 181-182.
- MAXWELL, K. J., & SCHVANEVELDT, R. W. (1983). The PSYCHLAB programming system: A tool for developing experimental control programs. **15**, 49-56.
- PERERA, T. B. (1981). A laboratory in experimental psychology using the TRS-80. **13**, 195-197.
- PITTENGER, D. J., & BRITTON, B. K. (1985). A computerized cognitive laboratory: A software package for the cognitive psychology laboratory class. **17**, 122-125.
- POFFEL, S. A., & GREGORY, R. J. (1984). START: Stimulus and response tools for experiments in memory, learning, cognition, and perception. **16**, 409-410.
- RAE, G. (1980). A guide to statistical techniques in psychology and education. **12**, 469-470.

- RUGGIERO, F. (1977). An overview of the development of computer modeling for instructional and research purposes. **9**, 76-80.
- SIMPSON, G. B., & BURGESS, C. (1984). PET programs for demonstration and student research in cognitive psychology. **16**, 65-66.
- SPIVEY, J. E. (1983). Software development for computer-assisted instruction in experimental psychology. **15**, 183-186.
- STARR, B. J., & FLANIK, S. A. (1977). ALL: Automated learning laboratory. **9**, 189-192.
- VOM SAAL, W. (1984). Using microcomputers to control student-designed research in a research methods course. **16**, 147-149.
- WALKENBACH, J. (1981). A microcomputer program to demonstrate simple operant reinforcement schedules. **13**, 693.
- WHITE, K. D. (1980). An on-line laboratory in sensation and perception. **12**, 114-115.

EEG/EMG/ECG

- BENIGNUS, V. A., & MULLER, K. E. (1982). Information flow in the brain: Computer requirements (A tutorial). **14**, 294-299.
- BOUDROT, R. L., GOODMAN, D. M., & MULHOLLAND, T. B. (1978). An EEG alpha-detection, feedback stimulation, and data analysis system. **10**, 646-651.
- BREMNER, F. J., YOST, M., & MCKENZIE, R. (1982). Computer-managed inferential statistical analysis of EEG data. **14**, 300-302.
- BREMNER, F. J., YOST, M., & ZINTGRAFF, C. (1985). A longitudinal study of cardiac component analysis. **17**, 319-322.
- BROWN, G. A., & PEREZ, F. I. (1985). Single-subject statistical analysis of computer-assisted biofeedback. **17**, 327-330.
- EDDY, D. R., MCKENDREE, J., MCKENZIE, R. E., & BREMNER, F. J. (1982). Component analysis of ECG by computer. **14**, 290-293.
- EMERSON, P. L. (1985). FORTRAN subroutine for an EEG feedback digital filter. **17**, 469-473.
- FRIDLUND, A. J., & FOWLER, S. C. (1978). An eight-channel computer-controlled scanning electromyograph. **10**, 652-662.
- GOTMAN, J. (1981). A computer system to assist in the evaluation of the EEGs of epileptic patients. **13**, 525-531.
- HELMER, R. J. (1986). A test-signal generator for low-frequency instrumentation. **18**, 372-376.
- KAPLAN, H. L. (1987). Incorporating good programs into the larger laboratory context. **19**, 210-214.
- LORIG, T. S. (1984). Period analysis of the EEG by 6502-based microcomputer. **16**, 331-332.
- MILLER, J. C., TAKAMOTO, N. Y., BARTEL, G. M., & BROWN, M. D. (1985). Psychophysiological correlates of long-term attention to complex tasks. **17**, 186-190.
- MURRAY, T. M., JR. (1982). The design, development, and implementation of a microprocessor-based ECG analysis system. **14**, 281-289.
- ROUSE, L., & LANDRESSE, P. (1978). Parametric interactions in EEG period analysis. **10**, 693-700.
- SCAMMON, M. E., KENNARD, M. M., STROEBEL, C. F., & GLUECK, B. C. (1981). A user-interactive graphics-based computer system for the analysis of the EEG. **13**, 517-524.
- SCHMIDT, A. L. (1983). A PDP-11 assembly language program for digitizing, sorting, and averaging evoked brain potentials. **15**, 85-86.

- SCHNITTER, P., HARVER, A., & KOTSES, H. (1984). VOLTWIN: A computer program to establish criteria for reinforcement of stable levels of EMG activity. **16**, 320-322.
- YOST, M., BREMNER, F. J., HELMER, R. J., & CHINO, M. C. (1986). The effect of smoothing functions on data obtained from a FFT. **18**, 263-266.

EXPERIMENT DESIGN

- ALLEN, G. A., & BALDWIN, L. M. (1980). PCGEN: A FORTRAN IV program to generate paired-comparison stimuli. **12**, 383-384.
- DURSO, F. T. (1984). A subroutine for counterbalanced assignment of stimuli to conditions. **16**, 471-472.
- ROBERTSON, S. A. (1977). A BASIC program to produce random samples without replacement. **9**, 363-364.
- WHALEY, C. P. (1979). Collecting paired-comparison data with a sorting algorithm. **11**, 147-150.

GRAPHICS

- ANSTIS, S. (1986). Visual stimuli on the Commodore Amiga: A tutorial. **18**, 535-541.
- BILKEY, D. K. (1987). A procedure for the computerized representation and presentation of rotated and reflected stimuli. **19**, 419-421.
- BOGGS, G. J., & CONNELLY, M. D. (1986). WFORM: A graphical speech-waveform editing and analysis system. **18**, 25-31.
- BROOKS, J. O., III (1985). Pictorial stimuli for the Apple Macintosh computer. **17**, 409-410.
- FINSTUEN, K., & WENZEL, D. (1977). 3-D PLOT, a FORTRAN IV program for projecting a triplex of factor loadings. **9**, 300.
- HARRIS, M. G. (1984). Printing gray-scale graphics using mean dot density. **16**, 570-571.
- HUNT, E. (1986). The design of ballantines. **18**, 277-284.
- JUST, M. A., & CARPENTER, P. (1979). The computer and eye processing pictures: The implementation of a raster graphics device. **11**, 172-176.
- KAYE, D. B., & HERSKOVITS, E. H. (1984). A CRT graphics system for experimental research. **16**, 463-467.
- MONTGOMERY, A. A., & SOO HOO, G. (1982). ANIMAT: A set of programs to generate, edit, and display sequences of vector-based images. **14**, 39-40.
- OLCH, R. H., & HECHT, S. E. (1979). Microcomputer graphics in psychological research. **11**, 119-126.
- PRILL, K. A. (1984). Picture stimuli for the Apple II computer. **16**, 327-328.
- RODGERS, F. (1979). Microprocessor software applications in color graphics. **11**, 135-138.
- TAYLOR, G. A., KLITZKE, D., & MASSARO, D. W. (1978). Considerations in software character generation. **10**, 787-788.
- VOKEY, J. R. (1984). PLTIT: A graphing package for the Apple II series of computers. **16**, 483.
- WHITE, C. W., BRUSSELL, E. M., WILLIAMS, T. T., & RÖG, S. J. (1984). Gray-scale graphics using dot matrix printers. **16**, 273-276.
- ASPEY, W. P., ZEARS, R. W., & BLANKENSHIP, J. E. (1977). "3-D": An interactive computer-graphics program for plotting scores on three coordinate axes. **9**, 539-540.

- BERTENTHAL, B. I., PROFFITT, D. R., & KELLER, S. E. (1985). 3-D graphics animation program for the Apple II. *17*, 195-202.
- GARCÍA-PÉREZ, M. A. (1987). Three-dimensional perspective drawing of two-dimensional functions with microcomputers. *19*, 42-46.
- LOOMIS, J. M., & EBY, D. W. (1987). High-speed 2-D and 3-D animation on the IBM PC/XT/AT. *19*, 10-18.

Animation of Graphics

- BERTENTHAL, B. I., & KRAMER, S. J. (1984). The TMS 9918A VDP: A new device for generating moving displays on a microcomputer. *16*, 388-394.
- BERTENTHAL, B. I., PROFFITT, D. R., & KELLER, S. E. (1985). 3-D graphics animation program for the Apple II. *17*, 195-202.
- LOOMIS, J. M., & EBY, D. W. (1987). High-speed 2-D and 3-D animation on the IBM PC/XT/AT. *19*, 10-18.
- PROFFITT, D. R., & KAISER, M. K. (1986). The use of computer graphics animation in motion perception research. *18*, 487-492.
- SCHREUDER, R., & GLAZENBORG, G. (1979). Generating complex movements. *11*, 596.

Hardware

- DURRETT, H. J. (1980). Inexpensive plotters and digitizers for psychological research and instruction. *12*, 244-247.
- PALYA, W. L., & BROWN, B. (1981). Graphics software and hardware for RT-11 systems. *13*, 255-261.
- PARTRIDGE, B. L., & CULLEN, J. M. (1977). A low-cost interactive coordinate plotter. *9*, 473-479.

Software

- BEKOFF, M., WIELAND, C., & LAVENDER, W. A. (1982). SPACE-OUT: Graphics programs to study and to simulate space use and movement patterns. *14*, 34-36.
- BROUWER, U., & MOWITZ, A. (1983). PLOF: A program for plotting functions. *15*, 103.
- CAMPBELL, D. J. (1983). An editor and high-resolution histogram plotter for the CBM/PET microcomputer. *15*, 618-619.
- CERNY, J. W., & BOOTH, D. S. (1980). CODEDT: A program for editing digitized coordinates. *12*, 481-483.
- EVANS, S., NEIDEFFER, J. D., & GAGE, F. H. (1980). APL functions for interactive data analysis: Graphics and labels. *12*, 541-545.
- GLAZENBORG, G., & SCHREUDER, R. (1983). Software tools for creating line drawings on a CRT. *15*, 453-455.
- GOODMAN, D. M. (1983). VT125 graphics hardcopy on an Epson MX-80 serial printer for RT-11 and TSX-Plus. *15*, 374-376.
- GRUHN, J. J. (1983). PLTLIB: A FORTRAN plot library for the IEEE 488-1975 general-purpose instrument bus. *15*, 475-477.
- HAYES, W. (1981). GRAPH: A BASIC-11 graphics program for digital plotters. *13*, 367.
- HOWARD, J. H., JR. (1981). Controlling the Tektronix 4006 graphics with OS/8 BASIC. *13*, 341-346.
- KAMEN, G. (1982). A flexible, multiple-graph plotting program for interactive use. *14*, 373.
- KANE, N. L. (1979). A computer program that produces line graphs. *11*, 459.
- KILLEEN, K., & HULL, R. B., IV (1982). Digitizer software for the microcomputer. *14*, 41.
- MAPOU, R. L., & BYRD, L. D. (1982). A microcomputer-based plotter system for the TRS-80 and HP 7225. *14*, 414-416.

- PALYA, W. L., & BROWN, B. (1981). Graphics software and hardware for RT-11 systems. *13*, 255-261.

HARDWARE

- EDDY, D. R. (1979). Application of color displays to problems in the undergraduate laboratory. *11*, 131-134.
- PALYA, W. L. (1978). A source handbook for Digital Equipment Corporation LSI-11-compatible products. *10*, 488-509.

Digitizer

- KILLEEN, K., & HULL, R. B., IV (1982). Digitizer software for the microcomputer. *14*, 41.
- TIETJEN, W. J. (1981). An inexpensive microcomputer-based image digitizer. *13*, 347-350.

Evaluation and Comparison

- AARONSON, D. (1979). DEC vs. DEC-compatible hardware. *11*, 159-162.
- AARONSON, D. (1981). DEC performance in the psychology laboratory. *13*, 262-265.
- BALLAS, J. A., & HOUSTON, J. (1984). Evaluation of a sound-generator chip: The AY 3-8910. *16*, 282-284.
- BALSAM, P. D., DEICH, J., O'CONNOR, K., & SCOPATZ, R. (1985). Microcomputers and conditioning research. *17*, 537-545.
- BENIGNUS, V. A., & MULLER, K. E. (1982). Information flow in the brain: Computer requirements (A tutorial). *14*, 294-299.
- BROWN, E. L., & DEFFENBACHER, K. (1978). Microcomputers big and little: Selecting a low-cost laboratory computer network. *10*, 241-245.
- CROSSMAN, E. K., & WILLIAMS, J. G. (1978). A multi-user on-line 8080 microcomputer system. *10*, 254-258.
- DURRETT, H. J., JR. (1978). Inexpensive microcomputer systems for research and instruction: A dream or reality? *10*, 345-351.
- DURRETT, H. J. (1979). Color display systems: The state of the art. *11*, 127-130.
- DURRETT, H. J. (1980). Inexpensive plotters and digitizers for psychological research and instruction. *12*, 244-247.
- GOLDBAND, S. (1978). Input and output for microprocessors. *10*, 249-253.
- GREENE, B. G., LOGAN, J. S., & PISONI, D. B. (1986). Perception of synthetic speech produced automatically by rule: Intelligibility of eight text-to-speech systems. *18*, 100-107.
- HALE, D. (1978). Low-cost laboratory computing: Microcomputers in British psychology departments. *10*, 585-593.
- HANSEN, K. E. (1978). The advantages of 16-bit microcomputers. *10*, 535-538.
- HETH, C. D. (1980). The AIM-65 microcomputer as a laboratory control device. *12*, 364-366.
- KALLMAN, H. J. (1986). A Commodore 64-based experimental psychology laboratory. *18*, 222-227.
- KAPLAN, H. L. (1981). Traditional minicomputers: A continuing role in the laboratory. *13*, 213-215.
- LOWE, D. C. (1983). A Winchester hard-disk integrated computer-assisted instructional laboratory: Hardware and data management considerations. *15*, 181-182.
- O'DELL, J. W. (1981). The MicroAce: An inexpensive computer controller. *13*, 682-685.
- PALYA, W. L., ORTEGA, J., & WILSON, J. B. (1982). An inexpensive CRT terminal controller/computer. *14*, 92-98.
- REED, A. V. (1982). The Radio Shack color computer in the

experimental psychology laboratory: An evaluation. **14**, 109-112.

REVLIN, R. (1981). External memory: High speed, low speed, and no speed. **13**, 149-152.

SHAFFER, W. O., & SCHOLZ, K. W. (1980). Using the Heath H11 for reaction time experiments and computer-assisted instruction. **12**, 232-235.

SPACE, L. G., & HUNTZINGER, R. S. (1979). A microprocessor-based psychopathology laboratory: III. Hardware. **11**, 247-252.

SPELT, P. F. (1981). Bridging the gap between micros and minis in the teaching laboratory. **13**, 198-200.

TASSINARY, L. G., MARSHALL-GOODSELL, B. S., & CACIOPPO, J. T. (1985). Microcomputers in social psychophysiological research: An overview. **17**, 532-536.

TRELEASE, R. B., JR. (1982). Computer controllers: Adapting the Sinclair ZX-80 for laboratory use. **14**, 343-344.

WALLEN, M. R., & HOLLAN, J. D. (1979). The LNR laboratory. **11**, 151-155.

Light Pen

AVONS, S. E., BEVERIDGE, M. C., HICKMAN, A. T., & HITCH, G. J. (1983). Considerations on using a lightpen-interactive system with young children. **15**, 75-78.

KAWAI, M. (1984). A method for analyzing the motion of an object on a VTR screen with an Apple II computer. **16**, 12-18.

Modifications

HOWARD, J. H., JR., BURGY, D. C., & BALLAS, J. A. (1978). A deglitching circuit for the AA50 D/A converter. **10**, 858-860.

CRT Modifications

CUMMING, G. (1983). A rudimentary touch input device for visual displays. **15**, 72-74.

ESKEW, R. T., JR., PACE, M., & RINALDUCCI, E. J. (1984). Simple circuit for grating contrast adjustment. **16**, 538-539.

GORDON, B., & FIELD, B. (1985). Screen blanking on the Apple IIe. **17**, 518.

HOCHHAUS, L., CARVER, S., & BROWN, J. R. (1983). Control of CRT intensity via Apple II software. **15**, 594-597.

JORDAN, T., & MARTIN, C. (1987). The importance of visual angle in word recognition: A "shrinking screen" modification for visual displays. **19**, 307-310.

SENTIS, K. P., & BAROWICZ, M. B. (1978). A CRT blanking circuit for video terminals. **10**, 856-857.

Optical Scanner

ROSEN, E. F., & PETTY, L. C. (1985). A data-input and -analysis system using an optical scanner. **17**, 413-414.

Printers/Plotters

HAYES, W. (1981). GRAPH: A BASIC-11 graphics program for digital plotters. **13**, 367.

ORTEGA, J., & PALYA, W. L. (1982). A simple IBM I/O Selectric typewriter controller. **14**, 99-102.

Touch Screen

CUMMING, G. (1983). A rudimentary touch input device for visual displays. **15**, 72-74.

Video Disk

HOOPER, K. (1981). The use of computer-controlled video disks in the study of spatial learning. **13**, 77-84.

LEOPOLD, A. S., & PSOTKA, J. (1984). Development and transfer of interactive videodisc instructional technology. **16**, 141-143.

PETTY, L. C., & ROSEN, E. F. (1987). Computer-based interactive video systems. **19**, 160-166.

SPAIN, E. H., & IKI, D. H. (1986). An optical videodisk system for visual performance testing with stereoscopic TV displays. **18**, 565-570.

HUMAN FACTORS

BOEHM-DAVIS, D. A. (1983). On the use of psychology in evaluating software documentation. **15**, 217-221.

JOHNSON, J. H., GODIN, S. W., & BLOOMQUIST, M. L. (1981). Human factors engineering in computerized mental health care delivery. **13**, 425-429.

KÜNZEL, R. (1987). FACTORY: A microcomputer program for simulation of production lines as a versatile tool for psychological experiments. **19**, 49-50.

MOY, M. C. (1984). Microcomputer requirements in the operational Navy. **16**, 189-192.

RIEGER, C. A., & GREENSTEIN, J. S. (1983). The effects of dialogue-based task allocation on system performance in a computer-aided air traffic control task. **15**, 208-212.

ROSEN, L. D., SEARS, D. C., & WEIL, M. M. (1987). Computerphobia. **19**, 167-179.

TOMBAUGH, J. W. (1983). Research methods for computer applications. **15**, 222-227.

WEIL, M. M., ROSEN, L. D., & SEARS, D. C. (1987). The Computerphobia Reduction Program: Year 1. Program development and preliminary results. **19**, 180-184.

Computer Training

DECK, J. G., & SEBRECHTS, M. M. (1984). Variations on active learning. **16**, 238-241.

PERERA, T. B. (1986). Implementing faculty computer literacy programs. **18**, 162-164.

SEBRECHTS, M. M., DECK, J. G., & BLACK, J. B. (1983). A diagrammatic approach to computer instruction for the naive user. **15**, 200-207.

SMITH, K. H., ZIRKLER, D., & MYNATT, B. T. (1985). Transfer of training from introductory computer courses is highly specific ... and negative! **17**, 259-264.

WHITLOW, J. W., JR. (1987). Experiences from a life sciences laboratory: Using a paired-associates task as a teaching heuristic for programming instruction. **19**, 156-159.

Human-Computer Interactions

AVONS, S. E., BEVERIDGE, M. C., HICKMAN, A. T., & HITCH, G. J. (1983). Considerations on using a lightpen-interactive system with young children. **15**, 75-78.

BONAR, J., EHRLICH, K., SOLOWAY, E., & RUBIN, E. (1982). Collecting and analyzing on-line protocols from novice programmers. **14**, 203-209.

DANNENBRING, G. L. (1983). The effect of computer response time on user performance and satisfaction: A preliminary investigation. **15**, 213-216.

DILLON, R. F. (1983). Human factors in user-computer interaction: An introduction. **15**, 195-199.

- DILLON, R. F., & TOMBAUGH, J. W. (1982). Psychological research on videotex. **14**, 191-197.
- DUMAIS, S. T., & LANDAUER, T. K. (1984). Describing categories of objects for menu retrieval systems. **16**, 242-248.
- KELLOGG, R. T. (1986). Designing idea processors for document composition. **18**, 118-128.
- POLSON, P. G., & KIERAS, D. E. (1984). A formal description of users' knowledge of how to operate a device and user complexity. **16**, 249-255.
- QUINTANAR, L. R., CROWELL, C. R., PRYOR, J. B., & ADAMOPOULOS, J. (1982). Human-computer interaction: A preliminary social psychological analysis. **14**, 210-220.
- SCHUMACHER, R. M., DE COSTE, D., DUGAN, D., & GRUNZKE, P. M. (1986). Three programs for evaluation of human-computer interaction. **18**, 476-477.
- SEBRECHTS, M. M., DECK, J. G., WAGNER, R. K., & BLACK, J. B. (1984). How human abilities affect component skills in word processing. **16**, 234-237.
- SEBRECHTS, M. M., FURSTENBERG, C. T., & SHELTON, R. M. (1986). Remembering computer command names: Effects of subject generation versus experimenter imposition. **18**, 129-134.
- SEBRECHTS, M. M., & GROSS, P. H. (1985). Programming in natural language: A descriptive analysis. **17**, 268-274.

IMAGE PROCESSING

- CAELLI, T. (1986). Digital image-processing techniques for the display of images and modeling of visual perception. **18**, 493-506.
- DENI, R., & COFFEE, R. J. (1984). COMPLEX: An Applesoft BASIC program to assess preference for visual complexity. **16**, 329-330.
- LANDY, M. S., COHEN, Y., & SPERLING, G. (1984). HIPS: Image processing under UNIX. Software and applications. **16**, 199-216.
- RIEDL, T. R. (1984). HIPS in action: Application of HIPS in research. **16**, 217-222.
- ROYER, F. L., RZESZOTARSKI, M. S., & GILMORE, G. C. (1983). Application of two-dimensional Fourier transforms to problems of visual perception. **15**, 319-326.
- RZESZOTARSKI, M. S., ROYER, F. L., & GILMORE, G. C. (1983). Introduction to two-dimensional Fourier analysis. **15**, 308-318.

INDUSTRIAL/ORGANIZATIONAL PSYCHOLOGY

- CROSBIE, J., & HUMPHRYS, P. (1984). A Pascal program to generate objective indices of group or organizational structures. **16**, 559-561.
- KIRSTE, K. K., & MONGE, P. R. (1983). Computing dynamic organizational proximity: The PROXTIME computer program. **15**, 89-90.
- KÜNZEL, R. (1987). FACTORY: A microcomputer program for simulation of production lines as a versatile tool for psychological experiments. **19**, 49-50.
- MULLEN, B. (1984). SELECT1 and SELECT2: BASIC computer programs for selection data analysis in industrial/organizational psychology classes. **16**, 473-474.
- MULLEN, B. (1987). SELECT4: A BASIC program for applying definitions of fairness in selection procedures. **19**, 415.
- STODOLSKY, D. (1981). Automatic mediation in group problem solving. **13**, 235-242.

- STODOLSKY, D. S. (1984). Equal-time resolution program for dialog management. **16**, 411.
- STODOLSKY, D. S. (1987). Dialogue management program for the Apple II computer. **19**, 483-484.

INTERFACE

- ALLEN, J. D., & NICORA, B. (1984). Interfacing the PET/CBM with Coulbourn's DynaPort for experimental control and data acquisition. **16**, 492-494.
- ANNAN, A. G., & SAVVIDES, M. (1977). An interface system for asynchronous data. **9**, 274-276.
- ARNOLD, N. D., & HASTINGS, L. (1984). A bit-addressable I/O interface for microcomputers. **16**, 135-136.
- BATSON, J. D., & TURNER, J. D. (1986). A simple infrared photocell device and its interface to an Apple computer. **18**, 447-451.
- BLEKKENHORST, H., & GOLDSTEIN, S. R. (1983). A microcomputer interface to control reinforcement delivery. **15**, 398.
- BROWN, E. F. (1979). Apparatus for collecting voice chronography data. **11**, 553-557.
- CAMPBELL, D. J., & FOREST, J. (1984). The KIM-1 microcomputer as an eight-channel data logger. **16**, 315-319.
- CHANG, J. J. (1986). Theoretical and methodological approaches to apparent movement of short-range process and pattern perception. **18**, 542-550.
- CHUTE, D. L., GAEMAN, D., & ZIEGLER, T. (1987). MacLaboratory Controller: A switch and A/D interface between Apple's Macintosh and peripheral apparatus. **19**, 205-209.
- CIGAS, J., & KLIMLEY, A. P. (1987). A microcomputer interface for decoding telemetry data and displaying them numerically and graphically in real time. **19**, 19-25.
- CORWIN, T. R., & BEATY, W. J. (1985). An encoding multiple-key response unit. **17**, 474-475.
- CROSSMAN, E. K. (1984). An inexpensive operant chamber interface for the VIC 20 microcomputer. **16**, 338-340.
- CROSSMAN, E. K., STEPHENSON, M. R., & LYNCH, H. L. (1980). An intelligent PET interface for environmental control and data acquisition and analysis. **12**, 238-240.
- CZERNY, P. (1979). Godot: A real-time data acquisition and control program for the PET microcomputer. **11**, 577-580.
- DABBS, J. M., JR., & EVANS, M. S. (1982). Electronic AVTA: Signal processing for automatic vocal transaction analysis. **14**, 461-462.
- DABBS, J. M., JR., & SWIEDLER, T. C. (1983). Group AVTA: A microcomputer system for group voice chronography. **15**, 79-84.
- DI LOLLO, V. (1979). Luminous calibration of oscilloscopic displays. **11**, 419-421.
- DIONNE, L., LAURENCELLE, L., & TREMBLAY, F. (1987). A distributive method to increase the analogic output (D/A) resolution of a microcomputer. **19**, 365-369.
- ELSNER, J., & WEHRLI, R. (1978). Interface systems in behavioral research. **10**, 259-263.
- EMERSON, P. L. (1984). 8080 port addressing with the C/80 compiler. **16**, 468-470.
- FALCONE, R. V., WARREN, D. A., & ROSELLINI, R. A. (1984). Response input interface. **16**, 285-287.
- FOWLER, S. C., & LEBERER, M. R. (1977). Hardware techniques for analog processing using the State Systems PDP-8 I/O interface. **9**, 210-214.
- GASS, C. L. (1977). A digital encoder for field recording of

- behavioral, temporal, and spatial information in directly computer-accessible form. **9**, 5-11.
- GOLDBAND, S. (1978). Input and output for microprocessors. **10**, 249-253.
- GOODMAN, D., & MASKELL, R. (1985). A parallel breakout box for I/O monitoring. **17**, 403-405.
- GORDON, W. A., FOREE, D., & ECKERMAN, D. A. (1983). Using an Apple II microcomputer for real-time control in a behavioral laboratory. **15**, 158-166.
- GRISHAM, M. G., & FREI, L. J. (1977). An optically isolated digital interface for the SKED system. **9**, 215-218.
- HASTINGS, L., & ARNOLD, N. D. (1982). A microcomputer interface for applications requiring large numbers of subjects. **14**, 128-131.
- HEELEY, D. W. (1979). A computer-controlled laser interferometer. **11**, 523-525.
- HELMER, R. J. (1986). A test-signal generator for low-frequency instrumentation. **18**, 372-376.
- HOWARD, J. H., JR., BURGY, D. C., & BALLAS, J. A. (1978). A deglitching circuit for the AA50 D/A converter. **10**, 858-860.
- JACKSON, D. E., & O'DELL, J. W. (1985). The VIC-20 computer and an interface system for controlling operant chambers. **17**, 406-408.
- JENKINS, W. M. (1982). Interfacing the Apple II for the behavioral laboratory. **14**, 345-347.
- KALLMAN, H. J. (1986). A Commodore 64-based experimental psychology laboratory. **18**, 222-227.
- KAWAI, M. (1984). A method for analyzing the motion of an object on a VTR screen with an Apple II computer. **16**, 12-18.
- KRAUSMAN, D. T. (1978). Interfacing the microcomputer: A component-level approach. **10**, 519-521.
- LAEFISKY, I. M., & ROEMER, R. A. (1978). A real-time control system for CAI and prothesis. **10**, 182-185.
- LEBER, W. (1978). A microprocessor control and recording system for instrumental behavior research. **10**, 557-562.
- LEWIN, L. M., & HELM, G. (1979). A versatile microcomputer I/O interface. **11**, 445-446.
- LIPP, H.-P., & ANDERS, D. (1985). A simple decoder for linking photocell arrays to a microcomputer. **17**, 116-118.
- LOFTIN, C. R., & CHENEY, C. D. (1984). An operandum-to-Osborne I interface. **16**, 72.
- MILLIGAN, W. L., & NEWS, W. (1978). Interfacing the DEC LPS 11 to electromechanical laboratory apparatus. **10**, 312-314.
- MURRAY, D. M., & LAWLER, J. E. (1978). A KIM-1 microprocessor interface for aversive conditioning applications using multiple subjects. **10**, 334-339.
- NEFF, R., SCHWARTZ, S., & STORK, D. G. (1985). Electronics for generating simultaneous random-dot cyclopean and monocular stimuli. **17**, 363-370.
- NICHOLLS, R. J., & POTTER, R. M. (1982). An inexpensive computer and interface for research in the behavioral sciences. **14**, 532-533.
- NILSSON, T. H. (1978). FOCAL patch for synchronized I/O, precision timing, and on-line files: On-line "reflexes" for general-purpose interpreter languages. **10**, 309-311.
- O'DELL, J. W., & JACKSON, D. E. (1986). The Commodore 64 and an interface system for controlling operant chambers. **18**, 339-341.
- ORTEGA, J., & PALYA, W. L. (1982). A simple IBM I/O Selectric typewriter controller. **14**, 99-102.
- ORTEGA, J., & PALYA, W. L. (1983). In-circuit emulator. **15**, 177-180.
- OSAKA, N. (1979). A microprocessor-based real-time BASIC laboratory: A pulse motor-controlled visual stimulator. **11**, 549-552.
- OSAKA, N. (1980). An inexpensive microcomputer peripheral I/O expansion. **12**, 344-345.
- OSAKA, N. (1981). A versatile memory-mapped I/O interface for microcomputers. **13**, 727-731.
- PALYA, W. L., & DOYLE, A. F. (1978). A relay driver and contact closure sensing interface for an LSI-11 DRV11 parallel I/O board. **10**, 485-487.
- PARTRIDGE, B., DAWKINS, R., & AMLANER, C., JR. (1978). Voltage-controlled oscillators: Inexpensive alternative to analog-to-digital converters. **10**, 712-714.
- PERERA, T. B. (1980). Universal one- and two-component interfacing techniques. **12**, 236-237.
- PISACRETA, R., & RILLING, M. (1987). Infrared touch technology as a response detector in animal research. **19**, 389-396.
- PRICE, A. W., FRIDLUND, A. J., & FOWLER, S. C. (1980). A strain-gauge conditioner/analog-to-digital converter for acquisition of multiple analog signals. **12**, 459-464.
- ROSELLINI, R. A., CARLSON, J., DINA, F., FALCONE, R., & SHAPIRO, N. R. (1983). A large-scale expandable I/O port interface for the TRS-80 microcomputer. **15**, 45-48.
- SCHENCK, P. E., VAN DE GIESSEN, H., KOOS SLOB, A., & VAN DER WERFF TEN BOSCH, J. J. (1978). An automated device for measuring locomotor activity in rats. **10**, 552-556.
- SCHIEBER, F., & SNYDER, C. W. (1987). A hardware and software interface for sensing changes in rotary position with an Apple II microcomputer. **19**, 311-314.
- SCHULL, J., & KAMINER, E. M. (1987). ESI: Easy software interfacing tools for Turbo Pascal programming of digital input-output devices. **19**, 199-204.
- SOLOMON, P. R., & BABCOCK, B. A. (1979). KIM and the rabbit: The use of the KIM-1 microprocessor to control classical conditioning of the rabbit's nictitating membrane response. **11**, 67-70.
- SOLOMON, P. R., WEISZ, D. J., CLARK, G. A., HALL, J., & BABCOCK, B. A. (1983). A microprocessor control system and solid state interface for controlling electrophysiological studies of conditioning. **15**, 57-65.
- TARPY, R. M., & MURCEK, R. J. (1984). An electronic device for detecting activity in caged rodents. **16**, 383-387.
- THOMPSON, G. C. (1979). Behavioral programming with the APPLE II microcomputer. **11**, 585-588.
- WALKER, J. M., LAVOND, D. G., BODART D. J., BEATTIE, M. S., & MEYER P. M. (1979). Methods for rapid quantification of brain autoradiographs. **11**, 321-328.
- WALKER, S., & REITE, M. (1978). A PDP-12 interface for time-code generator/readers. **10**, 710-711.
- WRIGHT, R. D. (1986). Amiga 1000 hardware timing and reaction-time key interfacing. **18**, 463-465.
- ZILM, D. H., DURAND, D., & KAPLAN, H. L. (1978). A microprocessor-controlled clinical tremometer. **10**, 177-181.

LABORATORY CONTROL PROGRAMS

- AREND, U., MOHR, W., & WANDMACHER, J. (1981). A package of LAB 8/E subroutines for DEC OS/8 FORTRAN II. **13**, 696.
- BURKHARDT, K. J. (1979). The design of a real-time operating

- system for experimental psychology. **11**, 507-511.
- CHUTE, D. L., GAEMAN, D., & ZIEGLER, T. (1987). MacLaboratory Controller: A switch and A/D interface between Apple's Macintosh and peripheral apparatus. **19**, 205-209.
- DERR, M. A., WRIGHT, C. E., & CORIELL, A. S. (1982). A satellite system for controlling real-time experiments. **14**, 264-271.
- DILLON, R. F., MILLMAN, B., TOMBAUGH, J. W., FERGUSON, W. R., & BEZANSON, W. R. (1979). A microcomputer-controlled laboratory: Hardware. **11**, 293-300.
- DOYLE, A. F., & PALYA, W. L. (1980). A hierarchical LSI-11 system for real-time control, interevent time storage, and data analysis. **12**, 221-231.
- FINLEY, G. P. (1984). Microcontrolled stepping motors in behavior research: Two application examples. **16**, 288-293.
- FINLEY, G. (1985). Laboratory functions for the Tecmar Lab Tender and IBM PC. **17**, 397-398.
- FINLEY, G. (1987). IBM PC laboratory software in Turbo Pascal. **19**, 59.
- GORDON, W. A., FOREE, D., & ECKERMAN, D. A. (1983). Using an Apple II microcomputer for real-time control in a behavioral laboratory. **15**, 158-166.
- HETH, C. D. (1980). The AIM-65 microcomputer as a laboratory control device. **12**, 364-366.
- HOWARD, J. H., JR. (1979). A multipurpose laboratory package for OS/8 BASIC. **11**, 437-444.
- HOWARD, J. H., JR. (1981). RT-11 FORTRAN subroutines for on-line control. **13**, 371-373.
- KAPLAN, H. L. (1985). When do professional psychologists need professional programmers' tools? **17**, 546-550.
- MAXWELL, K. J., & SCHVANEVELDT, R. W. (1983). The PSYCHLAB programming system: A tool for developing experimental control programs. **15**, 49-56.
- MILLIGAN, W. L., & RICHARDSON, A. (1979). A microprocessor- (Heath ET-3400) based backup control system for laboratory experiments. **11**, 314-315.
- PALYA, W. L., & DOYLE, A. F. (1980). A simple LSI-11 system for real-time control, interevent time storage, and data analysis. **12**, 210-220.
- PARKS, E. R. (1978). A general-purpose microcomputer configuration for controlling experiments. **10**, 480-484.
- PERERA, T. B. (1981). A simple BASIC language laboratory control system for microcomputers patterned after SKED®. **13**, 281-282.
- PERLMAN, G. (1982). Experimental control programs for the UNIX operating system. **14**, 417-421.
- RAYFIELD, F. (1982). Experimental control and data acquisition with BASIC in the Apple computer. **14**, 409-411.
- SCHULL, J., & KAMINER, E. M. (1987). ESI: Easy software interfacing tools for Turbo Pascal programming of digital input-output devices. **19**, 199-204.
- SPENCER, D. G., JR., & EMMETT-OGLESBY, M. W. (1985). Parallel processing strategies in the application of microcomputers to the behavioral laboratory. **17**, 294-300.
- SVARTDAL, F. (1986). LAB-FORTH software package. **18**, 61-62.
- TAKIGAWA, T., & MINO, T. (1981). TYMES: A high-level language for process control and data manipulation in the behavior laboratory. **13**, 741-746.
- TOMBAUGH, J. W., DILLON, R. F., MILLMAN, B., & BEZANSON, W. R. (1979). A microcomputer-controlled laboratory: Software. **11**, 301-310.
- WALTER, D. E., & PALYA, W. L. (1984). An inexpensive experiment controller for stand-alone applications or distributed processing networks. **16**, 125-134.

LANGUAGE

APL

- BERRY, K. J., & MIELKE, P., JR. (1985). An APL function for Radlow and Alf's exact chi-square test. **17**, 131-132.
- BERRY, K. J., & MIELKE, P. W., JR. (1986). An APL function for computing measures of association for nominal-by-ordinal and ordinal-by-ordinal cross classifications. **18**, 399-402.
- BOUGON, M. G., & LISSAK, R. I. (1981). RUN: A logistic-based interactive program to detect patterns of test item bias. **13**, 55-756.
- DEAN, D. J. H., & SEGALL, M. H. (1978). An APL program for minimum-error Guttman scaling. **10**, 421-425.
- EVANS, S., & GAGE, F. H. (1979). APL programs for interactive data analysis: Basic statistics and histograms. **11**, 605-606.
- EVANS, S., GAGE, F. H., & NEIDEFFER, J. D. (1980). APL programs for interactive data analysis: Correlation and data entry. **12**, 372-375.
- EVANS, S., & GILFILLAN, L. (1984). An APL system for interactive data analysis: Histograms, correlation, and regression. **16**, 454-462.
- EVANS, S., & GILFILLAN, L. (1986). APL approximations for common statistical tables. **18**, 337-338.
- EVANS, S., NEIDEFFER, J. D., & GAGE, F. H. (1980). APL functions for interactive data analysis: Graphics and labels. **12**, 541-545.
- EVANS, S., NEIDEFFER, J. D., & GAGE, F. H. (1981). APL functions for interactive data analysis: Principal components analysis. **13**, 657-666.
- EVANS, S., NEIDEFFER, J. D., & GILFILLAN, L. (1982). APL functions for interactive data analysis: Preparation of data files. **14**, 475-481.
- FRIENDLY, M., & FRANKLIN, P. (1979). Computer control of memory experiments on a large-scale timesharing system. **11**, 212-217.
- HAMOVITCH, M. (1979). Analysis of variance with APL: Improvements and extensions. **11**, 455-456.
- MASTERSON, F. A. (1981). Bringing APL down to earth on the DECsystem-10: Standard characters and a standard editor. **13**, 374-376.
- MCGOWAN, W. T., III (1978). EMATS: An interactive computer program (APL) for generating ANOVA model equations and error terms. **10**, 442-450.
- MCGOWAN, W. T., III (1983). Matrix decomposition: An APL function to compute the Cholesky factor of a gramian matrix. **15**, 99-100.
- MCGOWAN, W. T., III, & APPEL, J. B. (1977). An APL program for calculating signal detection indices. **9**, 517-521.
- MCGOWAN, W. T., & APPEL, J. B. (1978). An APL program for calculating pairwise and nonpairwise a posteriori tests on means. **10**, 51-59.
- TURKHEIMER, E., YEO, R. A., & BIGLER, E. D. (1983). Digital planimetry in APLSF. **15**, 471-473.

- WOUTERS, L. (1979). An APL function for computing distribution-free confidence limits on the median of a population. **11**, 401.
- Assembler/Machine Language**
- ADAMS, J. K. (1985). Visually presented verbal stimuli by assembly language on the Apple II computer. **17**, 489-502.
- ANDERSON, L. A., & LANE, D. M. (1987). Demonstration experiments in perception and cognitive psychology for the Macintosh computer. **19**, 249-251.
- BATSON, J. D., & TURNER, J. D. (1986). A simple infrared photocell device and its interface to an Apple computer. **18**, 447-451.
- BERTENTHAL, B. I., & KRAMER, S. J. (1984). The TMS 9918A VDP: A new device for generating moving displays on a microcomputer. **16**, 388-394.
- BOWKER, D. O. (1982). Audio-range frequency-counter subroutine for the Apple II. **14**, 367-368.
- BROOKS, J. O., III (1987). Enhancing and degrading visual stimuli. **19**, 260-269.
- BÜHRER, M., SPARRER, B., & WEITKUNAT, R. (1987). Interval timing routines for the IBM PC/XT/AT microcomputer family. **19**, 327-334.
- CAMPBELL, D. J., & FOREST, J. (1984). The KIM-1 microcomputer as an eight-channel data logger. **16**, 315-319.
- CAMPBELL, D. J., & FOREST, J. (1987). A cricket-song simulator using the 68705 single-chip microcomputer. **19**, 26-29.
- CAVANAGH, P., & ANSTIS, S. M. (1980). Visual psychophysics on the APPLE II: Getting started. **12**, 614-626.
- CHOLEWIAK, R. W., & SHERRICK, C. E. (1981). A computer-controlled matrix system for presentation to the skin of complex spatiotemporal patterns. **13**, 667-673.
- CIGAS, J., & KLIMLEY, A. P. (1987). A microcomputer interface for decoding telemetry data and displaying them numerically and graphically in real time. **19**, 19-25.
- COYNE, A. C. (1987). A software-based millisecond timer for the CP/M operating system. **19**, 47-48.
- CUNNINGHAM, H. A. (1985). An Apple microcomputer-based laboratory system for the study of visual-motor behavior. **17**, 484-488.
- DABBS, J. M., JR., & SWIEDLER, T. C. (1983). Group AVTA: A microcomputer system for group voice chronography. **15**, 79-84.
- DIENER, D., & SMEE, W. P. (1984). Apple tachistoscope. **16**, 540-544.
- DIONNE, L., LAURENCELLE, L., & TREMBLAY, F. (1987). A distributive method to increase the analogic output (D/A) resolution of a microcomputer. **19**, 365-369.
- DLHOPOLSKY, J. G. (1982). Software synchronizing of video displays and Z-80 processing in the Model III TRS-80. **14**, 539-544.
- DLHOPOLSKY, J. G. (1983). Limitations of high-level microcomputer languages in software designed for psychological experimentation. **15**, 459-464.
- DLHOPOLSKY, J. G. (1983). Machine language millisecond timers for the Z-80 microprocessor. **15**, 511-520.
- DURHAM, I. H., & ILLINGWORTH, D. J. (1981). A low-cost computer-controlled function generator suitable for generating visual grating displays. **13**, 647-649.
- FEMANO, P. A., & PFAFF, D. W. (1983). Time-interval acquisition on a 6502-based microcomputer. **15**, 521-529.
- FINLEY, G. (1985). Laboratory functions for the Tecmar Lab Tender and IBM PC. **17**, 397-398.
- FLOWERS, J. H. (1982). Some simple Apple II software for the collection and analysis of observational data. **14**, 241-249.
- GRAVES, R., & BRADLEY, R. (1987). Millisecond interval timer and auditory reaction time programs for the IBM PC. **19**, 30-35.
- GRICE, G. R. (1981). Accurate reaction time research with the TRS-80 microcomputer. **13**, 674-676.
- HAMPSON, P. J. (1984). Flasher 80: A modified version of PET Flasher. **16**, 323-324.
- HASTINGS, L., & ARNOLD, N. D. (1984). Implementation of multitasking on a small microcomputer. **16**, 137-140.
- HETH, C. D. (1980). The AIM-65 microcomputer as a laboratory control device. **12**, 364-366.
- HORI, Y. (1983). An automatic analysis method of utterance and pause lengths and frequencies. **15**, 449-452.
- HORMANN, C. A., & ALLEN, J. D. (1987). An accurate millisecond timer for the Commodore 64 or 128. **19**, 36-41.
- HOWARD, J. H., JR. (1981). Controlling the Tektronix 4006 graphics terminal with OS/8 BASIC. **13**, 341-346.
- KALLMAN, H. J. (1986). A Commodore 64-based experimental psychology laboratory. **18**, 222-227.
- KEHRER, L. (1983). A simple system for displaying alphanumeric characters on an oscilloscope using an AIM-65 microcomputer. **15**, 107.
- KLOSTERHALFEN, W. (1980). A computer-controlled cardiometer. **12**, 58-62.
- LANE, D. M., & ASHBY, B. (1987). PsychLib: A library of machine language routines for controlling psychology experiments on the Apple Macintosh computer. **19**, 246-248.
- LAWLER, J. E., & BUCHHOLZ, R. A. (1979). A machine-level software program for the generation of aversive conditioning schedules using the KIM-1 microprocessor. **11**, 218-220.
- LOOMIS, J. M. (1986). Scan-display of high-resolution images using the Apple II. **18**, 36-40.
- LOOMIS, J. M., & EBY, D. W. (1987). High-speed 2-D and 3-D animation on the IBM PC/XT/AT. **19**, 10-18.
- LORIG, T. S. (1984). Period analysis of the EEG by 6502-based microcomputer. **16**, 331-332.
- MALCOLM, D. S. (1985). Shuttlebox avoidance programs for the 6502. **17**, 128.
- MAPOU, R. L. (1982). Tachistoscopic timing on the TRS-80. **14**, 534-538.
- MAXWELL, K. J., & SCHVANEVELDT, R. W. (1983). The PSYCHLAB programming system: A tool for developing experimental control programs. **15**, 49-56.
- MERIKLE, P. M., CHEESMAN, J., & BRAY, J. (1982). PET Flasher: A machine language subroutine for timing visual displays and response latencies. **14**, 26-28.
- MOSS, S. C. (1984). On-line Apple II for the recording and analysis of complex motor movements. **16**, 19-24.
- NORMAN, W. D., & JONGERIUS, J. L. (1985). Apple Picker: Computer software for studying human responding on concurrent and multiple schedules. **17**, 222-225.
- O'DELL, J. W. (1981). The MicroAce: An inexpensive computer controller. **13**, 682-685.
- PAUZIE, A., & THON, B. (1985). A simple method to record arm positioning movements in man with an Apple computer. **7**, 476-478.
- POTTINGER, H. J., HUGHES, C. W., SCHROEDER, P., BAREFIELD, A., & CRAIGMILE, J. C. (1981). A microcomputer-based cardiometer with video display. **13**, 227-234.
- PRICE, J. M. (1986). Relocating 65xx software timing routines. **18**, 68-69.

- RAYFIELD, F. (1982). Experimental control and data acquisition with BASIC in the Apple computer. **14**, 409-411.
- RAYFIELD, F., & CARNEY, J. (1981). Controlling behavior experiments with BASIC on 6502-based microcomputers. **13**, 735-740.
- RUSH, D. K. (1986). Apple II assembly language routines for digital data acquisition and contingency control. **18**, 32-35.
- RYMAN, D. H., NAITOH, P., & ENGLUND, C. E. (1984). Minicomputer-administered tasks in the study of effects of sustained work on human performance. **16**, 256-261.
- SCHMIDT, A. L. (1983). A PDP-11 assembly language program for digitizing, sorting, and averaging evoked brain potentials. **15**, 85-86.
- SCHNITTER, P., HARVER, A., & KOTSES, H. (1984). VOLTWIN: A computer program to establish criteria for reinforcement of stable levels of EMG activity. **16**, 320-322.
- SPENCER, D. G., JR., & EMMETT-OGLESBY, M. W. (1985). Parallel processing strategies in the application of microcomputers to the behavioral laboratory. **17**, 294-300.
- TERNES, J. W., EHRLMAN, R., & O'BRIEN, C. P. (1982). A software system for real-time control of psychological experiments. **14**, 160-164.
- TORREY, C. C. (1986). Occluding edge displays and random-dot stereograms on the Apple II. **18**, 321-322.
- VOKEY, J. R. (1986). MATRICKS: Matrix algebra for Applesoft BASIC. **18**, 409-411.
- WASTELL, D. G. (1982). Assembler language software for linking the Apple II to a PDP-11 as a dumb VDU. **14**, 362.
- YOUNG, F. W., TAKANE, Y., & LEWYCKYJ, R. (1978). ALSICAL: A nonmetric multidimensional scaling program with several individual-differences options. **10**, 451-453.
- BASIC**
- ADAMS, J. K. (1985). Visually presented verbal stimuli by assembly language on the Apple II computer. **17**, 489-502.
- AHROON, W. A., & PASTORE, R. E. (1977). Procedures for computing d' and β . **9**, 533-537.
- ALDRIDGE, J. W. (1987). Cautions regarding random number generation on the Apple II. **19**, 397-399.
- ALF, E. F., JR., & GROSSBERG, J. M. (1987). DORF2R.BAS: Analyzing signal-detection theory rating data in the BASIC programming language. **19**, 475-482.
- ALGARABEL, S. (1983). MEMORIA: A computer program for experimental control of verbal learning and memory experiments with the Apple II microcomputer. **15**, 394.
- ALLAN, G. J. B. (1978). IPA1: A BASIC program to conduct an interactive path analysis. **10**, 415-416.
- ANDERSON, D. E. (1980). PSYCHO-STATS 80: A basic statistical package for the TRS-80. **12**, 565.
- ANDERSON, D. E. (1984). PSYCHO-STATS PC: A statistical package for the IBM PC. **16**, 482.
- ANDERSON, L. A., & LANE, D. M. (1987). Demonstration experiments in perception and cognitive psychology for the Macintosh Computer. **19**, 249-251.
- ANGLE, H. V., & CARROLL, J. (1979). A computer interview language: Programming the on-line interactive computer. **11**, 379-383.
- ASPEY, W. P. (1977). CIRDIS: A BASIC program for computing interindividual distances within a circular area. **9**, 50-51.
- ASPEY, W. P. (1977). RECDIS: A BASIC program for computing interindividual distances within a rectangular area. **9**, 26-27.
- ASPEY, W. P., & FEINSTEIN, R. (1977). INFO: A program for computing information theory measures of communication. **9**, 305-306.
- BALLANCE, C. T., WARD, B., & SMITH, P. (1985). A generic BASIC program for data communications. **17**, 435-436.
- BATSON, J. D., & TURNER, J. D. (1986). A simple infrared photocell device and its interface to an Apple computer. **18**, 447-451.
- BAUMEISTER, A. A., MACLEAN, W. E., & DENI, R. (1979). A statistical package in BASIC for small-system applications. **11**, 77-78.
- BEKOFF, M., & MECH, L. D. (1984). Simulation analyses of space use: Home range estimates, variability, and sample size. **16**, 32-37.
- BEKOFF, M., WIELAND, C., & LAVENDER, W. A. (1982). SPACE-OUT: Graphics programs to study and to simulate space use and movement patterns. **14**, 34-36.
- BENEDICT, J. O. (1979). CLASCONSIM: A computer program to simulate experiments in classical conditioning. **11**, 603-604.
- BERSTEIN, D., & LIVINGSTON, C. (1982). An interactive program for observation and analysis of human behavior in a long-term continuous laboratory. **14**, 231-235.
- BERTENTHAL, B. I., & KRAMER, S. J. (1984). The TMS 9918A VDP: A new device for generating moving displays on a microcomputer. **16**, 388-394.
- BIDERMAN, M. D. (1978). A statistical package for the Hewlett-Packard 2000/Access. **10**, 417-418.
- BIENIAS, J. L. (1987). Two BASIC programs to compare elements within and among correlation matrices. **19**, 57-58.
- BILKEY, D. K. (1987). A procedure for the computerized representation and presentation of rotated and reflected stimuli. **19**, 419-421.
- BISHOP, D. V. M. (1980). REFERENCE: An APPLE II package for storage and retrieval of journal references. **12**, 627-630.
- BITTNER, A. C., SMITH, M. G., KENNEDY, R. S., STALEY, C. F., & HARBESON, M. M. (1985). Automated Portable Test (APT) System: Overview and prospects. **17**, 217-221.
- BLOOR, R. N. (1983). A computer program to determine interrater reliability for dichotomous-ordinal rating scales. **15**, 615.
- BOLDIN, M. M., & STARKES, J. L. (1987). ERRORCALC ADAPTED: A BASIC microcomputer program to calculate error measures for variable block sizes. **19**, 416-417.
- BOND, N. W., & SIDDLE, D. A. T. (1987). Learning and motivation: Computer simulations of the Rescorla-Wagner, Solomon-Corbit, and Schull models. **19**, 404-406.
- BORYS, S. V., & CORRIGAN, J. G. (1980). A BASIC program for nonparametric post hoc comparisons. **12**, 635.
- BORYS, S. V., & CORRIGAN, J. G. (1981). A BASIC program for multiple regression. **13**, 63.
- BOWKER, D. O. (1982). Audio-range frequency-counter subroutine for the Apple II. **14**, 367-368.
- BRADLEY, D. R. (1978). An interactive data-generating and answer-correcting system for problems in statistics. **10**, 218-227.
- BREMSE, R. F., & DAVIDSON, R. S. (1978). Microprocessor-assisted assessment in the clinical research laboratory. **10**, 582-584.
- BROOKS, J. O., III (1987). Enhancing and degrading visual stimuli. **19**, 260-269.
- BROPHY, A. L. (1983). A versatile sorting and ranking program. **15**, 465-466.
- BROPHY, A. L. (1984). A BASIC program for Tukey's multiple comparison procedure. **16**, 67-68.
- BROPHY, A. L. (1984). Ranking programs for matched groups and combined distributions. **16**, 406.

- BROPHY, A. L. (1985). Approximation of the inverse normal distribution function. **17**, 415-417.
- BROPHY, A. L. (1986). An algorithm and program for calculation of Kendall's rank correlation coefficient. **18**, 45-46.
- BROPHY, A. L. (1986). Alternatives to a table of criterion values in signal detection theory. **18**, 285-286.
- BROPHY, A. L. (1987). Efficient estimation of probabilities in the t distribution. **19**, 462-466.
- BROWN, R. L. (1983). TIMCAI: An interactive program to assist in the identification of univariate nonseasonal nonmixed ARIMA time series. **15**, 101-102.
- BROWN, R. L. (1987). An interactive computer program for assessing serial dependency in longitudinal data and the identification of basic ARIMA models. **19**, 407-408.
- BÜHRER, M., SPARRER, B., & WEITKUNAT, R. (1987). Interval timing routines for the IBM PC/XT/AT microcomputer family. **19**, 327-334.
- BUHYOFF, G. J., & HULL, R. B., IV (1980). Computation of law of comparative judgment scales on a microcomputer. **12**, 465.
- BUHYOFF, G. J., RAUSCHER, H. M., HULL, R. B., & KILLEEN, K. (1980). Microcomputer-resident comprehensive statistical analysis. **12**, 551-553.
- BURNS, E., & CAVALLARO, C. (1982). A computer program to determine interobserver reliability statistics. **14**, 42.
- CALISTRI, R. J., & KALLMAN, H. J. (1986). DRT/***: Programs to administer and score the Diagnostic Rhyme Test. **18**, 57-58.
- CAMPBELL, D. J. (1983). An editor and high-resolution histogram plotter for the CBM/PET microcomputer. **15**, 618-619.
- CAMPBELL, D. J. (1984). A spectral-analysis program with graphics for the CBM/PET/C-64 microcomputers. **16**, 484-485.
- CARTER, G. M., FERRARA, M., & MASTERS, H. G. (1981). DOALL: A BASIC program solving for adaptation level and n in Helson's reformulated Stevens' power law. **13**, 61-62.
- CAVANAGH, P., & ANSTIS, S. M. (1980). Visual psychophysics on the APPLE II: Getting started. **12**, 614-626.
- CHAPMAN, J., HU, L., & MULLEN, B. (1986). GROUP1 and GROUP2: BASIC programs for laboratory research on the commons dilemma and group persuasion. **18**, 466-467.
- CHOLEWIAK, R. W., & SHERRICK, C. E. (1981). A computer-controlled matrix system for presentation to the skin of complex spatiotemporal patterns. **13**, 667-673.
- COHEN, A. J., & FOLEY, J. E. (1984). Conjunction of a programming language and text formatter for generating randomized questionnaires. **16**, 545-547.
- COOVERT, M. D. (1980). An elementary statistical package for 6502-based microcomputers. **12**, 562.
- COREN, S. (1986). The Farnsworth-Munsell 100-hue test: A BASIC program for scoring and analysis. **18**, 323-324.
- CORRIGAN, J. G., BONELLI, P. J., & BORYS, S. V. (1980). BASIC programs for one-way through four-way between-subjects and within-subjects ANOVAs. **12**, 468.
- CORRIGAN, J. G., BONELLI, P. J., & BORYS, S. V. (1980). BASIC programs for two-way through four-way mixed-design ANOVAs. **12**, 546.
- CORWIN, T. R., KINTZ, R. T., & BEATY, W. J. (1979). Computer-aided estimation of psychophysical thresholds by Wetherill tracking. **11**, 526-528.
- COULOMBE, D. (1983). MULREG: A multiple regression analysis system for microcomputers. **15**, 608.
- COULOMBE, D. (1984). Canonical correlation analysis: A BASIC system for microcomputers. **16**, 475-476.
- COULOMBE, D. (1984). Principal component analysis: A BASIC program for microcomputers. **16**, 477-478.
- COULOMBE, D. (1984). Two-way ANOVA with and without repeated measurements, tests of simple main effects, and multiple comparisons for microcomputers. **16**, 397-398.
- COULOMBE, D. (1985). Multiple discriminant analysis: A BASIC program for microcomputers. **17**, 135-136.
- COULOMBE, D. (1985). Orthogonal polynomial coefficients and trend analysis for unequal intervals and unequal N s: A microcomputer application. **17**, 441-442.
- COULOMBE, D. (1985). Two-way multivariate analysis of variance: A BASIC program for microcomputers. **17**, 137-139.
- CROSSMAN, E. K., STEPHENSON, M. R., & LYNCH, H. L. (1980). An intelligent PET interface for environmental control and data acquisition and analysis. **12**, 238-240.
- CUNNINGHAM, C. L., & PERIS, J. (1983). A microcomputer system for temperature biotelemetry. **15**, 598-603.
- CUNNINGHAM, H. A. (1985). An Apple microcomputer-based laboratory system for the study of visual-motor behavior. **7**, 484-488.
- CUTCOMB, S. D., BOLSTER, R. B., & PRIBRAM, K. H. (1981). DADTA VI: A minicomputer-based video control system for the analysis of behavioral and electrophysiological data. **13**, 337-340.
- DALY, H. B., & DALY, J. T. (1984). DMOD—A mathematical model of reward and aversive nonreward in appetitive learning situations: Program and instruction manual. **16**, 38-52.
- DANNENBRING, G. L. (1983). The effect of computer response time on user performance and satisfaction: A preliminary investigation. **15**, 213-216.
- DENI, R. (1977). BASIC-PLUS program for one-way and two-way within-subjects ANOVAs with post hoc Newman-Keuls. **9**, 371.
- DENI, R. (1977). BASIC-PLUS programs for Sackett's lag sequential analysis. **9**, 383-384.
- DENI, R. (1977). BASIC-PLUS programs to manage bibliographies, reference lists, and reprint files. **9**, 307-308.
- DENI, R., & COFFEE, R. J. (1984). COMPLEX: An Applesoft BASIC program to assess preference for visual complexity. **16**, 329-330.
- DENI, R., ERWIN, J., DRAKE, D. I., & KASSORLA, E. (1978). BASIC-PLUS programs to manage a small primate colony information and records system. **10**, 81-82.
- DENI, R., LONGO, J., & MAKIN, J. W. (1980). A statistical package in BASIC for univariate analysis of variance. **12**, 564.
- DENI, R., SZUJARTO, K., EISLER, A., & FANTAUZZO, C. (1983). BASIC programs for observational research using the TRS-80 Model 100 portable and Model 4 computers. **15**, 616.
- DIENER, D., & SMEE, W. P. (1984). Apple tachistoscope. **16**, 540-544.
- DLHOPOLSKY, J. G. (1982). Software synchronizing of video displays and Z-80 processing in the Model III TRS-80. **14**, 539-544.
- DLHOPOLSKY, J. G. (1983). Limitations of high-level microcomputer languages in software designed for psychological experimentation. **15**, 459-464.
- DOLAN, P. M., & SHAPIRO, D. (1981). Interactive computer assistance for biofeedback and psychophysiological research: Pragmatics of development. **13**, 311-322.
- DURSO, F. T. (1984). A subroutine for counterbalanced assignment of stimuli to conditions. **16**, 471-472.
- EAMON, D. B., & BUTLER, D. L. (1987). Writing programs on the Apple for the student psychology laboratory: Routines, subroutines, and sources of information. **19**, 88-98.
- ECKES, T. (1986). A BASIC program package for the analysis of sorting data. **18**, 472-474.
- ELLIS, J. K. (1985). Distribution counting as a method for sorting

- test scores. **17**, 419-420.
- ENGELKEN, E. J., STEVENS, K. W., & WOLFE, J. W. (1982). Application of digital filters in the processing of eye movement data. **14**, 314-319.
- ERGENER, D., & WELLENS, A. R. (1985). A split-screen electronic messaging system for Apple II computers. **17**, 556-564.
- FAZIO, R. H., & BACKLER, M. H. (1983). Computer lessons for a social psychology research methods course. **15**, 135-137.
- FEENEY, W. R. (1978). Timing individuals in a group using a computer-generated code sequence. **10**, 715-717.
- FISHBEIN, M. J., & WIXON, D. R. (1979). One-way ANCOVA: A BASIC program for minicomputers. **11**, 460.
- FISK, A. D., SCHNEIDER, W., & BURKHARD, J. C. (1982). SENSE: A program for calculating parametric (d') and non-parametric (A' and A_g) indexes of sensitivity. **14**, 361.
- FLEXSER, A. J. (1987). Accurate display timing using an enhanced BASIC for the Tandy Color Computer. **19**, 457-459.
- FLOWERS, J. H. (1982). Some simple Apple II software for the collection and analysis of observational data. **14**, 241-249.
- FLOWERS, J. H., & MURPHY, M. H. (1979). An economical microcomputer design for the generation and display of timed visual stimuli: The TDL VDB. **11**, 115-118.
- GALLA, J. P. (1981). Factorial analysis of variance with unequal observations: A BASIC program for microcomputers. **13**, 699-700.
- GALLA, J. P. (1982). Two-factor analysis of variance with one nested factor: A BASIC program for microcomputers. **14**, 499.
- GALLA, J. P. (1984). Simple analysis of covariance: A BASIC program for microcomputers. **16**, 564-565.
- GALLA, J. P. (1987). Kendall's tau and Kendall's partial correlation: Two BASIC programs for microcomputers. **19**, 55-56.
- GARCÍA-PÉREZ, M. A. (1987). Three-dimensional perspective drawing of two-dimensional functions with microcomputers. **19**, 42-46.
- GILBERT, L. H. (1979). PSYCHOSTATS: BASIC programs for data analysis in psychology. **11**, 464.
- GILPIN, A. R. (1983). SCALO: A program to perform Guttman scaling analysis on the Apple II microcomputer. **15**, 549.
- GILPIN, A. R. (1985). APCLUST: A versatile Apple II program to perform agglomerative hierarchical clustering analysis. **17**, 508.
- GILPIN, A. R. (1985). APPLECOR: An Apple II implementation of hierarchical clustering analysis using the CONCOR algorithm. **17**, 140.
- GILPIN, A. R. (1985). A BASIC program to compute Hotelling's T^2 and related measures. **17**, 509.
- GOLDSTEIN, L., & MOORE, T. (1983). Mechanical deductive techniques: Three microcomputer packages. **15**, 545-546.
- GOLDSTEIN, S. R., BLEKKENHORST, H. J., & MAYES, L. W. (1982). Computerization of the operant arena. **14**, 369-372.
- GOODING, S. T., GOODING, C. T., & SWIFT, J. N. (1982). A microcomputer-based pause analysis apparatus. **14**, 121-123.
- GORDON, W. A., FOREE, D., & ECKERMAN, D. A. (1983). Using an Apple II microcomputer for real-time control in a behavioral laboratory. **15**, 158-166.
- GORMAN, B. S., & PRIMAVERA, L. H. (1980). BACKSTEP: A simple program for backward-selection multiple regression. **12**, 391-392.
- GORMAN, B. S., & PRIMAVERA, L. H. (1981). BASIC BACKSTEP: A simple backward-selection multiple-regression program for minicomputers and microcomputers. **13**, 703.
- GOTTSANKER, R., PERKINS, T., & AFTAB, J. (1986). Studying reaction time with nonaging intervals: An effective procedure. **18**, 287-292.
- GRANT, M. J. (1983). AGREE: A BASIC program for assessing similarity in categorization judgments. **15**, 611-612.
- GRANT, M. J. (1983). Using a computer simulation to teach attitude surveying. **15**, 574-576.
- GRAVES, R., & BRADLEY, R. (1987). Millisecond interval timer and auditory reaction time programs for the IBM PC. **19**, 30-35.
- GREITZER, F. L., HERSHMAN, R. L., & KELLY, R. T. (1981). The Air Defense Game: A microcomputer program for research in human performance. **13**, 57-59.
- GRICE, G. R. (1981). Accurate reaction time research with the TRS-80 microcomputer. **13**, 674-676.
- HACKER, M. J., & ANGIOLILLO-BENT, J. S. (1981). A BASIC package for N-way ANOVA with repeated measures, trend analysis, and user-defined contrasts. **13**, 688.
- HANNAN, T. E. (1986). CBASIC programs for nonparametric statistical analysis. **18**, 403-404.
- HANSON, S. J. (1978). Confidence intervals for nonlinear regression: A BASIC program. **10**, 437-441.
- HARRIS, W. G., NIEDNER, D., FELDMAN, C., FINK, A., & JOHNSON, J. H. (1981). An on-line interpretive Rorschach approach: Using Exner's comprehensive system. **13**, 588-591.
- HARTLEY, L. (1980). BASIC language programs for one-, two-, three-, or four-factor within- and between-subjects ANOVAs for Apple II and Commodore PETs. **12**, 567.
- HAYES, W. (1981). GRAPH: A BASIC-11 graphics program for digital plotters. **13**, 367.
- HEATH, T. B., & MILLER, C. E. (1985). MULTIVALUE: A BASIC program for computing theoretical predictions for simple and multivalued coalition games. **17**, 511-512.
- HEYMAN, R., BIRD, R. J., HEYMAN, R. L., & HARDING, J. (1981). Programs for the estimation of fundamental frequency, amplitude, and voicing of speech. **13**, 760.
- HOCHHAUS, L. (1981). Curve fitting by estimation and iteration. **13**, 753-754.
- HORII, Y. (1983). An automatic analysis method of utterance and pause lengths and frequencies. **15**, 449-452.
- HORMANN, C. A., & ALLEN, J. D. (1987). An accurate millisecond timer for the Commodore 64 or 128. **19**, 36-41.
- HOWARD, J. H., JR. (1979). A multipurpose laboratory package for OS/8 BASIC. **11**, 437-444.
- HOWARD, J. H., JR. (1981). Controlling the Tektronix 4006 graphics terminal with OS/8 BASIC. **13**, 341-346.
- HUNTER, T. R., & SEELEY, G. W. (1983). An interactive program to build a computer library of literature references. **15**, 467-468.
- JENSEN, D. G. (1987). Facial perception studies using the Macintosh. **19**, 252-256.
- JOHNSON, J. H., HARRIS, W., THOMPSON, C., MARCUS, S., BLOCK, D., NOVAK, K., YINGST, N., ALLERT, A., HOBIN, G., BYRNES, E., STRAUCH, D., FELDMAN, C., NIEDNER, D., & FINK, A. (1981). New uses for the on-line computer medium in mental health care. **13**, 243-250.
- KAHN, R. M., FIFER, W., & SILVER, R. (1984). Automatic monitoring of temperature and/or location: A computer-controlled radiotelemetry system. **16**, 533-537.
- KALLMAN, H. J. (1986). A Commodore 64-based experimental psychology laboratory. **18**, 222-227.
- KEENAN, J. M., & KELLER, R. A. (1980). Teaching cognitive processes: Software for laboratory instruction in memory and cognition. **12**, 103-110.
- KEHRER, L. (1983). A simple system for displaying alphanumeric characters on an oscilloscope using an AIM-65 microcomputer. **15**, 107.

- KIENAPPLE, K. (1987). The Microanalytic Data Analysis Package. **19**, 335-337.
- KILLEEN, K., & HULL, R. B., IV (1982). Digitizer software for the microcomputer. **14**, 41.
- KILLEEN, P. R. (1985). The bimean: A measure of central tendency that accommodates outliers. **17**, 526-528.
- KIRK, R. C. (1980). HTERM/CIM and HTERM/BAS: "Smart" terminal enabling programs for the TRS-80 microcomputer. **12**, 71-72.
- KNOBLAUCH, K. (1986). TVR: A BASIC implementation of Stiles's analysis of the two-color increment-threshold paradigm. **18**, 393-394.
- KOONTZ, F. W. (1982). WATCH: Microcomputer programs to collect and analyze behavioral observations based on focal-animal sampling. **14**, 431-432.
- KRAVITZ, D. A., & WALKER, J. A. (1984). COALPRED: A BASIC program for computing predictions of five coalition theories. **16**, 69-70.
- LANE, D. M. (1981). A general analysis of variance program for microcomputers. **13**, 694.
- LANE, D. M., & ASHBY, B. (1987). PsychLib: A library of machine language routines for controlling psychology experiments on the Apple Macintosh computer. **19**, 246-248.
- LARIMER, L. D., & WATKINS, M. W. (1980). Assessing predictive test bias with the microcomputer. **12**, 568.
- LE BOURG, E., & BEUGNON, G. (1985). Apple II programs in circular statistics. **17**, 141.
- LEBERER, M. (1980). ONLINE: A general-purpose BASIC microcomputer program to control and record events for operant conditioning experiments. **12**, 379-380.
- LEHMAN, R. S. (1977). An improved BASIC program to produce random samples without replacement. **9**, 555-556.
- LEVY, C. M. (1983). Microcomputer-based tutorials for teaching statistics. **15**, 127-129.
- LEVY, C. M. (1985). A hierarchical grouping analysis program for the IBM Personal Computer. **17**, 577.
- LIEBERMAN, H. R. (1983). Computation of psychophysical thresholds using the probit technique. **15**, 446-448.
- LIEBERMAN, H. R., & PENTLAND, A. P. (1982). Microcomputer-based estimation of psychophysical thresholds: The Best PEST. **14**, 21-25.
- LINGLE, J. H., & WALKER, T. (1981). BASIC language interpreters and subroutine placement. **13**, 704.
- LIPP, H.-P., & ANDERS, D. (1985). A simple decoder for linking photocell arrays to a microcomputer. **17**, 116-118.
- LOFTIN, C. R., & CHENEY, C. D. (1984). An operandum-to-Osborne I interface. **16**, 72.
- LOOMIS, J. M. (1986). Scan-display of high-resolution images using the Apple II. **18**, 36-40.
- LOOMIS, J. M., & EBY, D. W. (1987). High-speed 2-D and 3-D animation on the IBM PC/XT/AT. **19**, 10-18.
- LORIG, T. S. (1984). Period analysis of the EEG by 6502-based microcomputer. **16**, 331-332.
- LORIG, T. S. (1985). Event-related potential data acquisition on the Apple II+/Ile. **17**, 479-483.
- LUKAS, J. (1985). COMESCAL: A microcomputer program for testing axioms and finding scale values for conjoint measurement data. **17**, 129-130.
- MAPOU, R. L. (1982). Tachistoscopic timing on the TRS-80. **14**, 534-538.
- MAPOU, R. L., & BYRD, L. D. (1982). A microcomputer-based plotter system for the TRS-80 and HP 7225. **14**, 414-416.
- MAYS, R. (1978). Correlation coefficients corrected for missing data. **10**, 420.
- MCLEOD, D. R., GRIFFITHS, R. R., BIGELOW, G. E., & YINGLING, J. (1982). An automated version of the digit symbol substitution test (DSST). **14**, 463-466.
- M McNALLY, K. A., & WOOD, D. L. (1982). BASIC rank-order program. **14**, 545.
- MERIKLE, P. M., CHEESMAN, J., & BRAY, J. (1982). PET Flasher: A machine language subroutine for timing visual displays and response latencies. **14**, 26-28.
- MILLWARD, R. B. (1980). BANDAID: First steps toward an ICAI system. **12**, 178-192.
- MORRIS, R., HELMER, R., & HOINE, H. (1979). A portable micro-based system for the study of associated movements. **11**, 261-263.
- MORRISON, P. R. (1982). LATERAL: A program for the psychophysiological investigation of the lateralization of function using the Apple microcomputer. **14**, 429.
- MORRISON, P. R. (1983). LIKERT: An APPLESOFT program for the construction, administration, and scoring of Likert scales. **15**, 97-98.
- MOSS, S. C. (1984). On-line Apple II for the recording and analysis of complex motor movements. **16**, 19-24.
- MULLEN, B. (1982). A BASIC program for metaanalysis using Stouffer's formula. **14**, 551.
- MULLEN, B. (1983). A BASIC program for metaanalysis of effect sizes using r , $BESD$, and d . **15**, 392-393.
- MULLEN, B. (1984). SELECT1 and SELECT2: BASIC computer programs for selection data analysis in industrial/organizational psychology classes. **16**, 473-474.
- MULLEN, B. (1985). SELECT3: A BASIC program for determining the consequences of using a selection program. **17**, 579.
- MULLEN, B. (1986). BASIC meta-analysis: Description of a statistical package. **18**, 165-167.
- MULLEN, B. (1987). SELECT4: A BASIC program for applying definitions of fairness in selection procedures. **19**, 415.
- NARKAUS, G., & DIPPNER, R. (1978). A survey analysis program for small computers. **10**, 67-76.
- NATANI, K., ENGELKEN, E., & THREATT, D. (1979). PDP-12 stimulus control and data collection for lateralized discrimination learning. **11**, 264-270.
- NICHOLLS, R. J., & POTTER, R. M. (1982). An inexpensive computer and interface for research in the behavioral sciences. **14**, 532-533.
- NILSSON, T. H. (1978). Randomization without replacement using replacement without losing your place. **10**, 419.
- NORMAN, W. D., & JONGERIUS, J. L. (1985). Apple Picker: Computer software for studying human responding on concurrent and multiple schedules. **17**, 222-225.
- O'DELL, J. W. (1981). The MicroAce: An inexpensive computer controller. **13**, 682-685.
- OGASAWARA, T. H. (1982). The calculation of the significance level of F , t , and r on the Apple II. **14**, 492-493.
- OSAKA, N. (1979). A microprocessor-based real-time BASIC laboratory: A pulse motor-controlled visual stimulator. **11**, 549-552.
- OSAKA, N. (1979). A microprocessor-based real-time BASIC random interstimulus interval generator with different probability density functions. **11**, 581-584.
- OSAKA, N. (1980). An inexpensive microcomputer peripheral I/O expansion. **12**, 344-345.
- OSAKA, N. (1981). A versatile memory-mapped I/O interface for microcomputers. **13**, 727-731.
- ODD, J. H., & SATTTLER, J. M. (1984). Generalized kappa coefficient: A Microsoft BASIC program. **16**, 481.
- PAUZIE, A., & THON, B. (1985). A simple method to record

- arm positioning movements in man with an Apple computer. **17**, 476-478.
- PERERA, T. B. (1979). A comparison of BASIC language timing loops for the TRS-80 microcomputer. **11**, 592.
- PERERA, T. B. (1980). Using the TRS-80 cassette tape recorder as a voice key. **12**, 259-260.
- PERERA, T. B. (1981). A laboratory in experimental psychology using the TRS-80. **13**, 195-197.
- PERERA, T. B. (1981). A simple BASIC language laboratory control system for microcomputers patterned after SKED®. **13**, 281-282.
- PHELPS, R. W., & LEWIS, M. J. (1982). A multifunctional on-line brain stimulation system. **14**, 323-328.
- PHILIPP, S. F., & CICCARELLA, C. F. (1983). An Apple II package for computer-assisted telephone interviewing. **15**, 456-458.
- PITTINGER, D. J., & BRITTON, B. K. (1985). A computerized cognitive laboratory: A software package for the cognitive psychology laboratory class. **17**, 122-125.
- PITTINGER, D. J., & HODGE, M. H. (1986). Statistical programs for Commodore computers. **18**, 50-52.
- PLONSKY, M., & ROSELLINI, R. A. (1983). MEANCALC: A BASIC program to calculate means and standard errors for a wide variety of designs. **15**, 469-470.
- POFFEL, S. A., & GREGORY, R. J. (1984). START: Stimulus and response tools for experiments in memory, learning, cognition, and perception. **16**, 409-410.
- POHL, N. F., & TSAI, S. W. (1980). NORM: A subroutine for updating the norms of a reference group. **12**, 376.
- POLZELLA, D. J., & BOWER, S. M. (1982). BIRAND: A BASIC program to generate and test random binary sequences. **14**, 51.
- POLZELLA, D. J., & GOUSE, A. S. (1978). PSYCHIC: A BASIC game to test ESP as d' . **10**, 426-428.
- POST, T. (1979). Software control of reaction time studies. **11**, 208-211.
- POWERS, S. (1984). DISCRIM: A BASIC program to perform discriminant function analysis. **16**, 563.
- PREZEOREK, J., SANCHEZ, R., & DENI, R. (1983). BASIC-PLUS-2 programs to perform experimental procedures for paired associate verbal learning. **15**, 93-94.
- PRILL, K. A. (1984). Picture stimuli for the Apple II computer. **16**, 327-328.
- PSOTKA, J. (1981). Simulating second-guessing in on-line probability learning. **13**, 268-270.
- QUERA, V., & ESTANY, E. (1984). ANSEC: A BASIC package for lag sequential analysis of observational data. **16**, 303-306.
- RAE, G. (1980). A guide to statistical techniques in psychology and education. **12**, 469-470.
- RATCLIFF, R., PINO, C., & BURNS, W. T. (1986). An inexpensive real-time microcomputer-based cognitive laboratory system. **18**, 214-221.
- RAUSCHER, H. M., & BUHYOFF, G. J. (1982). Utility subroutines for data manipulations. **14**, 37-38.
- RAY, R. L., EMURIAN, H. H., & WURSTER, R. M. (1980). COMOV: A program for the analysis of the relationship between two time series. **12**, 479-480.
- RAY, R. L., EMURIAN, H. H., & WURSTER, R. M. (1982). TMSGN: A program for testing trend against a nonrandom alternative. **14**, 355-356.
- RAYFIELD, F. (1982). Experimental control and data acquisition with BASIC in the Apple computer. **14**, 409-411.
- RAYFIELD, F., & CARNEY, J. (1981). Controlling behavior experiments with BASIC on 6502-based microcomputers. **13**, 735-740.
- RICE, C. G. (1986). DOMSORT: An Apple II program for sorting interaction matrices to find the dominance order. **18**, 389-392.
- RICHARDSON, K. (1983). Measuring the learning-relevant relations between variables in experience. **15**, 91-92.
- RIPPEY, R. M. (1986). A computer program for administering and scoring confidence tests. **18**, 59-60.
- ROBERTSON, S. A. (1977). A BASIC program to produce random samples without replacement. **9**, 363-364.
- ROBERTSON, S. A. (1977). A BASIC program to randomly generate members of a weighted set. **9**, 547-548.
- ROBERTSON, S. A. (1977). A note concerning a BASIC display generator for search tasks. **9**, 538.
- ROBERTSON, S. A. (1977). SIMLEN: A response sampling algorithm to simulate some features of learning. **9**, 526-528.
- RUSH, D. K. (1986). Apple II assembly language routines for digital data acquisition and contingency control. **18**, 32-35.
- SANMARTIN, J. (1987). TREC: A tool kit for programming cognitive experiments in Applesoft BASIC. **19**, 467-468.
- SAWYER, T. A., & CASTELLAN, N. J., JR. (1985). A microcomputer-based technique for measuring response times in written protocols. **17**, 503-504.
- SCHIEBER, F., & SNYDER, C. W. (1987). A hardware and software interface for sensing changes in rotary position with an Apple II microcomputer. **19**, 311-314.
- SCHLICHTING, C., & WRAY, D. (1986). COGNITION: A program for the resatation of several tests of cognitive function using the Hewlett-Packard 85 computer. **18**, 65.
- SCHMITT, J. C. (1977). Factor analysis in BASIC for Minicomputers. **9**, 302-304.
- SCIALFA, C. T. (1987). A BASIC program to determine regions of significance using the Johnson-Neyman technique. **19**, 349-352.
- SEGALOWITZ, S. J. (1987). IBM PC Tachistoscope: Text stimuli. **19**, 383-388.
- SHANTZ, M., & POIZNER, H. (1982). A computer program to synthesize American Sign Language. **14**, 467-474.
- SHAPIRO, N. R., & ROSELLINI, R. A. (1980). ANCOM: A BASIC program for analytical comparisons among means. **12**, 633.
- SHAPIRO, N. R., & ROSELLINI, R. A. (1982). REFLIST: Programs to compile a reference list from word processor text. **14**, 47.
- SHAPIRO, N. R., ROSELLINI, R. A., & DeCOLA, J. P. (1981). UNISIM: A text-editing BASIC program for creation and modification of sequential disk files. **13**, 689-690.
- SHIMAMURA, A. P., LANDWEHR, R. F., & NELSON, T. O. (1981). FACTRETRIEVAL: A program for assessing someone's recall of general-information facts, feeling-of-knowing judgments for nonrecalled facts, and recognition of nonrecalled facts. **13**, 691-692.
- SHUM, K. H. (1981). An algorithm to generate dynamic point-light displays. **13**, 377-378.
- SIMPSON, G. B., & BURGESS, C. (1984). PET programs for demonstration and student research in cognitive psychology. **16**, 65-66.
- SMITH, E. C., DANIEL, W. W., & SCHOTT, B. (1978). Non-parametric regression analysis: A program package for use on a computer terminal. **10**, 435-436.
- SNODGRASS, J. G., SMITH, B., FEENAN, K., & CORWIN, J. (1987). Fragmenting pictures on the Apple Macintosh computer for experimental and clinical applications. **19**, 270-274.
- SPENCER, D. G., JR., & EMMETT-OGLESBY, M. W. (1985).

- Parallel processing strategies in the application of microcomputers to the behavioral laboratory. **17**, 294-300.
- SPINKS, J. A., DOW, R., & CHIU, L. W. (1983). A microcomputer package for real-time skin conductance response analysis. **15**, 591-593.
- STANDING, L., & GILBERT, L. (1985). PSYCHOSTATS 2.1: A statistics package in OS-65U BASIC. **17**, 510.
- STARR, B. J., & FLANIK, S. A. (1977). ALL: Automated learning laboratory. **9**, 189-192.
- STEINMETZ, J. E., ROMANO, A. G., & PATTERSON, M. M. (1981). Statistical programs for the Apple II microcomputer. **13**, 702.
- STODOLSKY, D. (1981). Automatic mediation in group problem solving. **13**, 235-242.
- STODOLSKY, D. S. (1984). Equal-time resolution program for dialog management. **16**, 411.
- STODOLSKY, D. S. (1987). Dialogue management program for the Apple II computer. **19**, 483-484.
- STRANG, H. R. (1980). A BASIC factorial ANOVA program with a repeated-measures option for microprocessors. **12**, 477-478.
- STRUBE, M. J. (1985). ICC: A BASIC program for the calculation of intraclass correlations based on fixed effects and random effects models. **17**, 578.
- STRUBE, M. J. (1985). PRORATE: A BASIC program for calculating minimum test length given internal consistency constraints. **17**, 580.
- STRUBE, M. J. (1986). SMOOTH: A BASIC program for smoothing a data series. **18**, 475.
- SUGARMAN, D. B. (1983). Factor structure comparisons: Two BASIC programs for microprocessors. **15**, 542.
- TORREY, C. C. (1986). Occluding edge displays and random-dot stereograms on the Apple II. **18**, 321-322.
- TRELEASE, R. B., JR. (1982). Computer controllers: Adapting the Sinclair ZX-80 for laboratory use. **14**, 343-344.
- TSAI, S. W., & POHL, N. F. (1979). CHI-B: An interactive BASIC program for analyzing the power of chi-square tests. **11**, 404.
- TURNBULL, S. K., MIKITTEN, T. T., & MIKITTEN, S. (1980). CONCEPTS: A program for microcomputer-controlled experimentation in concept attainment. **12**, 631-632.
- ULLRICH, J. R., & PITZ, G. F. (1977). A general purpose analysis of variance routine. **9**, 301.
- VAN BERGEM, P., DITRICHS, R., & SIMON, S. (1986). A BASIC program for nonparametric analyses of proximity matrices. **18**, 407-408.
- VOKEY, J. R. (1984). PLTTT: A graphing package for the Apple II series of computers. **16**, 483.
- VOKEY, J. R. (1986). MATRICKS: Matrix algebra for Applesoft BASIC. **18**, 409-411.
- VOKEY, J. R. (1987). Virtual arrays. **19**, 51-52.
- VOKEY, J. R., BAKER, J. G., HAYMAN, G., & JACOBY, L. L. (1986). Perceptual identification of visually degraded stimuli. **18**, 1-9.
- VON COLLANI, G. (1983). Computing probabilities for F, t, chi-square, and z in BASIC. **15**, 543-544.
- VON COLLANI, G. (1983). NONPARAM: A BASIC program package for nonparametric procedures. **15**, 104.
- VON COLLANI, G., & WALOSZEK, G. (1983). UNIVARAN: A universal analysis of variance program. **15**, 607.
- WALCZYK, J. J., & MELLER, P. J. (1987). PART1 and PART2: Programs for determining reading thresholds and motor response latencies. **19**, 469-474.
- WALKENBACH, J. (1981). A microcomputer program for the analysis of interaction data. **13**, 369-370.
- WALKENBACH, J. (1981). A microcomputer program to demonstrate simple operant reinforcement schedules. **13**, 693.
- WARNER, R. M. (1980). Round robin analysis of variance: A BASIC program for microprocessors. **12**, 67-68.
- WARNER, R. M., & NEUMANN, P. G. (1980). SPAN: An interactive BASIC program for spectral analysis of time-series data. **12**, 389-390.
- WATKINS, M. W., & KUSH, J. C. (1985). An Apple computer program for hierarchical grouping analysis. **17**, 576.
- WATKINS, M. W., & KUSH, J. C. (1987). Research Assistant: A statistical package for the Apple II microcomputer. **19**, 380-382.
- WATKINS, M. W., & LARIMER, L. D. (1980). Interrater agreement statistics with the microcomputer. **12**, 466.
- WEISS, D. J. (1980). ORPOCO: Orthogonal polynomial coefficients. **12**, 635.
- WEISS, D. J. (1982). REPCOP: Repeated-measures planned comparisons and orthogonal polynomials. **14**, 44.
- WEISS, D. J. (1985). SCHUBRAD: The comparison of the sensitivities of similar experiments. **17**, 572.
- WEISS, D. J., & SHANTEAU, J. C. (1982). Group-Individual POLYLIN. **14**, 430.
- WELDON, D. A., & BUCHTER, R. (1984). MATGEN: An interactive BASIC program for similarities data matrix generation. **16**, 562.
- WEST, R. F. (1983). Data-editing BASIC programs for creating, modifying, and combining Apple II disk files. **15**, 387-388.
- WHALEY, C. P. (1979). Collecting paired-comparison data with a sorting algorithm. **11**, 147-150.
- WHITE, C. W., BRUSSELL, E. M., WILLIAMS, T. T., & RÒG, S. J. (1984). Gray-scale graphics using dot matrix printers. **16**, 273-276.
- WIGGANS, G. N., ANDREWS, J. S., & SAHGAL, A. (1983). COMPREG: A BASIC program to test for differences between several linear regression lines. **15**, 609-610.
- WIGGANS, G. N., & SAHGAL, A. (1984). Matrix partitioning and trend assessment procedures in nonparametric analysis: BASIC programs. **16**, 399-400.
- WILCOX, R. S., & KASHINSKY, W. M. (1980). A computerized method of analyzing and playing back vibratory animal signals. **12**, 361-363.
- WILKIE, D. M., & PALFREY, R. (1987). A computer simulation model of rats' place navigation in the Morris water maze. **19**, 400-403.
- WILSON, G. A., & FREDERICKSON, W. A. (1980). Factor rotation in interactive BASIC. **12**, 382.
- WILSON, G. F., & GREGORY, J. (1978). Evoked potential analysis programs for the Lab 8. **10**, 743-744.
- WIXON, D. R. (1979). Cohen's kappa coefficient of observer agreement: A BASIC program for minicomputers. **11**, 602.
- WOLACH, A. H. (1981). Multifactor ANOVAs with and without repeated measures: Programs for limited microcomputer systems. **13**, 697.
- WOLACH, A. H., & McHALE, M. A. (1985). ANOVA programs for Timex/Sinclair 1000, 1500, and ZX81 microcomputers. **17**, 143.
- WOLACH, A. H., & McHALE, M. A. (1987). F ratios and quasi F ratios for fixed, mixed, and random model ANOVAs. **19**, 409-412.
- WOLFE, L. M. (1982). PASE: Program for analysis of structural equations. **14**, 548-550.
- WOLLEN, K. A., CONE, R. S., MARGRES, M. G., & WOLLEN, B. P. (1985). Computer programs to facilitate detailed analysis of how people study text passages. **17**, 371-378.

- WOOD, D. L. (1983). Multidimensional sorting and matrix display. **15**, 550.
- WOOD, D. L. (1985). High precision chi-square and normal curve integration. **17**, 429-431.
- WOOD, D. L. (1987). The last normal curve programs. **19**, 338-344.
- WOOD, D. L., & WOOD, D. (1984). TINT: A Microsoft BASIC t integration program. **16**, 479-480.
- WOOD, D. L., & WOOD, D. (1986). Precise *F* integration. **18**, 405-406.
- WOOD, L. E. (1980). An "intelligent" program to teach logical thinking skills. **12**, 256-258.
- WRIGHT, G., AYTON, P., & WHALLEY, P. (1985). FORECAST: A general purpose computer aid to judgmental forecasting. **17**, 515-517.
- YOST, M., BREMNER, F. J., HELMER, R. J., & CHINO, M. C. (1986). The effect of smoothing functions on data obtained from a FFT. **18**, 263-266.
- ZAR, J. H. (1985). Ranking data with BASIC. **17**, 142.
- ZAR, J. H. (1987). A fast and efficient algorithm for the Fisher exact test. **19**, 413-414.

C

- DALY, H. B., & DALY, J. T. (1987). A computer simulation/mathematical model of learning: Extension of DMOD from appetitive to aversive situations. **19**, 108-112.
- EMERSON, P. L. (1984). 8080 port addressing with the C/80 compiler. **16**, 468-470.
- EMERSON, P. L. (1986). A honeycomb data array for simulating visual processes using the C programming language. **18**, 312-320.
- FINLEY, G. (1985). Laboratory functions for the Tecmar Lab Tender and IBM PC. **17**, 397-398.
- PERLMAN, G. (1980). Data analysis programs for the UNIX operating system. **12**, 554-558.
- PERLMAN, G. (1982). Experimental control programs for the UNIX operating system. **14**, 417-421.
- PERLMAN, G. (1984). UNIX|STAT: Data-analysis programs. **16**, 71.
- PERLMAN, G., & HORAN, F. L. (1986). Report on UNIX|STAT release 5.1: Data analysis programs for UNIX and MSDOS. **18**, 168-176.
- PROUDFOOT, R. G. (1978). YEPS: Running real-time experiments on a timesharing system. **10**, 291-296.

COBOL

- GUY, R. F., POL, L. G., & BRANDON, C. W. (1982). Geographic coding of addresses: A computer system. **14**, 427-428.

FORTH

- LEA, D. (1982). Using the FORTH language in real-time computer applications. **14**, 29-31.
- SVARTDAL, F. (1986). LAB-FORTH software package. **18**, 61-62.
- WATTS, B. H. (1986). FORTH, a software solution to real-time computing problems. **18**, 228-235.

FORTRAN

- ABEDI, J. (1979). A computer program for confounded factorial designs. **11**, 600.
- AHROON, W. A., JR., & PASTORE, R. E. (1977). Procedures for computing d' and β . **9**, 533-537.

- ALLAN, G. J. B. (1978). FAC1: An interactive FORTRAN program to calculate principal factor loadings. **10**, 861.
- ALLEN, G. A., & BALDWIN, L. M. (1980). PCGEN: A FORTRAN IV program to generate paired-comparison stimuli. **12**, 383-384.
- ALLEN, R. B. (1978). FOEP: A FORTRAN-based experimental package. **10**, 63-64.
- ANDERSON, R. E., KROHN, K. R., & MONGIAT, M. L. (1980). Social data analysis instruction and the MISSIS system. **12**, 165-171.
- ANTONAK, R. F. (1977). A computer program for Likert format questionnaire analysis. **9**, 33.
- ANTONAK, R. F. (1977). A computer program to compute measures of response agreement for nominal scale data obtained from two judges. **9**, 553.
- ANTONAK, R. F. (1979). ITEM3: A general-purpose FORTRAN 10 test scoring and item analysis program. **11**, 81-82.
- ANTONAK, R. F., BART, W. M., & LELE, K. (1979). ORDER2: A program to perform ordering-theoretic data analysis. **11**, 457-458.
- ARBUCKLE, J. (1979). Program for computing measures of association in two-way contingency tables. **11**, 403.
- AREND, U., KUNZ, H.-J., & WANDMACHER, J. (1981). A vector graphic CRT display system. **13**, 46-50.
- AREND, U., MOHR, W., & WANDMACHER, J. (1981). A package of LAB 8/E subroutines for DEC OS/8 FORTRAN II. **13**, 696.
- ARUNDALE, R. B. (1984). SAMPLE and TEST: Two FORTRAN IV programs for analysis of discrete-state, time-varying data using first order, Markov-chain techniques. **16**, 335-336.
- ASPEY, W. P., & FEINSTEIN, R. (1977). INFO: A program for computing information theory measures of communication. **9**, 305-306.
- BAER, L., & AHERN, D. K. (1979). CYCLES: A FORTRAN IV program for the analysis of periodicity in time series data. **11**, 608.
- BAKEMAN, R. (1983). Computing lag sequential statistics: The ELAG program. **15**, 530-535.
- BAKER, P. M. (1981). A simple encoding and recording system for small group observation. **13**, 67-69.
- BALLOUN, J. L., & OUMILIL, A. B. (1986). INTERMAX: A program for orthogonal analytical rotation by the intermax criterion. **18**, 331-336.
- BERGER, M. P. F. (1977). STP: A subroutine for simultaneous test procedures and confidence intervals. **9**, 385.
- BERGER, M. P. F. (1979). A FORTRAN IV program for the estimation of missing data. **11**, 395-396.
- BERGER, M. P. F. (1982). GCM: An interactive program for the analysis of time-structured data. **14**, 48-50.
- BOGGS, G. J., & CONNELLY, M. D. (1986). WFORM: A graphical speech-waveform editing and analysis system. **18**, 25-31.
- BRAAKMAN, H. W., & VAN BUSSEL, F. J. J. (1980). RECEST: A program package for the estimation of parameters of dynamic linear systems. **12**, 475-476.
- BRADDICK, O. (1977). Real-time generation of random-element motion displays. **9**, 359-362.
- BRENT, E. E., JR. (1978). PL-3: A FORTRAN program for prediction logic analysis for three-dimensional contingency tables. **10**, 454.
- BROUWER, U., & MOWITZ, A. (1983). PLOF: A program for plotting functions. **15**, 103.
- BROUWER, U., & VIJN, P. (1980). RMISDAT: A computer program to estimate the population correlation coefficient based on incomplete data sets. **12**, 473-474.

- BROWN, P. B. (1979). BEMSD: A general-purpose program for estimating missing data in a sociomatrix. **11**, 465-466.
- BROWN, P. B. (1979). NETCON: A general-purpose program for creation of a minimal length circuit matrix from sociometric data. **11**, 597-599.
- BURNS, E. (1977). A computer program to estimate a raw score frequency distribution from percentile ranks. **9**, 376-378.
- BURNS, E. (1980). A computer program to evaluate paired-comparison transitivity. **12**, 636.
- BURROWS, E., & SNOOK, S. (1977). SCORE: An interactive FORTRAN program for computing case, item, and scale statistics. **9**, 525.
- BUSH, A. J. (1980). Ridge: A program to perform ridge regression analysis. **12**, 73-74.
- BUSH, A. J. (1981). RIDGE+: An improved biased regression routine. **13**, 361-362.
- CARDILLO, J. P. (1978). Interpersonal Perception Method (IPM) scoring program in FORTRAN IV. **10**, 66.
- CARMODY, D. P., KUNDEL, H. L., & NODINE, C. F. (1980). Performance of a computer system for recording eye fixations using limbus reflection. **12**, 63-66.
- CERNY, J. W., & BOOTH, D. S. (1980). CODEDT: A program for editing digitized coordinates. **12**, 481-483.
- CHOLEWIAK, R. W., & SHERRICK, C. E. (1981). A computer-controlled matrix system for presentation to the skin of complex spatiotemporal patterns. **13**, 667-673.
- CLARK, C., DOOLING, R. J., & BUNNELL, T. (1983). Analysis and synthesis of bird vocalizations: An FFT-based software system. **15**, 251-253.
- CONEY, J. (1986). CROTEXT: A subroutine to plot alphanumeric stimuli on an oscilloscope. **18**, 63-64.
- COOKSEY, R. W. (1978). SCALE: A FORTRAN program for reliability analysis on scales formed by linear combinations of variables. **10**, 735.
- COOKSEY, R. W. (1979). POSTHOC: A FORTRAN program for conducting post hoc multiple comparisons among means. **11**, 601.
- CRAFT, W. D., PAYNE, T. J., & LAPPIN, J. S. (1986). Computer-controlled displays of bending motions. **18**, 518-521.
- CUBICCIOTTI, D., III (1982). DOPPELGÄNGER: A FORTRAN program for simulating time-sampled spatial locations of "phantom" animals performing discrete pseudorandom walks. **14**, 485-486.
- CUTCOMB, S. D., BOLSTER, R. B., & PRIBRAM, K. H. (1981). DADTA VI: A minicomputer-based video control system for the analysis of behavioral and electrophysiological data. **13**, 337-340.
- CUTTING, J. E. (1978). A program to generate synthetic walkers as dynamic point-light displays. **10**, 91-94.
- DAVISON, T. C. B., & JAGACINSKI, R. J. (1977). Nonparametric analysis of signal detection confidence ratings. **9**, 545-546.
- DE SOETE, G. (1984). Computer programs for fitting ultrametric and additive trees to proximity data by least squares methods. **16**, 551-552.
- DICKINSON, T. L., & COOKSEY, R. W. (1981). MCPL: A program for describing performance in multiple-cue probability learning. **13**, 60.
- DODD, P. W. D., BAKEMAN, R., LOEBER, R., & WILSON, S. C. (1981). JOINT and SEQU: FORTRAN routines for the analysis of observational data. **13**, 686-687.
- DOOLING, R. J., CLARK, C., MILLER, R., & BUNNELL, T. (1982). Program package for the analysis and synthesis of animal vocalizations. **14**, 487.
- DOYLE, A. F., & PALYA, W. L. (1980). A hierarchical LSI-11 system for real-time control, interevent time storage, and data analysis. **12**, 221-231.
- DUNLAP, W. P. (1981). An interactive FORTRAN IV program for calculating power, sample size, or detectable differences in means. **13**, 757-759.
- DUNLAP, W. P. (1982). An interactive FORTRAN IV program for calculating aspects of power with dichotomous data. **14**, 422-424.
- DUNLAP, W. P. (1984). A FORTRAN IV program for the Stuart-Maxwell test. **16**, 489-491.
- DUNLAP, W. P. (1985). Hypergeometric tests for $2 \times k$ contingency tables. **17**, 432-434.
- DUNLAP, W. P., & BROWN, S. G. (1983). FORTRAN IV functions to compute expected normal scores. **15**, 395-397.
- DUNLAP, W. P., & KEMERY, E. R. (1985). An interactive FORTRAN IV program for calculating aspects of power in correlational research. **17**, 437-440.
- DUNLAP, W. P., MARX, M. S., & AGAMY, G. J. (1981). FORTRAN IV functions for calculating probabilities associated with Dunnett's test. **13**, 363-366.
- DUNLAP, W. P., & MYERS, L. (1984). FORTRAN IV functions for computing expected half-normal scores. **16**, 401-404.
- DUNLAP, W. P., MYERS, L., & SILVER, N. C. (1984). Exact multinomial probabilities for one-way contingency tables. **16**, 54-56.
- DUNLAP, W. P., POWELL, R. S., & KONNERTH, T. K. (1977). A FORTRAN IV function for calculating probabilities associated with the studentized range statistics. **9**, 373-375.
- DUNLAP, W. P., & RASMUSSEN, J. L. (1982). A program to determine data transformations maximizing linear regression. **14**, 357-358.
- EDDY, D. R., MCKENDREE, J., MCKENZIE, R. E., & BRENNER, F. J. (1982). Component analysis of ECG by computer. **14**, 290-293.
- EDGE, S. E. (1979). A statistical check of the DECsystem-10 FORTRAN pseudorandom number generator. **11**, 529-530.
- EDGINGTON, E. S., & HALLER, O. (1982). A computer program for a randomization test for factorial analysis of variance. **14**, 348-349.
- ELZINGA, C. H. (1985). BES: An algorithm for estimation in log-normal distributions. **17**, 505-507.
- EMERSON, P. L. (1979). Computer approximation of the inverse of the normal distribution function. **11**, 397-398.
- EMERSON, P. L. (1982). Orthogonal-polynomial programs: Good vs. better. **14**, 489-490.
- EMERSON, P. L. (1985). FORTRAN subroutine for an EEG feedback digital filter. **17**, 469-473.
- ERLICH, O. (1977). Determining relative performance in educational evaluation. **9**, 554.
- EVANS, J. E., III, & GUTMANN, J. C. (1978). Minicomputer processing of dual Purkinje image eye-tracker data. **10**, 701-704.
- EVANS, W. D., & HOLDEN, R. W. (1978). INGPLT and DRAW: Developments in grid technique. **10**, 736.
- FINSTUEN, K. (1978). RZTRAN: A FORTRAN IV program for weighted averaging of Pearson r s via Fisher's z transformation. **10**, 746.
- FINSTUEN, K., & WENZEL, D. (1977). 3-D PLOT, a FORTRAN IV program for projecting a triplex of factor loadings. **9**, 300.
- FISK, A. D., SCHNEIDER, W., & BURKHARD, J. C. (1982). SENSE: A program for calculating parametric (d') and non-parametric (A' and Ag) indexes of sensitivity. **14**, 361.

- FLEXSER, A. J. (1982). An interactive, self-instructing FORTRAN program for one- and two-way analyses of variance. *14*, 350.
- FRAGASZY, R. J., & FRAGASZY, D. M. (1978). A program to generate Gellermann (pseudorandom) series of binary states. *10*, 83-88.
- FRIENDLY, M., & FRANKLIN, P. (1979). Computer control of memory experiments on a large-scale timesharing system. *11*, 212-217.
- FRIENDLY, M. L., KRANE, W. R., & PAUNONEN, S. V. (1980). Interactive data entry to ACOVS: A program for the analysis of covariance structures. *12*, 634.
- GAITHER, D. M., JR., & ZUSNE, L. (1978). Simulation of the telepathy experiment with Zener cards. *10*, 78-80.
- GAMES, P. A., GRAY, G. S., & HERRON, W. L. (1980). ANOVR: Analysis of variance with repeated measures. *12*, 467.
- GENTRY, J. W. (1979). DISCRETE-TO-BETA: A FORTRAN IV program for converting discrete prior distributions into beta prior distributions. *11*, 90.
- GERBING, D. W. (1979). A FORTRAN program for providing feedback to individual subjects from a standard case by variable data matrix. *11*, 91.
- GILBERT, L. H. (1979). Computer-controlled experiments: The case for FORTRAN. *11*, 593-595.
- GLASS, R. A., KAETZEL, L. J., & SMITH, G. R. (1980). A computer data base system for indexing research papers. *12*, 547-548.
- GLAZENBORG, G., & SCHREUDER, R. (1983). Software tools for creating line drawings on a CRT. *15*, 453-455.
- GLENCROSS, M. J. (1981). A computer program for ordered categorical data analysis. *13*, 695.
- GOODMAN, D. M. (1983). VT125 graphics hardcopy on an Epson MX-80 serial printer for RT-11 and TSX-Plus. *15*, 374-376.
- GOW, D. J. (1978). OBLICON: A FORTRAN IV program for oblique confactor rotation. *10*, 429-430.
- GRAHAM, C., COOK, M. R., COHEN, H. D., PHELPS, J. W., & GERKOVICH, M. M. (1985). STAR: A unique embedded performance assessment technique. *17*, 642-651.
- GRANAAS, M. M. (1985). Simple, applied text parsing. *17*, 209-216.
- GREEN, B. F. (1977). FORTRAN subroutines for random sampling without replacement. *9*, 559.
- GROVE, T. G., & HAYS, J. (1978). IPALION: A FORTRAN IV program for comparing interpersonal perceptions in dyads. *10*, 747-749.
- GRUHN, J. J. (1983). PLTLIB: A FORTRAN plot library for the IEEE 488-1975 general-purpose instrument bus. *15*, 475-477.
- HAERTEL, R. J., & LANE, D. M. (1979). A FORTRAN IV program for testing differences in variance using a jackknife procedure. *11*, 74.
- HAINLINE, L. (1981). An automated eye movement recording system for use with human infants. *13*, 20-24.
- HALE, S. S., MYERSON, J., & MIEZIN, F. M. (1982). Top-down design for a system to control operant choice experiments. *14*, 272-275.
- HAMER, R., & YOUNG, F. W. (1978). TESTER: A computer program to produce individualized multiple-choice tests. *10*, 77.
- HAMMOND, N. V. (1977). A program to generate random sequences of multidimensional stimuli with constraints on first-order and second-order contingencies. *9*, 549-550.
- HAMMOND, S. M. (1987). DETFAC: A program for assessing factor indeterminacy. *19*, 485-486.
- HARRIS, C. M., HAINLINE, L., & ABRAMOV, I. (1981). A method for calibrating an eye-monitoring system for use with infants. *13*, 11-17.
- HARRIS, G. J., GAVURIN, E. I., & GORDON, M. L. (1978). A FORTRAN IV program for generating anagrams and for computing several indices in anagram research. *10*, 431-432.
- HARVEY, L. O., JR. (1986). Efficient estimation of sensory thresholds. *18*, 623-632.
- HATCH, J. P., HEARNE, E. M., III, & CLARK, G. M. (1982). A method of testing for serial correlation in univariate repeated-measures analyses of variance. *14*, 497-498.
- HAYASHI, T., & HAYS, R. D. (1987). A microcomputer program for analyzing multitrait-multimethod matrices. *19*, 345-348.
- HEATH, R. A. (1983). FITTRW: A parametric estimation program for a general random walk model analysis of two-choice response time (2CRT) data. *15*, 95-96.
- HEYMAN, R., BIRD, R. J., HEYMAN, R. L., & HARDING, J. (1981). Programs for the estimation of fundamental frequency, amplitude, and voicing of speech. *13*, 760.
- HOLLENBECK, A., SMYTHE, L., SACKETT, G., & BOULAIS, C. (1977). A manual and computer programs for analyzing digitally coded observational data. *9*, 34.
- HOLMES, W. M. (1979). Examining reliability and multicollinearity of scale items. *11*, 86.
- HOLMES, W. M. (1982). Ill-conditioned correlation analyzer. *14*, 43.
- HOWARD, J. H., JR. (1981). RT-11 FORTRAN subroutines for on-line control. *13*, 371-373.
- KAMEN, G. (1982). A flexible, multiple-graph plotting program for interactive use. *14*, 373.
- KANE, N. L. (1979). A computer program that produces line graphs. *11*, 459.
- KAPLAN, H. L. (1977). Clock-driven FORTRAN task scheduling in a multiprogramming environment. *9*, 176-183.
- KENNY, D. A., & STIGLER, J. W. (1983). LEVEL: A FORTRAN IV program for correlational analysis of group-individual data structures. *15*, 606.
- KERST, S. M. (1978). MAGEST: A FORTRAN program for analyzing magnitude estimation data. *10*, 737-738.
- KIERAS, D. E. (1979). Doing it the vendor's way: Running multiple subjects in reading experiments using Data General's Diskette Operating System. *11*, 221-224.
- KIRSTE, K. K., & MONGE, P. R. (1983). Computing dynamic organizational proximity: The PROXTIME computer program. *15*, 89-90.
- KLASTORIN, T. D., & LEDINGHAM, R. (1980). Program CLAN: A general-purpose, user-oriented cluster analysis program. *12*, 49-550.
- KLIEGL, R. (1981). Automated and interactive analysis of eye fixation data in reading. *13*, 115-120.
- KLIEGL, R., & OLSON, R. K. (1981). Reduction and calibration of eye monitor data. *13*, 107-111.
- KNIGHT, J. L. (1977). Computational subroutines for target width and movement amplitude corrections and normal distribution parameters. *9*, 522-524.
- KORNROT, D. E. (1981). ARTIST: A computer system for creating and running psychology experiments. *13*, 351-359.

- KÜNZEL, R. (1987). FACTORY: A microcomputer program for simulation of production lines as a versatile tool for psychological experiments. *19*, 49-50.
- LANE, D. M., & BECHTEL, L. R. (1978). A FORTRAN IV program for profile analysis. *10*, 49-50.
- LANGHEINE, R., & SÖNNICHSEN, H. (1981). RCA: A program for regression component analysis. *13*, 761-762.
- LARKIN, R. P. (1979). An algorithm for assessing bimodality vs. unimodality in a univariate distribution. *11*, 467-468.
- LAWSON, E. D., & METIVIER, B. L. (1980). Computer programs for the semantic differential: An update and expansion. *12*, 381.
- LAWSON, E. D., METIVIER, B. L., & METIVIER, M. L. (1984). Computer programs for the semantic differential: Further modifications. *16*, 53.
- LEHMAN, R. (1977). An efficient sort/search algorithm for linked linear lists. *9*, 551-552.
- LINCOLN, C. E. (1979). RECLUS—A FORTRAN program for cluster analysis of multitrial free recall data. *11*, 469-471.
- LISSAK, R., & WYTMAR, R., IV (1981). CARIF: A computational program for item information functions and item characteristic curves. *13*, 360.
- LOGIE, R. H. (1984). Computer selection of verbal research materials. *16*, 59-60.
- LUNT, P. K., & TILLER, D. K. (1986). INTRACCLUS: A FORTRAN 77 program for elucidating intraclass structure. *18*, 398.
- MACKINNON, A. J. (1980). FREEIN: Flexible free-form input subroutine. *12*, 75.
- MARCHETTI, F. M. (1982). CHANGR: A program for ordering FORTRAN statement numbers on a PDP-11 system. *14*, 363-366.
- MARKMAN, H. J., & POLTROCK, S. E. (1982). A computerized system for recording and analysis of self-observations of couples' interaction. *14*, 186-190.
- MARSHALL, D., DAY, H. D., & CHRISTY, J. (1982). A program for the generation of data sets possessing desired degrees of score stability. *14*, 483-484.
- MASTERSON, F. A. (1981). Coding simultaneous experiments as independent FORTRAN subroutines. *13*, 677-681.
- MAURISSEN, J. P. J. (1978). QUART: A FORTRAN IV subroutine to calculate quarter life. *10*, 727-728.
- MAURISSEN, J. P. J., & INGLIS, G. B. (1978). CURVAT: A FORTRAN IV subroutine to calculate the index of curvature. *10*, 729-730.
- MAZZEO, J., BORGSTROM, M., & SEELEY, G. W. (1982). Intraclass correlation: Estimation of the reliability of ratings. *14*, 45-46.
- MCCLOSKEY, J., & JACKSON, P. R. (1979). THREE-MODE: A FORTRAN IV program for three-mode factor analysis. *11*, 75-76.
- MCDERMOTT, P. A., & WATKINS, M. W. (1979). A computer program for assessing conjoint interrater agreement with a correct set of classifications. *11*, 607.
- MCDERMOTT, P. A., & WATKINS, M. W. (1979). A program to evaluate general and conditional agreement among categorical assignments of many raters. *11*, 399-400.
- McKEON, B. (1986). Increased accuracy from a three-dimensional movement-tracking system. *18*, 304-306.
- McKINLEY, R. L. (1985). MARGIE: Marginal maximum likelihood estimation of the parameters on the one-, two-, and three-parameter logistic models. *17*, 513-514.
- McKINLEY, R. L., & RECKASE, M. D. (1983). MAXLOG: A computer program for the estimation of the parameters of a multidimensional logistic model. *15*, 389-390.
- MEWHORT, D. J. K. (1978). DIS: An n-channel tachistoscope algorithm. *10*, 756-760.
- MILLER, J. C., TAKAMOTO, N. Y., BARTEL, G. M., & BROWN, M. D. (1985). Psychophysiological correlates of long-term attention to complex tasks. *17*, 186-190.
- MILLIGAN, W. L., & NEWS, W. (1978). Interfacing the DEC LPS 11 to electromechanical laboratory apparatus. *10*, 312-314.
- MONTGOMERY, A. A., & SOO HOO, G. (1982). ANIMAT: A set of programs to generate, edit, and display sequences of vector-based images. *14*, 39-40.
- MORRIS, J. D. (1977). A computer program to cross-correlate several types of factors across separately factor-analyzed variable domains. *9*, 297-298.
- MORRIS, J. D. (1977). Rotating a discriminant analysis solution. *9*, 29.
- MORRIS, J. D. (1978). Maximizing coefficient alpha reliability while maintaining validity. *10*, 733-734.
- MOSKOWITZ, H., & BULLERS, W. I. (1979). A program for evaluating, fitting, and debiasing subjective probability distributions. *11*, 83-85.
- NAGAO, D. H., & HINSZ, V. B. (1980). SCHEME: An interactive FORTRAN program to analyze and simulate group decision data. *12*, 484-486.
- NEURINGER, C. (1978). LEVTREND: A FORTRAN program for analyzing and displaying the results of repeated measures across multiple factors. *10*, 731.
- NOMA, E., & SMITH, D. R. (1978). SHED: A FORTRAN IV program for the analysis of small group sociometric structure. *10*, 60-62.
- NORMAN, K. L. (1979). SIMILE: A FORTRAN program package for stimulus-integration models. *11*, 79-80.
- O'GRADY, K. E. (1981). Probabilities and Critical Values for z , chi square, t , and F . *13*, 55-56.
- O'GRADY, K. E. (1982). Regression estimation of missing data. *14*, 359-360.
- O'GRADY, K. E. (1983). Transformation of variables to linear combinations. *15*, 391.
- O'GRADY, K. E. (1986). Simultaneous tests and confidence intervals. *18*, 325-326.
- O'TOOLE, A. J. (1985). A word processing-linked FORTRAN data base of journal and book references. *17*, 126-127.
- PALYA, W. L., & BROWN, B. (1981). Graphics software and hardware for RT-11 systems. *13*, 255-261.
- PALYA, W. L., & MARZKE, D. (1977). Multiple unique tests for classroom testing. *9*, 379.
- PARKER, R. M. (1979). FACLOD: A program to estimate the statistical significance of factor loadings. *11*, 393.
- PARKER, R., & BORICH, G. (1980). POWERF: A program that computes the power of F tests in fixed-effects ANOVA designs. *12*, 76.
- PEARSON, A. J. (1978). PRS1 and PRS2: FORTRAN programs for the analysis of animal spatial data. *10*, 718-722.
- PEAY, E. R. (1983). Programs for producing questionnaires with randomized ordering and sampling of components. *15*, 551-552.
- PERERA, T. B., & COBB, E. S. (1978). A minicomputer-based learning analysis system for optimizing PSI instructional materials for the visually handicapped. *10*, 231-237.

- POLSON, P. G., MILLER, J. R., & KARAT, J. (1981). Psychological experimentation through direct connection of the subject interface to a VAX. *13*, 189-191.
- POLTROCK, S. E., & CARR, W. G. (1980). A flexible computer-controlled perception laboratory. *12*, 132-136.
- POPE, A. T., & GERSTEN, C. D. (1977). Computer automation of biofeedback training. *9*, 164-168.
- POWELL, R. S., & LANE, D. M. (1979). CANCOR: A general least-squares program for univariate and multivariate analysis of variance and covariance. *11*, 87-89.
- RAE, G. (1978). A test for validating learning hierarchies based on maximum likelihood estimates. *10*, 47-48.
- RAE, G. (1982). Testing whether a population correlation coefficient corrected for attenuation is perfect. *14*, 494-496.
- RAE, G. (1985). Quade's nonparametric analysis of covariance by matching. *17*, 421-422.
- RAE, D. S., PAUTLER, C. P., MANDERSCHIED, R. W., & SILBERGELD, S. (1977). Free Association Test (FAT) scoring and analysis program. *9*, 31-32.
- RASMUSSEN, J. L. (1982). DATIN: An interactive data entry program. *14*, 488.
- RASMUSSEN, J. L., & DUNLAP, W. P. (1983). A program for simultaneously transforming two variables to maximize linear regression, normality, and homoscedasticity. *15*, 478-480.
- RASMUSSEN, J. L. (1984). A FORTRAN program for statistical evaluation of pseudorandom number generators. *16*, 63-64.
- RASMUSSEN, J. L. (1984). A program for approximating R^2 probability values in best subset multiple regression. *16*, 61-62.
- RASMUSSEN, J. L. (1985). Data transformation maximizing homoscedasticity and within-group normality. *17*, 411-412.
- RAY, J. J., & BOZEK, R. S. (1979). NSCALE II: A program to analyze and score multiscale surveys and test batteries. *11*, 402.
- RAY, R. L., EMURIAN, H. H., & WURSTER, R. M. (1980). COMOV: A program for the analysis of the relationship between two time series. *12*, 479-480.
- RAY, R. L., EMURIAN, H. H., & WURSTER, R. M. (1982). TMSGN: A program for testing trend against a nonrandom alternative. *14*, 355-356.
- REVELLE, W. (1978). ICLUST: A cluster analytic approach to exploratory and confirmatory scale construction. *10*, 739-742.
- RINDSKOPF, D. M., & HOEGLER, V. (1981). A FORTRAN program for two-group ANCOVA with corrections for unreliability. *13*, 368.
- ROACH, E. T., & WALSH, R. R. (1977). A FORTRAN IV program for the measurement and statistical analysis of higher order units of subjective organization in multitrial free recall learning. *9*, 35-49.
- ROBERGE, J. J., & ROBERGE, J. (1977). A generalized nonparametric ANOVA program (Version 2). *9*, 28.
- ROCKLIN, T., & REVELLE, W. (1980). VSIMPL: A program to estimate the number of interpretable factors. *12*, 69-70.
- ROMESBURG, H. C., MARSHALL, K., & DEGRAFF, J. V. (1980). NGD—A FORTRAN IV program for fitting the normal generated distribution. *12*, 385-386.
- ROSEN, E. F., & PETTY, L. C. (1985). A data-input and -analysis system using an optical scanner. *17*, 413-414.
- RYMAN, D. H., NAITOH, P., & ENGLUND, C. E. (1984). Minicomputer-administered tasks in the study of effects of sustained work on human performance. *16*, 256-261.
- SACKETT, G. P., HOLM, R., CROWLEY C., & HENKINS, A. (1979). A FORTRAN program for lag sequential analysis of contingency and cyclicity in behavioral interaction data. *11*, 366-378.
- SCHAFFNER, P. E. (1983). A self-paced CAI package for selecting statistical methods. *15*, 130-134.
- SCHAFFNER, P. E. (1984). An interactive gaming package for teaching and research in interdependent choice. *16*, 162-164.
- SCHREINER, R. C. (1978). LINC-to-PDP-11 tape translation. *10*, 865-866.
- SCHREUDER, R., & GLAZENBORG, G. (1979). Generating complex movements. *11*, 596.
- SCINTO, L. F. M., & BARNETTE, B. D. (1986). An algorithm for determining clusters, pairs or singletons in eye-movement scan-path records. *18*, 41-44.
- SEELEY, G. W., BORGSTROM, M., & MAZZEO, J. (1982). A general interactive computer program for running signal detection experiments. *14*, 555-556.
- SHANTEAU, J. (1977). POLYLIN: A FORTRAN IV program for the analysis of multiplicative (multilinear) trend components of interactions. *9*, 381-382.
- SHELTON, B. R. (1983). Rapid calculation procedures for the maximum-likelihood method of adaptive psychophysics. *15*, 87-88.
- SHERAK, R. (1982). A real-time software voice key and an application. *14*, 124-127.
- SHURE, G. H., & MEEKER, R. J. (1978). A minicomputer system for multiperson computer-assisted telephone interviewing. *10*, 196-202.
- SHWARTZ, S. P. (1978). Tachistoscope simulation package. *10*, 773-778.
- SILVERMAN, K. E. A. (1986). FRED: An interactive graphics program to modify fundamental frequency contours in resynthesized speech. *18*, 395-397.
- SMITH, E. O., & BEGEMAN, M. L. (1980). BORES: Behavior observation recording and editing system. *12*, 1-7.
- SMITHSON, M. (1984). FORTRAN IV programs for fuzzy set analysis. *16*, 553-556.
- SMITS, G. J. (1978). A FORTRAN IV program to compute reliability of ratings for two or more judges. *10*, 864.
- SMITS, G. J. (1979). A computer program to compute Scheffé's homogeneity of variance statistic and estimate its power. *11*, 394.
- SMITS, G. J. (1981). A FORTRAN IV function to compute the probability of a standard normal deviate. *13*, 701.
- SNYDER, C. W., JR., LAW, H. G., & PAMMENT, P. R. (1979). Calculation of Tucker's three-mode common factor analysis. *11*, 609-611.
- SOOHOO, G., & MONTGOMERY, A. A. (1984). Stimulus tape generator: A package to present analog recordings according to user specifications. *16*, 337.
- STASSER, G., & SCHULTZ, D. W. (1977). LOCAN: A general FORTRAN program for latency-operating characteristic (LOC) analysis. *9*, 529-531.
- STEVENS, A. L., LEVIN, J. A., OLDS, R. R., & RUMELHART, D. E. (1977). A computer system for automatically constructing stimulus material. *9*, 269-273.
- STRAMLER, J. H., & LEWIS, J. L. (1980). PRTCM: A FORTRAN subroutine for rapid observation of correlations within a large correlation matrix. *12*, 471-472.
- STRICKLIN, W. R., GRAVES, H. B., & WILSON, L. L. (1977). DISTANGLE: A FORTRAN program to analyze and simulate spacing behavior of animals. *9*, 367-370.
- STURGIS, S. P. (1983). A spectral-analysis tutorial with examples in FORTRAN. *15*, 377-386.
- SWEDE, S. W., & GOUGH, H. G. (1984). Transformations from adjectives to scales for the Adjective Check List (ACL): ACLTRANS FORTRAN IV program. *16*, 1-2.

- TAKANE, Y. (1981). MDSORT: A special-purpose multidimensional scaling program for sorting data. **13**, 698.
- TAKANE, Y. (1982). IDSORT: An individual differences multidimensional scaling program for sorting data. **14**, 546.
- TILL, A. (1977). BETA: A FORTRAN IV program for calculating the mean, standard deviation, and the mode of the prior and posterior beta distributions. **9**, 543-544.
- TILL, A. (1977). BOOKBAG: A FORTRAN IV program for calculating various parameters of the "book bag and poker chips" Bayesian task. **9**, 30.
- TILL, A. (1977). CONVERSION: A series of FORTRAN IV programs for converting probabilities, odds, evidence, and information measures into one another. **9**, 515-516.
- TILL, A. (1977). PRIOR: A FORTRAN IV program for calculating posterior probabilities on the basis of prior probabilities and likelihood ratios. **9**, 380.
- TILL, A., & AVRAHAMI, R. (1978). INFORMATION: A FORTRAN IV program for converting information values into probabilities, odds and evidence values. **10**, 65.
- TILLER, D. K., & LUNT, P. K. (1985). SIMINDEX: A FORTRAN 77 program for converting sort data into similarity matrices. **17**, 418.
- ULLRICH, J. R., CUMMINS, D. E., & WALKENBACH, J. (1978). PCJM2: A program for the axiomatic conjoint measurement analysis of polynomial composition rules. **10**, 89-90.
- ULLRICH, J. R., & PITZ, G. F. (1977). A general purpose analysis of variance routine. **9**, 301.
- VAN DE WIJGAART, C. (1981). Program package STAP: A statistical appendix. **13**, 379-380.
- VAN DE WIJGAART, C. (1982). Program package GRADAP: Graph definition and analysis package. **14**, 32-33.
- WALKER, S., & REITE, M. (1978). A PDP-12 interface for time-code generator/readers. **10**, 710-711.
- WALLEN, M. R., & HOLLAN, J. D. (1979). The LNR laboratory. **11**, 151-155.
- WHALEY, C. P. (1977). PCSTAT: Statistical Analysis of Paired-Comparison Data. **9**, 372.
- WHITE, A. P., STILL, A. W., & HARRIS, P. W. (1978). RANOVA: A FORTRAN IV program for four-way Monte Carlo analysis of variance. **10**, 732.
- WHITE, A. P., STILL, A. W., & HARRIS, P. W. (1978). Six FORTRAN IV programs for conducting simple randomization tests. **10**, 455.
- WHITE, A. P., & THOMPSON, C. (1978). FORTRAN IV subroutines to generate fully crossed random sequences of multidimensional stimuli with repetition limits on each dimension. **10**, 862-863.
- WIJNEN, J. L. C., & GROOT, C. J. (1984). An eye movement analysis system (EMAS) for the identification of cognitive processes on figural tasks. **16**, 277-281.
- WILLIAMS, J. M., BILLINGS, A., TRIPP, D., & D'ALLESANDRO, L. (1980). MIA: A program for multivariate information analysis. **12**, 387.
- WOLFLE, L. M., & ETHINGTON, C. A. (1985). GEMINI: Program for analysis of structural equations with standard errors of indirect effects. **17**, 581-584.
- WRIGHT, J., & LANE, D. M. (1978). A FORTRAN IV program for linear contrasts in designs with repeated measurements. **10**, 433-434.
- YOUNG, F. W., TAKANE, Y., & LEWYCKYJ, R. (1978). ALSICAL: A nonmetric multidimensional scaling program with several individual-differences options. **10**, 451-453.
- ZALINSKI, J. (1984). Parameter estimation: An estimated variance-covariance matrix for averaging model parameters in information integration theory. **16**, 557-558.
- ZONDERMAN, A. B. (1979). MOP: Matrix operations program. **11**, 453-454.

LISP

- COTTON, J. W., MARSHALL, S. P., VARNHAGEN, S., & GALLAGHER, J. P. (1981). A computer-oriented task analysis method for mathematics instruction. **13**, 131-140.
- HIRTLE, S. C. (1984). GRAFT: A LISP program for comparing long-term memory structures revealed through ordered trees. **16**, 405.
- LESGOLD, A. M. (1981). Cognitive simulation modeling on the VAX-11. **13**, 192-194.
- MILLWARD, R. B. (1980). BANDAID: First step toward an ICAI system. **12**, 178-192.
- MILLWARD, R., MAZZUCHELLI, L., MAGOON, S., & MOORE, R. (1978). Intelligent computer-assisted instruction. **10**, 213-217.
- MORRISON, I. (1983). Compact representations of positional knowledge in short and long words for letters and features. **15**, 406-412.
- MORRISON, I. (1983). A LISP program to determine similarity relations in letter displays. **15**, 69-71.
- RABINOWITZ, F. M., GRANT, M. J., & DINGLEY, H. L. (1984). FIT: An iterative parameter-estimation function in LISP. **16**, 307-314.
- SIKLÓSSY, L. (1979). LISP: An introduction and some great programs. **11**, 225-228.

MACRO

- CONEY, J. (1986). CROTX: A subroutine to plot alphanumeric stimuli on an oscilloscope. **18**, 63-64.
- CRAFT, W. D., PAYNE, T. J., & LAPPIN, J. S. (1986). Computer-controlled displays of bending motion. **18**, 518-521.
- CUTCOMB, S. D., BOLSTER, R. B., & PRIBRAM, K. H. (1981). DADTA VI: A minicomputer-based video control system for the analysis of behavioral and electrophysiological data. **13**, 337-340.
- DOYLE, A. F., & PALYA, W. L. (1980). A hierarchical LSI-11 system for real-time control, interevent time storage, and data analysis. **12**, 221-231.
- HEYMAN, R., BIRD, R. J., HEYMAN, R. L., & HARDING, J. (1981). Programs for the estimation of fundamental frequency, amplitude, and voicing of speech. **13**, 760.
- HOWARD, J. H., JR. (1981). RT-11 FORTRAN subroutines for on-line control. **13**, 371-373.
- MARKMAN, H. J., & POLTROCK, S. E. (1982). A computerized system for recording and analysis of self-observations of couples' interaction. **14**, 186-190.
- SHERAK, R. (1982). A real-time software voice key and an application. **14**, 124-127.
- SOOHOO, G., & MONTGOMERY, A. A. (1984). Stimulus tape generator: A package to present analog recordings according to user specifications. **16**, 337.

PASCAL

- ALDRIDGE, J. W. (1987). Cautions regarding random number generation on the Apple II. **19**, 397-399.
- BRADEN, W., HAIER, R. J., & SPACE, L. G. (1983). A microcomputer-based system for evoked-potential augmenting/reducing measurements. **15**, 441-445.
- BRAUNSTEIN, M. L. (1986). Dynamic stereo displays for research on the recovery of three-dimensional structure. **18**, 522-530.

- CARTER, B. S. (1978). EDITB: A program to aid processing of event records. **10**, 723-726.
- CHAMBERS, W. V., & GRICE, J. W. (1986). Circumgrids: A repertory grid package for personal computers. **18**, 468.
- CHAYER-FARRELL, L., & FREEDMAN, N. L. (1987). CORE: Computer-controlled operant reinforcement. **19**, 319-326.
- CIGAS, J., & KLIMLEY, A. P. (1987). A microcomputer interface for decoding telemetry data and displaying them numerically and graphically in real time. **19**, 19-25.
- CORTER, J. E. (1982). ADDTREE/P: A PASCAL program for fitting additive trees based on Sattath and Tversky's ADDTREE algorithm. **14**, 353-354.
- CROSBIE, J. (1986). A Pascal program to perform the Bonferroni multistage multiple-correlation procedure. **18**, 327-329.
- CROSBIE, J., & HUMPHRYS, P. (1984). A Pascal program to generate objective indices of group or organizational structures. **16**, 559-561.
- DICKSON-PARNELL, B., JONES, M., BRADY, D., & PARNELL, C. P. (1987). Assessment of body image perceptions using a computer program. **19**, 353-354.
- ECKERMAN, D. A. (1981). Developing a laboratory course using PASCAL on the Apple II. **13**, 204-208.
- FINLEY, G. (1987). IBM PC laboratory software in Turbo Pascal. **19**, 59.
- FOREE, D. D., ECKERMAN, D. A., & ELLIOTT, S. L. (1984). M.T.S.: An adaptable microcomputer-based testing system. **16**, 223-229.
- FOWLER, S. C. (1985). Amplitude measures of operant response: Implementation with Apple Pascal. **17**, 301-306.
- FOX, J. L., JR., MCKNIGHT, R. J., & WOLF, R. V. (1981). UCSD PASCAL with a VAX as a floppy disk. **13**, 181-188.
- GARDINER, G., FRANKS, I. M., & GOODMAN, D. (1987). A microcomputer-based tracking task for examination of the spatial and temporal organization of perceptual motor skill. **19**, 361-364.
- GORDON, W. A., FOREE, D., & ECKERMAN, D. A. (1983). Using an Apple II microcomputer for real-time control in a behavioral laboratory. **15**, 158-166.
- GROEN, G., FREDERIKSEN, C., & DILLINGER, M. (1984). A propositional analyst's assistant. **16**, 154-157.
- HARRIS, M. G. (1984). Printing gray-scale graphics using mean dot density. **16**, 570-571.
- HETH, C. D. (1984). A Pascal version of a pseudorandom number generator. **16**, 548-550.
- HUNT, E. (1983). Simulation in PASCAL. **15**, 305-307.
- HUNT, E. (1986). The design of ballantines. **18**, 277-284.
- IDZIKOWSKI, C. (1982). INTERRUPTS: An interrupt routine for Apple II PASCAL 1.1. **14**, 491.
- KAPLAN, H. L. (1985). Design decisions in a Pascal-based operant conditioning system. **17**, 307-318.
- KAPLAN, H. L. (1987). Incorporating good programs into the larger laboratory context. **19**, 210-214.
- LOFTUS, G. R., GILLISPIE, S., TIGRE, R. A., & NELSON, W. W. (1984). An Apple II-based slide-projector laboratory. **16**, 447-453.
- MANHEIMER, J. M. (1982). GAMELPP: A PASCAL program for solving two-person zero-sum games on a microcomputer. **14**, 425-426.
- MAXWELL, K. J., & SCHVANEVELDT, R. W. (1983). The PSYCHLAB programming system: A tool for developing experimental control programs. **15**, 49-56.
- ONKEN, J., & REVELLE, W. (1984). ANATEST: A program to generate geometric analogy problems varying in number of elements and number of transformations. **16**, 333-334.
- POLTROCK, S. E., & FOLTZ, G. S. (1982). An experimental psychology laboratory system for the Apple II microcomputer. **14**, 103-108.
- POST, T. A. (1984). Using word reading time in text processing research. **16**, 115-120.
- POST, T. A., & FOX, J. L. (1982). Programming experiments on a TERA 8510/A microcomputer. **14**, 276-280.
- REYNOLDS, R. V. C., TOBIN, D. L., & LOH, E. S. (1986). FAC-SORT: A program promoting efficient interpretation of factor analysis output. **18**, 330.
- SCHLUNDT, D. G. (1982). Two PASCAL programs for managing observational data bases and for performing multivariate information analysis and log-linear contingency table analysis of sequential and nonsequential data. **14**, 351-352.
- SCHLUNDT, D. G., & BELL, C. (1987). Behavioral assessment of eating patterns and blood glucose in diabetes using the Self-Monitoring Analysis System. **19**, 215-223.
- SCHULL, J., & KAMINER, E. M. (1987). ESI: Easy software interfacing tools for Turbo Pascal programming of digital input-output devices. **19**, 199-204.
- SCHUMACHER, R. M., DECOSTE, D., DUGAN, D., & GRUNZKE, P. M. (1986). Three programs for evaluation of human-computer interaction. **18**, 476-477.
- SHUM, K. H. (1981). An algorithm to generate dynamic point-light displays. **13**, 377-378.
- SOWDER, C. D. (1982). EXPECT: A PASCAL program for calculating expected values in ANOVA models. **14**, 500.
- SPAULDING, W., CRINEAN, W. J., & MARTIN, T. (1983). Microcomputerized clinical and research laboratories in psychiatric inpatient settings. **15**, 171-176.
- SPAULDING, W., HARGROVE, D. S., CRINEAN, W. J., & MARTIN, T. (1981). A microcomputer-based laboratory for psychopathology research in rural settings. **13**, 616-623.
- WHITNEY, P. (1986). MEANCOMP: A Pascal program for computing mean reaction times with outlier selection. **18**, 53.
- WILKINSON, T. S., & NELSON, T. O. (1984). FACT-RETRIEVAL2: A PASCAL program for assessing someone's recall of general-information facts, confidence about recall correctness, feeling-of-knowing judgments for nonrecalled facts, and recognition of nonrecalled facts. **16**, 486-488.
- WILSON, W. J., & OSTERGREN, L. A. (1986). BRAINSCAPE! A Pascal adventure in neuroanatomy for IBM-PCs and compatibles. **18**, 478-479.
- WOODRUFF, B. (1985). RANDOMTOOLS: An Apple Pascal unit useful in randomization. **17**, 133-134.
- WOODRUFF, B. (1985). SCORERECALL: A Pascal program which scores protocols from multiple free-recall trials. **17**, 424-426.

PL/I

- AIGNER, H., & DARCY, R. (1977). EAT: A PL/I entropy analysis program. **9**, 541-542.
- CROWELL, C. R., QUINTANAR, L. R., & GRANT, K. L. (1981). PROCTOR: An on-line student evaluation and monitoring system for use with PSI format courses. **13**, 121-127.
- FISHER, M. A. (1977). Simulation of the Fisher-Zeaman multiple-look attention theory. **9**, 365-366.
- GERVASIO, A. H. (1984). Computer-assisted analysis of conversation. **16**, 158-161.
- HAMER, R., & YOUNG, F. W. (1978). TESTER: A computer program to produce individualized multiple-choice tests. **10**, 77.
- HOFACKER, C. F. (1982). A PL/I program to generate ran-

domized stimulus and response sequences for experiments. **14**, 553-554.

- LANGHORNE, J. E., JR., LONEY, J., & HACKER, M. (1978). A transformation program for normalizing data. **10**, 745.
- QUINTANAR, L. R., CROWELL, C. R., PRYOR, J. B., & ADAMOPOULOS, J. (1982). Human-computer interaction: A preliminary social psychological analysis. **14**, 210-220.
- RAY, R. L., EMURIAN, H. H., & WURSTER, R. M. (1982). TMSGN: A program for testing trend against a nonrandom alternative. **14**, 355-356.

WATFIV

- AIKEN, E., & MOSTOFKY, D. I. (1984). Automated data acquisition for multidimensional scaling analysis. **16**, 325-326.
- FLEXSER, A. J. (1982). An interactive, self-instructing FORTRAN program for one- and two-way analyses of variance. **14**, 350.

MOTOR BEHAVIOR

- AKAKA, W. H., & HOUCK, B. A. (1980). The use of an ultrasonic monitor for recording locomotor activity. **12**, 514-516.
- BRABYN, J. A., & STRELOW, E. R. (1977). Computer-analyzed measures of characteristics of human locomotion and mobility. **9**, 456-462.
- CLARKE, R. L., SMITH, R. F., & JUSTESSEN, D. R. (1985). An infrared device for detecting locomotor activity. **17**, 519-525.
- CUNNINGHAM, H. A. (1985). An Apple microcomputer-based laboratory system for the study of visual-motor behavior. **17**, 484-488.
- CUTTING, J. E. (1978). A program to generate synthetic walkers as dynamic point-light displays. **10**, 91-94.
- ELIE, R., VO-NGOC, B., & GAGNON, M.-A. (1978). Gait analog tracings and computerized analysis through a PDP-11/45. **10**, 666-670.
- GARDINER, G., FRANKS, I. M., & GOODMAN, D. (1987). A microcomputer-based tracking task for examination of the spatial and temporal organization of perceptual motor skill. **19**, 361-364.
- GILMAN, S., DIRKS, D. D., & HUNT, S. (1979). Measurement of head movement during auditory localization. **11**, 37-41.
- KAWAI, M. (1984). A method for analyzing the motion of an object on a VTR screen with an Apple II computer. **16**, 12-18.
- KELLEY, R. S., & TUGGLE, F. D. (1981). In the blink of an electronic eye: A prospectus. **13**, 434-435.
- McKEON, B. (1986). Increased accuracy from a three-dimensional movement-tracking system. **18**, 304-306.
- MORRIS, R., HELMER, R., & HOINE, H. (1979). A portable micro-based system for the study of associated movements. **11**, 261-263.
- MOSS, S. C. (1984). On-line Apple II for the recording and analysis of complex motor behaviors. **16**, 19-24.
- PAUZIE, A., & THON, B. (1985). A simple method to record arm positioning movements in man with an Apple computer. **17**, 476-478.
- POIZNER, H., WOOTEN, E., & SALOT, D. (1986). Computer-graphic modeling and analysis: A portable system for tracking arm movements in three-dimensional space. **18**, 427-433.
- REDMOND, D. P., & HEGGE, F. W. (1985). Observations on the design and specifications of a wrist-worn human activity monitoring system. **17**, 659-669.
- SCHIEBER, F., & SNYDER, C. W. (1987). A hardware and software interface for sensing changes in rotary position with an Apple II microcomputer. **19**, 311-314.

NETWORKING AND TIMESHARING

- ALLEN, J. D., & CRAWFORD, L. (1985). Inexpensive micro-computer networking for laboratory research. **17**, 160-162.
- BAILEY, D. E., WARD, W. H., SPEAR, T. L., LEATHERMAN, R. L., WAITE, J. L., & CHRISTIAN, T. W. (1979). The CLIPR remote laboratory microprocessor system: Development and applications. **11**, 281-292.
- BRICKETT, P. A., DAVIS, C. M., GABERT, H. F., & MODIGLIANI, V. (1980). Dual on-line computers for research in cognitive psychophysiology. **12**, 248-250.
- BROWN, C. R. (1979). The development of a microprocessor-based system on a limited budget. **11**, 447-452.
- BROWN, E. L., & DEFFENBACHER, K. (1978). Microcomputers big and little: Selecting a low-cost laboratory computer network. **10**, 241-245.
- BROWN, G. A., & PEREZ, F. I. (1985). Interfacing Apple and IBM computers for the analysis of clinical biofeedback. **17**, 165-167.
- DERR, M. A., WRIGHT, C. E., & CORIELL, A. S. (1982). A satellite system for controlling real-time experiments. **14**, 264-271.
- DOYLE, A. F., & PALYA, W. L. (1980). A hierarchical LSI-11 system for real-time control, interevent time storage, and data analysis. **12**, 221-231.
- ERGEGER, D., & WELLENS, A. R. (1985). A split-screen electronic messaging system for Apple II computers. **17**, 556-564.
- FERGUSON, P. A., MILLER, D. F., & MAGINNIS, P. T. (1981). THRIFTNET: An economical software package for interprocessor communications. **13**, 251-254.
- FITZPATRICK, L. J. (1978). An application of microprocessor technology to automated data collection. **10**, 567-570.
- FOX, J. L., JR., MCKNIGHT, R. J., & WOLF, R. V. (1981). UCSD PASCAL with a VAX as a floppy disk. **13**, 181-188.
- FOX, J. L., JR., WOLF, R. V., & LESGOLD, A. M. (1979). Microprocessor uses in a timeshared facility. **11**, 271-280.
- FRIENDLY, M., & FRANKLIN, P. (1979). Computer control of memory experiments on a large-scale timesharing system. **11**, 212-217.
- GANOUE, W. H., & KIERAS, D. E. (1980). A virtual terminal program for data transfer between a Data General MicroNOVA laboratory computer and a DECsystem-10 timesharing system. **12**, 251-255.
- GRUPSMITH, E. (1978). Linking large and small computers. **10**, 269-272.
- GRUPSMITH, E., & FERRES, S. (1979). Minicomputer labs that talk to maxicomputers. **11**, 156-158.
- HAITH, M. M., & PLATT, B. B. (1978). Microprocessors in the laboratory: Dedicated computation and time-shared peripherals with REMOTE-11. **10**, 516-518.
- HAMILTON, B. E., & ELSMORE, T. F. (1980). MASTER/SLAVE: Interprocessor communications between PDP-8s. **12**, 241-243.
- KAPLAN, H. L., & DURAND, D. (1979). A shared-memory approach to microprocessor program development. **11**, 311-313.
- KIRK, R. C. (1980). HTERM/CIM and HTERM/BAS: "Smart" terminal enabling programs for the TRS-80 microcomputer. **12**, 71-72.
- LES GOLD, A. M., & FITZHUGH, R. J. (1977). An on-line psychology laboratory for teaching and research. **9**, 184-188.
- MARSHALL-GODELL, B., & GORMEZANO, I. (1985). Apple II/FIRST-Corvus networks. **17**, 168-172.
- MILLWARD, R. B. (1981). COGNET: A national network for cognitive science. **13**, 172-180.

- MORRIS, M., & SHAW, E. (1978). A new decoding and transcription device (DTD) for SSR keyboard data. **10**, 571-575.
- MURREL, S., & KOWALSKI, T. (1980). A real-time satellite system based on UNIX. **12**, 126-131.
- PALYA, W. L., ORTEGA, J., & WILSON, J. B. (1982). An inexpensive CRT terminal controller/computer. **14**, 92-98.
- RATCLIFF, R., & LAYTON, W. M. (1981). A microcomputer interface for control of real-time experiments in cognitive psychology. **13**, 216-220.
- RATCLIFF, R., PINO, C., & BURNS, W. T. (1986). An inexpensive real-time microcomputer-based cognitive laboratory system. **18**, 214-221.
- REED, A. V., LEWART, D., & SCHNEIDER, L. H. (1981). Low-cost microcomputer networking: How to get high throughput on a low budget. **13**, 221-226.
- SCHOLZ, K. W. (1977). Timesharing on the PDP-11 under RT-11. **9**, 173-175.
- SPELT, P. F. (1981). Bridging the gap between micros and minis in the teaching laboratory. **13**, 198-200.
- VAUGHAN, J. (1978). The mini and micro as intelligent terminals. **10**, 264-268.
- VESONDER, G. T., LESGOLD, A. M., & WOLF, R. V. (1978). The use of microprocessors in a timeshared computer facility for research, development, and teaching. **10**, 510-515.
- WALLACE, R., JOHNSON, R. N., & JOHNSON, J. H. (1978). An introduction to microcomputer networking concepts. **10**, 522-526.
- WALOSZEK, G. (1983). Using the TRS-80 as a terminal for the PDP-11. **15**, 474.
- WALTER, D. E., & PALYA, W. L. (1984). An inexpensive experiment controller for stand-alone applications or distributed processing networks. **16**, 125-134.
- WASTELL, D. G. (1982). Assembler language software for linking the Apple II to a PDP-11 as a dumb VDU. **14**, 362.
- YOST, M., & BREMNER, F. (1985). The use of computer networks in data gathering and data analysis. **17**, 157-159.
- YOST, M., HOLCOMBE, J., & EDDY, D. (1985). Microcomputer, minicomputer, mainframe interfacing. **17**, 163-164.
- FLOWERS, J. H., & LEGER, D. W. (1982). Personal computers and behavioral observation: An introduction. **14**, 227-230.
- KERNAN, W. J., JR., HIGBY, W. J., HOPPER, D. L., CUNNINGHAM, W., LLOYD, W. E., & REITER, L. (1980). Pattern recognition of behavioral events in the nonhuman primate. **12**, 524-534.
- KOONTZ, F. W. (1982). WATCH: Microcomputer programs to collect and analyze behavioral observations based on focal-animal sampling. **14**, 431-432.
- LEU, J. R., & HENDRICKS, S. E. (1980). Use of a microprocessor and a digital computer in the analysis of rodent mating behavior. **12**, 388.
- LIVESEY, P. J., & LEPPARD, K. (1981). A TV monitored system for recording open-field activity in the rat. **13**, 331-333.
- MILLER, D. F., MAGINNIS, P. T., & WILSON, M. C. (1979). SOBEX: A timesharing data system for sociopharmacological experiments. **11**, 461-463.
- MORRIS, M., & SHAW, E. (1978). A new decoding and transcription device (DTD) for SSR keyboard data. **10**, 571-575.
- PEARSON, A. J. (1978). PRS1 and PRS2: FORTRAN programs for the analysis of animal spatial data. **10**, 718-722.
- REDMOND, D. P., & HEGGE, F. W. (1985). Observations on the design and specification of a wrist-worn human activity monitoring system. **17**, 659-669.
- STRICKLIN, W. R., GRAVES, H. B., & WILSON, L. L. (1977). DISTANGLE: A FORTRAN program to analyze and simulate spacing behavior of animals. **9**, 367-370.
- TARPY, R. M., & MURCEK, R. J. (1984). An electronic device for detecting activity in caged rodents. **16**, 383-387.
- TIETJEN, W. J. (1981). An inexpensive microcomputer-based image digitizer. **13**, 347-350.

Analysis of Data

- BEKOFF, M., WIELAND, C., & LAVENDER, W. A. (1982). SPACE-OUT: Graphics programs to study and to simulate space use and movement patterns. **14**, 34-36.
- CUBICCIOTTI, D., III (1982). DOPPELGÄNGER: A FORTRAN program for simulating time-sampled spatial locations of "phantom" animals performing discrete pseudorandom walks. **14**, 485-486.
- DENI, R. (1977). BASIC-PLUS programs for Sackett's lag sequential analysis. **9**, 383-384.
- DENI, R., SZIJARTO, K., EISLER, A., & FANTAUZZO, C. (1983). BASIC programs for observational research using the TRS-80 Model 100 portable and Model 4 computers. **15**, 616.
- DODD, P. W. D., BAKEMAN, R., LOEBER, R., & WILSON, S. C. (1981). JOINT and SEQU: FORTRAN routines for the analysis of observational data. **13**, 686-687.
- FITZPATRICK, L. J. (1977). BEHAVE—An automated data analysis system for observed events. **9**, 452-455.
- HOLLENBECK, A., SMYTHE, L., SACKETT, G., & BOULAIS, C. (1977). A manual and computer programs for analyzing digitally coded observational data. **9**, 34.
- KIENAPPLE, K. (1987). The Microanalytic Data Analysis Package. **19**, 335-337.
- MARKMAN, H. J., & POLTROCK, S. E. (1982). A computerized system for recording and analysis of self-observations of couples' interaction. **14**, 186-190.
- QUERA, V., & ESTANY, E. (1984). ANSEC: A BASIC package for lag sequential analysis of observational data. **16**, 303-306.
- SACKETT, G. P., HOLM, R., CROWLEY C., & HENKINS, A. (1979). A FORTRAN program for lag sequential analysis of

OBSERVATIONAL METHODS

- ASPEY, W. P. (1977). CIRDIS: A BASIC program for computing interindividual distances within a circular area. **9**, 50-51.
- ASPEY, W. P. (1977). RECDIS: A BASIC program for computing interindividual distances within a rectangular area. **9**, 26-27.
- BEKOFF, M., & MECH, L. D. (1984). Simulation analyses of space use: Home range estimates, variability, and sample size. **16**, 32-37.
- BERNSTEIN, D., & LIVINGSTON, C. (1982). An interactive program for observation and analysis of human behavior in a long-term continuous laboratory. **14**, 231-235.
- CARTER, B. S. (1978). EDITB: A program to aid processing of event records. **10**, 723-726.
- CLARKE, R. L., SMITH, R. F., & JUSTESSEN, D. R. (1985). An infrared device for detecting locomotor activity. **17**, 519-525.
- CROSSMAN, E. K., WILLIAMS, J. G., & CHAMBERS, J. H. (1978). Using the PET microcomputer for collecting and analyzing observational data in the classroom. **10**, 563-566.
- FITZPATRICK, L. J. (1978). An application of microprocessor technology to automated data collection. **10**, 567-570.
- FLOWERS, J. H. (1982). Some simple Apple II software for the collection and analysis of observational data. **14**, 241-249.

contingency and cyclicity in behavioral interaction data. **11**, 366-378.

- SAWIN, D. B., LANGLOIS, J. H., & LEITNER, E. F. (1977). What do you do after you say hello? Observing, coding, and analyzing parent-infant interactions. **9**, 425-428.
- SCHLUNDT, D. G. (1982). Two PASCAL programs for managing observational data bases and for performing multivariate information analysis and log-linear contingency table analysis of sequential and nonsequential data. **14**, 351-352.
- SCOTT, K. G., & MASI, W. S. (1977). Use of the Datamyte in analyzing duration of infant visual behavior. **9**, 429-433.
- WALKENBACH, J. (1981). A microcomputer program for the analysis of interaction data. **13**, 369-370.

Recorders

- BAKER, P. M. (1981). A simple encoding and recording system for small group observation. **13**, 67-69.
- BUCKLEY, D. J., FRAZER, B. D., & ST. AMOUR, G. (1979). An inexpensive, portable, printing event recorder for behavior studies. **11**, 561-563.
- CELHOFFER, L., BOUKYDIS, C., & MINDE, K. (1977). The DCR-II event recorder: A portable high-speed digital cassette system with direct computer access. **9**, 442-446.
- CONGER, R. D., & MCLEOD, D. (1977). Describing behavior in small groups with the Datamyte event recorder. **9**, 418-424.
- DENI, R., SZIJARTO, K., EISLER, A., & FANTAUZZO, C. (1983). BASIC programs for observational research using the TRS-80 Model 100 portable and Model 4 computers. **15**, 616.
- FITZPATRICK, L. J. (1977). Automated data collection for observed events. **9**, 447-451.
- GASS, C. L. (1977). A digital encoder for field recording of behavioral, temporal, and spatial information in directly computer-accessible form. **9**, 5-11.
- MAGYAR, R. L., & FITZSIMMONS, J. R. (1979). A multichannel, portable, "real-time" event encoder-decoder for laboratory and field experiments. **11**, 47-50.
- MARKMAN, H. J., & POLTROCK, S. E. (1982). A computerized system for recording and analysis of self-observations of couples' interaction. **14**, 186-190.
- PAMMENT, P. R., & STEPHENS, J. B. (1981). A multichannel, multiobserver portable event recorder. **13**, 732-734.
- SAWIN, D. B., LANGLOIS, J. H., & LEITNER, E. F. (1977). What do you do after you say hello? Observing, coding, and analyzing parent-infant interactions. **9**, 425-428.
- SIDOWSKI, J. B. (1977). Observational research: Some instrumented systems for scoring and storing behavioral data. **9**, 403-404.
- SMITH, E. O., & BEGEMAN, M. L. (1980). BORES: Behavior observation recording and editing system. **12**, 1-7.
- STEPHENSON, G. R., & ROBERTS, T. W. (1977). The SSR System 7: A general encoding system with computerized transcription. **9**, 434-441.
- TORGERSON, L. (1977). Datamyte 900. **9**, 405-406.

OPERATING SYSTEMS

- SCHOLZ, K. W. (1978). A floppy disk operating system for the 8080 and Z80. **10**, 527-530.

CP/M

- COYNE, A. C. (1987). A software-based millisecond timer for the CP/M operating system. **19**, 47-48.
- KIENAPPLE, K. (1987). The Microanalytic Data Analysis Package. **19**, 335-337.

UNIX

- AARONSON, D. (1982). An evaluation of Unix in the psychology computer laboratory. **14**, 137-141.
- FISK, A. D., & SCHNEIDER, W. (1982). NEST: A program to verify proper RATFOR nesting structure. **14**, 552.
- LANDY, M. S., COHEN, Y., & SPERLING, G. (1984). HIPS: Image processing under UNIX. Software and applications. **16**, 199-216.
- MURREL, S., & KOWALSKI, T. (1980). A real-time satellite system based on UNIX. **12**, 126-131.
- PAVEL, M. (1982). Introduction to Unix. **14**, 135-136.
- PERLMAN, G. (1980). Data analysis programs for the UNIX operating system. **12**, 554-558.
- PERLMAN, G. (1982). Experimental control programs for the UNIX operating system. **14**, 417-421.
- PERLMAN, G. (1984). UNIX|STAT: Data-analysis programs. **16**, 71.
- PERLMAN, G., & HORAN, F. L. (1986). Report on UNIX|STAT release 5.1: Data analysis programs for UNIX and MSDOS. **18**, 168-176.
- RIEDL, T. R. (1984). HIPS in action: Application of HIPS in research. **16**, 217-222.

PROGRAMMING

- BONAR, J., EHRLICH, K., SOLOWAY, E., & RUBIN, E. (1982). Collecting and analyzing on-line protocols from novice programmers. **14**, 203-209.
- NEWSOME, S. L., & KATZ, I. R. (1987). The influence of structure on computer program comprehension. **19**, 152-155.
- WHITLOW, J. W., JR. (1987). Experiences from a life sciences laboratory: Using a paired-associates task as a teaching heuristic for programming instruction. **19**, 156-159.

Computer Language(s) for Psychology

- ANGLE, H. V., & CARROLL, J. (1979). A computer interview language: Programming the on-line interactive computer. **11**, 379-383.
- BALSAM, P. D., DEICH, J., O'CONNOR, K., & SCOPATZ, R. (1985). Microcomputers and conditioning research. **17**, 537-545.
- BOWLES, K. L., & HOLLAN, J. D. (1978). An introduction to the UCSD PASCAL system. **10**, 531-534.
- BURKHARDT, K. J. (1979). The design of a real-time operating system for experimental psychology. **11**, 507-511.
- DILLON, R. F., DUMONTIER, L. R., BEZANSON, W. R., & BRENNAN, R. (1978). A high-level language for control of psychology experiments. **10**, 315-324.
- ELSNER, J. (1982). PASTOR: A new schedule programming language. **14**, 254-263.
- FOX, J. L., JR., MCKNIGHT, R. J., & WOLF, R. V. (1981). UCSD PASCAL with a VAX as a floppy disk. **13**, 181-188.
- GILBERT, L. H. (1979). Computer-controlled experiments: The case for FORTRAN. **11**, 593-595.
- GREGG, L. W. (1977). Maximizing the mini-uses of on-line computers. **9**, 67-71.
- JEFFRIES, R., & KARAT, J. (1979). A general-purpose program for problem solving experimentation. **11**, 205-207.
- KAPLAN, H. L. (1980). Applications of multiprogramming software to real-time experiments in psychology. **12**, 137-151.
- KAPLAN, H. L. (1985). When do professional psychologists need professional programmers' tools? **17**, 546-550.
- LANGLEY, P. (1983). Exploring the space of cognitive architectures. **15**, 289-299.

- LEA, D. (1982). Using the FORTH language in real-time computer applications. **14**, 29-31.
- LESGOLD, A. (1983). Experiences in building a simulation environment for psychology. **15**, 284-288.
- MASTERSON, F. A. (1981). Bringing APL down to earth on the DECsystem-10: Standard characters and a standard editor. **13**, 374-376.
- MAXWELL, K. J., & SCHVANEVELDT, R. W. (1983). The PSYCHLAB programming system: A tool for developing experimental control programs. **15**, 49-56.
- NECHES, R. (1982). Simulation systems for cognitive psychology. **14**, 77-91.
- ORR, J. L. (1984). Going FORTH in the laboratory. **16**, 193-198.
- PALMER, J. C., MACLEOD, C. M., & LOFTUS, G. R. (1978). PLE: A high-level multiprogramming language for psychology. **10**, 764-772.
- PERERA, T. B. (1981). A simple BASIC language laboratory control system for microcomputers patterned after SKED®. **13**, 281-282.
- SIKLÓSSY, L. (1979). LISP: An introduction and some great programs. **11**, 225-228.
- TAKIGAWA, T., & MINO, T. (1981). TYMES: A high-level language for process control and data manipulation in the behavior laboratory. **13**, 741-746.
- THIBADEAU, R. (1983). CAPS: A language for modeling highly skilled knowledge-intensive behavior. **15**, 300-304.
- TOMBAUGH, J. W., DILLON, R. F., MILLMAN, B., & BEZANSON, W. R. (1979). A microcomputer-controlled laboratory: Software. **11**, 301-310.
- TSUI, W. H., & VAN GELDER, P. (1979). A general-purpose data extraction language. **11**, 199-204.
- WALTER, D. E., & PALYA, W. L. (1984). An inexpensive experiment controller for stand-alone applications or distributed processing networks. **16**, 125-134.
- WATTS, B. H. (1986). FORTH, a software solution to real-time computing problems. **18**, 228-235.
- KADDEN, R. M. (1977). Time-Share SKED acquisition of analog data: Blood pressure and heart rate. **9**, 222-230.
- SNAPPER, A. G., KADDEN, R. M., & INGLIS, G. B. (1982). State notation of behavioral procedures. **14**, 329-342.
- STEPHENS, K. R., & VAN HAAREN, F. (1977). The origins and development of state notation and SKED. **9**, 72-74.

Debugging Tool(s)

- BONAR, J., EHRLICH, K., SOLOWAY, E., & RUBIN, E. (1982). Collecting and analyzing on-line protocols from novice programmers. **14**, 203-209.
- FISK, A. D., & SCHNEIDER, W. (1982). NEST: A program to verify proper RATFOR nesting structure. **14**, 552.
- ORTEGA, J., & PALYA, W. L. (1983). In-circuit emulator. **15**, 177-180.

Introduction

- DILLON, R. F. (1979). Structured flow of control in a laboratory control language. **11**, 234-240.
- FORBACH, G. B. (1981). Structured system design: Analysis, design, and construction. **13**, 163-171.
- HUNT, K. P. (1979). An introduction in structured programming. **11**, 229-233.
- MILLWARD, R. B. (1980). BANDAID: First steps toward an ICAI system. **12**, 178-192.
- SEBRECHTS, M. M., & GROSS, P. H. (1985). Programming in natural language: A descriptive analysis. **17**, 268-274.

Multitasking

- HASTINGS, L., & ARNOLD, N. D. (1982). A microcomputer interface for applications requiring large numbers of subjects. **14**, 128-131.
- HASTINGS, L., & ARNOLD, N. D. (1984). Implementation of multitasking on a small microcomputer. **16**, 137-140.
- KAPLAN, H. L. (1977). Clock-driven FORTRAN task scheduling in a multiprogramming environment. **9**, 176-183.
- KAPLAN, H. L. (1978). An output spooling system for continuous data-logging paradigms. **10**, 285-290.
- KAPLAN, H. L. (1980). Applications of multiprogramming software to real-time experiments in psychology. **12**, 137-151.
- KIERAS, D. E. (1979). Doing it the vendor's way: Running multiple subjects in reading experiments using Data General's Diskette Operating System. **11**, 221-224.
- MASTERSON, F. A. (1981). Coding simultaneous experiments as independent FORTRAN subroutines. **13**, 677-681.
- NEUMANN, P. G. (1979). Disk-based program swapping in 8080-based microcomputers. **11**, 512-518.
- WATTS, B. H. (1986). FORTH, a software solution to real-time computing problems. **18**, 228-235.

Tips and Techniques

- ACKERMAN, M. J. (1978). Interacting with InterACT. **10**, 325-328.
- SPETCH, M. L., & WILKIE, D. M. (1980). A program that simulates random choice in radial arm mazes and similar choice situations. **12**, 377-378.

ACT/InterACT

- ACKERMAN, M. J. (1978). Interacting with InterACT. **10**, 325-328.
- SPETCH, M. L., & WILKIE, D. M. (1980). A program that simulates random choice in radial arm mazes and similar choice situations. **12**, 377-378.

SKED

- BUTLER, F. E. (1980). MicroSKED. **12**, 152-154.
- BUTLER, F. E., & GRISHAM, M. G. (1977). SKED-controlled experimentation in an undergraduate laboratory. **9**, 219-221.
- ELSMORE, T. F. (1977). Time-of-day clocks and SKED: Techniques and applications. **9**, 231-232.
- FOWLER, S. C., & LEBERER, M. R. (1977). Hardware techniques for analog processing using the State Systems PDP-8 I/O interface. **9**, 210-214.
- GILBERT, S. G., & RICE, D. C. (1978). NOVA SKED: A behavioral notation language for Data General minicomputers. **10**, 705-709.
- GILBERT, S. G., & RICE, D. C. (1979). NOVA SKED II: A behavioral notation language utilizing the Data General Corporation real-time disk operating system. **11**, 71-73.
- GRISHAM, M. G., & FREI, L. J. (1977). An optically isolated digital interface for the SKED system. **9**, 215-218.

- HALE, S. S., MYERSON, J., & MIEZIN, F. M. (1982). Top-down design for a system to control operant choice experiments. **14**, 272-275.
- IDZIKOWSKI, C. (1982). INTERRUPTS: An interrupt routine for Apple II PASCAL 1.1. **14**, 491.
- KAPLAN, H. L. (1985). When do professional psychologists need professional programmers' tools? **17**, 546-550.
- LEHMAN, R. (1977). An efficient sort/search algorithm for linked linear lists. **9**, 551-552.
- LINGLE, J. H., & WALKER, T. (1981). BASIC language interpreters and subroutine placement. **13**, 704.
- MACKINNON, A. J. (1980). FREEIN: Flexible free-form input subroutine. **12**, 75.
- MARCHETTI, F. M. (1982). CHANGR: A program for ordering FORTRAN statement numbers on a PDP-11 system. **14**, 363-366.
- MCNALLY, K. A., & WOOD, D. L. (1982). BASIC rank-order program. **14**, 545.
- ROBERTS, S. (1980). How to check a computer program. **12**, 155-156.
- SAVOY, R. L. (1986). Making quantized images appear smooth: Tricks of the trade in vision research. **18**, 507-517.
- SHIMOFF, E. (1985). SPACEMAKER: A program to increase Apple disk capacity from 31 to 33 tracks. **17**, 427-428.
- VOKEY, J. R. (1987). Virtual arrays. **19**, 51-52.
- WATTS, B. H. (1986). FORTH, a software solution to real-time computing problems. **18**, 228-235.
- KERNAN, W. J., JR., HIGBY, W. J., HOPPER, D. L., CUNNINGHAM, W., LLOYD, W. E., & REITER, L. (1980). Pattern recognition of behavioral events in the nonhuman primate. **12**, 524-534.
- LE BOURG, E., & BEUGNON, G. (1985). Apple II programs in circular statistics. **17**, 141.
- LEU, J. R., & HENDRICKS, S. E. (1980). Use of a microprocessor and a digital computer in the analysis of rodent mating behavior. **12**, 388.
- LIVESEY, P. J., & LEPPARD, K. (1981). A TV monitored system for recording open-field activity in the rat. **13**, 331-336.
- MENZEL, R., & GREGGERS, U. (1983). Automated behavioral experiments with individually marked bees. **15**, 569-573.
- PEARSON, A. J. (1978). PRS1 and PRS2: FORTRAN programs for the analysis of animal spatial data. **10**, 718-722.
- PISACRETA, R., & RILLING, M. (1987). Infrared touch technology as a response detector in animal research. **19**, 389-396.
- SCHENCK, P. E., VAN DE GIESSEN, H., KOOS SLOB, A., & VAN DER WERFF TEN BOSCH, J. J. (1978). An automated device for measuring locomotor activity in rats. **10**, 552-556.
- STERNER, R. T. (1982). A microcomputer-based system for continuous measurement of rodent food intake. **14**, 526-531.
- TARPY, R. M., & MURCEK, R. J. (1984). An electronic device for detecting activity in caged rodents. **16**, 383-387.
- TJETJEN, W. J. (1981). An inexpensive microcomputer-based image digitizer. **13**, 347-350.
- WILCOX, R. S., & KASHINSKY, W. M. (1980). A computerized method of analyzing and playing back vibratory animal signals. **12**, 361-363.

RESEARCH APPLICATIONS

Animal Behavior

- ASPEY, W. P. (1977). CIRDIS: A BASIC program for computing interindividual distances within a circular area. **9**, 50-51.
- ASPEY, W. P. (1977). RECDIS: A BASIC program for computing interindividual distances within a rectangular area. **9**, 26-27.
- ASPEY, W. P., & FEINSTEIN, R. (1977). INFO: A program for computing information theory measures of communication. **9**, 305-306.
- BATSON, J. D., & TURNER, J. D. (1986). A simple infrared photocell device and its interface to an Apple computer. **18**, 447-451.
- BEKOFF, M., WIELAND, C., & LAVENDER, W. A. (1982). SPACE-OUT: Graphics programs to study and to simulate space use and movement patterns. **14**, 34-36.
- CIGAS, J., & KLIMLEY, A. P. (1987). A microcomputer interface for decoding telemetry data and displaying them numerically and graphically in real time. **19**, 19-25.
- CLARK, C., DOOLING, R. J., & BUNNELL, T. (1983). Analysis and synthesis of bird vocalizations: An FFT-based software system. **15**, 251-253.
- CLARKE, R. L., SMITH, R. F., & JUSTESEN, D. R. (1985). An infrared device for detecting locomotor activity. **17**, 519-525.
- CUBICCIOTTI, D., III (1982). DOPPELGÄNGER: A FORTRAN program for simulating time-sampled spatial locations of "phantom" animals performing discrete pseudorandom walks. **14**, 485-486.
- DENI, R., ERWIN, J., DRAKE, D. I., & KASSORLA, E. (1978). BASIC-PLUS programs to manage a small primate colony information and records system. **10**, 81-82.
- HAHN, P. M., SCHMIDT, T., AGARWAL, A., FRIEDMAN, R., & MITLER, M. M. (1981). Sleep, activity, temperature, and performance: Techniques for long-term monitoring in the mouse. **13**, 723-726.

Audition

- BALLAS, J. A., & HOUSTON, J. (1984). Evaluation of a sound-generator chip: The AY 3-8910. **16**, 282-284.
- GILMAN, S., DIRKS, D. D., & HUNT, S. (1979). Measurement of head movement during auditory localization. **11**, 37-41.
- O'DELL, J. W. (1987). Simple apparatus for producing auditory illusions. **19**, 355-356.

Biopsychology/Psychophysiology

- ARMSTRONG, G. C. (1985). Computer-aided analysis of in-flight physiological measurement. **17**, 183-185.
- BENIGNUS, V. A., & MULLER, K. E. (1982). Information flow in the brain: Computer requirements (A tutorial). **14**, 294-299.
- BRADEN, W., HAIR, R. J., & SPACE L. G. (1983). A microcomputer-based system for evoked-potential augmenting/reducing measurements. **15**, 441-445.
- BREMNER, F. J., STRAUSS, R. N., & SAMPLES, S. D. (1985). Heart electrophysiology as a dependent measure in children. **17**, 173-175.
- BREMNER, F. J., YOST, M., & MCKENZIE, R. (1982). Computer-managed inferential statistical analysis of EEG data. **14**, 300-302.
- BREMNER, F. J., YOST, M., & ZINTGRAFF, C. (1985). A longitudinal study of cardiac component analysis. **17**, 319-322.
- BRICKETT, P. A., DAVIS, C. M., GABERT, H. F., & MODIGLIANI, V. (1980). Dual on-line computers for research in cognitive psychophysiology. **12**, 248-250.
- BROWN, G. A., & PEREZ, F. I. (1985). Interfacing Apple and IBM computers for the analysis of clinical biofeedback. **17**, 165-167.
- BROWN, G. A., & PEREZ, F. I. (1985). Single-subject statistical analysis of computer-assisted biofeedback. **17**, 327-330.
- CHOLEWIAK, R. W., & SHERRICK, C. E. (1981). A computer-

- controlled matrix system for presentation to the skin complex spatiotemporal patterns. **13**, 667-673.
- CUNNINGHAM, C. L., & PERIS, J. (1983). A microcomputer system for temperature biotelemetry. **15**, 598-603.
- CUTCOMB, S. D., BOLSTER, R. B., & PRIBRAM, K. H. (1981). DADTA VI: A minicomputer-based video control system for the analysis of behavioral and electrophysiological data. **13**, 337-340.
- DEMITA, M. A., JOHNSON, J. H., & HANSEN, K. E. (1981). The validity of a computerized visual searching task as an indicator of brain damage. **13**, 592-594.
- DOLAN, P. M., & SHAPIRO, D. (1981). Interactive computer assistance for biofeedback and psychophysiological research: Pragmatics of development. **13**, 311-322.
- EDDY, D. R., MCKENDREE, J., MCKENZIE, R. E., & BREMNER, F. J. (1982). Component analysis of ECG by computer. **14**, 290-293.
- HAHN, P. M., SCHMIDT, T., AGARWAL, A., FRIEDMAN, R., & MITLER, M. M. (1981). Sleep, activity, temperature, and performance: Techniques for long-term monitoring in the mouse. **13**, 723-726.
- KADDEN, R. M. (1977). Time-Share SKED acquisition of analog data: Blood pressure and heart rate. **9**, 222-230.
- KAHN, R. M., FIFER, W., & SILVER, R. (1984). Automatic monitoring of temperature and/or location: A computer-controlled radiotelemetry system. **16**, 533-537.
- KAPLAN, H. L. (1982). An operating subsystem for continuous monitoring studies. **14**, 146-159.
- KLOSTERHALFEN, W. (1980). A computer-controlled cardiometer. **12**, 58-62.
- LINDHOLM, E., & SISSON, N. (1985). Physiological assessment of pilot workload in simulated and actual flight environments. **17**, 191-194.
- LORIG, T. S. (1985). Event-related potential data acquisition on the Apple II+/IIe. **17**, 479-483.
- LORIG, T. S. (1986). Microcomputer-based scalp topography mapping of event-related potentials. **18**, 293-298.
- MILLER, J. C., TAKAMOTO, N. Y., BARTEL, G. M., & BROWN, M. D. (1985). Psychophysiological correlates of long-term attention to complex tasks. **17**, 186-190.
- MILLIGAN, W. L., & RICHARDSON, A. (1979). A microprocessor- (Heath ET-3400) based backup control system for laboratory experiments. **11**, 314-315.
- MITCHELL, D. S., WIGODSKY, H. S., PEEL, H. H., & MCCAFFREY, T. A. (1980). Operant conditioning permits voluntary, noninvasive measurement of blood pressure in conscious, unrestrained baboons (*Papio cynocephalus*). **12**, 492-498.
- MORRIS, R., HELMER, R., & HOINE, H. (1979). A portable micro-based system for the study of associated movements. **11**, 261-263.
- MORRISON, P. R. (1982). LATERAL: A program for the psychophysiological investigation of the lateralization of function using the Apple microcomputer. **14**, 429.
- MURRAY, T. M., JR. (1982). The design, development, and implementation of a microprocessor-based ECG analysis system. **14**, 281-289.
- NATANI, K., ENGELKEN, E., & THREATT, D. (1979). PDP-12 stimulus control and data collection for lateralized discrimination learning. **11**, 264-270.
- PHELPS, R. W., & LEWIS, M. J. (1982). A multifunctional on-line brain stimulation system. **14**, 323-328.
- POPE, A. T., & GERSTEN, C. D. (1977). Computer automation of biofeedback training. **9**, 164-168.
- POTTINGER, H. J., HUGHES, C. W., SCHROEDER, P., BAREFIELD, A., & CRAIGMILE, J. C. (1981). A microcomputer-based cardiometer with visual display. **13**, 227-234.
- PRICE, A. W., FRIDLUND, A. J., & FOWLER, S. C. (1980). A strain-gauge conditioner/analog-to-digital converter for acquisition of multiple analog signals. **12**, 459-464.
- ROMANO, A. G., STEINMETZ, J. E., & PATTERSON, M. M. (1985). An Apple microcomputer system in physiological psychology. **17**, 551-555.
- SCHMIDT, A. L. (1983). A PDP-11 assembly language program for digitizing, sorting, and averaging evoked brain potentials. **15**, 85-86.
- SOLOMON, P. R., WEISZ, D. J., CLARK, G. A., HALL, J., & BABCOCK, B. A. (1983). A microprocessor control system and solid state interface for controlling electrophysiological studies of conditioning. **15**, 57-65.
- SPINKS, J. A., DOW, R., & CHIU, L. W. (1983). A microcomputer package for real-time skin conductance response analysis. **15**, 591-593.
- TASSINARY, L. G., MARSHALL-GODELL, B. S., & CACIOPPO, J. T. (1985). Microcomputers in social psychophysiological research: An overview. **17**, 532-536.
- TERNES, J. W., EHRLMAN, R., & O'BRIEN, C. P. (1982). A software system for real-time control of psychological experiments. **14**, 160-164.
- WALKER, J. M., LAVOND, D. G., BODART, D. J., BEATTIE, M. S., & MEYER, P. M. (1979). Methods for rapid quantification of brain autoradiographs. **11**, 321-328.
- WILSON, G. F., & GREGORY, J. (1978). Evoked potential analysis programs for the Lab 8. **10**, 743-744.
- WILSON, W. J., & OSTERGREN, L. A. (1986). BRAINSCAPE! A Pascal adventure in neuroanatomy for IBM-PCs and compatibles. **18**, 478-479.
- YOST, M., BREMNER, F., & GIL, A. A. (1987). Developing probability limits for longitudinal physiological data. **19**, 139-141.
- YOST, M., HOLCOMBE, J., & EDDY, D. (1985). Microcomputer, minicomputer, mainframe interfacing. **17**, 163-164.
- ZILM, D. H., DURAND, D., & KAPLAN, H. L. (1978). A microprocessor-controlled clinical tremometer. **10**, 177-181.

Cognition and Memory

- ADAMS, J. K. (1985). Visually presented verbal stimuli by assembly language on the Apple II computer. **17**, 489-502.
- ALGARABEL, S. (1983). MEMORIA: A computer program for experimental control of verbal learning and memory experiments with the Apple II microcomputer. **15**, 394.
- ANDERSON, L. A., & LANE, D. M. (1987). Demonstration experiments in perception and cognitive psychology for the Macintosh computer. **19**, 249-251.
- BILKEY, D. K. (1987). A procedure for the computerized representation and presentation of rotated and reflected stimuli. **19**, 419-421.
- BLOUGH, D. S. (1977). Photoelectric recording of pigeon-peck responses to computer-driven visual displays. **9**, 259-262.
- BONAR, J., EHRLICH, K., SOLOWAY, E., & RUBIN, E. (1982). Collecting and analyzing on-line protocols from novice programmers. **14**, 203-209.
- BRICKETT, P. A., DAVIS, C. M., GABERT, H. F., & MODIGLIANI, V. (1980). Dual on-line computers for research in cognitive psychophysiology. **12**, 248-250.
- DELLAROSA, D. (1986). A computer simulation of children's arithmetic word-problem solving. **18**, 147-154.
- DENI, R., & COFFEE, R. J. (1984). COMPLEX: An Applesoft

- BASIC program to assess preference for visual complexity. **16**, 329-330.
- DICKINSON, T. L., & COOKSEY, R. W. (1981). MCPL: A program for describing performance in multiple-cue probability learning. **13**, 60.
- DORFMAN, D. (1987). Software timing of events in cognitive psychology experiments. **19**, 185-190.
- EAMON, D. B. (1982). CEDATS: A cognitive experimental design and testing system. **14**, 142-145.
- FRIENDLY, M., & FRANKLIN, P. (1979). Computer control of memory experiments on a large-scale timesharing system. **11**, 212-217.
- GIBSON, J. M. (1987). Using digitized auditory stimuli on the Macintosh computer. **19**, 257-259.
- KORNBROT, D. E. (1981). ARTIST: A computer system for creating and running psychology experiments. **13**, 351-359.
- LANGLEY, P. (1983). Exploring the space of cognitive architectures. **15**, 289-299.
- LESGOLD, A. M., & FITZHUGH, R. J. (1977). An on-line psychology laboratory for teaching and research. **9**, 184-188.
- LOGIE, R. H. (1984). Computer selection of verbal research materials. **16**, 59-60.
- LORIG, T. S. (1985). Event-related potential data acquisition on the Apple II+/IIe. **17**, 479-483.
- MILLWARD, R. B. (1981). COGNET: A national network for cognitive science. **13**, 172-180.
- MORRISON, I. (1983). Compact representations of positional knowledge in short and long words for letters and features. **15**, 406-412.
- MORRISON, I. (1983). A LISP program to determine similarity relations in letter displays. **15**, 69-71.
- NEWSOME, S. L., & KATZ, I. R. (1987). The influence of structure on computer program comprehension. **19**, 152-155.
- PREZEOREK, J., SANCHEZ, R., & DENI, R. (1983). BASIC-PLUS-2 programs to perform experimental procedures for paired associate verbal learning. **15**, 93-94.
- RATCLIFF, R., & LAYTON, W. M. (1981). A microcomputer interface for control of real-time experiments in cognitive psychology. **13**, 216-220.
- RATCLIFF, R., PINO, C., & BURNS, W. T. (1986). An inexpensive real-time microcomputer-based cognitive laboratory system. **18**, 214-221.
- REED, A. V. (1982). The Radio Shack color computer in the experimental psychology laboratory: An evaluation. **14**, 109-112.
- RICHARDSON, K. (1983). Measuring the learning-relevant relations between variables in experience. **15**, 91-92.
- SANMARTIN, J. (1987). TREC: A tool kit for programming cognitive experiments in Applesoft BASIC. **19**, 467-468.
- SCHUMACHER, R. M., DECOSTE, D., DUGAN, D., & GRUNZKE, P. (1986). Three programs for evaluation of human-computer interaction. **18**, 476-477.
- SHIMAMURA, A. P., LANDWEHR, R. F., & NELSON, T. O. (1981). FACTRETRIEVAL: A program for assessing someone's recall of general-information facts, feeling-of-knowing judgments for nonrecalled facts, and recognition of nonrecalled facts. **13**, 691-692.
- SIMPSON, G. B., & BURGESS, C. (1984). PET Programs for demonstration and student research in cognitive psychology. **16**, 65-66.
- SNODGRASS, J. G., SMITH, B., FEENAN, K., & CORWIN, J. (1987). Fragmenting pictures on the Apple Macintosh computer for experimental and clinical applications. **19**, 270-274.
- SPINKS, J. A., DOW, R., & CHIU, L. W. (1983). A microcomputer package for real-time skin conductance response analysis. **15**, 591-593.
- TURNBULL, S. K., MIKITTEN, T. T., & MIKITTEN, S. (1980). CONCEPTS: A program for microcomputer-controlled experimentation in concept attainment. **12**, 631-632.
- WAGNER, R. K., SEBRECHTS, M. M., & BLACK, J. B. (1985). Tracing the evolution of knowledge structures. **17**, 275-278.
- WALCZYK, J. J., & MELLER, P. J. (1987). PART1 and PART2: Programs for determining reading thresholds and motor response latencies. **19**, 469-474.
- WILKINSON, T. S., & NELSON, T. O. (1984). FACT-RETRIEVAL2: A PASCAL program for assessing someone's recall of general-information facts, confidence about recall correctness, feeling-of-knowing judgments for nonrecalled facts, and recognition of nonrecalled facts. **16**, 486-488.
- WOODRUFF, B. (1985). SCORERECALL: A Pascal program which scores protocols from multiple free-recall trials. **17**, 424-426.

Conditioning

- BALSAM, P. D., DEICH, J., O'CONNOR, K., & SCOPATZ, R. (1985). Microcomputers and conditioning research. **17**, 537-545.
- BATSON, J. D., & TURNER, J. D. (1986). A simple infrared photocell device and its interface to an Apple computer. **18**, 447-451.
- BLEKKENHORST, H., & GOLDSTEIN, S. R. (1983). A microcomputer interface to control reinforcement delivery. **15**, 398.
- CHAYER-FARRELL, L., & FREEDMAN, N. L. (1987). CORE: Computer-controlled operant reinforcement. **19**, 319-326.
- CROSSMAN, E. K. (1984). An inexpensive operant chamber interface for the VIC 20 microcomputer. **16**, 338-340.
- CROSSMAN, E. K., STEPHENSON, M. R., & LYNCH, H. L. (1980). An intelligent PET interface for environmental control and data acquisition and analysis. **12**, 238-240.
- DELAY, E. R. (1985). A simple and inexpensive computer-compatible shock circuit. **17**, 114-115.
- DILLON, M. J., & VAN HAAREN, F. (1980). BRS: A program for computer-managed point economies. **12**, 566.
- DOYLE, A. F., & PALYA, W. L. (1980). A hierarchical LSI-11 system for real-time control, interevent time storage, and data analysis. **12**, 221-231.
- ELSNER, J., & WEHRLI, R. (1978). Interface systems in behavioral research. **10**, 259-263.
- FOWLER, S. C. (1985). Amplitude measures of operant response: Implementation with Apple Pascal. **17**, 301-306.
- GOLDSTEIN, S. R., BLEKKENHORST, H. J., & MAYES, L. W. (1982). Computerization of the operant arena. **14**, 369-372.
- GORDON, W. A., FOREE, D., & ECKERMAN, D. A. (1983). Using an Apple II microcomputer for real-time control in a behavioral laboratory. **15**, 158-166.
- HALE, S. S., MYERSON, J., & MIEZIN, F. M. (1982). Top-down design for a system to control operant choice experiments. **14**, 272-275.
- JACKSON, D. E., & O'DELL, J. W. (1985). The VIC-20 computer and an interface system for controlling operant chambers. **17**, 406-408.
- JENKINS, W. M. (1982). Interfacing the Apple II for the behavioral laboratory. **14**, 345-347.
- JOHNSON, M. A. (1981). The analysis of multiphasic signals with the Apple II/FIRST microprocessor system. **13**, 276-280.
- KAPLAN, H. L. (1985). Design decisions in a Pascal-based operant conditioning system. **17**, 307-318.

- LAWLER, J. E., & BUCHHOLZ, R. A. (1979). A machine-level software program for the generation of aversive conditioning schedules using the KIM-1 microprocessor. *11*, 218-220.
- LEBER, W. (1978). A microprocessor control and recording system for instrumental behavior research. *10*, 557-562.
- LEBERER, M. (1980). ONLINE: A general-purpose BASIC microcomputer program to control and record events for operant conditioning experiments. *12*, 379-380.
- LIPP, H.-P., & ANDERS, D. (1985). A simple decoder for linking photocell arrays to a microcomputer. *17*, 116-118.
- LOFTIN, C. R., & CHENEY, C. D. (1984). An operandum-to-Osborne I interface. *16*, 72.
- MALCOLM, D. S. (1985). Shuttlebox avoidance programs for the 6502. *17*, 128.
- MARSHALL-GOODSELL, B., SCHREURS, B. G., & GORMEZANO, I. (1982). Ruler vs. the Apple II/FIRST system analysis of analog signals in classical conditioning. *14*, 519-525.
- MCLEAN, R. S. (1978). Using personal computers for experimental control. *10*, 468-473.
- MENZEL, R., & GREGGERS, U. (1983). Automated behavioral experiments with individually marked bees. *15*, 569-573.
- MITCHELL, D. S., WIGODSKY, H. S., PEEL, H. H., & MCCAFFREY, T. A. (1980). Operant conditioning permits voluntary, noninvasive measurement of blood pressure in conscious, unrestrained baboons (*Papio cynocephalus*). *12*, 492-498.
- MURRAY, D. M., & LAWLER, J. E. (1978). A KIM-1 microprocessor interface for aversive conditioning applications using multiple subjects. *10*, 334-339.
- NICHOLLS, R. J., & POTTER, R. M. (1982). An inexpensive computer and interface for research in the behavioral sciences. *14*, 532-533.
- NORMAN, W. D., & JONGERIUS, J. L. (1985). Apple Picker: Computer software for studying human responding on concurrent and multiple schedules. *17*, 222-225.
- O'DELL, J. W. (1981). The MicroAce: An inexpensive computer controller. *13*, 682-685.
- O'DELL, J. W., & JACKSON, D. E. (1986). The Commodore 64 and an interface system for controlling operant chambers. *18*, 339-341.
- PALYA, W. L., & DOYLE, A. F. (1980). A simple LSI-11 system for real-time control, interevent time storage, and data analysis. *12*, 210-220.
- PERERA, T. B. (1981). A simple BASIC language laboratory control system for microcomputers patterned after SKED®. *13*, 281-282.
- PHELPS, R. W., & LEWIS, M. J. (1982). A multifunctional on-line brain stimulation system. *14*, 323-328.
- PRICE, A. W., FRIDLUND, A. J., & FOWLER, S. C. (1980). A strain-gauge conditioner/analog-to-digital converter for acquisition of multiple analog signals. *12*, 459-464.
- RAYFIELD, F., & CARNEY, J. (1981). Controlling behavior experiments with BASIC on 6502-based microcomputers. *13*, 735-740.
- RUSH, D. K. (1986). Apple II assembly language routines for digital data acquisition and contingency control. *18*, 32-35.
- SCANDRETT, J., & GORMEZANO, I. (1980). Microprocessor control and A/D data acquisition in classical conditioning. *12*, 120-125.
- SCHREURS, B. G., GORMEZANO, I., & HARVEY, J. A. (1983). Apple II/FIRST system control of electrical brain stimulation in the rabbit. *15*, 167-170.
- SCHULL, J., & KAMINER, E. M. (1987). ESI: Easy software interfacing tools for Turbo Pascal programming of digital input-output devices. *19*, 199-204.
- SKELTON, R. W., SPETCH, M. L., & WILKIE, D. M. (1980). A method for automatically recording topographical differences in pigeons' keypecking for food and water reinforcers. *12*, 349-352.
- SOLOMON, P. R., & BABCOCK, B. A. (1979). KIM and the rabbit: The use of the KIM-1 microprocessor to control classical conditioning of the rabbit's nictitating membrane response. *11*, 67-70.
- SOLOMON, P. R., WEISZ, D. J., CLARK, G. A., HALL, J., & BABCOCK, B. A. (1983). A microprocessor control system and solid state interface for controlling electrophysiological studies of conditioning. *15*, 57-65.
- SPENCER, D. G., JR., & EMMETT-OGLESBY, M. W. (1985). Parallel processing strategies in the application of microcomputers to the behavioral laboratory. *17*, 294-300.
- TERNES, J. W., EHRLMAN, R., & O'BRIEN, C. P. (1982). A software system for real-time control of psychological experiments. *14*, 160-164.
- THOMPSON, G. C. (1979). Behavioral programming with the APPLE II microcomputer. *11*, 585-588.

Developmental

- CUNNINGHAM, H. A. (1985). An Apple microcomputer-based laboratory system for the study of visual-motor behavior. *17*, 484-488.
- KRAMER, S. J., BERTENTHAL, B. I., & BAI, D. L. (1986). A computer-controlled laboratory for studying infant event perception. *18*, 257-262.

Eye Movement Measurements

- BROWN, C. R., & MOWFORTH, P. H. (1980). An improved photoelectric system for two-dimensional eye movement recording. *12*, 596-600.
- CARMODY, D. P., KUNDEL, H. L., & NODINE, C. F. (1980). Performance of a computer system for recording eye fixations using limbus reflection. *12*, 63-66.
- DAVIDSON, B. J. (1981). A rotating buffer system for on-line collection of eye monitor data. *13*, 112-114.
- ENGELKEN, E. J., STEVENS, K. W., & WOLFE, J. W. (1982). Application of digital filters in the processing of eye movement data. *14*, 314-319.
- EVANS, J. E., III, & GUTMAN, J. C. (1978). Minicomputer processing of dual Purkinje image eye-tracker data. *10*, 701-704.
- FISHER, D. G., & ROTHKOPF, E. Z. (1982). An automated eye movement laboratory for on-line electrooculography. *14*, 113-120.
- HAINLINE, L. (1981). An automated eye movement recording system for use with human infants. *13*, 20-24.
- HARRIS, C. A., HAINLINE, L., & ABRAMOV, I. (1981). A method for calibrating an eye-monitoring system for use with infants. *13*, 11-17.
- KLIEGL, R. (1981). Automated and interactive analysis of eye fixation data in reading. *13*, 115-120.
- KLIEGL, R., & OLSON, R. K. (1981). Reduction and calibration of eye monitor data. *13*, 107-111.
- LAEFKY, I. M., & ROEMER, R. A. (1978). A real-time control system for CAI and prothesis. *10*, 182-185.
- LOFTUS, G. R. (1979). On-line eye movement recorders: The good, the bad, and the ugly. *11*, 188-191.

- MANDEL, T. S. (1979). Eye movement research on the propositional structure of short texts. **11**, 180-187.
- MCCKONKIE, G. W., ZOLA, D., WOLVERTON, G. S., & BURNS, D. D. (1978). Eye movement contingent display control in studying reading. **10**, 154-166.
- NETTLETON, N. C., WOOD, R. G., BRADSHAW, J. L., THOMAS, C. D. L., & DONAHOO, K. B. (1983). A moving video window or mask yoked to eye movements: A system to permit free ocular scanning within delimited areas of the visual field. **15**, 487-496.
- O'REGAN, K. (1978). A new horizontal eye movement calibration method: Subject-controlled "smooth pursuit" and "zero drift." **10**, 393-397.
- RAYNER, K. (1979). Eye movements and cognitive psychology: On-line computer approaches to studying visual information processing. **11**, 164-171.
- RUSSO, J. E. (1979). A software system for the collection of retrospective protocols prompted by eye fixations. **11**, 177-179.
- SCINTO, L. F. M., & BARNETTE, B. D. (1986). An algorithm for determining clusters, pairs or singletons in eye-movement scan-path records. **18**, 41-44.
- SHEPHERD, M. (1984). EMDISP: A visual display system with digital and analogue sampling. **16**, 297-302.
- WIJNEN, J. L. C., & GROOT, C. J. (1984). An eye movement analysis system (EMAS) for the identification of cognitive processes on figural tasks. **16**, 277-281.
- OSAKA, N. (1979). A microprocessor-based real-time BASIC random interstimulus interval generator with different probability density functions. **11**, 581-584.
- PALYA, W. L., ORTEGA, J., & WILSON, J. B. (1982). An inexpensive CRT terminal controller/computer. **14**, 92-98.
- PARKS, E. R. (1978). A general-purpose microcomputer configuration for controlling experiments. **10**, 480-484.
- PERERA, T. B. (1980). Using the TRS-80 cassette tape recorder as a voice key. **12**, 259-260.
- PERLMAN, G. (1982). Experimental control programs for the UNIX operating system. **14**, 417-421.
- PERONE, M. (1985). A software system for real-time laboratory use of TRS-80 microcomputers. **17**, 119-121.
- POLSON, P. G., MILLER, J. R., & KARAT, J. (1981). Psychological experimentation through direct connection of the subject interface to a VAX. **13**, 189-191.
- POLTROCK, S. E., & FOLTZ, G. S. (1982). An experimental psychology laboratory system for the Apple II microcomputer. **14**, 103-108.
- POST, T. A., & FOX, J. L. (1982). Programming experiments on a TERA 8510/A microcomputer. **14**, 276-280.
- PROUDFOOT, R. G. (1978). YEPS: Running real-time experiments on a timesharing system. **10**, 291-296.
- RAYFIELD, F. (1982). Experimental control and data acquisition with BASIC in the Apple computer. **14**, 409-411.
- REED, A. V. (1982). The Radio Shack color computer in the experimental psychology laboratory: An evaluation. **14**, 109-112.
- RUSH, D. K. (1986). Apple II assembly language routines for digital data acquisition and contingency control. **18**, 32-35.
- SCHULL, J., & KAMINER, E. M. (1987). ESI: Easy software interfacing tools for Turbo Pascal programming of digital input-output devices. **19**, 199-204.
- SHERAK, R. (1982). A real-time software voice key and an application. **14**, 124-127.
- TOMBAUGH, J. W., DILLON, R. F., MILLMAN, B., & BEZANSON, W. R. (1979). A microcomputer-controlled laboratory: Software. **11**, 301-310.
- WALTER, D. E., & PALYA, W. L. (1984). An inexpensive experiment controller for stand-alone applications or distributed processing networks. **16**, 125-134.

General Research Applications

- CRISWELL, H. E., & BABCOCK, B. (1978). A low-cost high-speed digital data acquisition and display system. **10**, 476-479.
- CUTCOMB, S. D., BOLSTER, R. B., & PRIBRAM, K. H. (1981). DADTA VI: A minicomputer-based video control system for the analysis of behavioral and electrophysiological data. **13**, 337-340.
- DERR, M. A., WRIGHT, C. E., & CORIELL, A. S. (1982). A satellite system for controlling real-time experiments. **14**, 264-271.
- DILLON, R. F., MILLMAN, B., TOMBAUGH, J. W., FERGUSON, W. R., & BEZANSON, W. R. (1979). A microcomputer-controlled laboratory: Hardware. **11**, 293-300.
- EAMON, D. B., & BUTLER, D. L. (1987). Writing programs on the Apple for the student psychology laboratory: Routines, subroutines, and sources of information. **19**, 88-98.
- FINLEY, G. (1985). Laboratory functions for the Tecmar Lab Tender and IBM PC. **17**, 397-398.
- HETH, C. D. (1980). The AIM-65 microcomputer as a laboratory control device. **12**, 364-366.
- HOWARD, J. H., JR. (1979). A multipurpose laboratory package for OS/8 BASIC. **11**, 437-444.
- KALLMAN, H. J. (1986). A Commodore 64-based experimental psychology laboratory. **18**, 222-227.
- KASHINSKY, W. M., ROMANCZYK, R. G., & TREIBER, A. (1979). The presentation of visual stimuli: An inexpensive microcomputer-based system. **11**, 64-66.
- LANE, D. M., & ASHBY, B. (1987). PsychLib: A library of machine language routines for controlling psychology experiments on the Apple Macintosh computer. **19**, 246-248.
- MAXWELL, K. J., & SCHVANEVELDT, R. W. (1983). The PSYCHLAB programming system: A tool for developing experimental control programs. **15**, 49-56.
- OLCH, R. H., & HECHT, S. E. (1979). Microcomputer graphics in psychological research. **11**, 119-126.

Other Research Applications

- ARMSTRONG, G. C. (1985). Computer-aided analysis of in-flight physiological measurement. **17**, 183-185.
- BENIGNUS, V. A., & PRAH, J. D. (1980). A computer-controlled vapor-dilution olfactometer. **12**, 535-540.
- BERG, B. G., & CASTELLAN, N. J., JR. (1987). Adaptive rating scales in sequential decisions. **19**, 237-242.
- BIRCHNELL, J. (1981). The use of the computer in life history research. **13**, 624-628.
- DICKSON-PARNELL, B., JONES, M., BRADY, D., & PARNELL, C. P. (1987). Assessment of body image perceptions using a computer program. **19**, 353-354.
- GUY, R. F., POL, L. G., & BRANDON, C. W. (1982). Geographic coding of addresses: A computer system. **14**, 427-428.
- HARRIS, S. D., NORTH, R. A., & OWENS, J. M. (1978). A system for the assessment of human performance in concurrent verbal and manual control tasks. **10**, 329-333.
- HOOPER, K. (1981). The use of computer-controlled video disks in the study of spatial learning. **13**, 77-84.
- KAPLAN, H. L. (1985). When do professional psychologists need professional programmers' tools? **17**, 546-550.

- KAPLAN, H. L. (1987). Incorporating good programs into the larger laboratory context. **19**, 210-214.
- LINDHOLM, E., & SISSON, N. (1985). Physiological assessment of pilot workload in simulated and actual flight environments. **17**, 191-194.
- MORRIS, T. L. (1985). Electrooculographic indices of changes in simulated flying performance. **17**, 176-182.
- ONIFER, W., HIRSHKOWITZ, M., & SWINNEY, D. (1978). A miniprocessor PDP8/e-based system for investigations of on-line language processing: Automated program for psycholinguistic experiments (APPLE). **10**, 307-308.
- SCHIEBER, F., & SNYDER, C. W. (1987). A hardware and software interface for sensing changes in rotary position with an Apple II microcomputer. **19**, 311-314.

Perception and Sensation

- ANDERSON, L. A., & LANE, D. M. (1987). Demonstration experiments in perception and cognitive psychology for the Macintosh computer. **19**, 249-251.
- BLOUGH, D. S. (1977). Photoelectric recording of pigeon-peck responses to computer-driven visual displays. **9**, 259-262.
- BOWKER, D. O. (1982). Audio-range frequency-counter subroutine for the Apple II. **14**, 367-368.
- CAVANAGH, P., & ANSTIS, S. M. (1980). Visual psychophysics on the Apple II: Getting started. **12**, 614-626.
- CHOLEWIAK, R. W., & SHERRICK, C. E. (1981). A computer-controlled matrix system for presentation to the skin of complex spatiotemporal patterns. **13**, 667-673.
- COREN, S. (1986). Computerizing the perception laboratory: Surviving the transition. **18**, 637-643.
- CORWIN, T. R., & BEATY, W. J. (1985). An encoding multiple-key response unit. **17**, 474-475.
- CORWIN, T. R., KINTZ, R. T., & BEATY, W. J. (1979). Computer-aided estimation of psychophysical thresholds by Wetherill tracking. **11**, 526-528.
- CZERNY, P. (1979). Godot: A real-time data acquisition and control program for the PET microcomputer. **11**, 577-580.
- GARDINER, G., FRANKS, I. M., & GOODMAN, D. (1987). A microcomputer-based tracking task for examination of the spatial and temporal organization of perceptual motor skill. **19**, 361-364.
- HARVEY, L. O., JR. (1986). Efficient estimation of sensory thresholds. **18**, 623-632.
- JENSEN, D. G. (1987). Facial perception studies using the Macintosh. **19**, 252-256.
- KORNBROT, D. E. (1981). ARTIST: A computer system for creating and running psychology experiments. **13**, 351-359.
- KRAMER, S. J., BERTENTHAL, B. I., & BAI, D. L. (1986). A computer-controlled laboratory for studying infant event perception. **18**, 257-262.
- LIEBERMAN, H. R. (1983). Computation of psychophysical thresholds using the probit technique. **15**, 446-448.
- LIEBERMAN, H. R., & PENTLAND, A. P. (1982). Microcomputer-based estimation of psychophysical thresholds: The Best PEST. **14**, 21-25.
- MYEROW, S. M., & MILLWARD, R. B. (1978). SPLIT: A sound editor for a PDP-8 computer. **10**, 281-284.
- O'MARA, P. A., ZWICK, H., & VAN SICE, C. W. (1981). A microcomputer-controlled solid-state dark adaptometer. **13**, 747-752.
- OSAKA, N. (1979). A microprocessor-based real-time BASIC laboratory: A pulse motor-controlled visual stimulator. **11**, 549-552.

- POLTROCK, S. E., & CARR, W. G. (1980). A flexible computer-controlled perception laboratory. **12**, 132-136.
- PROFFITT, D. R., & KAISER, M. K. (1986). The use of computer graphics animation in motion perception research. **18**, 487-492.
- SHANTZ, M., & POIZNER, H. (1982). A computer program to synthesize American Sign Language. **14**, 467-474.
- SHELTON, B. R. (1983). Rapid calculation procedures for the maximum-likelihood method of adaptive psychophysics. **15**, 87-88.
- SNODGRASS, J. G., SMITH, B., FEENAN, K., & CORWIN, J. (1987). Fragmenting pictures on the Apple Macintosh computer for experimental and clinical applications. **19**, 270-274.
- TSUI, W. H., & VAN GELDER, P. (1979). A general-purpose data extraction language. **11**, 199-204.
- VAN GELDER, P., TODD, J., & TSUI, W. H. (1979). Data acquisition software for high data rate experiments. **11**, 192-198.

Problem Solving/Thinking

- BONAR, J., EHRLICH, K., SOLOWAY, E., & RUBIN, E. (1982). Collecting and analyzing on-line protocols from novice programmers. **14**, 203-209.
- DELLAROSA, D. (1986). A computer simulation of children's arithmetic word-problem solving. **18**, 147-154.
- GOLDSTEIN, L., & MOORE, T. (1983). Mechanical deductive techniques: Three microcomputer packages. **15**, 545-546.
- GRAHAM, C., COOK, M. R., COHEN, H. D., PHELPS, J. W., & GERKOVICH, M. M. (1985). STAR: A unique embedded performance assessment technique. **17**, 642-651.
- GREITZER, F. L., HERSHMAN, R. L., & KELLY, R. T. (1981). The Air Defense Game: A microcomputer program for research in human performance. **13**, 57-59.
- HARRIS, G. J., GAVURIN, E. I., & GORDON, M. L. (1978). A FORTRAN IV program for generating anagrams and for computing several indices in anagram research. **10**, 431-432.
- JEFFRIES, R., & KARAT, J. (1979). A general-purpose program for problem solving experimentation. **11**, 205-207.
- NEWSOME, S. L., & KATZ, I. R. (1987). The influence of structure on computer program comprehension. **19**, 152-155.
- ONKEN, J., & REVELLE, W. (1984). ANATEST: A program to generate geometric analogy problems varying in number of elements and number of transformations. **16**, 333-334.
- PSOTKA, J. (1981). Simulating second-guessing in on-line probability learning. **13**, 268-270.
- SCHUMACHER, R. M., DECOSTE, D., DUGAN, D., & GRUNZKE, P. M. (1986). Three programs for evaluation of human-computer interaction. **18**, 476-477.
- SEBRECHTS, M. M., & GROSS, P. H. (1985). Programming in natural language: A descriptive analysis. **17**, 268-274.
- TURNBULL, S. K., MIKITTEN, T. T., & MIKITTEN, S. (1980). CONCEPTS: A program for microcomputer-controlled experimentation in concept attainment. **12**, 631-632.
- WOOD, L. E. (1980). An "intelligent" program to teach logical thinking skills. **12**, 256-258.

Psychopathology

- CROMWELL, R. L., & SPAULDING, W. (1979). A microprocessor-based psychopathology laboratory: I. Why bother? **11**, 241-242.
- HUNTZINGER, R. S., & SPACE, L. G. (1979). A microprocessor-based psychopathology laboratory: IV. Software design. **11**, 253-256.

- SPACE, L. G., & HUNTZINGER, R. S. (1979). A microprocessor-based psychopathology laboratory: III. Hardware. *11*, 247-252.
- SPAULDING, W., HARGROVE, D. S., CRINEAN, W. J., & MARTIN, T. (1981). A microcomputer-based laboratory for psychopathology research in rural settings. *13*, 616-623.
- SPAULDING, W., & SPACE, L. G. (1979). A microprocessor-based psychopathology laboratory: II. Research goals and design prerequisites. *11*, 243-246.

Reaction Time

- ALLEN, R. B. (1978). FOEP: A FORTRAN-based experimental package. *10*, 63-64.
- BRICKETT, P. A., DAVIS, C. M., GABERT, H. F., & MODIGLIANI, V. (1980). Dual on-line computers for research in cognitive psychophysiology. *12*, 248-250.
- BÜHRER, M., SPARRER, B., & WEITKUNAT, R. (1987). Interval timing routines for the IBM PC/XT/AT microcomputer family. *19*, 327-334.
- COYNE, A. C. (1987). A software-based millisecond timer for the CP/M operating system. *19*, 47-48.
- DLHOPOLSKY, J. G. (1982). Software synchronizing of video displays and Z-80 processing in the Model III TRS-80. *14*, 539-544.
- FEENEY, W. R. (1978). Timing individuals in a group using a computer-generated code sequence. *10*, 715-717.
- GOTTSDANKER, R., PERKINS, T., & AFTAB, J. (1986). Studying reaction time with nonaging intervals: An effective procedure. *18*, 287-292.
- GRAVES, R., & BRADLEY, R. (1987). Millisecond interval timer and auditory reaction time programs for the IBM PC. *19*, 30-35.
- GRICE, G. R. (1981). Accurate reaction time research with the TRS-80 microcomputer. *13*, 674-676.
- HORMANN, C. A., & ALLEN, J. D. (1987). An accurate millisecond timer for the Commodore 64 or 128. *19*, 36-41.
- LANE, D. M., & ASHBY, B. (1987). PsychLib: A library of machine language routines for controlling psychology experiments on the Apple Macintosh computer. *19*, 246-248.
- MARCUS, R. R., HORVATH, S. M., & GLINER, J. A. (1978). A microcomputer-controlled complex reaction time instrument. *10*, 548-551.
- MERIKLE, P. M., CHEESMAN, J., & BRAY, J. (1982). PET Flasher: A machine language subroutine for timing visual displays and response latencies. *14*, 26-28.
- OWINGS, R. A., & FIEDLER, C. H. (1979). Measuring reaction time with millisecond accuracy using the TRS-80 microcomputer. *11*, 589-591.
- POST, T. (1979). Software control of reaction time studies. *11*, 208-211.
- SANTA, J. L., & STREIT, P. (1978). A microprocessor reaction time laboratory. *10*, 352-355.
- SAWYER, T. A., & CASTELLAN, N. J., JR. (1985). A microcomputer-based technique for measuring response times in written protocols. *17*, 503-504.
- SHAFFER, W. O., & SCHOLZ, K. W. (1980). Using the Heath H11 for reaction time experiments and computer-assisted instruction. *12*, 232-235.
- WHITNEY, P. (1986). MEANCOMP: A Pascal program for computing mean reaction times with outlier selection. *18*, 53.
- WRIGHT, R. D. (1986). Amiga 1000 hardware timing and reaction-time key interfacing. *18*, 463-465.

Reading Research

- AARONSON, D. (1984). Computer methods and ecological validity in reading research. *16*, 102-108.
- BROMLEY, H. J., JARVELLA, R. J., & LUNDBERG, I. (1985). From Lisp Machine to language lab. *17*, 399-402.
- DIXON, P. (1984). A new technique for measuring word processing time in reading. *16*, 109-114.
- GRANAAS, M. M. (1985). Simple, applied text parsing. *17*, 209-216.
- JORDAN, T., & MARTIN, C. (1987). The importance of visual angle in word recognition: A "shrinking screen" modification for visual displays. *19*, 307-310.
- MCCONKIE, G. W., ZOLA, D., WOLVERTON, G. S., & BURNS, D. D. (1978). Eye movement contingent display control in studying reading. *10*, 154-166.
- NOBLET, A., RIDELAIRE, H., & SYLIN, G. (1985). Equipment for the study of operating processes in braille reading. *17*, 107-113.
- POST, T. A. (1984). Using word reading time in text processing research. *16*, 115-120.
- TAYLOR, G. A., KLITZKE, D., & MASSARO, D. W. (1978). A visual display system for reading and visual perception research. *10*, 148-153.
- WOLLEN, K. A., CONE, R. S., MARGRES, M. G., & WOLLEN, B. P. (1985). Computer programs to facilitate detailed analysis of how people study text passages. *17*, 371-378.
- YOUNG, S. R. (1984). RSVP: A task, reading aid, and research tool. *16*, 121-124.

Social

- CHAPMAN, J., HU, L.-T., & MULLEN, B. (1986). GROUP1 and GROUP2: BASIC programs for laboratory research on the commons dilemma and group persuasion. *18*, 466-467.
- ERGNER, D., & WELLENS, A. R. (1985). A split-screen electronic messaging system for Apple II computers. *17*, 556-564.
- FAZIO, R. H., & BACKLER, M. H. (1983). Computer lessons for a social psychology research methods course. *15*, 135-137.
- GROVE, T. G., & HAYS, J. (1978). IPALION: A FORTRAN IV program for comparing interpersonal perceptions in dyads. *10*, 747-749.
- HEATH, T. B., & MILLER, C. E. (1985). MULTIVALUE: A BASIC program for computing theoretical predictions for simple and multivalued coalition games. *17*, 511-512.
- HOLT, R. W. (1983). Applications of the PLATO computer system to research in social psychology. *15*, 145-147.
- KRAVITZ, D. A., & WALKER, J. A. (1984). COALPRED: A BASIC program for computing predictions of five coalition theories. *16*, 69-70.
- LAGUARDIA, R. L. (1982). The application of computer systems to research in experimental social psychology. *14*, 250-253.
- LEVINE, J. M., MCKNIGHT, R. J., & GREEN, S. M. (1983). GROUPCOM: VAX-based software for conducting small-group research. *15*, 613-614.
- LEVINE, J. M., & STEIN, H. (1978). GROUPCOM: A computer program for investigating social processes in small groups. *10*, 191-195.
- MARKMAN, H. J., & POLTROCK, S. E. (1982). A computerized system for recording and analysis of self-observations of couples' interaction. *14*, 186-190.
- TASSINARY, L. G., MARSHALL-GODELL, B. S., & CACIOPPO,

- J. T. (1985). Microcomputers in social psychophysiological research: An overview. **17**, 532-536.
- ZIMMERMAN, D. P. (1987). Effects of computer conferencing on the language use of emotionally disturbed adolescents. **19**, 224-230.

Vision

- BLOUGH, D. S. (1977). Photoelectric recording of pigeon-peck responses to computer-driven visual displays. **9**, 259-262.
- BRADDICK, O. (1977). Real-time generation of random-element motion displays. **9**, 359-362.
- BRADEN, W., HAIER, R. J., & SPACE L. G. (1983). A microcomputer-based system for evoked-potential augmenting/reducing measurements. **15**, 441-445.
- BRAUNSTEIN, M. L. (1986). Dynamic stereo displays for research on the recovery of three-dimensional structure. **18**, 522-530.
- BRUSSELL, E. M., & DIXON, M. (1986). Raster versus calligraphic display devices for assessing visual performance: The influence of stimulus area and uncertainty. **18**, 347-358.
- CAELLI, T. (1986). Digital image-processing techniques for the display of images and modeling of visual perception. **18**, 493-506.
- CAVANAGH, P., & ANSTIS, S. M. (1980). Visual psychophysics on the Apple II: Getting started. **12**, 614-626.
- CHANG, J. J. (1986). Theoretical and methodological approaches to apparent movement of short-range process and pattern perception. **18**, 542-550.
- COREN, S. (1986). Computerizing the perception laboratory: Surviving the transition. **18**, 637-643.
- COREN, S. (1986). The Farnsworth-Munsell 100-hue test: A BASIC program for scoring and analysis. **18**, 323-324.
- CRAFT, W. D., PAYNE, T. J., & LAPPIN, J. S. (1986). Computer-controlled displays of bending motions. **18**, 518-521.
- DI LOLLO, V., & FINLEY, G. (1986). Equating the brightness of brief visual stimuli of unequal durations. **18**, 582-586.
- GROSSBERG, S., & MINGOLLA, E. (1986). Computer simulation of neural networks for perceptual psychology. **18**, 601-607.
- HEELEY, D. W. (1979). A computer-controlled laser interferometer. **11**, 523-525.
- KITTERLE, F. L., & JONES, R. (1986). A programmable, multi-function dual-channel waveform generator for visual psychophysics. **18**, 571-581.
- KNOBLAUCH, K. (1986). TVR: A BASIC implementation of Stiles's analysis of the two-color increment-threshold paradigm. **18**, 393-394.
- LOOMIS, J. M. (1986). Scan-display of high-resolution images using the Apple II. **18**, 36-40.
- MASHOUR, M., & HOLMBERG, T. (1982). On central vision activity and peripheral sensitivity: A method with potentialities for research on a range of problems in visual perception. **14**, 441-445.
- MILKMAN, N., SHAPLEY, R., & SCHICK, G. (1978). A microcomputer-based visual stimulator. **10**, 539-545.
- MINGOLLA, E. (1986). Computer graphics and surface perception. **18**, 531-534.
- MORRISON, I. (1983). Compact representations of positional knowledge in short and long words for letters and features. **15**, 406-412.
- O'MARA, P. A., ZWICK, H., & VAN SICE, C. W. (1981). A microcomputer-controlled solid-state dark adaptometer. **13**, 747-752.
- OSAKA, N. (1985). The Maxwellian optics laboratory automation using a personal computer. **17**, 206-208.
- PROFFITT, D. R., & KAISER, M. K. (1986). The use of computer graphics animation in motion perception research. **18**, 487-492.
- ROBERTSON, S. A. (1977). A note concerning a BASIC display generator for search tasks. **9**, 538.
- ROSENFELD, A. (1986). Pyramid algorithms for perceptual organization. **18**, 595-600.
- SAVOY, R. L. (1986). Making quantized images appear smooth: Tricks of the trade in vision research. **18**, 507-517.
- SPAIN, E. H., & IKI, D. H. (1986). An optical videodisk system for visual performance testing with stereoscopic TV displays. **18**, 565-570.
- TAYLOR, G. A., KLITZKE, D., & MASSARO, D. W. (1978). A visual display system for reading and visual perception research. **10**, 148-153.
- TORREY, C. C. (1986). Occluding edge displays and random-dot stereograms on the Apple II. **18**, 321-322.
- TYNAN, P., & ARMSTRONG, R. (1978). Computer control of grating phase and movement. **10**, 167-169.
- UTTAL, W. R. (1986). Computers in Vision Research: Introduction. **18**, 484-486.
- VOKEY, J. R., BAKER, J. G., HAYMAN, G., & JACOBY, L. L. (1986). Perceptual identification of visually degraded stimuli. **18**, 1-9.
- WANDELL, B. A. (1984). Visual sensing by humans and computers. **16**, 88-95.
- WATSON, A. B., NIELSEN, K. R. K., POIRSON, A., FITZHUGH, A., BILSON, A., NGUYEN, K., & AHUMADA, A. J., JR. (1986). Use of a raster framebuffer in vision research. **18**, 587-594.
- WESTHEIMER, G. (1986). Computers in spatial vision research. **18**, 633-636.
- ZUCKER, S. W. (1986). The computational connection in vision: Early orientation selection. **18**, 608-617.

SIMULATIONS AND MODELS

Animal Behavior

- BEKOFF, M., & MECH, L. D. (1984). Simulation analyses of space use: Home range estimates, variability, and sample size. **16**, 32-37.
- STRICKLIN, W. R., GRAVES, H. B., & WILSON, L. L. (1977). DISTANGLE: A FORTRAN program to analyze and simulate spacing behavior of animals. **9**, 367-370.
- WILKIE, D. M., & PALFREY, R. (1987). A computer simulation model of rats' place navigation in the Morris water maze. **19**, 400-403.

Audition

- BREMNER, F. J., YOST, M., & SULLIVAN, L. (1987). A parallel but not necessarily connectionist model of the auditory system. **19**, 148-151.

Biopsychology/Psychophysiology

- YOST, M., BREMNER, F., & STRAUSS, R. (1987). Simulation of motor-neuronal networks. **19**, 113-116.

Cognition and Memory

- FISHER, M. A. (1977). Simulation of the Fisher-Zeaman multiple-look attention theory. **9**, 365-366.
- HINTZMAN, D. L. (1984). MINERVA2: A simulation model of human memory. **16**, 96-101.

- HUNT, E. (1983). Simulation in PASCAL. **15**, 305-307.
- KIERAS, D. (1985). The why, when, and how of cognitive simulation: A tutorial. **17**, 279-285.
- LANGLEY, P. (1983). Exploring the space of cognitive architectures. **15**, 289-299.
- LESGOLD, A. M. (1981). Cognitive simulation modeling on the VAX-11. **13**, 192-194.
- LESGOLD, A. (1983). Experiences in building a simulation environment for psychology. **15**, 284-288.
- NECHES, R. (1982). Simulation systems for cognitive psychology. **14**, 77-91.
- SPETCH, M. L., & WILKIE, D. M. (1980). A program that simulates random choice in radial arm mazes and similar choice situations. **12**, 377-378.
- WILKIE, D. M., & PALFREY, R. (1987). A computer simulation model of rats' place navigation in the Morris water maze. **19**, 400-403.
- YOUNG, S. R. (1985). Programming simulations of cognitive processes: An example of building macrostructures. **17**, 286-293.

Conditioning

- BENEDICT, J. O. (1979). CLASCONSIM: A computer program to simulate experiments in classical conditioning. **11**, 603-604.
- BOND, N. W., & SIDDLE, D. A. T. (1987). Learning and motivation: Computer simulations of the Rescorla-Wagner, Solomon-Corbit, and Schull models. **19**, 404-406.
- DALY, H. B., & DALY, J. T. (1984). DMOD—A mathematical model of reward and aversive nonreward in appetitive learning situations: Program and instruction manual. **16**, 38-52.
- DALY, H. B., & DALY, J. T. (1987). A computer simulation/mathematical model of learning: Extension of DMOD from appetitive to aversive situations. **19**, 108-112.
- ROBERTSON, S. A. (1977). SIMLEN: A response sampling algorithm to simulate some features of learning. **9**, 526-528.

Other Simulations and Models

- GAITHER, D. M., JR., & ZUSNE, L. (1978). Simulation of the telepathy experiment with Zener cards. **10**, 78-80.
- MCARDLE, J. J. (1980). Causal modeling applied to psychonomic systems simulation. **12**, 193-209.
- NORMAN, K. L. (1979). SIMILE: A FORTRAN program package for stimulus-integration models. **11**, 79-80.
- POIZNER, H., WOOTEN, E., & SALOT, D. (1986). Computer-graphic modeling and analysis: A portable system for tracking arm movements in three-dimensional space. **18**, 427-433.
- THIBADEAU, R. (1983). CAPS: A language for modeling highly skilled knowledge-intensive behavior. **15**, 300-304.

Perception and Sensation

- GROSSBERG, S., & MINGOLLA, E. (1986). Computer simulation of neural networks for perceptual psychology. **18**, 601-607.

Problem Solving/Thinking

- DELLAROSA, D. (1986). A computer simulation of children's arithmetic word-problem solving. **18**, 147-154.
- FLETCHER, C. R. (1985). Understanding and solving arithmetic word problems: A computer simulation. **17**, 565-571.
- Thorson, E., & Buss, T. F. (1977). Using computer conferencing to formulate a computer simulation of transitive behavior. **9**, 81-86.

Social

- LEVINE, J. M., & STEIN, H. (1978). GROUPCOM: A computer program for investigating social processes in small groups. **10**, 191-195.
- NAGAO, D. H., & HINSZ, V. B. (1980). SCHEME: An interactive FORTRAN program to analyze and simulate group decision data. **12**, 484-486.

Vision

- EMERSON, P. L. (1986). A honeycomb data array for simulating visual processes using the C programming language. **18**, 312-320.
- GROSSBERG, S., & MINGOLLA, E. (1986). Computer simulation of neural networks for perceptual psychology. **18**, 601-607.
- HALFF, L. A. (1987). A spreadsheet simulation of the early stages of visual information processing. **19**, 117-122.
- ROYER, F. L., RZESZOTARSKI, M. S., & GILMORE, G. C. (1983). Application of two-dimensional Fourier transforms to problems of visual perception. **15**, 319-326.
- SCHWEITZER-TONG, D. E. (1983). The photoneuromine: An artificial visual neuron for dynamic testing of computer-controlled experiments. **15**, 9-12.

SOFTWARE

- PALYA, W. L. (1978). A source handbook for Digital Equipment Corporation LSI-11-compatible products. **10**, 488-509.

Evaluation and Comparison

- BAILEY, D. E., & CARTWRIGHT, D. S. (1979). The BC TRY integrated statistical computer package. **11**, 407-413.
- BERK, R. A. (1977). Survey of integrated statistical computer packages. **9**, 277-280.
- BOWLES, K. L., & HOLLAN, J. D. (1978). An introduction to the UCSD PASCAL system. **10**, 531-534.
- BROWN, R. L. (1986). A comparison of the LISREL and EQS programs for obtaining parameter estimates in confirmatory factor analysis studies. **18**, 382-388.
- BUTLER, D. L., & EAMON, D. B. (1985). An evaluation of statistical software for research and instruction. **17**, 352-358.
- BUTLER, D. L., & JONES, S. K. (1987). A comparison of inexpensive statistical packages for Apple II microcomputers. **19**, 99-103.
- BUTLER, F. E. (1980). MicroSKED. **12**, 152-154.
- EAMON, D. B., & BUTLER, D. L. (1985). Instructional programs for psychology: A review and analysis. **17**, 345-351.
- EDDY, D. R., & BREMNER, F. J. (1983). Computer packages that contain the FFT. **15**, 254-257.
- GREENE, B. G., LOGAN, J. S., & PISONI, D. B. (1986). Perception of synthetic speech produced automatically by rule: Intelligibility of eight text-to-speech systems. **18**, 100-107.
- KAPLAN, H. L. (1980). Applications of multiprogramming software to real-time experiments in psychology. **12**, 137-151.
- KAPLAN, H. L. (1985). When do professional psychologists need professional programmers' tools? **17**, 546-550.
- LEHMAN, R. S. (1986). Macintosh statistical packages. **18**, 177-187.
- MARSHALL-GOODALL, B., SCHREURS, B. G., & GORMEZANO, I. (1982). Ruler vs. the Apple II/FIRST system analysis of analog signals in classical conditioning. **14**, 519-525.
- MULLEN, B. (1986). BASIC meta-analysis: Description of a statistical package. **18**, 165-167.

- PERLMAN, G., & HORAN, F. L. (1986). Report on UNIX|STAT release 5.1: Data analysis programs for UNIX and MSDOS. **18**, 168-176.
- WALKER, E. C. T. (1977). Performing item- and subject-based analyses using ALICE. **9**, 3-4.

MINITAB

- BROWN, R. L. (1984). ANOVR: Minitab macro routines for calculating ANalysis Of Variance with Repeated measures. **16**, 395-396.
- BROWN, R. L. (1985). RANCOVA: A Minitab macro for the calculation of nonparametric (ranked) analysis of covariance. **17**, 573-575.
- COLLIS, G. M. (1986). A MINITAB macro for testing marginal homogeneity in contingency tables. **18**, 66-67.

SAS

- FREEDLAND, K. E. (1982). AUTOCODE: An SAS program to facilitate entry of sparsely coded data. **14**, 547.
- GREENBERG, E. A., & McISAAC, M. S. (1984). SIMATRIX: A program using the SAS system for multidimensional scaling analysis of sorting data. **16**, 407-408.
- ROBERTS, J. S., & JANNARONE, R. J. (1985). An interacting-item scale construction package. **17**, 423.
- YOUNG, F. W., TAKANE, Y., & LEWYCKYJ, R. (1978). ALSCAL: A nonmetric multidimensional scaling program with several individual-differences options. **10**, 451-453.

SPSS

- HEADLEY, D. B. (1980). Capability of SPSS subprogram ANOVA to handle repeated-measures and nested designs. **12**, 559-561.
- VAN DE WIJGAART, C. (1981). Program package STAP: A statistical appendix. **13**, 379-380.

SOUND

- GIBSON, J. M. (1987). Using digitized auditory stimuli on the Macintosh computer. **19**, 257-259.
- O'DELL, J. W. (1987). Simple apparatus for producing auditory illusions. **19**, 355-356.
- SOOHOO, G., & MONTGOMERY, A. A. (1984). Stimulus tape generator: A package to present analog recordings according to user specifications. **16**, 337.

Synthesized Animal Communications

- BURKHOLDER, J. H., HILL, J. L., VAUGHN, W. J., & CASCIO, H. E. (1982). A broadband digitizing rat detector: Simultaneous recording from all sound frequencies in the range of rat ultrasonic vocalizations. **14**, 511-518.
- CAMPBELL, D. J., & FOREST, J. (1987). A cricket-song simulator using the 68705 single-chip microcomputer. **19**, 26-29.
- CAMPBELL, D. J., & LOHER, W. (1983). A microcomputer-based modulator for simulating insect songs and the response of crickets to an artificial calling song. **15**, 538-541.
- CLARK, C., DOOLING, R. J., & BUNNELL, T. (1983). Analysis and synthesis of bird vocalizations: An FFT-based software system. **15**, 251-253.
- DOOLING, R. J., CLARK, C., MILLER, R., & BUNNELL, T. (1982). Program package for the analysis and synthesis of animal vocalizations. **14**, 487.

- WILCOX, R. S., & KASHINSKY, W. M. (1980). A computerized method of analyzing and playing back vibratory animal signals. **12**, 361-363.

Tone Generator

- BALLAS, J. A., & HOUSTON, J. (1984). Evaluation of a sound-generator chip: The AY 3-8910. **16**, 282-284.
- LYNDON, J. T., & SCHWARTZ, S. (1983). Preparing dichotic tapes using a digital music synthesizer. **15**, 585-586.
- POLICH, J., FISCHER, A., & STARR, A. (1983). A programmable multiple-tone generator. **15**, 39-41.
- WILSON, A. J. (1980). A simple inexpensive computer-controlled tone generator. **12**, 569-570.

SPEECH

- BOGGS, G. J., ALLEY, R., & GUZDIAL, M. (1984). Digital speech recording and playback system using a multiprocessor architecture. **16**, 420-424.
- BOGGS, G. J., & CONNELLY, M. D. (1986). WFORM: A graphical speech-waveform editing and analysis system. **18**, 25-31.
- HEYMAN, R., BIRD, R. J., HEYMAN, R. L., & HARDING, J. (1981). Programs for the estimation of fundamental frequency, amplitude, and voicing of speech. **13**, 760.

Analysis of Speech

- ALPERT, M., MEREWETHER, F., HOMEL, P., MARTZ, J., & LOMASK, M. (1986). Voxcom: A system for analyzing natural speech in real time. **18**, 267-272.
- BRICKER, P. D., & PRUZANSKY, S. (1980). The validation of automatic methods for measuring conversational speech activity. **12**, 499-508.
- BROWN, E. F. (1979). Apparatus for collecting voice chronography data. **11**, 553-557.
- CAPPELLA, J. N., & STREIBEL, M. J. (1979). Computer analysis of talk-silence sequences: The FIASSCO system. **11**, 384-392.
- DABBS, J. M., JR., & EVANS, M. S. (1982). Electronic AVTA: Signal processing for automatic vocal transaction analysis. **14**, 461-462.
- DABBS, J. M., JR., & SWIEDLER, T. C. (1983). Group AVTA: A microcomputer system for group voice chronography. **15**, 79-84.
- GERVASIO, A. H. (1984). Computer-assisted analysis of conversation. **16**, 158-161.
- GOODING, S. T., GOODING, C. T., & SWIFT, J. N. (1982). A microcomputer-based pause analysis apparatus. **14**, 121-123.
- HARGROVE, D. S., & MARTIN, T. A. (1982). Development of a microcomputer system for verbal interaction analysis. **14**, 236-239.
- HORII, Y. (1983). An automatic analysis method of utterance and pause lengths and frequencies. **15**, 449-452.
- SHERAK, R. (1982). A real-time software voice key and an application. **14**, 124-127.
- VIDLICH, M. A., & WICKENS, C. D. (1985). Stimulus-central processing-response compatibility: Guidelines for the optimal use of speech technology. **17**, 243-249.

Synthesized Speech

- DiLORENZO, J. R., & ARDITI, A. (1987). Effect of artificial voice feedback delay in typing and its implications for the blind user. **19**, 283-285.

- FOULKE, E. (1987). Playing it by ear: Overcoming the limitations of speech synthesizers. **19**, 291-294.
- GREENE, B. G., LOGAN, J. S., & PISONI, D. B. (1986). Perception of synthetic speech produced automatically by rule: Intelligibility of eight text-to-speech systems. **18**, 100-107.
- KNIGHT, J. L., JR. (1977). Minicomputer presentation of speech stimuli. **9**, 169-172.
- LAMBERT, R. M. (1987). The challenge of rationality in computer access for the visually impaired. **19**, 286-290.
- NUSBAUM, H. C., & PISONI, D. B. (1985). Constraints on the perception of synthetic speech generated by rule. **17**, 235-242.
- OLSON, R., FOLTZ, G., & WISE, B. (1986). Reading instruction and remediation with the aid of computer speech. **18**, 93-99.
- ROSSON, M. B. (1985). Using synthetic speech for remote access to information. **17**, 250-252.
- SCHMIDT-NIELSEN, A. (1985). Problems in evaluating the real-world usability of digital voice communication systems. **17**, 226-234.
- SILVERMAN, K. E. A. (1986). FRED: An interactive graphics program to modify fundamental frequency contours in resynthesized speech. **18**, 395-397.
- STEVENSON, D. C., HOGAN, J. T., & ROZSYPAL, A. J. (1985). Generation of speech continua through monaural fusion. **17**, 102-106.
- VIDULICH, M. A., & WICKENS, C. D. (1985). Stimulus-central processing-response compatibility: Guidelines for the optimal use of speech technology. **17**, 243-249.
- COOKSEY, R. W. (1979). POSTHOC: A FORTRAN program for conducting post hoc multiple comparisons among means. **11**, 601.
- CORRIGAN, J. G., BONELLI, P. J., & BORYS, S. V. (1980). BASIC programs for one-way through four-way between-subjects and within-subjects ANOVAs. **12**, 468.
- CORRIGAN, J. G., BONELLI, P. J., & BORYS, S. V. (1980). BASIC programs for two-way through four-way mixed-design ANOVAs. **12**, 546.
- COULOMBE, D. (1984). Two-way ANOVA with and without repeated measurements, tests of simple main effects, and multiple comparisons for microcomputers. **16**, 397-398.
- COULOMBE, D. (1985). Two-way multivariate analysis of variance: A BASIC program for microcomputers. **17**, 137-139.
- DENI, R. (1977). BASIC-PLUS program for one-way and two-way within-subjects ANOVAs with post hoc Newman-Keuls. **9**, 371.
- DENI, R., LONGO, J., & MAKIN, J. W. (1980). A statistical package in BASIC for univariate analysis of variance. **12**, 564.
- DUNLAP, W. P., MARX, M. S., & AGAMY, G. J. (1981). FORTRAN IV functions for calculating probabilities associated with Dunnett's test. **13**, 363-366.
- EDGINGTON, E. S., & HALLER, O. (1982). A computer program for a randomization test for factorial analysis of variance. **14**, 348-349.
- FLEXSER, A. J. (1982). An interactive, self-instructing FORTRAN program for one- and two-way analyses of variance. **14**, 350.
- GALLA, J. P. (1981). Factorial analysis of variance with unequal observations: A BASIC program for microcomputers. **13**, 699-700.
- GALLA, J. P. (1982). Two-factor analysis of variance with one nested factor: A BASIC program for microcomputers. **14**, 499.
- GAMES, P. A., GRAY, G. S., & HERRON, W. L. (1980). ANOVR: Analysis of variance with repeated measures. **12**, 467.
- GILPIN, A. R. (1985). A BASIC program to compute Hotelling's T^2 and related measures. **17**, 509.
- HACKER, M. J., & ANGIOLILLO-BENT, J. S. (1981). A BASIC package for N-way ANOVA with repeated measures, trend analysis, and user-defined contrasts. **13**, 688.
- HAMOVITCH, M. (1979). Analysis of variance with APL: Improvements and extensions. **11**, 455-456.
- HARTLEY, L. (1980). BASIC language programs for one-, two-, three-, or four-factor within- and between-subjects ANOVAs for Apple II and Commodore PETs. **12**, 567.
- HATCH, J. P., HEARNE, E. M., III, & CLARK, G. M. (1982). A method of testing for serial correlation in univariate repeated-measures analyses of variance. **14**, 497-498.
- HEADLEY, D. B. (1980). Capability of SPSS subprogram ANOVA to handle repeated-measures and nested design. **12**, 559-561.
- LANE, D. M. (1981). A general analysis of variance program for microcomputers. **13**, 694.
- LANE, D. M., & BECHTEL, L. R. (1978). A FORTRAN IV program for profile analysis. **10**, 49-50.
- MCGOWAN, W. T., III (1978). EMATS: An interactive computer program (APL) for generating ANOVA model equations and error terms. **10**, 442-450.
- MCGOWAN, W. T., & APPEL, J. B. (1978). An APL program for calculating pairwise and nonpairwise a posteriori tests on means. **10**, 51-59.

STATISTICAL ANALYSIS

ANCOVA and Follow-Up Tests

- BROWN, R. L. (1985). RANCOVA: A Minitab macro for the calculation of nonparametric (ranked) analysis of covariance. **17**, 573-575.
- FISHBEIN, M. J., & WIXON, D. R. (1979). One-way ANCOVA: A BASIC program for minicomputers. **11**, 460.
- FRIENDLY, M. L., KRANE, W. R., & PAUNONEN, S. V. (1980). Interactive data entry to ACOVS: A program for the analysis of covariance structures. **12**, 634.
- GALLA, J. P. (1984). Simple analysis of covariance: A BASIC program for microcomputers. **16**, 564-565.
- POWELL, R. S., & LANE, D. M. (1979). CANCEOR: A general least-squares program for univariate and multivariate analysis of variance and covariance. **11**, 87-89.
- RAE, G. (1985). Quade's nonparametric analysis of covariance by matching. **17**, 421-422.
- RINDSKOPF, D. M., & HOEGLER, V. (1981). A FORTRAN program for two-group ANCOVA with corrections for unreliability. **13**, 368.

ANOVA & Follow-Up Tests

- ABEDI, J. (1979). A computer program for confounded factorial designs. **11**, 600.
- BERGER, M. P. F. (1977). STP: A subroutine for simultaneous test procedures and confidence intervals. **9**, 385.
- BROPHY, A. L. (1984). A BASIC program for Tukey's multiple comparison procedure. **16**, 67-68.
- BROWN, R. L. (1984). ANOVR: Minitab macro routines for calculating ANalysis Of Variance with Repeated measures. **16**, 395-396.

- NEURINGER, C. (1978). LEVTREND: A FORTRAN program for analyzing and displaying the results of repeated measures across multiple factors. **10**, 731.
- O'GRADY, K. E. (1986). Simultaneous tests and confidence intervals. **18**, 325-326.
- OGASAWARA, T. H. (1982). The calculation of the significance level of F, t, and r on the Apple II. **14**, 492-493.
- PARKER, R., & BORICH, G. (1980). POWERF: A program that computes the power of F tests in fixed-effects ANOVA designs. **12**, 76.
- POWELL, R. S., & LANE, D. M. (1979). CANCOR: A general least-squares program for univariate and multivariate analysis of variance and covariance. **11**, 87-89.
- RASMUSSEN, J. L. (1985). Data transformation maximizing homoscedasticity and within-group normality. **17**, 411-412.
- ROBERGE, J. J., & ROBERGE, J. (1977). A generalized non-parametric ANOVA program (Version 2). **9**, 28.
- SHAPIRO, N. R., & ROSELLINI, R. A. (1980). ANCOM: A BASIC program for analytical comparisons among means. **12**, 633.
- SOWDER, C. D. (1982). EXPECT: A PASCAL program for calculating expected values in ANOVA models. **14**, 500.
- STRANG, H. R. (1980). A BASIC factorial ANOVA program with a repeated-measures option for microprocessors. **12**, 477-478.
- ULLICH, J. R., & PITZ, G. F. (1977). A general purpose analysis of variance routine. **9**, 301.
- VON COLLANI, G. (1983). Computing probabilities for F, t, chi-square, and z in BASIC. **15**, 543-544.
- VON COLLANI, G., & WALOSZEK, G. (1983). UNIVARAN: A universal analysis of variance program. **15**, 607.
- WARNER, R. M. (1980). Round robin analysis of variance: A BASIC program for microprocessors. **12**, 67-68.
- WEISS, D. J. (1982). REPCOP: Repeated-measures planned comparisons and orthogonal polynomials. **14**, 44.
- WEISS, D. J., & SHANTEAU, J. C. (1982). Group-Individual POLYLIN. **14**, 430.
- WHITE, A. P., STILL, A. W., & HARRIS, P. W. (1978). RANOVA: A FORTRAN IV program for four-way Monte Carlo analysis of variance. **10**, 732.
- WOLACH, A. H. (1981). Multifactor ANOVAs with and without repeated measures: Programs for limited microcomputer systems. **13**, 697.
- WOLACH, A. H., & MCHALE, M. A. (1985). ANOVA programs for Timex/Sinclair 1000, 1500, and ZX81 microcomputers. **17**, 143.
- WOLACH, A. H., & MCHALE, M. A. (1987). F ratios and quasi F ratios for fixed, mixed, and random model ANOVAs. **19**, 409-412.
- WRIGHT, J., & LANE, D. M. (1978). A FORTRAN IV program for linear contrasts in designs with repeated measurements. **10**, 433-434.
- VON COLLANI, G. (1983). Computing probabilities for F, t, chi-square, and z in BASIC. **15**, 543-544.
- WOOD, L. D. (1985). High precision chi-square and normal curve integration. **17**, 429-431.

Cluster Analysis

- ECKES, T. (1986). A BASIC program package for the analysis of sorting data. **18**, 472-474.
- GILPIN, A. R. (1985). APCLUST: A versatile Apple II program to perform agglomerative hierarchical clustering analysis. **17**, 508.
- GILPIN, A. R. (1985). APPLECOR: An Apple II implementation of hierarchical clustering analysis using the CONCOR algorithm. **17**, 140.
- KLASTORIN, T. D., & LEDINGHAM, R. (1980). Program CLAN: A general-purpose, user-oriented cluster analysis program. **12**, 549-550.
- LEVY, C. M. (1985). A hierarchical grouping analysis program for the IBM Personal Computer. **17**, 577.
- LINCOLN, C. E. (1979). RECLUST—A FORTRAN program for cluster analysis of multitrial free recall data. **11**, 469-471.
- LUNT, P. K., & TILLER, D. K. (1986). INTRACCLUS: A FORTRAN 77 program for elucidating intracluster structure. **18**, 398.
- REVELLE, W. (1978). ICLUST: A cluster analytic approach to exploratory and confirmatory scale construction. **10**, 739-742.
- TILLER, D. K., & LUNT, P. K. (1985). SIMINDEX: A FORTRAN 77 program for converting sort data into similarity matrices. **17**, 418.
- WATKINS, M. W., & KUSH, J. C. (1985). An Apple computer program for hierarchical grouping analysis. **17**, 576.
- WHALEY, C. P. (1982). Interactive clustering. **14**, 170-175.
- ROACH, E. T., & WALSH, R. R. (1977). A FORTRAN IV program for the measurement and statistical analysis of higher order units of subjective organization in multitrial free recall learning. **9**, 35-49.

Correlations

- BIENIAS, J. L. (1987). Two BASIC programs to compare elements within and among correlation matrices. **19**, 57-58.
- BROPHY, A. L. (1986). An algorithm and program for calculation of Kendall's rank correlation coefficient. **18**, 45-46.
- BROUWER, U., & VIJN, P. (1980). RMISDAT: A computer program to estimate the population correlation coefficient based on incomplete data sets. **12**, 473-474.
- COULOMBE, D. (1984). Canonical correlation analysis: A BASIC system for microcomputers. **16**, 475-476.
- CROSBIE, J. (1986). A Pascal program to perform the Bonferroni multistage multiple-correlation procedure. **18**, 327-329.
- DUNLAP, W. P., & KEMERY, E. R. (1985). An interactive FORTRAN IV program for calculating aspects of power in correlational research. **17**, 437-440.
- EVANS, S., GAGE, F. H., & NEIDEFFER, J. D. (1980). APL programs for interactive data analysis: Correlation and data entry. **12**, 372-375.
- EVANS, S., & GILFILLAN, L. (1984). An APL system for interactive data analysis: Histograms, correlation, and regression. **16**, 454-462.
- FINSTUEN, K. (1978). RZTRAN: A FORTRAN IV program for weighted averaging of Pearson rs via Fisher's z transformation. **10**, 746.
- GALLA, J. P. (1987). Kendall's tau and Kendall's partial correlation: Two BASIC programs for microcomputers. **19**, 55-56.

Chi-Square

- BERRY, K. J., & MIELKE, P., JR. (1985). An APL function for Radlow and Alf's exact chi-square test. **17**, 131-132.
- BRADLEY, D. R., & CUTCOMB, S. (1977). Monte Carlo simulations and the chi-square test of independence. **9**, 193-201.
- DUNLAP, W. P. (1982). An interactive FORTRAN IV program for calculating aspects of power with dichotomous data. **14**, 422-424.
- TSAI, S. W., & POHL, N. F. (1979). CHI-B: An interactive BASIC program for analyzing the power of chi-square tests. **11**, 404.

- HAYASHI, T., & HAYS, R. D. (1987). A microcomputer program for analyzing multitrait-multimethod matrices. **19**, 345-348.
- HOLMES, W. M. (1982). Ill-conditioned correlation analyzer. **14**, 43.
- KENNY, D. A., & STIGLER, J. W. (1983). LEVEL: A FORTRAN IV program for correlational analysis of group-individual data structures. **15**, 606.
- MAYS, R. (1978). Correlation coefficients corrected for missing data. **10**, 420.
- MAZZEO, J., BORGSTROM, M., & SEELEY, G. W. (1982). Intraclass correlation: Estimation of the reliability of ratings. **14**, 45-46.
- RAE, G. (1982). Testing whether a population correlation coefficient corrected for attenuation is perfect. **14**, 494-496.
- STRAMLER, J. H., & LEWIS, J. L. (1980). PRTCM: A FORTRAN subroutine for rapid observation of correlations within a large correlation matrix. **12**, 471-472.
- STRUBE, M. J. (1985). ICC: A BASIC program for the calculation of intraclass correlations based on fixed effects and random effects models. **17**, 578.

Distributions

- BROPHY, A. L. (1983). Accuracy and speed of seven approximations of the normal distribution function. **15**, 604-605.
- BROPHY, A. L. (1985). Approximation of the inverse normal distribution function. **17**, 415-417.
- BROPHY, A. L. (1987). Efficient estimation of probabilities in the t distribution. **19**, 462-466.
- BURNS, E. (1977). A computer program to estimate a raw score frequency distribution from percentile ranks. **9**, 376-378.
- DUNLAP, W. P., & MYERS, L. (1984). FORTRAN IV functions for computing expected half-normal scores. **16**, 401-404.
- ELZINGA, C. H. (1985). BES: An algorithm for estimation in log-normal distributions. **17**, 505-507.
- EMERSON, P. L. (1979). Computer approximation of the inverse of the normal distribution function. **11**, 397-398.
- GENTRY, J. W. (1979). DISCRETE-TO-BETA: A FORTRAN IV program for converting discrete prior distributions into beta prior distributions. **11**, 90.
- GERBING, D. W. (1979). A FORTRAN program for providing feedback to individual subjects from a standard case by variable data matrix. **11**, 91.
- KNIGHT, J. L., JR. (1977). Calculational subroutines for target width and movement amplitude corrections and normal distribution parameters. **9**, 522-524.
- LARKIN, R. P. (1979). An algorithm for assessing bimodality vs. unimodality in a univariate distribution. **11**, 467-468.
- MOSKOWITZ, H., & BULLERS, W. I. (1979). A program for evaluating, fitting, and debiasing subjective probability distributions. **11**, 83-85.
- ROMESBURG, H. C., MARSHALL, K., & DEGRAFF, J. V. (1980). NGD—A FORTRAN IV program for fitting the normal generated distribution. **12**, 385-386.
- SMITS, G. J. (1981). A FORTRAN IV function to compute the probability of a standard normal deviate. **13**, 701.
- TILL, A. (1977). BETA: A FORTRAN IV program for calculating the mean, standard deviation, and the mode of the prior and posterior beta distributions. **9**, 543-544.
- WOOD, D. L. (1987). The last normal curve programs. **19**, 338-344.

Factor Analysis

- ALLAN, G. J. B. (1978). FAC1: An interactive FORTRAN program to calculate principal factor loadings. **10**, 861.
- BALLOUN, J. L., & OUMILIL, A. B. (1986). INTERMAX: A program for orthogonal analytical rotation by the intermax criterion. **18**, 331-336.
- BROWN, R. L. (1986). A comparison of the LISREL and EQS programs for obtaining parameter estimates in confirmatory factor analysis studies. **18**, 382-388.
- COULOMBE, D. (1984). Principal component analysis: A BASIC program for microcomputers. **16**, 477-478.
- FINSTUEN, K., & WENZEL, D. (1977). 3-D PLOT, a FORTRAN IV program for projecting a triplex of factor loadings. **9**, 300.
- GOW, D. J. (1978). OBLICON: A FORTRAN IV program for oblique confactor rotation. **10**, 429-430.
- HAMMOND, S. M. (1987). DETFAC: A program for assessing factor indeterminacy. **19**, 485-486.
- LANGHEINE, R., & SÖNNICHSEN, H. (1981). RCA: A program for regression component analysis. **13**, 761-762.
- MCCLOSKEY, J., & JACKSON, P. R. (1979). THREE-MODE: A FORTRAN IV program for three-mode factor analysis. **11**, 75-76.
- MORRIS, J. D. (1977). A computer program to cross-correlate several types of factors across separately factor-analyzed variable domains. **9**, 297-298.
- PARKER, R. M. (1979). FACLOD: A program to estimate the statistical significance of factor loadings. **11**, 393.
- REYNOLDS, R. V. C., TOBIN, D. L., & LOH, E. S. (1986). FAC-SORT: A program promoting efficient interpretation of factor analysis output. **18**, 330.
- SCHMITT, J. C. (1977). Factor analysis in BASIC for Minicomputers. **9**, 302-304.
- SNYDER, C. W., JR., LAW, H. G., & PAMMENT, P. R. (1979). Calculation of Tucker's three-mode common factor analysis. **11**, 609-611.
- SUGARMAN, D. B. (1983). Factor structure comparisons: Two BASIC programs for microprocessors. **15**, 542.
- WILSON, G. A., & FREDERICKSON, W. A. (1980). Factor rotation in interactive BASIC. **12**, 382.

Fourier Analysis

- EDDY, D. R., & BREMNER, F. J. (1983). Computer packages that contain the FFT. **15**, 254-257.
- ROYER, F. L., RZESZOTARSKI, M. S., & GILMORE, G. C. (1983). Application of two-dimensional Fourier transforms to problems of visual perception. **15**, 319-326.
- RZESZOTARSKI, M. S., ROYER, F. L., & GILMORE, G. C. (1983). Introduction to two-dimensional Fourier analysis. **15**, 308-318.

Item Analysis

- ANTONAK, R. F. (1979). ITEM3: A general-purpose FORTRAN 10 test scoring and item analysis program. **11**, 81-82.
- BOUGON, M. G., & LISSAK, R. I. (1981). RUN: A logistic-based interactive program to detect patterns of test item bias. **13**, 755-756.
- LISSAK, R., & WYTMAR, R., III (1981). CARIF: A computational program for item information functions and item characteristic curves. **13**, 360.
- McKINLEY, R. L. (1985). MARGIE: Marginal maximum likeli-

- hood estimation of the parameters on the one-, two-, and three-parameter logistic models. **17**, 513-514.
- MORRIS, J. D. (1978). Maximizing coefficient alpha reliability while maintaining validity. **10**, 733-734.
- WALKER, E. C. T. (1977). Performing item- and subject-based analyses using ALICE. **9**, 3-4.

Kappa Coefficient

- ANTONAK, R. F. (1977). A computer program to compute measures of response agreement for nominal scale data obtained from two judges. **9**, 553.
- CHAN, T. S. C. (1987). A DBASE III program that performs significance testing for the Kappa coefficient. **19**, 53-54.
- ODD, J. H., & SATTler, J. M. (1984). Generalized kappa coefficient: A Microsoft BASIC program. **16**, 481.
- WIXON, D. R. (1979). Cohen's kappa coefficient of observer agreement: A BASIC program for minicomputers. **11**, 602.

Matrix Operations

- VOKEY, J. R. (1986). MATRICKS: Matrix algebra for Applesoft BASIC. **18**, 409-411.
- ZONDERMAN, A. (1979). MOP: Matrix operations program. **11**, 453-454.

Multidimensional Scaling (MDS)

- AIKEN, E., & MOSTOFsky, D. I. (1984). Automated data acquisition for multidimensional scaling analysis. **16**, 325-326.
- GREENBERG, E. A., & McISAAC, M. S. (1984). SIMATRIX: A program using the SAS system for multidimensional scaling analysis of sorting data. **16**, 407-408.
- NULL, C. H. (1980). Design considerations for multidimensional scaling. **12**, 274-280.
- TAKANE, Y. (1981). MDSORT: A special-purpose multidimensional scaling program for sorting data. **13**, 698.
- TAKANE, Y. (1982). IDSORT: An individual differences multidimensional scaling program for sorting data. **14**, 546.
- TILLER, D. K., & LUNT, P. K. (1985). SIMINDEX: A FORTRAN 77 program for converting sort data into similarity matrices. **17**, 418.
- WELDON, D. A., & BUCHTER, R. (1984). MATGEN: An interactive BASIC program for similarities data matrix generation. **16**, 562.
- YOUNG, F. W., NULL, C. H., & SARLE, W. (1978). Interactive similarity ordering. **10**, 273-280.
- YOUNG, F. W., TAKANE, Y., & LEWYCKY, R. (1978). ALSCAL: A nonmetric multidimensional scaling program with several individual-differences options. **10**, 451-453.

Metaanalysis

- GORMAN, B. S., PRIMAVERA, L. H., & KARRAS, A. (1983). A microcomputer program package for metaanalysis. **15**, 617.
- MULLEN, B. (1983). A BASIC program for metaanalysis of effect sizes using r , BESD, and d . **15**, 392-393.
- MULLEN, B. (1986). BASIC meta-analysis: Description of a statistical package. **18**, 165-167.

Nonparametric Statistics

- BORYS, S. V., & CORRIGAN, J. G. (1980). A BASIC program for nonparametric post hoc comparisons. **12**, 635.

- BROWN, R. L. (1985). RANCOVA: A Minitab macro for the calculation of nonparametric (ranked) analysis of covariance. **17**, 573-575.
- DAVISON, T. C., & JAGACINSKI, R. J. (1977). Nonparametric analysis of signal detection confidence ratings. **9**, 545-546.
- DENI, R. (1977). BASIC-PLUS programs for Sackett's lag sequential analysis. **9**, 383-384.
- DUNLAP, W. P., & BROWN, S. G. (1983). FORTRAN IV functions to compute expected normal scores. **15**, 395-397.
- FISK, A. D., SCHNEIDER, W., & BURKHARD, J. C. (1982). SENSE: A program for calculating parametric (d') and nonparametric (A' and A_g) indexes of sensitivity. **14**, 361.
- GALLA, J. P. (1987). Kendall's tau and Kendall's partial correlation: Two BASIC programs for microcomputers. **19**, 55-56.
- HANNAN, T. E. (1986). CBASIC programs for nonparametric statistical analysis. **18**, 403-404.
- RAE, G. (1985). Quade's nonparametric analysis of covariance by matching. **17**, 421-422.
- RASMUSSEN, J. L. (1987). Parametric and bootstrap approaches to repeated measures designs. **19**, 357-360.
- ROBERGE, J. J., & ROBERGE, J. (1977). A generalized nonparametric ANOVA program (Version 2). **9**, 28.
- SINGH, S. N., & KARNEY, D. F. (1987). A simple algorithm to obtain nonparametric response bias estimates using Hodges's method. **19**, 460-461.
- SMITH, E. C., DANIEL, W. W., & SCHOTT, B. (1978). Nonparametric regression analysis: A program package for use on a computer terminal. **10**, 435-436.
- VAN BERGEM, P., DITRICH, R., & SIMON, S. (1986). A BASIC program for nonparametric analyses of proximity matrices. **18**, 407-408.
- VON COLLANI, G. (1983). NONPARAM: A BASIC program package for nonparametric procedures. **15**, 104.
- WIGGANS, G. N., & SAHGAL, A. (1984). Matrix partitioning and trend assessment procedures in nonparametric analysis: BASIC programs. **16**, 399-400.

Other Statistical Analyses

- AIGNER, H., & DARCY, R. (1977). EAT: A PL/I entropy analysis program. **9**, 541-542.
- ALLAN, G. J. B. (1978). IPA1: A BASIC program to conduct an interactive path analysis. **10**, 415-416.
- ANTONAK, R. F., BART, W. M., & LELE, K. (1979). ORDER2: A program to perform ordering-theoretic data analysis. **11**, 457-458.
- ARBUCKLE, J. (1979). Program for computing measures of association in two-way contingency tables. **11**, 403.
- BAKEMAN, R. (1983). Computing lag sequential statistics: The ELAG program. **15**, 530-535.
- BERGER, M. P. F. (1979). A FORTRAN IV program for the estimation of missing data. **11**, 395-396.
- BERRY, K. J., & MIELKE, P. W., JR. (1986). An APL function for computing measures of association for nominal-by-ordinal and ordinal-by-ordinal cross classifications. **18**, 399-402.
- BOLDIN, M. M., & STARKES, J. L. (1987). ERRORCALC ADAPTED: A BASIC microcomputer program to calculate error measures for variable block sizes. **19**, 416-417.
- BRAAKMAN, H. W., & VAN BUSSEL, F. J. J. (1980). RECEST: A program package for the estimation of parameters of dynamic linear systems. **12**, 475-476.
- BRENT, E. E., JR. (1978). PLA-3: A FORTRAN program for

- prediction logic analysis for three-dimensional contingency tables. **10**, 454.
- BURNS, E. (1980). A computer program to evaluate paired-comparison transitivity. **12**, 636.
- CARTER, G. M., FERRARA, M., & MASTERS, H. G. (1981). DOALL: A BASIC program solving for adaptation level and n in Helson's reformulated Stevens' power law. **13**, 61-62.
- CHAMBERS, W. V., & GRICE, J. W. (1986). Circumgrids: A repertory grid package for personal computers. **18**, 468.
- COLLIS, G. M. (1986). A MINITAB macro for testing marginal homogeneity in contingency tables. **18**, 66-67.
- COLLYER, C. E. (1986). Goodness-of-fit patterns in a computer cross-validation procedure comparing a linear and a threshold model. **18**, 618-622.
- CORTER, J. E. (1982). ADDTREE/P: A PASCAL program for fitting additive trees based on Sattath and Tversky's ADDTREE algorithm. **14**, 353-354.
- COULOMBE, D. (1985). Multiple discriminant analysis: A BASIC program for microcomputers. **17**, 135-136.
- DE SOETE, G. (1984). Computer programs for fitting ultrametric and additive trees to proximity data by least squares methods. **16**, 551-552.
- DUNLAP, W. P. (1981). An interactive FORTRAN IV program for calculating power, sample size, or detectable differences in means. **13**, 757-759.
- DUNLAP, W. P. (1984). A FORTRAN IV program for the Stuart-Maxwell test. **16**, 489-491.
- DUNLAP, W. P. (1985). Hypergeometric tests for $2 \times k$ contingency tables. **17**, 432-434.
- DUNLAP, W. P., MYERS, L., & SILVER, N. C. (1984). Exact multinomial probabilities for one-way contingency tables. **16**, 54-56.
- EMERSON, P. L. (1982). Orthogonal-polynomial programs: Good vs. better. **14**, 489-490.
- EVANS, S., & GILFILLAN, L. (1986). APL approximations for common statistical tables. **18**, 337-338.
- EVANS, S., NEIDEFFER, J. D., & GAGE, F. H. (1981). APL functions for interactive data analysis: Principal components analysis. **13**, 657-666.
- EVANS, W. D., & HOLDEN, R. W. (1978). INGPLT and DRAW: Developments in grid technique. **10**, 736.
- GILPIN, A. R. (1985). A BASIC program to compute Hotelling's T^2 and related measures. **17**, 509.
- GROEN, G., FREDRIKSEN, C., & DILLINGER, M. (1984). A propositional analyst's assistant. **16**, 154-157.
- HAERTEL, R. J., & LANE, D. M. (1979). A FORTRAN IV program for testing differences in variance using a jackknife procedure. **11**, 74.
- HEATH, R. A. (1983). FITTRW: A parameter estimation program for a general random walk model analysis of two-choice response time (2CRT) data. **15**, 95-96.
- HIRTLE, S. C. (1984). GRAFT: A LISP program for comparing long-term memory structures revealed through ordered trees. **16**, 405.
- HOCHHAUS, L. (1981). Curve fitting by estimation and iteration. **13**, 753-754.
- HOLMES, W. M. (1979). Examining reliability and multicollinearity of scale items. **11**, 86.
- HUNT, E. (1986). The design of ballantines. **18**, 277-284.
- KERST, S. M. (1978). MAGEST: A FORTRAN program for analyzing magnitude estimation data. **10**, 737-738.
- KILLEEN, P. R. (1985). The bimean: A measure of central tendency that accommodates outliers. **17**, 526-528.
- KNOBLAUCH, K. (1986). TVR: A BASIC implementation of Stiles's analysis of the two-color increment-threshold paradigm. **18**, 393-394.
- KRUS, D. J., & WILKINSON, S. M. (1986). Demonstration of properties of a suppressor variable. **18**, 21-24.
- LANGHORNE, J. E., JR., LONEY, J., & HACKER, M. (1978). A transformation program for normalizing data. **10**, 745.
- LE BOURG, E., & BEUGNON, G. (1985). Apple II programs in circular statistics. **17**, 141.
- LUKAS, J. (1985). COMESCAL: A microcomputer program for testing axioms and finding scale values for conjoint measurement data. **17**, 129-130.
- MANHEIMER, J. M. (1982). GAMELPP: A PASCAL program for solving two-person zero-sum games on a microcomputer. **14**, 425-426.
- MARSHALL, D., DAY, H. D., & CHRISTY, J. (1982). A program for the generation of data sets possessing desired degrees of score stability. **14**, 483-484.
- MAURISSEN, J. P. J. (1978). QUARTR: A FORTRAN IV subroutine to calculate quarter life. **10**, 727-728.
- MAURISSEN, J. P. J., & INGLIS, G. B. (1978). CURVAT: A FORTRAN IV subroutine to calculate the index of curvature. **10**, 729-730.
- MCGOWAN, W. T., III (1983). Matrix decomposition: An APL function to compute the Cholesky factor of a gramian matrix. **15**, 99-100.
- McKINLEY, R. L., & RECKASE, M. D. (1983). MAXLOG: A computer program for the estimation of the parameters of a multidimensional logistic model. **15**, 389-390.
- MORRIS, J. D. (1977). Rotating a discriminant analysis solution. **9**, 29.
- MULLEN, B. (1985). SELECT3: A BASIC program for determining the consequences of using a selection procedure. **17**, 579.
- MULLEN, B. (1987). SELECT4: A BASIC program for applying definitions of fairness in selection procedures. **19**, 415.
- NAGAO, D. H., & HINSZ, V. B. (1980). SCHEME: An interactive FORTRAN program to analyze and simulate group decision data. **12**, 484-486.
- NORMAN, K. L. (1979). SIMILE: A FORTRAN program package for stimulus-integration models. **11**, 79-80.
- O'GRADY, K. E. (1983). Transformation of variables to linear combinations. **15**, 391.
- PIZZIMENTI, M. A., WEEKS, D. J., & LEE, T. D. (1984). ERRORCALC: A BASIC microcomputer program to calculate psychophysical error measures for variable block sizes. **16**, 57-58.
- PLONSKY, M., & ROSELLINI, R. A. (1983). MEANCALC: A BASIC program to calculate means and standard errors for a wide variety of designs. **15**, 469-470.
- POWERS, S. (1984). DISCRIM: A BASIC program to perform discriminant function analysis. **16**, 563.
- RABINOWITZ, F. M., GRANT, M. J., & DINGLEY, H. L. (1984). FIT: An iterative parameter-estimation function in LISP. **16**, 307-314.
- RAE, G. (1978). A test for validating learning hierarchies based on maximum likelihood estimates. **10**, 47-48.
- RICE, C. G. (1986). DOMSORT: An Apple II program for sorting interaction matrices to find the dominance order. **18**, 389-392.
- RICHARDSON, K. (1983). Measuring the learning-relevant relations between variables in experience. **15**, 91-92.
- ROBERTSON, S. A. (1980). A PET-based program for stepwise orthogonal hand rotation. **12**, 637-638.
- SCIALFA, C. T. (1987). A BASIC program to determine regions

- of significance using the Johnson-Neyman technique. **19**, 349-352.
- SCINTO, L. F. M., & BARNETTE, B. D. (1986). An algorithm for determining clusters, pairs or singletons in eye-movement scan-path records. **18**, 41-44.
- SMITHSON, M. (1984). FORTRAN IV programs for fuzzy set analysis. **16**, 553-556.
- SMITS, G. J. (1979). A computer program to compute Scheffé's homogeneity of variance statistic and estimate its power. **11**, 394.
- STRUBE, M. J. (1986). SMOOTH: A BASIC program for smoothing a data series. **18**, 475.
- TURKHEIMER, E., YEO, R. A., & BIGLER, E. D. (1983). Digital planimetry in APLSF. **15**, 471-473.
- ULLRICH, J. R., CUMMINS, D. E., & WALKENBACH, J. (1978). PCJM2: A program for the axiomatic conjoint measurement analysis of polynomial composition rules. **10**, 89-90.
- VAN DE WIJGAART, C. (1982). Program package GRADAP: Graph definition and analysis package. **14**, 32-33.
- WEISS, D. J. (1980). ORPOCO: Orthogonal polynomial coefficients. **12**, 635.
- WEISS, D. J. (1985). SCHUBRAD: The comparison of the sensitivities of similar experiments. **17**, 572.
- WHITE, A. P., STILL, A. W., & HARRIS, P. W. (1978). Six FORTRAN IV programs for conducting simple randomization tests. **10**, 455.
- WILLIAMS, J. M., BILLINGS, A., TRIPP, D., & D'ALLESANDRO, L. (1980). MIA: A program for multivariate information analysis. **12**, 387.
- WILSON, G. F., & GREGORY, J. (1978). Evoked potential analysis program for the Lab 8. **10**, 743-744.
- WOOD, D. L., & WOOD, D. (1984). TINT: A Microsoft BASIC t integration program. **16**, 479-480.
- WOOD, D. L., & WOOD, D. (1986). Precise *F* integration. **18**, 405-406.
- WOUTERS, L. (1979). An APL function for computing distribution-free confidence limits on the median of a population. **11**, 401.
- YOST, M., BREMNER, F. J., HELMER, R. J., & CHINO, M. C. (1986). The effect of smoothing functions on data obtained from a FFT. **18**, 263-266.
- ZALINSKI, J. (1984). Parameter estimation: An estimated variance-covariance matrix for averaging model parameters in information integration theory. **16**, 557-558.
- ZAR, J. H. (1987). A fast and efficient algorithm for the Fisher exact test. **19**, 413-414.

Regression

- BORYS, S. V., & CORRIGAN, J. G. (1981). A BASIC program for multiple regression. **13**, 63.
- BUSH, A. J. (1980). Ridge: A program to perform ridge regression analysis. **12**, 73-74.
- BUSH, A. J. (1981). RIDGE+: An improved biased regression routine. **13**, 361-362.
- COULOMBE, D. (1983). MULREG: A multiple regression analysis system for microcomputers. **15**, 608.
- DUNLAP, W. P., & RASMUSSEN, J. L. (1982). A program to determine data transformations maximizing linear regression. **14**, 357-358.
- ERLICH, O. (1977). Determining relative performance in educational evaluation. **9**, 554.
- EVANS, S., & GILFILLAN, L. (1984). An APL system for interactive data analysis: Histograms, correlation, and regression. **16**, 454-462.
- GORMAN, B. S., & PRIMAVERA, L. H. (1980). BACKSTEP: A simple program for backward-selection multiple regression. **12**, 391-392.
- GORMAN, B. S., & PRIMAVERA, L. H. (1981). BASIC BACKSTEP: A simple backward-selection multiple-regression program for minicomputers and microcomputers. **13**, 703.
- HANSON, S. J. (1978). Confidence intervals for nonlinear regression: A BASIC program. **10**, 437-441.
- O'GRADY, K. E. (1982). Regression estimation of missing data. **14**, 359-360.
- RASMUSSEN, J. L. (1984). A program for approximating R^2 probability values in best subset multiple regression. **16**, 61-62.
- RASMUSSEN, J. L., & DUNLAP, W. P. (1983). A program for simultaneously transforming two variables to maximize linear regression, normality, and homoscedasticity. **15**, 478-480.
- SMITH, E. C., DANIEL, W. W., & SCHOTT, B. (1978). Non-parametric regression analysis: A program package for use on a computer terminal. **10**, 435-436.
- WIGGANS, G. N., ANDREWS, J. S., & SAHGAL, A. (1983). COMPREG: A BASIC program to test for differences between several linear regression lines. **15**, 609-610.

Scaling and Ratings

- ANTONAK, R. F. (1977). A computer program to compute measures of response agreement for nominal scale data obtained from two judges. **9**, 553.
- BLOOR, R. N. (1983). A computer program to determine interrater reliability for dichotomous-ordinal rating scales. **15**, 615.
- BUHYOFF, G. J., & HULL, R. B., IV (1980). Computation of law of comparative judgment scales on a microcomputer. **12**, 465.
- BURNS, E., & CAVALLARO, C. (1982). A computer program to determine interobserver reliability statistics. **14**, 42.
- BURROWS, E., & SNOOK, S. (1977). SCORE: An interactive FORTRAN program for computing case, item, and scale statistics. **9**, 525.
- COOKSEY, R. W. (1978). SCALE: A FORTRAN program for reliability analysis on scales formed by linear combinations of variables. **10**, 735.
- DEAN, D. J. H., & SEGALL, M. H. (1978). An APL program for minimum-error Guttman scaling. **10**, 421-425.
- ELLIS, J. K. (1985). Distribution counting as a method for sorting test scores. **17**, 419-420.
- DUNLAP, W. P., POWELL, R. S., & KONNERTH, T. K. (1977). A FORTRAN IV function for calculating probabilities associated with the studentized range statistic. **9**, 373-375.
- TILL, A. (1977). BOOKBAG: A FORTRAN IV program for calculating various parameters of the "book bag and poker chips" Bayesian task. **9**, 30.
- TILL, A. (1977). CONVERSION: A series of FORTRAN IV programs for converting probabilities, odds, evidence, and information measures into one another. **9**, 515-516.
- TILL, A. (1977). PRIOR: A FORTRAN IV program for calculating posterior probabilities on the basis of prior probabilities and likelihood ratios. **9**, 380.
- TILL, A., & AVRAHAMI, R. (1978). INFORMATION: A FORTRAN IV program for converting information values into probabilities, odds, and evidence values. **10**, 65.
- WRIGHT, G., AYTON, P., & WHALLEY, P. (1985). FORECAST: A general purpose computer aid to judgmental forecasting. **17**, 515-517.

- GERBING, D. W. (1979). A FORTRAN program for providing feedback to individual subjects from a standard case by variable data matrix. **11**, 91.
- GILPIN, A. R. (1983). SCALO: A program to perform Guttman scaling analysis on the Apple II microcomputer. **15**, 549.
- GLENCROSS, M. J. (1981). A computer program for ordered categorical data analysis. **13**, 695.
- GRANT, M. J. (1983). AGREE: A BASIC program for assessing similarity in categorization judgments. **15**, 611-612.
- GREEN, R. S. (1980). Interactive scaling: A demonstration. **12**, 281-282.
- HOLMES, W. M. (1979). Examining reliability and multicollinearity of scale items. **11**, 86.
- LAWSON, E. D., & METIVIER, B. L. (1980). Computer programs for the semantic differential: An update and expansion. **12**, 381.
- LAWSON, E. D., METIVIER, B. L., & METIVIER, M. L. (1984). Computer programs for the semantic differential: Further modifications. **16**, 53.
- MAZZEO, J., BORGSTROM, M., & SEELEY, G. W. (1982). Intra-class correlation: Estimation of the reliability of ratings. **14**, 45-46.
- MCDERMOTT, P. A., & WATKINS, M. W. (1979). A computer program for assessing conjoint interrater agreement with a correct set of classifications. **11**, 607.
- MCDERMOTT, P. A., & WATKINS, M. W. (1979). A program to evaluate general and conditional agreement among categorical assignments of many raters. **11**, 399-400.
- MORRISON, P. R. (1983). LIKERT: An APPLESOFT program for the construction, administration, and scoring of Likert scales. **15**, 97-98.
- ROBERTS, J. S., & JANNARONE, R. J. (1985). An interacting-item scale construction package. **17**, 423.
- ROCKLIN, T., & REVELLE, W. (1980). VSIMPL: A program to estimate the number of interpretable factors. **12**, 69-70.
- SMITS, G. J. (1978). A FORTRAN IV program to compute reliability of ratings for two or more judges. **10**, 864.
- STRUBE, M. J. (1985). ICC: A BASIC program for the calculation of intraclass correlations based on fixed effects and random effects models. **17**, 578.
- WATKINS, M. W., & LARIMER, L. D. (1980). Interrater agreement statistics with the microcomputer. **12**, 466.
- WHALEY, C. P. (1977). PCSTAT: Statistical Analysis of Paired-Comparison Data. **9**, 372.

Sociometric

- BROWN, P. B. (1979). BEMSD: A general-purpose program for estimating missing data in a sociomatrix. **11**, 465-466.
- BROWN, P. B. (1979). NETCON: A general-purpose program for creation of a minimal length circuit matrix from sociometric data. **11**, 597-599.
- NOMA, E., & SMITH, D. R. (1978). SHED: A FORTRAN IV program for the analysis of small group sociometric structure. **10**, 60-62.

Sorting and Ranking

- BROPHY, A. L. (1983). A versatile sorting and ranking program. **15**, 465-466.
- BROPHY, A. L. (1984). Ranking programs for matched groups and combined distributions. **16**, 406.
- RICE, C. G. (1986). DOMSORT: An Apple II program for sorting interaction matrices to find the dominance order. **18**, 389-392.

- WOOD, D. L. (1983). Multidimensional sorting and matrix display. **15**, 550.
- ZAR, J. H. (1985). Ranking data with BASIC. **17**, 142.

Spectral Analysis

- CAMPBELL, D. J. (1984). A spectral-analysis program with graphics for the CBM/PET/C-64 microcomputers. **16**, 484-485.
- STURGIS, S. P. (1983). A spectral-analysis tutorial with examples in FORTRAN. **15**, 377-386.
- WARNER, R. M., & NEUMANN, P. G. (1980). SPAN: An interactive BASIC program for spectral analysis of time-series data. **12**, 389-390.

Statistical Packages

- ANDERSON, D. E. (1980). PSYCHO-STATS 80: A basic statistical package for the TRS-80. **12**, 565.
- ANDERSON, D. E. (1984). PSYCHO-STATS PC: A statistical package for the IBM PC. **16**, 482.
- BAILEY, D. E., & CARTWRIGHT, D. S. (1979). The BC TRY integrated statistical computer package. **11**, 407-413.
- BAUMEISTER, A. A., MACLEAN, W. E., & DENI, R. (1979). A statistical package in BASIC for small-system applications. **11**, 77-78.
- BIDDERMAN, M. D. (1978). A statistical package for the Hewlett-Packard 2000/Access. **10**, 417-418.
- BUHYOFF, G. J., RAUSCHER, H. M., HULL, R. B., IV, & KILLEEN, K. (1980). Microcomputer-resident comprehensive statistical analysis. **12**, 551-553.
- BUTLER, D. (1986). Integrating statistical software into laboratories and laboratory courses. **18**, 241-244.
- BUTLER, D. L., & EAMON, D. B. (1985). An evaluation of statistical software for research and instruction. **17**, 352-358.
- BUTLER, D. L., & EAMON, D. B. (1987). Writing high-quality statistical software for Apple II microcomputers. **19**, 104-107.
- BUTLER, D. L., & JONES, S. K. (1987). A comparison of inexpensive statistical packages for Apple II microcomputers. **19**, 99-103.
- COOVERT, M. D. (1980). An elementary statistical package for 6502-based microcomputers. **12**, 562.
- EVANS, S., & GAGE, F. H. (1979). APL programs for interactive data analysis: Basic statistics and histograms. **11**, 605-606.
- GILBERT, L. H. (1979). PSYCHOSTATS: BASIC programs for data analysis in psychology. **11**, 464.
- HANNAN, T. E. (1986). CBASIC programs for nonparametric statistical analysis. **18**, 403-404.
- LEHMAN, R. S. (1986). Macintosh statistical packages. **18**, 177-187.
- O'GRADY, K. E. (1981). Probabilities and Critical Values for z , chi square, t , and F . **13**, 55-56.
- PERLMAN, G. (1980). Data analysis programs for the UNIX operating system. **12**, 554-558.
- PERLMAN, G. (1981). An example of cooperating compact data analysis programs. **13**, 290-293.
- PERLMAN, G. (1984). UNIX|STAT: Data-analysis programs. **16**, 71.
- PERLMAN, G., & HORAN, F. L. (1986). Report on UNIX|STAT release 5.1: Data analysis programs for UNIX and MSDOS. **18**, 168-176.
- PITTENGER, D. J., & HODGE, M. H. (1986). Statistical programs for Commodore computers. **18**, 50-52.
- STANDING, L., & GILBERT, L. (1985). PSYCHOSTATS 2.1:

- A statistics package in OS-65U BASIC. **17**, 510.
- STEINMETZ, J. E., ROMANO, A. G., & PATTERSON, M. M. (1981). Statistical programs for the Apple II microcomputer. **13**, 702.
- VAN DE WIJGAART, C. (1981). Program package STAP: A statistical appendix. **13**, 379-380.
- WATKINS, M. W., & KUSH, J. C. (1987). Research Assistant: A statistical package for the Apple II microcomputer. **19**, 380-382.

Time Series

- ARUNDALE, R. B. (1984). SAMPLE and TEST: Two FORTRAN IV programs for analysis of discrete-state, time-varying data using first-order, Markov-chain techniques. **16**, 335-336.
- BAER, L., & AHERN, D. K. (1979). CYCLES: A FORTRAN IV program for the analysis of periodicity in time series data. **11**, 608.
- BERGER, M. P. F. (1982). GCM: An interactive program for the analysis of time-structured data. **14**, 48-50.
- BROWN, R. L. (1983). TIMCAI: An interactive program to assist in the identification of univariate nonseasonal nonmixed ARIMA time series. **15**, 101-102.
- BROWN, R. L. (1987). An interactive computer program for assessing serial dependency in longitudinal data and the identification of basic ARIMA models. **19**, 407-408.
- RAY, R. L., EMURIAN, H. H., & WURSTER, R. M. (1980). COMOV: A program for the analysis of the relationship between two time series. **12**, 479-480.
- RAY, R. L., EMURIAN, H. H., & WURSTER, R. M. (1982). TMSGN: A program for testing trend against a nonrandom alternative. **14**, 355-356.
- WARNER, R. M., & NEUMANN, P. G. (1980). SPAN: An interactive BASIC program for spectral analysis of time-series data. **12**, 389-390.
- GLAZENBORG, G., & SCHREUDER, R. (1983). Software tools for creating line drawings on a CRT. **15**, 453-455.
- HARRIS, G. J., GAVURIN, E. I., & GORDON, M. L. (1978). A FORTRAN IV program for generating anagrams and for computing several indices in anagram research. **10**, 431-432.
- KAYE, D. B., & HERSKOVITS, E. H. (1984). A CRT graphics system for experimental research. **16**, 463-467.
- KLUGER, B. D., & LANE, D. M. (1984). Geometrically rotated text for the Macintosh computer. **16**, 566-567.
- MONTGOMERY, A. A., & SOO HOO, G. (1982). ANIMAT: A set of programs to generate, edit, and display sequences of vector-based images. **14**, 39-40.
- MORRISON, I. (1983). Compact representations of positional knowledge in short and long words for letters and features. **15**, 406-412.
- MYEROW, S. M., & MILLWARD, R. B. (1978). SPLIT: A sound editor for a PDP-8 computer. **10**, 281-284.
- ONKEN, J., & REVELLE, W. (1984). ANATEST: A program to generate geometric analogy problems varying in number of elements and number of transformations. **16**, 333-334.
- PRILL, K. A. (1984). Picture stimuli for the Apple II computer. **16**, 327-328.
- ROBERTSON, S. A. (1977). A note concerning a BASIC display generator for search tasks. **9**, 538.
- SAVOY, R. L. (1986). Making quantized images appear smooth: Tricks of the trade in vision research. **18**, 507-517.
- SNODGRASS, J. G., SMITH, B., FEENAN, K., & CORWIN, J. (1987). Fragmenting pictures on the Apple Macintosh computer for experimental and clinical applications. **19**, 270-274.
- SOOHOO, G., & MONTGOMERY, A. A. (1984). Stimulus tape generator: A package to present analog recordings according to user specifications. **16**, 337.
- STEVENS, A. L., LEVIN, J. A., OLDS, R. R., & RUMELHART, D. E. (1977). A computer system for automatically constructing stimulus material. **9**, 269-273.
- VOKEY, J. R., BAKER, J. G., HAYMAN, G., & JACOBY, L. L. (1986). Perceptual identification of visually degraded stimuli. **18**, 1-9.

Trend Analysis

- COULOMBE, D. (1985). Orthogonal polynomial coefficients and trend analysis for unequal intervals and unequal Ns: A microcomputer application. **17**, 441-442.
- RAY, R. L., EMURIAN, H. H., & WURSTER, R. M. (1982). TMSGN: A program for testing trend against a nonrandom alternative. **14**, 355-356.
- SHANTEAU, J. (1977). POLYLIN: A FORTRAN IV program for analysis of multiplicative (multilinear) trend components of interactions. **9**, 381-382.
- WIGGANS, G. N., & SAHGAL, A. (1984). Matrix partitioning and trend assessment procedures in nonparametric analysis: BASIC programs. **16**, 399-400.

STIMULUS GENERATION AND SELECTION

- ALLEN, G. A., & BALDWIN, L. M. (1980). PCGEN: A FORTRAN IV program to generate paired-comparison stimuli. **12**, 383-384.
- ANSTIS, S. (1986). Visual stimuli on the Commodore Amiga: A tutorial. **18**, 535-541.
- BILKEY, D. K. (1987). A procedure for the computerized representation and presentation of rotated and reflected stimuli. **19**, 419-421.
- BROOKS, J. O., III (1985). Pictorial stimuli for the Apple Macintosh computer. **17**, 409-410.
- DURSO, F. T. (1984). A subroutine for counterbalanced assignment of stimuli to conditions. **16**, 471-472.

Computer Randomization Procedures

- HAMMOND, N. V. (1977). A program to generate random sequences of multidimensional stimuli with constraints on first-order and second-order contingencies. **9**, 549-550.
- HOFACKER, C. F. (1982). A PL/I program to generate randomized stimulus and response sequences for experiments. **14**, 553-554.
- LOGIE, R. H. (1984). Computer selection of verbal research materials. **16**, 59-60.
- ROBERTSON, S. A. (1977). A BASIC program to randomly generate members of a weighted set. **9**, 547-548.
- ROYER, F. L. (1978). Computer generation of symmetric, semi-symmetric, antisymmetric, and asymmetric patterns. **10**, 170-176.
- WHITE, A. P., & THOMPSON, C. (1978). FORTRAN IV subroutines to generate fully crossed random sequences of multidimensional stimuli with repetition limits on each dimension. **10**, 862-863.

STRUCTURAL EQUATIONS

- BROWN, R. L. (1986). A comparison of the LISREL and EQS programs for obtaining parameter estimates in confirmatory factor analysis studies. **18**, 382-388.

- LOMAX, R. G. (1982). A guide to LISREL-type structural equation modeling. **14**, 1-8.
- LOMAX, R. G. (1983). A guide to multiple-sample structural equation modeling. **15**, 580-584.
- MCARDLE, J. J. (1980). Causal modeling applied to psychonomic systems simulation. **12**, 193-209.
- WOLFLE, L. M. (1982). PASE: Program for analysis of structural equations. **14**, 548-550.
- WOLFLE, L. M., & ETHINGTON, C. A. (1985). GEMINI: Program for analysis of structural equations with standard errors of indirect effects. **17**, 581-584.

SURVEYS/QUESTIONNAIRES/INTERVIEWS

- ANGLE, H. V. (1981). The interviewing computer: A technology for gathering comprehensive treatment information. **13**, 607-612.
- ANGLE, H. V., & CARROLL, J. (1979). A computer interview language: Programming the on-line interactive computer. **11**, 379-383.
- BIRCHNELL, J. (1981). The use of the computer in life history research. **13**, 624-628.
- ERDMAN, H., KLEIN, M. H., & GREIST, J. H. (1983). The reliability of a computer interview for drug use/abuse information. **15**, 66-68.
- GRANT, M. J. (1983). Using a computer simulation to teach attitude surveying. **15**, 574-576.
- MORRISON, P. R. (1983). LIKERT: An APPLESOFT program for the construction, administration, and scoring of Likert scales. **15**, 97-98.
- PERLMAN, G. (1985). Electronic surveys. **17**, 203-205.
- PHILIPP, S. F., & CICCARELLA, C. F. (1983). An Apple II package for computer-assisted telephone interviewing. **15**, 456-458.
- SHURE, G. H., & MEEKER, R. J. (1978). A minicomputer system for multiperson computer-assisted telephone interviewing. **10**, 196-202.
- SPACE, L. G. (1981). The computer as psychometrician. **13**, 595-606.
- SPELT, P. F. (1981). Bridging the gap between micros and minis in the teaching laboratory. **13**, 198-200.
- STOUT, R. L. (1981). New approaches to the design of computerized interviewing and testing systems. **13**, 436-442.
- STOUT, R. L., STEVENSON, J., FARAONE, S., & SIMPSON, J. (1986). Systems for multivariate monitoring of behavioral status over time. **18**, 141-146.

Computer Randomization Procedures

- COHEN, A. J., & FOLEY, J. E. (1984). Conjunction of a programming language and text formatter for generating randomized questionnaires. **16**, 545-547.
- PEAY, E. R. (1983). Programs for producing questionnaires with randomized ordering and sampling of components. **15**, 551-552.

Scoring and Analysis

- ANTONAK, R. F. (1977). A computer program for Likert format questionnaire analysis. **9**, 33.
- NARKAUS, G., & DIPPNER, R. (1978). A survey analysis program for small computers. **10**, 67-76.
- RAY, J. J., & BOZEK, R. S. (1979). NSCALE II: A program to analyze and score multiscale surveys and test batteries. **11**, 402.
- STRUBE, M. J. (1985). PRORATE: A BASIC program for calculating minimum test length given internal consistency constraints. **17**, 580.

SUSTAINED WORK

- ANGUS, R. G., & HESLEGRAVE, R. J. (1985). Effects of sleep loss on sustained cognitive performance during a command and control simulation. **17**, 55-67.
- BABKOFF, H., GENSER, S. G., SING, H. C., THORNE, D. R., & HEGGE, F. W. (1985). The effects of progressive sleep loss on a lexical decision task: Response lapses and response accuracy. **17**, 614-622.
- BABKOFF, H., THORNE, D. R., SING, H. C., GENSER, S. G., TAUBE, S. L., & HEGGE, F. W. (1985). Dynamic changes in work/rest duty cycles in a study of sleep deprivation. **17**, 604-613.
- DINGES, D. F., & POWELL, J. W. (1985). Microcomputer analyses of performance on a portable, simple visual RT task during sustained operations. **17**, 652-655.
- ENGLUND, C. E., RYMAN, D. H., NAITOH, P., & HODGDON, J. A. (1985). Cognitive performance during successive sustained physical work episodes. **17**, 75-85.
- GRAHAM, C., COOK, M. R., COHEN, H. D., PHELPS, J. W., & GERKOVICH, M. M. (1985). STAR: A unique embedded performance assessment technique. **17**, 642-651.
- HESLEGRAVE, R. J., & ANGUS, R. G. (1985). The effects of task duration and work-session location on performance degradation induced by sleep loss and sustained cognitive work. **17**, 592-603.
- KAPLAN, H. L. (1982). An operating subsystem for continuous monitoring studies. **14**, 146-159.
- MONK, T. H., FOOKSON, J. E., KREAM, J., MOLINE, M. L., POLLAK, C. P., & WEITZMAN, M. B. (1985). Circadian factors during sustained performance: Background and methodology. **17**, 19-26.
- MULLANEY, D. J., FLECK, P. A., OKUDAIRA, N., & KRIPKE, D. F. (1985). An automated system for administering continuous workload and for measuring sustained continuous performance. **17**, 16-18.
- NAITOH, P., ENGLUND, C. E., & RYMAN, D. H. (1985). Circadian rhythms determined by cosine curve fitting: Analysis of continuous work and sleep-loss data. **17**, 630-641.
- REDMOND, D. P., & HEGGE, F. W. (1985). Observations on the design and specification of a wrist-worn human activity monitoring system. **17**, 659-669.
- ROSA, R. R., WHEELER, D. D., WARM, J. S., & COLLIGAN, M. J. (1985). Extended workdays: Effects on performance and ratings of fatigue and alertness. **17**, 6-15.
- RYMAN, D. H., NAITOH, P., & ENGLUND, C. E. (1984). Minicomputer-administered tasks in the study of effects of sustained work on human performance. **16**, 256-261.
- WEBB, W. B. (1985). Experiments on extended performance: Repetition, age, and limited sleep periods. **17**, 27-36.

SYSTEMS

Mainframe

CDC

- ANDERSON, R. E., KROHN, K. R., & MONGIAT, M. L. (1980). Social data analysis instruction and the MISSIS system. **12**, 165-171.
- ANTONAK, R. F. (1977). A computer program for Likert format questionnaire analysis. **9**, 33.

- ANTONAK, R. F. (1977). A computer program to compute measures of response agreement for nominal scale data obtained from two judges. **9**, 553.
- ARBUCKLE, J. (1979). Program for computing measures of association in two-way contingency tables. **11**, 403.
- ARUNDALE, R. B. (1984). SAMPLE and TEST: Two FORTRAN IV programs for analysis of discrete-state, time-varying data using first-order, Markov-chain techniques. **16**, 335-336.
- BERRY, K. J., & MIELKE, P., JR. (1985). An APL function for Radlow and Alf's exact chi-square test. **17**, 131-132.
- BERRY, K. J., & MIELKE, P. W., JR. (1986). An APL function for computing measures of association for nominal-by-ordinal and ordinal-by-ordinal cross classifications. **18**, 399-402.
- BROUWER, U., & MOWITZ, A. (1983). PLOF: A program for plotting functions. **15**, 103.
- BROUWER, U., & VIJN, P. (1980). RMISDAT: A computer program to estimate the population correlation coefficients based on incomplete data sets. **12**, 473-474.
- CARTER, B. S. (1978). EDITB: A program to aid processing of event records. **10**, 723-726.
- COOKSEY, R. W. (1978). SCALE: A FORTRAN program for reliability analysis on scales formed by linear combinations of variables. **10**, 735.
- COOKSEY, R. W. (1979). POSTHOC: A FORTRAN program for conducting post hoc multiple comparisons among means. **11**, 601.
- DAVISON, T. C., & JAGACISKI, R. J. (1977). Nonparametric analysis of signal detection confidence ratings. **9**, 545-546.
- DICKINSON, T. L., & COOKSEY, R. W. (1981). MCPL: A program for describing performance in multiple-cue probability learning. **13**, 60.
- ERLICH, O. (1977). Determining relative performance in educational evaluation. **9**, 554.
- EVANS, W. D., & HOLDEN, R. W. (1978). INGPLT and DRAW: Developments in grid technique. **10**, 736.
- GERBING, D. W. (1979). A FORTRAN program for providing feedback to individual subjects from a standard case by variable data matrix. **11**, 91.
- HOLLENBECK, A., SMYTHE, L., SACKETT, G., & BOULAIS, C. (1977). A manual and computer programs for analyzing digitally coded observational data. **9**, 34.
- HOLT, R. W. (1983). An introduction to the PLATO CAI system. **15**, 142-144.
- KAMEN, G. (1982). A flexible, multiple-graph plotting program for interactive use. **14**, 373.
- KLASTORIN, T. D., & LEDINGHAM, R. (1980). Program CLAN: A general-purpose, user-oriented cluster analysis program. **12**, 549-550.
- LEU, J. R., & HENDRICKS, S. E. (1980). Use of a microprocessor and a digital computer in the analysis of rodent mating behavior. **12**, 388.
- MACKINNON, A. J. (1980). FREEIN: Flexible free-form input subroutine. **12**, 75.
- MORRIS, J. D. (1977). A computer program to cross-correlate several types of factors across separately factor-analyzed variable domains. **9**, 297-298.
- MORRIS, J. D. (1977). Rotating a discriminant analysis solution. **9**, 29.
- MORRIS, J. D. (1978). Maximizing coefficient alpha reliability while maintaining validity. **10**, 733-734.
- MOSKOWITZ, H., & BULLERS, W. I. (1979). A program for evaluating, fitting, and debiasing subjective probability distributions. **11**, 83-85.
- NAGAO, D. H., & HINSZ, V. B. (1980). SCHEME: An interactive FORTRAN program to analyze and simulate group decision data. **12**, 484-486.
- PARKER, R. M. (1979). FACLOD: A program to estimate the statistical significance of factor loadings. **11**, 393.
- PARKER, R., & BORICH, G. (1980). POWERF: A program that computes the power of F tests in fixed-effects ANOVA designs. **12**, 76.
- RAY, J. J., & BOZEK, R. S. (1979). NSCALE II: A program to analyze and score multiscale surveys and test batteries. **11**, 402.
- REVELLE, W. (1978). ICLUST: A cluster analytic approach to exploratory and confirmatory scale construction. **10**, 739-742.
- RINDSKOPF, D. M., & HOEGLER, V. (1981). A FORTRAN program for two-group ANCOVA with corrections for unreliability. **13**, 368.
- ROBERGE, J. J., & ROBERGE, J. (1977). A generalized nonparametric ANOVA program (Version 2). **9**, 28.
- ROCKLIN, T., & REVELLE, W. (1980). VSIMPL: A program to estimate the number of interpretable factors. **12**, 69-70.
- ROUSE, L., & LANDRESSE, P. (1978). Parametric interactions in EEG period analysis. **10**, 693-700.
- SACKETT, G. P., HOLM, R., CROWLEY C., & HENKINS, A. (1979). A FORTRAN program for lag sequential analysis of contingency and cyclicity in behavioral interaction data. **11**, 366-378.
- SCHLUNDT, D. G. (1982). Two PASCAL programs for managing observational data bases and for performing multivariate information analysis and log-linear contingency table analysis of sequential and nonsequential data. **14**, 351-352.
- SHANTEAU, J. (1977). POLYLIN: A FORTRAN IV program for the analysis of multiplicative (multilinear) trend components of interactions. **9**, 381-382.
- SIMUTIS, Z. M., & BARSAM, H. F. (1983). PLATO: Army applications. **15**, 148-154.
- STARR, B. J., & FLANK, S. A. (1977). ALL: Automated learning laboratory. **9**, 189-192.
- TILL, A. (1977). BOOKBAG: A FORTRAN IV program for calculating various parameters of the "book bag and poker chips" Bayesian task. **9**, 30.
- VAN DE WIJGAART, C. (1981). Program package STAP: A statistical appendix. **13**, 379-380.
- VAN DE WIJGAART, C. (1982). Program package GRADAP: Graph definition and analysis package. **14**, 32-33.
- ZONDERMAN, A. B. (1979). MOP: Matrix operations program. **11**, 453-454.

Honeywell

- ARUNDALE, R. B. (1984). SAMPLE and TEST: Two FORTRAN IV programs for analysis of discrete-state, time-varying data using first-order, Markov-chain techniques. **16**, 335-336.
- EVANS, S., GAGE, F. H., & NEIDEFFER, J. D. (1980). APL programs for interactive data analysis: Correlation and data entry. **12**, 372-375.
- FINSTUEN, K., & WENZEL, D. (1977). 3-D PLOT, a FORTRAN IV program for projecting a triplex of factor loadings. **9**, 300.
- NEURINGER, C. (1978). LEVTREND: A FORTRAN program for analyzing and displaying the results of repeated measures across multiple factors. **10**, 731.
- NOMA, E., & SMITH, D. R. (1978). SHED: A FORTRAN IV program for the analysis of small group sociometric structure. **10**, 60-62.

IBM

- AIKEN, E., & MOSTOFKY, D. I. (1984). Automated data acquisition for multidimensional scaling analysis. **16**, 325-326.
- ANTONAK, R. F. (1977). A computer program for Likert format questionnaire analysis. **9**, 33.
- ANTONAK, R. F. (1977). A computer program to compute measures of response agreement for nominal scale data obtained from two judges. **9**, 553.
- BREMNER, F. J., YOST, M., & MCKENZIE, R. (1982). Computer-managed inferential statistical analysis of EEG data. **14**, 300-302.
- BREMNER, F. J., YOST, M., & ZINTGRAFF, C. (1985). A longitudinal study of cardiac component analysis. **17**, 319-322.
- BROWN, G. A., & PEREZ, F. I. (1985). Single-subject statistical analysis of computer-assisted biofeedback. **17**, 327-330.
- CARDILLO, J. P. (1978). Interpersonal Perception Method (IPM) scoring program in FORTRAN IV. **10**, 66.
- CORTER, J. E. (1982). ADDTREE/P: A PASCAL program for fitting additive trees based on Sattath and Tversky's ADDTREE algorithm. **14**, 353-354.
- DUNLAP, W. P., POWELL, R. S., & KONNERTH, T. K. (1977). A FORTRAN IV function for calculating probabilities associated with the studentized range statistics. **9**, 373-375.
- FLEXSER, A. J. (1982). An interactive, self-instructing FORTRAN program for one- and two-way analyses of variance. **14**, 350.
- GREENBERG, E. A., & McISAAC, M. S. (1984). SIMATRIX: A program using the SAS system for multidimensional scaling analysis of sorting data. **16**, 407-408.
- HAMOVITCH, M. (1979). Analysis of variance with APL: Improvements and extensions. **11**, 455-456.
- HOFACKER, C. F. (1982). A PL/I program to generate randomized stimulus and response sequences for experiments. **14**, 553-554.
- KIRSTE, K. K., & MONGE, P. R. (1983). Computing dynamic organizational proximity: The PROXTIME computer program. **15**, 89-90.
- MCGOWAN, W. T., III (1983). Matrix decomposition: An APL function to compute the Cholesky factor of a gramian matrix. **15**, 99-100.
- NEURINGER, C. (1978). LEVTREND: A FORTRAN program for analyzing and displaying the results of repeated measures across multiple factors. **10**, 731.
- O'GRADY, K. E. (1982). Regression estimation of missing data. **14**, 359-360.
- O'GRADY, K. E. (1983). Transformation of variables to linear combinations. **15**, 391.
- RAE, D. S., PAUTLER, C. P., MANDERSCHIED, R. W., & SILBERGELD, S. (1977). Free Association Test (FAT) scoring and analysis program. **9**, 31-32.
- ROBERGE, J. J., & ROBERGE, J. (1977). A generalized non-parametric ANOVA program (Version 2). **9**, 28.
- STARR, B. J., & FLANIK, S. A. (1977). ALL: Automated learning laboratory. **9**, 189-192.
- YOUNG, F. W., TAKANE, Y., & LEWYCKYJ, R. (1978). ALSCAL: A nonmetric multidimensional scaling program with several individual-differences options. **10**, 451-453.
- an interactive path analysis. **10**, 415-416.
- BERGER, M. P. F. (1977). STP: A subroutine for simultaneous test procedures and confidence intervals. **9**, 385.
- McCLOSKEY, J., & JACKSON, P. R. (1979). THREE-MODE: A FORTRAN IV program for three-mode factor analysis. **11**, 75-76.
- RAE, G. (1978). A test for validating learning hierarchies based on maximum likelihood estimates. **10**, 47-48.
- RAE, G. (1980). A guide to statistical techniques in psychology and education. **12**, 469-470.
- ROBERTSON, S. A. (1977). A BASIC program to produce random samples without replacement. **9**, 363-364.
- ROBERTSON, S. A. (1977). A BASIC program to randomly generate members of a weighted set. **9**, 547-548.
- ROBERTSON, S. A. (1977). A note concerning a BASIC display generator for search tasks. **9**, 538.
- ROBERTSON, S. A. (1977). SIMLEN: A response sampling algorithm to simulate some features of learning. **9**, 526-528.

PRIME

- CROSBIE, J. (1986). A Pascal program to perform the Bonferroni multistage multiple-correlation procedure. **18**, 327-329.
- CROSBIE, J., & HUMPHRYS, P. (1984). A Pascal program to generate objective indices of group or organizational structures. **16**, 559-561.
- GREENBERG, E. A., & McISAAC, M. S. (1984). SIMATRIX: A program using the SAS system for multidimensional scaling analysis of sorting data. **16**, 407-408.
- ZALINSKI, J. (1984). Parameter estimation: An estimated variance-covariance matrix for averaging model parameters in information integration theory. **16**, 557-558.

UNIVAC

- ARUNDALE, R. B. (1984). SAMPLE and TEST: Two FORTRAN IV programs for analysis of discrete-state, time-varying data using first-order, Markov-chain techniques. **16**, 335-336.
- DODD, P. W. D., BAKEMAN, R., LOEBER, R., & WILSON, S. C. (1981). JOINT and SEQU: FORTRAN routines for the analysis of observational data. **13**, 686-687.
- FINSTUEN, K. (1978). RZTRAN: A FORTRAN IV program for weighted averaging of Pearson rs via Fisher's z transformation. **10**, 746.
- FLEXSER, A. J. (1982). An interactive, self-instructing FORTRAN program for one- and two-way analyses of variance. **14**, 350.
- HOLMES, W. M. (1979). Examining reliability and multicollinearity of scale items. **11**, 86.
- KIRK, R. C. (1980). HTERM/CIM and HTERM/BAS: "Smart" terminal enabling programs for the TRS-80 microcomputer. **12**, 71-72.
- LEHMAN, R. (1977). An improved BASIC program to produce random samples without replacement. **9**, 555-556.
- NORMAN, K. L. (1979). SIMILE: A FORTRAN program package for stimulus-integration models. **11**, 79-80.
- O'GRADY, K. E. (1986). Simultaneous tests and confidence intervals. **18**, 325-326.
- POLZELLA, D. J., & BOWER, S. M. (1982). BIRAND: A BASIC program to generate and test random binary sequences. **14**, 51.
- POLZELLA, D. J., & GHOUSE, A. S. (1978). PSYCHIC: A BASIC game to test ESP as d'. **10**, 426-428.
- RIEDL, T. R. (1984). HIPS in action: Application of HIPS in research. **16**, 217-222.

ICL

- ALLAN, G. J. B. (1978). FAC1: An interactive FORTRAN program to calculate principal factor loadings. **10**, 861.
- ALLAN, G. J. B. (1978). IPA1: A BASIC program to conduct

VAX

- BERGER, M. P. F. (1982). GCM: An interactive program for the analysis of time-structured data. **14**, 48-50.
- BROWN, R. L. (1983). TIMCAI: An interactive program to assist in the identification of univariate nonseasonal nonmixed ARIMA time series. **15**, 101-102.
- BROWN, R. L. (1984). ANOVR: Minitab macro routines for calculating *ANalysis Of Variance* with Repeated measures. **16**, 395-396.
- CORTER, J. E. (1982). ADDTREE/P: A PASCAL program for fitting additive trees based on Sattath and Tversky's ADDTREE algorithm. **14**, 353-354.
- DALY, H. B., & DALY, J. T. (1987). A computer simulation/mathematical model of learning: Extension of DMOD from appetitive to aversive situations. **19**, 108-112.
- DE SOETE, G. (1984). Computer programs for fitting ultrametric and additive trees to proximity data by least squares methods. **16**, 551-552.
- FOX, J. L., JR., MCKNIGHT, R. J., & WOLF, R. V. (1981). UCSD PASCAL with a VAX as a floppy disk. **13**, 181-188.
- GOLDSTEIN, S. R., BLEKKENHORST, H. J., & MAYES, L. W. (1982). Computerization of the operant arena. **14**, 369-372.
- GRANT, M. J. (1983). AGREE: A BASIC program for assessing similarity in categorization judgments. **15**, 611-612.
- GRANT, M. J. (1983). Using a computer simulation to teach attitude surveying. **15**, 574-576.
- GREENBERG, E. A., & McISAAC, M. S. (1984). SIMATRIX: A program using the SAS system for multidimensional scaling analysis of sorting data. **16**, 407-408.
- HARVEY, L. O., JR. (1986). Efficient estimation of sensory thresholds. **18**, 623-632.
- HEATH, R. A. (1983). FITTRW: A parameter estimation program for a general random walk model analysis of two-choice response time (2CRT) data. **15**, 95-96.
- HOLMES, W. M. (1982). Ill-conditioned correlation analyzer. **14**, 43.
- HUNTER, T. B., & SEELEY, G. W. (1983). An interactive program to build a computer library of literature references. **15**, 467-468.
- KLIEGL, R. (1981). Automated and interactive analysis of eye fixation data in reading. **13**, 115-120.
- LANDY, M. S., COHEN, Y., & SPERLING, G. (1984). HIPS: Image processing under UNIX. Software and applications. **16**, 199-216.
- LESGOLD, A. M. (1981). Cognitive simulation modeling on the VAX-11. **13**, 192-194.
- LEVINE, J. M., MCKNIGHT, R. J., & GREEN, S. M. (1983). GROUPCOM: VAX-based software for conducting small-group research. **15**, 613-614.
- LUNT, P. K., & TILLER, D. K. (1986). INTRACLUS: A FORTRAN 77 program for elucidating intracluster structure. **18**, 398.
- MAZZEO, J., BORGSTROM, M., & SEELEY, G. W. (1982). Intraclass correlation: Estimation of the reliability of ratings. **14**, 45-46.
- MORRIS, T. L. (1985). Electrooculographic indices of changes in simulated flying performance. **17**, 176-182.
- MORRISON, I. (1983). Compact representations of positional knowledge in short and long words for letters and features. **15**, 406-412.
- PERLMAN, G. (1980). Data analysis programs for the UNIX operating system. **12**, 554-558.
- PERLMAN, G. (1982). Experimental control programs for the UNIX operating system. **14**, 417-421.
- POLSON, P. G., MILLER, J. R., & KARAT, J. (1981). Psychological experimentation through direct connection of the subject interface to a VAX. **13**, 189-191.
- RABINOWITZ, F. M., GRANT, M. J., & DINGLEY, H. L. (1984). FIT: An iterative parameter-estimation function in LISP. **16**, 307-314.
- RAE, G. (1982). Testing whether a population correlation coefficient corrected for attenuation is perfect. **14**, 494-496.
- RAE, G. (1985). Quade's nonparametric analysis of covariance by matching. **17**, 421-422.
- SEELEY, G. W., BORGSTROM, M., & MAZZEO, J. (1982). A general interactive computer program for running signal detection experiments. **14**, 555-556.
- TILLER, D. K., & LUNT, P. K. (1985). SIMINDEX: A FORTRAN 77 program for converting sort data into similarity matrices. **17**, 418.
- WHITNEY, P. (1986). MEANCOMP: A Pascal program for computing mean reaction times with outlier selection. **18**, 53.
- WIJNEN, J. L. C., & GROOT, C. J. (1984). An eye movement analysis system (EMAS) for the identification of cognitive processes on figural tasks. **16**, 277-281.
- WOODRUFF, B. (1985). SCORERECALL: A Pascal program which scores protocols from multiple free-recall trials. **17**, 424-426.

XEROX

- BUSH, A. J. (1980). Ridge: A program to perform ridge regression analysis. **12**, 73-74.
- BUSH, A. J. (1981). RIDGE+: An improved biased regression routine. **13**, 361-362.
- GAITHER, D. M., JR., & ZUSNE, L. (1978). Simulation of the telepathy experiment with Zener cards. **10**, 78-80.
- MANDEL, T. S. (1979). Eye movement research on the propositional structure of short texts. **11**, 180-187.
- ULLRICH, J. R., & PITZ, G. F. (1977). A general purpose analysis of variance routine. **9**, 301.
- WILLIAMS, J. M., BILLINGS, A., TRIPP, D., & D'ALLESANDRO, L. (1980). MIA: A program for multivariate information analysis. **12**, 387.

Microcomputer

Apple

- ADAMS, J. K. (1985). Visually presented verbal stimuli by assembly language on the Apple II computer. **17**, 489-502.
- ALDRIDGE, J. W. (1987). Cautions regarding random number generation on the Apple II. **19**, 397-399.
- ALGARABEL, S. (1983). MEMORIA: A computer program for experimental control of verbal learning and memory experiments with the Apple II microcomputer. **15**, 394.
- BATSON, J. D., & TURNER, J. D. (1986). A simple infrared photocell device and its interface to an Apple computer. **18**, 447-451.
- BELMORE, S. M. (1983). RELEASE FROM PI: Comparison of traditional and computer modules in an experimental psychology laboratory. **15**, 191-194.
- BERNSTEIN, D., & LIVINGSTON, C. (1982). An interactive program for observation and analysis of human behavior in a long-term continuous laboratory. **14**, 231-235.
- BERTENTHAL, B. I., & KRAMER, S. J. (1984). The TMS 9918A VDP: A new device for generating moving displays on a microcomputer. **16**, 388-394.
- BERTENTHAL, B. I., PROFFITT, D. R., & KELLER, S. E. (1985). 3-D graphics animation program for the Apple II. **17**, 195-202.

- BISHOP, D. V. M. (1980). REFERENCE: An Apple II package for storage and retrieval of journal references. *12*, 627-630.
- BOWKER, D. O. (1982). Audio-range frequency-counter subroutine for the Apple II. *14*, 367-368.
- BOWLER, D. M. (1987). Using an Apple II to control a two-field projection tachistoscope. *19*, 377-379.
- BRADEN, W., HAIR, R. J., & SPACE, L. G. (1983). A microcomputer-based system for evoked-potential augmenting/reducing measurements. *15*, 441-445.
- BROWN, G. A., & PEREZ, F. I. (1985). Single-subject statistical analysis of computer-assisted biofeedback. *17*, 327-330.
- BUTLER, D. L., & EAMON, D. B. (1987). Writing high-quality statistical software for Apple II microcomputers. *19*, 104-107.
- BUTLER, D. L., & JONES, S. K. (1987). A comparison of inexpensive statistical packages for Apple II microcomputers. *19*, 99-103.
- CAVANAGH, P., & ANSTIS, S. M. (1980). Visual psychophysics on the APPLE II: Getting started. *12*, 614-626.
- CLARKE, R. L., SMITH, R. F., & JUSTESSEN, D. R. (1985). An infrared device for detecting locomotor activity. *17*, 519-525.
- COLLYER, C. E. (1986). Goodness-of-fit patterns in a computer cross-validation procedure comparing a linear and a threshold model. *18*, 618-622.
- COOVERT, M. D. (1980). An elementary statistical package for 6502-based microcomputers. *12*, 562.
- COREN, S. (1986). The Farnsworth-Munsell 100-hue test: A BASIC program for scoring and analysis. *18*, 323-324.
- CUNNINGHAM, C. L., & PERIS, J. (1983). A microcomputer system for temperature biotelemetry. *15*, 598-603.
- CUNNINGHAM, H. A. (1985). An Apple microcomputer-based laboratory system for the study of visual-motor behavior. *17*, 484-488.
- CUTCOMB, S. D., BOLSTER, R. B., & PRIBRAM, K. H. (1981). DADTA VI: A minicomputer-based video control system for the analysis of behavioral and electrophysiological data. *13*, 337-340.
- DABBS, J. M., JR., & SWIEDLER, T. C. (1983). Group AVTA: A microcomputer system for group voice chronography. *15*, 79-84.
- DALY, H. B., & DALY, J. T. (1984). DMOD—A mathematical model of reward and aversive nonreward in appetitive learning situations: Program and instruction manual. *16*, 38-52.
- DENI, R., & COFFEE, R. J. (1984). COMPLEX: An Applesoft BASIC program to assess preference for visual complexity. *16*, 329-330.
- DIENER, D., & SMEE, W. P. (1984). Apple tachistoscope. *16*, 540-544.
- DIONNE, L., LAURENCELLE, L., & TREMBLAY, F. (1987). A distributive method to increase the analogic output (D/A) resolution of a microcomputer. *19*, 365-369.
- DORFMAN, D. (1987). Software timing of events in cognitive psychology experiments. *19*, 185-190.
- EAMON, D. B. (1982). CEDATS: A cognitive experimental design and testing system. *14*, 142-145.
- EAMON, D. B., & BUTLER, D. L. (1987). Writing programs on the Apple for the student psychology laboratory: Routines, subroutines, and sources of information. *19*, 88-98.
- ECKERMAN, D. A. (1981). Developing a laboratory course using PASCAL on the Apple II. *13*, 204-208.
- ERGNER, D., & WELLENS, A. R. (1985). A split-screen electronic messaging system for Apple II computers. *17*, 556-564.
- FAZIO, R. H., & BACKLER, M. H. (1983). Computer lessons for a social psychology research methods course. *15*, 135-137.
- FEMANO, P. A., & PFAFF, D. W. (1983). Time-interval acquisition on a 6502-based microcomputer. *15*, 521-529.
- FISK, A. D., SCHNEIDER, W., & BURKHARD, J. C. (1982). SENSE: A program for calculating parametric (d') and non-parametric (A' and A_g) indexes of sensitivity. *14*, 361.
- FLOWERS, J. H. (1982). Some simple Apple II software for the collection and analysis of observational data. *14*, 241-249.
- FLOWERS, J. H., & LEGER, D. W. (1982). Personal computers and behavioral observation: An introduction. *14*, 227-230.
- FOREE, D. D., ECKERMAN, D. A., & ELLIOTT, S. L. (1984). M.T.S.: An adaptable microcomputer-based testing system. *16*, 223-229.
- FOWLER, S. C. (1985). Amplitude measures of operant response: Implementation with Apple Pascal. *17*, 301-306.
- FRASER, I. H., LISHMAN, J. R., & PARKER, D. M. (1987). Temporal manipulation of stimulus patterns using the Apple II: Tachistoscopic and part presentation. *19*, 315-318.
- GALLA, J. P. (1982). Two-factor analysis of variance with one nested factor: A BASIC program for microcomputers. *14*, 499.
- GARCÍA-PÉREZ, M. A. (1987). Three-dimensional perspective drawing of two-dimensional functions with microcomputers. *19*, 42-46.
- GARDINER, G., FRANKS, I. M., & GOODMAN, D. (1987). A microcomputer-based tracking task for examination of the spatial and temporal organization of perceptual motor skill. *19*, 361-364.
- GARDNER, R. M., & BOICE, R. (1986). A computer program to generate signal-detection theory values for sensitivity and response bias. *18*, 54-56.
- GILPIN, A. R. (1983). SCALO: A program to perform Guttman scaling analysis on the Apple II microcomputer. *15*, 549.
- GILPIN, A. R. (1985). APCLUST: A versatile Apple II program to perform agglomerative hierarchical clustering analysis. *17*, 508.
- GILPIN, A. R. (1985). A BASIC program to compute Hotelling's T^2 and related measures. *17*, 509.
- GILPIN, A. R. (1985). APPLECOR: An Apple II implementation of hierarchical clustering analysis using the CONCOR algorithm. *17*, 140.
- GOLDSTEIN, L., & MOORE, T. (1983). Mechanical deductive techniques: Three microcomputer packages. *15*, 545-546.
- GORDON, B., & FIELD, B. (1985). Screen blanking on the Apple IIe. *17*, 518.
- GORDON, W. A., FOREE, D., & ECKERMAN, D. A. (1983). Using an Apple II microcomputer for real-time control in a behavioral laboratory. *15*, 158-166.
- GORMAN, B. S., & PRIMAVERA, L. H. (1981). BASIC BACK-STEP: A simple backward-selection multiple-regression program for minicomputers and microcomputers. *13*, 703.
- GORMAN, B. S., PRIMAVERA, L. H., & KARRAS, A. (1983). A microcomputer program package for metaanalysis. *15*, 617.
- GROEN, G., FREDERIKSEN, C., & DILLINGER, M. (1984). A propositional analyst's assistant. *16*, 154-157.
- HARTLEY, L. (1980). BASIC language programs for one-, two-, three-, or four-factor within- and between-subjects ANOVAs for Apple II and Commodore PETs. *12*, 567.
- HOCHHAUS, L., CARVER, S., & BROWN, J. R. (1983). Control of CRT intensity via Apple II software. *15*, 594-597.
- HORII, Y. (1983). An automatic analysis method of utterance and pause lengths and frequencies. *15*, 449-452.
- IDZIKOWSKI, C. (1982). INTERRUPTS: An interrupt routine for Apple II PASCAL 1.1. *14*, 491.
- JENKINS, W. M. (1982). Interfacing the Apple II for the behavioral laboratory. *14*, 345-347.
- JOHNSON, M. A. (1981). The analysis of multiphasic signals with the Apple II/FIRST microprocessor system. *13*, 276-280.
- KAWAI, M. (1984). A method for analyzing the motion of an

- object on a VTR screen with an Apple II computer. **16**, 12-18.
- KNOBLAUCH, K. (1986). TVR: A BASIC implementation of Stiles's analysis of the two-color increment-threshold paradigm. **18**, 393-394.
- KRAMER, S. J., BERTENTHAL, B. I., & BAI, D. L. (1986). A computer-controlled laboratory for studying infant event perception. **18**, 257-262.
- KRAVITZ, D. A., & WALKER, J. A. (1984). COALPRED: A BASIC program for computing predictions of five coalition theories. **16**, 69-70.
- LAGUARDIA, R. L. (1982). The application of computer systems to research in experimental social psychology. **14**, 250-253.
- LAMBERT, R. M. (1987). The challenge of rationality in computer access for the visually impaired. **19**, 286-290.
- LARIMER, L. D., & WATKINS, M. W. (1980). Assessing predictive test bias with the microcomputer. **12**, 568.
- LE BOURG, E., & BEUGNON, G. (1985). Apple II programs in circular statistics. **17**, 141.
- LIEBERMAN, H. R. (1983). Computation of psychophysical thresholds using the probit technique. **15**, 446-448.
- LIEBERMAN, H. R., & PENTLAND, A. P. (1982). Microcomputer-based estimation of psychophysical thresholds: The Best PEST. **14**, 21-25.
- LOFTUS, G. R., GILLISPIE, S., TIGRE, R. A., & NELSON, W. W. (1984). An Apple II-based slide-projector laboratory. **16**, 447-453.
- LOOMIS, J. M. (1986). Scan-display of high-resolution images using the Apple II. **18**, 36-40.
- LORIG, T. S. (1985). Event-related potential data acquisition on the Apple II+/Ile. **17**, 479-483.
- LORIG, T. S. (1986). Microcomputer-based scalp topography mapping of event-related potentials. **18**, 293-298.
- LOWE, D. C. (1983). A Winchester hard-disk integrated computer-assisted instructional laboratory: Hardware and data management considerations. **15**, 181-182.
- MARSHALL-GOODALL, B., SCHREURS, B. G., & GORMEZANO, I. (1982). Ruler vs. the Apple II/FIRST system analysis of analog signals in classical conditioning. **14**, 519-525.
- MITTERER, J. O., & OSBORNE, B. (1982). Improved real-time control on the Apple by mimicking an on-board 60-Hz clock. **14**, 412-413.
- MORRISON, P. R. (1982). LATERAL: A program for the psychophysiological investigation of the lateralization of function using the Apple microcomputer. **14**, 429.
- MORRISON, P. R. (1983). LIKERT: An APPLESOFT program for the construction, administration, and scoring of Likert scales. **15**, 97-98.
- MOSS, S. C. (1984). On-line Apple II for the recording and analysis of complex motor movements. **16**, 19-24.
- MULLANEY, D. J., FLECK, P. A., OKUDAIRA, N., & KRIPKE, D. F. (1985). An automated system for administering continuous workload and for measuring sustained continuous performance. **17**, 16-18.
- NOBLET, A., RIDELAIRE, H., & SYLIN, G. (1985). Equipment for the study of operating processes in braille reading. **17**, 107-113.
- NORMAN, W. D., & JONGERIUS, J. L. (1985). Apple Picker: Computer software for studying human responding on concurrent and multiple schedules. **17**, 222-225.
- OGASAWARA, T. H. (1982). The calculation of the significance level of F, t, and r on the Apple II. **14**, 492-493.
- OLSON, R., FOLTZ, G., & WISE, B. (1986). Reading instruction and remediation with the aid of computer speech. **18**, 93-99.
- ONKEN, J., & REVELLE, W. (1984). ANATEST: A program to generate geometric analogy problems varying in number of elements and number of transformations. **16**, 333-334.
- ODD, J. H., & SATTLER, J. M. (1984). Generalized kappa coefficient: A Microsoft BASIC program. **16**, 481.
- PAUZIE, A., & THON, B. (1985). A simple method to record arm positioning movements in man with an Apple computer. **17**, 476-478.
- PHILIPP, S. F., & CICCARELLA, C. F. (1983). An Apple II package for computer-assisted telephone interviewing. **15**, 456-458.
- PIZZIMENTI, M. A., WEEKS, D. J., & LEE, T. D. (1984). ERRORCALC: A BASIC microcomputer program to calculate psychophysical error measures for variable block sizes. **16**, 57-58.
- POFFEL, S. A., & GREGORY, R. J. (1984). START: Stimulus and response tools for experiments in memory, learning, cognition, and perception. **16**, 409-410.
- POLTROCK, S. E., & FOLTZ, G. S. (1982). An experimental psychology laboratory system for the Apple II microcomputer. **14**, 103-108.
- PRICE, J. M. (1986). Relocating 65xx software timing routines. **18**, 68-69.
- PRILL, K. A. (1984). Picture stimuli for the Apple II computer. **16**, 327-328.
- RAYFIELD, F. (1982). Experimental control and data acquisition with BASIC in the Apple computer. **14**, 409-411.
- REED, A. V., LEWART, D., & SCHNEIDER, L. H. (1981). Low-cost microcomputer networking: How to get high throughput on a low budget. **13**, 221-226.
- RICE, C. G. (1986). DOMSORT: An Apple II program for sorting interaction matrices to find the dominance order. **18**, 389-392.
- RIPPEY, R. M. (1986). A computer program for administering and scoring confidence tests. **18**, 59-60.
- ROMANO, A. G., STEINMETZ, J. E., & PATTERSON, M. M. (1985). An Apple microcomputer system in physiological psychology. **17**, 551-555.
- RUSH, D. K. (1986). Apple II assembly language routines for digital data acquisition and contingency control. **18**, 32-35.
- SANMARTIN, J. (1987). TREC: A tool kit for programming cognitive experiments in Applesoft BASIC. **19**, 467-468.
- SAWYER, T. A., & CASTELLAN, N. J., JR. (1985). A microcomputer-based technique for measuring response times in written protocols. **17**, 503-504.
- SCANDRETT, J., & GORMEZANO, I. (1980). Microprocessor control and A/D data acquisition in classical conditioning. **12**, 120-125.
- SCHIEBER, F., & SNYDER, C. W. (1987). A hardware and software interface for sensing changes in rotary position with an Apple II microcomputer. **19**, 311-314.
- SCHREURS, B. G., GORMEZANO, I., & HARVEY, J. A. (1983). Apple II/FIRST system control of electrical brain stimulation in the rabbit. **15**, 167-170.
- SHIMAMURA, A. P., LANDWEHR, R. F., & NELSON, T. O. (1981). FACTRETRIEVAL: A program for assessing someone's recall of general-information facts, feeling-of-knowing judgments for nonrecalled facts, and recognition of nonrecalled facts. **13**, 691-692.
- SHIMOFF, E. (1985). SPACEMAKER: A program to increase Apple disk capacity from 31 to 33 tracks. **17**, 427-428.
- SPAULDING, W., CRINEAN, W. J., & MARTIN, T. (1983).

- Microcomputerized clinical and research laboratories in psychiatric inpatient settings. **15**, 171-176.
- SPAULDING, W., HARGROVE, D. S., CRINEAN, W. J., & MARTIN, T. (1981). A microcomputer-based laboratory for psychopathology research in rural settings. **13**, 616-623.
- SPENCER, D. G., JR., & EMMETT-OGLESBY, M. W. (1985). Parallel processing strategies in the application of microcomputers to the behavioral laboratory. **17**, 294-300.
- SPINKS, J. A., DOW, R., & CHIU, L. W. (1983). A microcomputer package for real-time skin conductance response analysis. **15**, 591-593.
- SPIVEY, J. E. (1983). Software development for computer-assisted instruction in experimental psychology. **15**, 183-186.
- STEINMETZ, J. E., ROMANO, A. G., & PATTERSON, M. M. (1981). Statistical programs for the Apple II microcomputer. **13**, 702.
- STODOLSKY, D. S. (1984). Equal-time resolution program for dialog management. **16**, 411.
- STODOLSKY, D. S. (1987). Dialogue management program for the Apple II computer. **19**, 483-484.
- SVARTDAL, F. (1986). LAB-FORTH software package. **18**, 61-62.
- THOMPSON, G. C. (1979). Behavioral programming with the APPLE II microcomputer. **11**, 585-588.
- TORREY, C. C. (1986). Occluding edge displays and random-dot stereograms on the Apple II. **18**, 321-322.
- TURNBULL, S. K., MIKITTEN, T. T., & MIKITTEN, S. (1980). CONCEPTS: A program for microcomputer-controlled experimentation in concept attainment. **12**, 631-632.
- VOKEY, J. R. (1984). PLTIT: A graphing package for the Apple II series of computers. **16**, 483.
- VOKEY, J. R. (1986). MATRICKS: Matrix algebra for Applesoft BASIC. **18**, 409-411.
- VOKEY, J. R. (1987). Virtual arrays. **19**, 51-52.
- VOKEY, J. R., BAKER, J. G., HAYMAN, G., & JACOBY, L. L. (1986). Perceptual identification of visually degraded stimuli. **18**, 1-9.
- WALCZYK, J. J., & MELLER, P. J. (1987). PART1 and PART2: Programs for determining reading thresholds and motor response latencies. **19**, 469-474.
- WALKENBACH, J. (1981). A microcomputer program for the analysis of interaction data. **13**, 369-370.
- WALKENBACH, J. (1981). A microcomputer program to demonstrate simple operant reinforcement schedules. **13**, 693.
- WASTELL, D. G. (1982). Assembler language software for linking the Apple II to a PDP-11 as a dumb VDU. **14**, 362.
- WATKINS, M. W., & KUSH, J. C. (1985). An Apple computer program for hierarchical grouping analysis. **17**, 576.
- WATKINS, M. W., & KUSH, J. C. (1987). Research Assistant: A statistical package for the Apple II microcomputer. **19**, 380-382.
- WATKINS, M. W., & LARIMER, L. D. (1980). Interrater agreement statistics with the microcomputer. **12**, 466.
- WEST, R. F. (1983). Data-editing BASIC programs for creating, modifying, and combining Apple II disk files. **15**, 387-388.
- WHITE, C. W., BRUSSELL, E. M., WILLIAMS, T. T., & TOG, S. J. (1984). Gray-scale graphics using dot matrix printers. **16**, 273-276.
- WILKINSON, T. S., & NELSON, T. O. (1984). FACTRETRIEVAL2: A PASCAL program for assessing someone's recall of general-information facts, confidence about recall correctness, feeling-of-knowing judgments for non-recalled facts, and recognition of nonrecalled facts. **16**, 486-488.
- WOLFLE, L. M. (1982). PASE: Program for analysis of structural equations. **14**, 548-550.
- WOODRUFF, B. (1985). RANDOMTOOLS: An Apple Pascal unit useful in randomization. **17**, 133-134.
- WRIGHT, G., AYTON, P., & WHALLEY, P. (1985). FORECAST: A general purpose computer aid to judgmental forecasting. **17**, 515-517.
- YOST, M., BREMNER, F., & GILL, A. A. (1987). Developing probability limits for longitudinal physiological data. **19**, 139-141.
- YOUNG, S. R. (1984). RSVP: A task, reading aid, and research tool. **16**, 121-124a.

Atari

- ELLIS, J. K. (1985). Distribution counting as a method for sorting test scores. **17**, 419-420.
- PISACRETA, R., & RILLING, M. (1987). Infrared touch technology as a response detector in animal research. **19**, 389-396.
- VOM SAAL, W. (1984). Using microcomputers to control student-designed research in a research methods course. **16**, 147-149.

Commodore 64

- BOND, N. W., & SIDDLE, D. A. T. (1987). Learning and motivation: Computer simulations of the Rescorla-Wagner, Solomon-Corbit, and Schull models. **19**, 404-406.
- CALISTRI, R. J., & KALLMAN, H. J. (1986). DRT/***: Programs to administer and score the Diagnostic Rhyme Test. **18**, 57-58.
- CAMPBELL, D. J. (1984). A spectral-analysis program with graphics for the CBM/PET/C-64 microcomputers. **16**, 484-485.
- HORMANN, C. A., & ALLEN, J. D. (1987). An accurate millisecond timer for the Commodore 64 or 128. **19**, 36-41.
- KALLMAN, H. J. (1986). A Commodore 64-based experimental psychology laboratory. **18**, 222-227.
- O'DELL, J. W. (1987). Simple apparatus for producing auditory illusions. **19**, 355-356.
- O'DELL, J. W., & JACKSON, D. E. (1986). The Commodore 64 and an interface system for controlling operant chambers. **18**, 339-341.
- PITTINGER, D. J., & HODGE, M. H. (1986). Statistical programs for Commodore computers. **18**, 50-52.

Commodore Amiga

- ANSTIS, S. (1986). Visual stimuli on the Commodore Amiga: A tutorial. **18**, 535-541.
- WRIGHT, R. D. (1986). Amiga 1000 hardware timing and reaction-time key interfacing. **18**, 463-465.

Commodore PET

- ALLEN, J. D., & NICORA, B. (1984). Interfacing the PET/CBM with Coulbourn's DynaPort for experimental control and data acquisition. **16**, 492-494.
- BLEKKENHORST, H., & GOLDSTEIN, S. R. (1983). A microcomputer interface to control reinforcement delivery. **15**, 398.
- CAMPBELL, D. J. (1983). An editor and high-resolution histogram plotter for the CBM/PET microcomputer. **15**, 618-619.
- CAMPBELL, D. J. (1983). Machine language programs for high-speed transfer of data between the KIM-1 and the CBM/PET microcomputers. **15**, 547-548.

- CAMPBELL, D. J. (1984). A spectral-analysis program with graphics for the CBM/PET/C-64 microcomputers. **16**, 484-485.
- CROSSMAN, E. K., STEPHENSON, M. R., & LYNCH, H. L. (1980). An intelligent PET interface for environmental control and data acquisition and analysis. **12**, 238-240.
- CROSSMAN, E. K., WILLIAMS, J. G., & CHAMBERS, J. H. (1978). Using the PET microcomputer for collecting and analyzing observational data in the classroom. **10**, 563-566.
- CZERNY, P. (1979). Godot: A real-time data acquisition and control program for the PET microcomputer. **11**, 577-580.
- DURRETT, H. J., JR. (1978). Inexpensive microcomputer systems for research and instruction: A dream or reality? **10**, 345-351.
- GOLDSTEIN, S. R., BLEKKENHORST, H. J., & MAYES, L. W. (1982). Computerization of the operant arena. **14**, 369-372.
- HARTLEY, L. (1980). BASIC language programs for one-, two-, three-, or four-factor within- and between-subjects ANOVAs for Apple II and Commodore PETs. **12**, 567.
- JOHNSON, R. N. (1978). Using the PET microcomputer. **10**, 474-475.
- MCLEAN, R. S. (1978). Using personal computers for experimental control. **10**, 468-473.
- MERIKLE, P. M., CHEESMAN, J., & BRAY, J. (1982). PET Flasher: A machine language subroutine for timing visual displays and response latencies. **14**, 26-28.
- OSAKA, N. (1979). A microprocessor-based real-time BASIC laboratory: A pulse motor-controlled visual stimulator. **11**, 549-552.
- OSAKA, N. (1979). A microprocessor-based real-time BASIC random interstimulus interval generator with different probability density functions. **11**, 581-584.
- OSAKA, N. (1980). An inexpensive microcomputer peripheral I/O expansion. **12**, 344-345.
- OSAKA, N. (1985). The Maxwellian optics laboratory automation using a personal computer. **17**, 206-208.
- PITTENGER, D. J., & HODGE, M. H. (1986). Statistical programs for Commodore computers. **18**, 50-52.
- RICHARDSON, K. (1983). Measuring the learning-relevant relations between variables in experience. **15**, 91-92.
- ROBERTSON, S. A. (1980). A PET-based program for stepwise orthogonal hand rotation. **12**, 637-638.
- SIMPSON, G. B., & BURGESS, C. (1984). PET programs for demonstration and student research in cognitive psychology. **16**, 65-66.
- Commodore VIC-20**
- CROSSMAN, E. K. (1984). An inexpensive operant chamber interface for the VIC 20 microcomputer. **16**, 338-340.
- JACKSON, D. E., & O'DELL, J. W. (1985). The VIC-20 computer and an interface system for controlling operant chambers. **17**, 406-408.
- OSAKA, N. (1981). A versatile memory-mapped I/O interface for microcomputers. **13**, 727-731.
- OSAKA, N. (1985). The Maxwellian optics laboratory automation using a personal computer. **17**, 206-208.
- STRUBE, M. J. (1983). Tests of randomness for pseudorandom number generators. **15**, 536-537.
- Data General MicroNOVA**
- GANOUE, W. H., & KIERAS, D. E. (1980). A virtual terminal program for data transfer between a Data General MicroNOVA laboratory computer and a DECsystem-10 timesharing system. **12**, 251-255.
- GILBERT, S. G., & RICE, D. C. (1979). NOVA SKED II: A behavioral notation language utilizing the Data General Corporation real-time disk operating system. **11**, 71-73.
- KIERAS, D. E. (1979). Doing it the vendor's way: Running multiple subjects in reading experiments using Data General's Diskette Operating System. **11**, 221-224.
- YOUNG, S. R. (1984). RSVP: A task, reading aid, and research tool. **16**, 121-124a.
- IBM**
- ALF, E. F., JR., & GROSSBERG, J. M. (1987). DORF2R.BAS: Analyzing signal-detection theory rating data in the BASIC programming language. **19**, 475-482.
- ANDERSON, D. E. (1984). PSYCHO-STATS PC: A statistical package for the IBM PC. **16**, 482.
- BIENIAS, J. L. (1987). Two BASIC programs to compare elements within and among correlation matrices. **19**, 57-58.
- BLAU, G. L. (1984). Editing in style: A style sheet for conforming to APA editorial style. **16**, 28-31.
- BOLDIN, M. M., & STARKES, J. L. (1987). ERRORCALC ADAPTED: A BASIC microcomputer program to calculate error measures for variable block sizes. **19**, 416-417.
- BRAUNSTEIN, M. L. (1986). Dynamic stereo displays for research on the recovery of three-dimensional structure. **18**, 522-530.
- BREMNER, F. J., YOST, M., & SULLIVAN, L. (1987). A parallel but not necessarily connectionist model of the auditory system. **19**, 148-151.
- BREMNER, F. J., YOST, M., & ZINTGRAFF, C. (1985). A longitudinal study of cardiac component analysis. **17**, 319-322.
- BROPHY, A. L. (1986). An algorithm and program for calculation of Kendall's rank correlation coefficient. **18**, 45-46.
- BROPHY, A. L. (1987). Efficient estimation of probabilities in the *t* distribution. **19**, 462-466.
- BROWN, G. A., & PEREZ, F. I. (1985). Single-subject statistical analysis of computer-assisted biofeedback. **17**, 327-330.
- BROWN, R. L. (1987). An interactive computer program for assessing serial dependency in longitudinal data and the identification of basic ARIMA models. **19**, 407-408.
- BÜHRER, M., SPARRER, B., & WEITKUNAT, R. (1987). Interval timing routines for the IBM PC/XT/AT microcomputer family. **19**, 327-334.
- CHAMBERS, W. V., & GRICE, J. W. (1986). Circumgrids: A repertory grid package for personal computers. **18**, 468.
- CHAN, T. S. C. (1987). A DBASE III program that performs significance testing for the Kappa coefficient. **19**, 53-54.
- CHAYER-FARRELL, L., & FREEDMAN, N. L. (1987). CORE: Computer-controlled operant reinforcement. **19**, 319-326.
- CIGAS, J., & KLIMLEY, A. P. (1987). A microcomputer interface for decoding telemetry data and displaying them numerically and graphically in real time. **19**, 19-25.
- COULOMBE, D. (1984). Canonical correlation analysis: A BASIC system for microcomputers. **16**, 475-476.
- COULOMBE, D. (1984). Principal component analysis: A BASIC program for microcomputers. **16**, 477-478.
- COULOMBE, D. (1984). Two-way ANOVA with and without repeated measurements, tests of simple main effects, and multiple comparisons for microcomputers. **16**, 397-398.
- COULOMBE, D. (1985). Multiple discriminant analysis: A BASIC program for microcomputers. **17**, 135-136.
- DICKSON-PARNELL, B., JONES, M., BRADY, D., & PARNELL, C. P. (1987). Assessment of body image perceptions using a computer program. **19**, 353-354.
- DILORENZO, J. R., & ARDITI, A. (1987). Effect of artificial voice

- feedback delay in typing and its implications for the blind user. **19**, 283-285.
- DUNLAP, W. P., & KEMERY, E. R. (1985). An interactive FORTRAN IV program for calculating aspects of power in correlational research. **17**, 437-440.
- DUNLAP, W. P., & SILVER, N. C. (1986). Confidence intervals and standard errors for ratios of normal variables. **18**, 469-471.
- EVANS, S., & GILFILLAN, L. (1986). APL approximations for common statistical tables. **18**, 337-338.
- FINLEY, G. (1985). Laboratory functions for the Tecmar Lab Tender and IBM PC. **17**, 397-398.
- FINLEY, G. (1987). IBM PC laboratory software in Turbo Pascal. **19**, 59.
- GALLA, J. P. (1984). Simple analysis of covariance: A BASIC program for microcomputers. **16**, 564-565.
- GALLA, J. P. (1987). Kendall's tau and Kendall's partial correlation: Two BASIC programs for microcomputers. **19**, 55-56.
- GRAVES, R., & BRADLEY, R. (1987). Millisecond interval timer and auditory reaction time programs for the IBM PC. **19**, 30-35.
- HANNAN, T. E. (1986). CBASIC programs for nonparametric statistical analysis. **18**, 403-404.
- HAYASHI, T., & HAYS, R. D. (1987). A microcomputer program for analyzing multitrait-multimethod matrices. **19**, 345-348.
- KAPLAN, H. L. (1985). Design decisions in a Pascal-based operant conditioning system. **17**, 307-318.
- KAPLAN, H. L. (1985). When do professional psychologists need professional programmers' tools? **17**, 546-550.
- KAPLAN, H. L. (1987). Incorporating good programs into the larger laboratory context. **19**, 210-214.
- KIENAPPLE, K. (1987). The Microanalytic Data Analysis Package. **19**, 335-337.
- KÜNZEL, R. (1987). FACTORY: A microcomputer program for simulation of production lines as a versatile tool for psychological experiments. **19**, 49-50.
- LEVY, C. M. (1985). A hierarchical grouping analysis program for the IBM Personal Computer. **17**, 577.
- LOOMIS, J. M., & EBY, D. W. (1987). High-speed 2-D and 3-D animation on the IBM PC/XT/AT. **19**, 10-18.
- OLSON, R., FOLTZ, G., & WISE, B. (1986). Reading instruction and remediation with the aid of computer speech. **18**, 93-99.
- LOUD, J. H., & SATTler, J. M. (1984). Generalized kappa coefficient: A Microsoft BASIC program. **16**, 481.
- PERLMAN, G., & HORAN, F. L. (1986). Report on UNIX|STAT release 5.1: Data analysis programs for UNIX and MSDOS. **18**, 168-176.
- POIZNER, H., WOOTEN, E., & SALOT, D. (1986). Computer-graphic modeling and analysis: A portable system for tracking arm movements in three-dimensional space. **18**, 427-433.
- SCHLUNDT, D. G., & BELL, C. (1987). Behavioral assessment of eating patterns and blood glucose in diabetes using the Self-Monitoring Analysis System. **19**, 215-223.
- SCHULL, J., & KAMINER, E. M. (1987). ESI: Easy software interfacing tools for Turbo Pascal programming of digital input-output devices. **19**, 199-204.
- SCHUMACHER, R. M., DECOSTE, D., DUGAN, D., & GRUNZKE, P. M. (1986). Three programs for evaluation of human-computer interaction. **18**, 476-477.
- SEGALOWITZ, S. J. (1987). IBM PC Tachistoscope: Text stimuli. **19**, 383-388.
- STRUBE, M. J. (1985). ICC: A BASIC program for the calculation of intraclass correlations based on fixed effects and random effects models. **17**, 578.
- STRUBE, M. J. (1985). PRORATE: A BASIC program for calculating minimum test length given internal consistency constraints. **17**, 580.
- STRUBE, M. J. (1986). SMOOTH: A BASIC program for smoothing a data series. **18**, 475.
- WILKIE, D. M., & PALFREY, R. (1987). A computer simulation model of rats' place navigation in the Morris water maze. **19**, 400-403.
- WILSON, W. J., & OSTERGREN, L. A. (1986). BRAINSCAPE! A Pascal adventure in neuroanatomy for IBM-PCs and compatibles. **18**, 478-479.
- WOLACH, A. H., & MCHALE, M. A. (1987). *F* ratios and quasi *F* ratios for fixed, mixed, and random model ANOVAs. **19**, 409-412.
- WOLFLE, L. M., & ETHINGTON, C. A. (1985). GEMINI: Program for analysis of structural equations with standard errors of indirect effects. **17**, 581-584.
- WOLLEN, K. A., CONE, R. S., MARGRES, M. G., & WOLLEN, B. P. (1985). Computer programs to facilitate detailed analysis of how people study text passages. **17**, 371-378.
- WOOD, D. L. (1985). High precision chi-square and normal curve integration. **17**, 429-431.
- WOOD, D. L. (1987). The last normal curve programs. **19**, 338-344.
- WOOD, D. L., & WOOD, D. (1986). Precise *F* integration. **18**, 405-406.
- YOST, M., BREMNER, F. J., HELMER, R. J., & CHINO, M. C. (1986). The effect of smoothing functions on data obtained from a FFT. **18**, 263-266.

KIM-1

- CAMPBELL, D. J. (1983). Machine language programs for high-speed transfer of data between the KIM-1 and the CBM/PET microcomputers. **15**, 547-548.
- CAMPBELL, D. J., & FOREST, J. (1984). The KIM-1 microcomputer as an eight-channel data logger. **16**, 315-319.
- CAMPBELL, D. J., & FOREST, J. (1987). A cricket-song simulator using the 68705 single-chip microcomputer. **19**, 26-29.
- CAMPBELL, D. J., & LOHER, W. (1983). A microcomputer-based modulator for simulating insect songs and the response of crickets to an artificial calling song. **15**, 538-541.
- CRISWELL, H. E., & BABCOCK, B. (1978). A low-cost high-speed digital data acquisition and display system. **10**, 476-479.
- HASTINGS, L., & ARNOLD, N. D. (1982). A microcomputer interface for applications requiring large numbers of subjects. **14**, 128-131.
- LAESKY, I. M., & ROEMER, R. A. (1978). A real-time control system for CAI and prothesis. **10**, 182-185.
- LAWLER, J. E., & BUCHHOLZ, R. A. (1979). A machine-level software program for the generation of aversive conditioning schedules using the KIM-1 microprocessor. **11**, 218-220.
- MURRAY, D. M., & LAWLER, J. E. (1978). A KIM-1 microprocessor interface for aversive conditioning applications using multiple subjects. **10**, 334-339.
- PARKS, E. R. (1978). A general-purpose microcomputer configuration for controlling experiments. **10**, 480-484.
- POTTINGER, H. J., HUGHES, C. W., SCHROEDER, P., BAREFIELD, A., & CRAIGMILE, J. C. (1981). A microcomputer-based cardiometer with video display. **13**, 227-234.
- REED, A. V., LEWART, D., & SCHNEIDER, L. H. (1981). Low-cost microcomputer networking: How to get high throughput on a low budget. **13**, 221-226.
- SOLOMON, P. R., & BABCOCK, B. A. (1979). KIM and the rabbit: The use of the KIM-1 microprocessor to control classical

conditioning of the rabbit's nictitating membrane response. **11**, 67-70.

SOLOMON, P. R., WEISZ, D. J., CLARK, G. A., HALL, J., & BABCOCK, B. A. (1983). A microprocessor control system and solid state interface for controlling electrophysiological studies of conditioning. **15**, 57-65.

Macintosh

ANDERSON, L. A., & LANE, D. M. (1987). Demonstration experiments in perception and cognitive psychology for the Macintosh computer. **19**, 249-251.

BHARUCHA, J. J., MEIKE, B., & BAIRD, J. C. (1987). The Macintosh as a user-friendly laboratory for perception and cognition. **19**, 131-134.

BRAUNSTEIN, M. L. (1986). Dynamic stereo displays for research on the recovery of three-dimensional structure. **18**, 522-530.

BROOKS, J. O., III (1985). Pictorial stimuli for the Apple Macintosh computer. **17**, 409-410.

BROOKS, J. O., III (1987). Enhancing and degrading visual stimuli. **19**, 260-269.

CHUTE, D. L. (1986). MacLaboratory for psychology: General experimental psychology with Apple's Macintosh. **18**, 205-209.

CHUTE, D. L., GAEMAN, D., & ZIEGLER, T. (1987). MacLaboratory Controller: A switch and A/D interface between Apple's Macintosh and peripheral apparatus. **19**, 205-209.

GIBSON, J. M. (1987). Using digitized auditory stimuli on the Macintosh computer. **19**, 257-259.

HALFF, L. A. (1987). A spreadsheet simulation of the early stages of visual information processing. **19**, 117-122.

HEWETT, T. T. (1985). Teaching students to model neural circuits and neural networks using an electronic spreadsheet simulator. **17**, 339-344.

JENSEN, D. G. (1987). Facial perception studies using the Macintosh. **19**, 252-256.

KLUGER, B. D., & LANE, D. M. (1984). Geometrically rotated text for the Macintosh computer. **16**, 566-567.

LANE, D. M., & ASHBY, B. (1987). PsychLib: A library of machine language routines for controlling psychology experiments on the Apple Macintosh computer. **19**, 246-248.

LEHMAN, R. S. (1986). Macintosh statistical packages. **18**, 177-187.

LEHMAN, R. S. (1987). A microcomputer-dependent statistics and design course. **19**, 128-130.

SNODGRASS, J. G., SMITH, B., FEENAN, K., & CORWIN, J. (1987). Fragmenting pictures on the Apple Macintosh computer for experimental and clinical applications. **19**, 270-274.

WESTALL, R., PERKEY, M. N., & CHUTE, D. L. (1986). Accurate millisecond timing on Apple's Macintosh using Drexel's MilliTimer. **18**, 307-311.

Radio Shack Color Computer

BROPHY, A. L. (1983). Accuracy and speed of seven approximations of the normal distribution function. **15**, 604-605.

FLEXSER, A. J. (1987). Accurate display timing using an enhanced BASIC for the Tandy Color Computer. **19**, 457-459.

RATCLIFF, R., PINO, C., & BURNS, W. T. (1986). An inexpensive real-time microcomputer-based cognitive laboratory system. **18**, 214-221.

REED, A. V. (1982). The Radio Shack color computer in the experimental psychology laboratory: An evaluation. **14**, 109-112.

Tandy 2000

COULOMBE, D. (1984). Canonical correlation analysis: A BASIC system for microcomputers. **16**, 475-476.

COULOMBE, D. (1984). Principal component analysis: A BASIC program for microcomputers. **16**, 477-478.

COULOMBE, D. (1984). Two-way ANOVA with and without repeated measurements, tests of simple main effects, and multiple comparisons for microcomputers. **16**, 397-398.

KILLEEN, P. R. (1985). The bimean: A measure of central tendency that accommodates outliers. **17**, 526-528.

Timex Sinclair

NICHOLLS, R. J., & POTTER, R. M. (1982). An inexpensive computer and interface for research in the behavioral sciences. **14**, 532-533.

TRELEAVE, R. B., JR. (1982). Computer controllers: Adapting the Sinclair ZX-80 for laboratory use. **14**, 343-344.

WOLACH, A. H., & MCHALE, M. A. (1985). ANOVA programs for Timex/Sinclair 1000, 1500, and ZX81 microcomputers. **17**, 143.

TRS-80

ANDERSON, D. E. (1980). PSYCHO-STATS 80: A basic statistical package for the TRS-80. **12**, 565.

BALSAM, P., FIFER, W., SACKS, S., & SILVER, R. (1984). Microcomputers in psychology laboratory courses. **16**, 150-152.

BROPHY, A. L. (1983). Accuracy and speed of seven approximations of the normal distribution function. **15**, 604-605.

BROPHY, A. L. (1983). A versatile sorting and ranking program. **15**, 465-466.

BROPHY, A. L. (1984). A BASIC program for Tukey's multiple comparison procedure. **16**, 67-68.

BROPHY, A. L. (1984). Ranking programs for matched groups and combined distributions. **16**, 406.

BROPHY, A. L. (1985). Approximation of the inverse normal distribution function. **17**, 415-417.

BUHYOFF, G. J., & HULL, R. B., IV (1980). Computation of law of comparative judgment scales on a microcomputer. **12**, 465.

BUHYOFF, G. J., RAUSCHER, H. M., HULL, R. B., IV, & KILLEEN, K. (1980). Microcomputer-resident comprehensive statistical analysis. **12**, 551-553.

CHAPMAN, J., HU, L.-T., & MULLEN, B. (1986). GROUP1 and GROUP2: BASIC programs for laboratory research on the commons dilemma and group persuasion. **18**, 466-467.

COULOMBE, D. (1983). MULREG: A multiple regression analysis system for microcomputers. **15**, 608.

COULOMBE, D. (1984). Two-way ANOVA with and without repeated measurements, tests of simple main effects, and multiple comparisons for microcomputers. **16**, 397-398.

COULOMBE, D. (1985). Orthogonal polynomial coefficients and trend analysis for unequal intervals and unequal Ns: A microcomputer application. **17**, 441-442.

DALY, H. B., & DALY, J. T. (1984). DMOD—A mathematical model of reward and aversive nonreward in appetitive learning situations: Program and instruction manual. **16**, 38-52.

DENI, R., SZLIARTO, K., EISLER, A., & FANTAUZZO, C. (1983). BASIC programs for observational research using the TRS-80 Model 100 portable and Model 4 computers. **15**, 616.

DLHOPOLSKY, J. G. (1982). Software synchronizing of video displays and Z-80 processing in the Model III TRS-80. **14**, 539-544.

DLHOPOLSKY, J. G. (1983). Limitations of high-level micro-

- computer languages in software designed for psychological experimentation. **15**, 459-464.
- DLHOPOLSKY, J. G. (1983). Machine language millisecond timers for the Z-80 microprocessor. **15**, 511-520.
- DURRETT, H. J., JR. (1978). Inexpensive microcomputer systems for research and instruction: A dream or reality? **10**, 345-351.
- GALLA, J. P. (1981). Factorial analysis of variance with unequal observations: A BASIC program for microcomputers. **13**, 699-700.
- GALLA, J. P. (1982). Two-factor analysis of variance with one nested factor: A BASIC program for microcomputers. **14**, 499.
- GRICE, G. R. (1981). Accurate reaction time research with the TRS-80 microcomputer. **13**, 674-676.
- HACKER, M. J., & ANGIOLILLO-BENT, J. S. (1981). A BASIC package for N-way ANOVA with repeated measures, trend analysis, and user-defined contrasts. **13**, 688.
- HIRTLE, S. C., & KALLMAN, H. J. (1985). An integrated approach to computer usage in the teaching of experimental psychology. **17**, 359-362.
- KAHN, R. M., FIFER, W., & SILVER, R. (1984). Automatic monitoring of temperature and/or location: A computer-controlled radiotelemetry system. **16**, 533-537.
- KILLEEN, K., & HULL, R. B., IV (1982). Digitizer software for the microcomputer. **14**, 41.
- KIRK, R. C. (1980). HTERM/CIM and HTERM/BAS: "Smart" terminal enabling programs for the TRS-80 microcomputer. **12**, 71-72.
- KOONTZ, F. W. (1982). WATCH: Microcomputer program to collect and analyze behavioral observations based on focal-animal samplings. **14**, 431-432.
- LANE, D. M. (1981). A general analysis of variance programs for microcomputers. **13**, 694.
- LINGLE, J. H., & WALKER, T. (1981). BASIC language interpreters and subroutine placement. **13**, 704.
- MAPOU, R. L. (1982). Tachistoscopic timing on the TRS-80. **14**, 534-538.
- MAPOU, R. L., & BYRD, L. D. (1982). A microcomputer-based plotter system for the TRS-80 and HP 7225. **14**, 414-416.
- MCLEOD, D. R., GRIFFITHS, R. R., BIGELOW, G. E., & YINGLING, J. (1982). An automated version of the digit symbol substitution test (DSST). **14**, 463-466.
- MULLEN, B. (1982). A BASIC program for metaanalysis using Stouffer's formula. **14**, 551.
- MULLEN, B. (1983). A BASIC program for metaanalysis of effect sizes using *r*, *BESD*, and *d*. **15**, 392-393.
- MULLEN, B. (1984). SELECT1 and SELECT2: BASIC computer programs for selection data analysis in industrial/organizational psychology classes. **16**, 473-474.
- OWINGS, R. A., & FIEDLER, C. H. (1979). Measuring reaction time with millisecond accuracy using the TRS-80 microcomputer. **11**, 589-591.
- PERERA, T. B. (1978). A versatile microcomputer-based multiple-field tachistoscope. **10**, 546-547.
- PERERA, T. B. (1979). A comparison of BASIC language timing loops for the TRS-80 microcomputer. **11**, 592.
- PERERA, T. B. (1980). Using the TRS-80 cassette tape recorder as a voice key. **12**, 259-260.
- PERERA, T. B. (1981). A laboratory in experimental psychology using the TRS-80. **13**, 195-197.
- PERERA, T. B. (1981). A simple BASIC language laboratory control system for microcomputers patterned after SKED®. **13**, 281-282.
- PERONE, M. (1985). A software system for real-time laboratory use of TRS-80 microcomputers. **17**, 119-121.
- PIZZIMENTI, M. A., WEEKS, D. J., & LEE, T. D. (1984). ERRORCALC: A BASIC microcomputer program to calculate psychophysical error measures for variable block sizes. **16**, 57-58.
- PLONSKY, M., & ROSELLINI, R. A. (1983). MEANCALC: A BASIC program to calculate means and standard errors for a wide variety of designs. **15**, 469-470.
- POWERS, S. (1984). DISCRIM: A BASIC program to perform discriminant function analysis. **16**, 563.
- PSOTKA, J. (1981). Simulating second-guessing in on-line probability learning. **13**, 268-270.
- RAUSCHER, H. M., & BUHYOFF, G. J. (1982). Utility subroutines for data manipulations. **14**, 37-38.
- ROSELLINI, R. A., CARLSON, J., DINA, F., FALCONE, R., & SHAPIRO, N. R. (1983). A large-scale expandable I/O port interface for the TRS-80 microcomputer. **15**, 45-48.
- SHAPIRO, N. R., & ROSELLINI, R. A. (1980). ANCOM: A BASIC program for analytical comparisons among means. **12**, 633.
- SHAPIRO, N. R., & ROSELLINI, R. A. (1982). REFLIST: Programs to compile a reference list from word processor text. **14**, 47.
- SHAPIRO, N. R., ROSELLINI, R. A., & DECOLA, J. P. (1981). UNISIM: A text-editing BASIC program for creation and modification of sequential disk files. **13**, 689-690.
- SPENCER, D. G., JR., & EMMETT-OGLESBY, M. W. (1985). Parallel processing strategies in the application of microcomputers to the behavioral laboratory. **17**, 294-300.
- STANDING, L., & GILBERT, L. (1985). PSYCHOSTATS 2.1: A statistics package in OS-65U BASIC. **17**, 510.
- SUGARMAN, D. B. (1983). Factor structure comparisons: Two BASIC programs for microprocessors. **15**, 542.
- VON COLLANI, G. (1983). Computing probabilities for *F*, *t*, chi-square, and *z* in BASIC. **15**, 543-544.
- VON COLLANI, G. (1983). NONPARAM: A BASIC program package for nonparametric procedures. **15**, 104.
- VON COLLANI, G., & WALOSZEK, G. (1983). UNIVARAN: A universal analysis of variance program. **15**, 607.
- WALOSZEK, G. (1983). Using the TRS-80 as a terminal for the PDP-11. **15**, 474.
- WOOD, D. L. (1983). Multidimensional sorting and matrix display. **15**, 550.
- WOOD, D. L. (1985). High precision chi-square and normal curve integration. **17**, 429-431.
- WOOD, D. L., & WOOD, D. (1984). TINT: A Microsoft BASIC *t* integration program. **16**, 479-480.

Minicomputer

Data General NOVA

- ACKERMAN, M. J. (1978). Interacting with InterACT. **10**, 325-328.
- BRICKETT, P. A., DAVIS, C. M., GABERT, H. F., & MODIGLIANI, V. (1980). Dual on-line computers for research in cognitive psychophysiology. **12**, 248-250.
- BROWN, C. R. (1979). The development of a microprocessor-based system on a limited budget. **11**, 447-452.
- BURKHARDT, K. J. (1979). The design of a real-time operating system for experimental psychology. **11**, 507-511.
- CUTTING, J. E. (1978). A program to generate synthetic walkers as dynamic point-light displays. **10**, 91-94.

- DILLON, R. F., DUMONTIER, L. R., BEZANSON, W. R., & BRENNAN, R. (1978). A high-level language for control of psychology experiments. *10*, 315-324.
- GILBERT, S. G., & RICE, D. C. (1978). NOVA SKED: A behavioral notation language for Data General minicomputers. *10*, 705-709.
- GILBERT, S. G., & RICE, D. C. (1979). NOVA SKED II: A behavioral notation language utilizing the Data General Corporation real-time disk operating system. *11*, 71-73.
- HARRIS, S. D., NORTH, R. A., & OWENS, J. M. (1978). A system for the assessment of human performance in concurrent verbal and manual control tasks. *10*, 329-333.
- MITCHELL, D. S., WIGODSKY, H. S., PEEL, H. H., & MCCAFFREY, T. A. (1980). Operant conditioning permits voluntary, noninvasive measurement of blood pressure in conscious, unrestrained baboons (*Papio cynocephalus*). *12*, 492-498.
- PALMER, J. C., MACLEOD, C. M., & LOFTUS, G. R. (1978). PLE: A high-level multiprogramming language for psychology. *10*, 764-772.
- PERERA, T. B., & COBB, E. S. (1978). A minicomputer-based learning analysis system for optimizing PSI instructional materials for the visually handicapped. *10*, 231-237.
- POPE, A. T., & GERSTEN, C. D. (1977). Computer automation of biofeedback training. *9*, 164-168.
- SKELTON, R. W., SPETCH, M. L., & WILKIE, D. M. (1980). A method for automatically recording topographical differences in pigeons' keypecking for food and water reinforcers. *12*, 349-352.
- SPETCH, M. L., & WILKIE, D. M. (1980). A program that simulates random choice in radial arm mazes and similar choice situations. *12*, 377-378.
- DEC PDP-10
- ANDERSON, R. E., KROHN, K. R., & MONGIAT, M. L. (1980). Social data analysis instruction and the MISSIS system. *12*, 165-171.
- ANTONAK, R. F. (1977). A computer program for Likert format questionnaire analysis. *9*, 33.
- ANTONAK, R. F. (1977). A computer program to compute measures of response agreement for nominal scale data obtained from two judges. *9*, 553.
- ANTONAK, R. F., BART, W. M., & LELE, K. (1979). ORDER2: A program to perform ordering-theoretic data analysis. *11*, 457-458.
- BURROWS, E., & SNOOK, S. (1977). SCORE: An interactive FORTRAN program for computing case, item, and scale statistics. *9*, 525.
- DUNLAP, W. P., POWELL, R. S., & KONNERTH, T. K. (1977). A FORTRAN IV function for calculating probabilities associated with the studentized range statistic. *9*, 373-375.
- EDGE, S. E. (1979). A statistical check of the DECsystem-10 FORTRAN pseudorandom number generator. *11*, 529-530.
- MAURISSEN, J. P. J., & INGLIS, G. B. (1978). CURVAT: A FORTRAN IV subroutine to calculate the index of curvature. *10*, 729-730.
- MILLER, D. F., MAGINNIS, P. T., & WILSON, M. C. (1979). SOBEX: A timesharing data system for sociopharmacological experiments. *11*, 461-463.
- NOMA, E., & SMITH, D. R. (1978). SHED: A FORTRAN IV program for the analysis of small group sociometric structure. *10*, 60-62.
- SNYDER, C. W., JR., LAW, H. G., & PAMMENT, P. R. (1979). Calculation of Tucker's three-mode common factor analysis. *11*, 609-611.
- ULLRICH, J. R., & PITZ, G. F. (1977). A general purpose analysis of variance routine. *9*, 301.
- DEC PDP-11
- AHROON, W. A., JR., & PASTORE, R. E. (1977). Procedures for computing d' and β . *9*, 533-537.
- AKAKA, W. H., & HOUCK, B. A. (1980). The use of an ultrasonic monitor for recording locomotor activity. *12*, 514-516.
- ALLEN, G. A., & BALDWIN, L. M. (1980). PCGEN: A FORTRAN IV program to generate paired-comparison stimuli. *12*, 383-384.
- ANGLE, H. V., & CARROLL, J. (1979). A computer interview language: Programming the on-line interactive computer. *11*, 379-383.
- ANGUS, R. G., & HESLEGRAVE, R. J. (1985). Effects of sleep loss on sustained cognitive performance during a command and control simulation. *17*, 55-67.
- ASPEY, W. P., & FEINSTEIN, R. (1977). INFO: A program for computing information theory measures of communication. *9*, 305-306.
- ASPEY, W. P., ZEARS, R. W., & BLANKENSHIP, J. E. (1977). "3-D": An interactive computer-graphics program for plotting scores on three coordinate axes. *9*, 539-540.
- BAKER, P. M. (1981). A simple encoding and recording system for small group observation. *13*, 67-69.
- BAUMEISTER, A. A., MACLEAN, W. E., & DENI, R. (1979). A statistical package in BASIC for small-system applications. *11*, 77-78.
- BRADDICK, O. (1977). Real-time generation of random-element motion displays. *9*, 359-362.
- BREMNER, F. J., STRAUSS, R. N., & SAMPLES, S. D. (1985). Heart electrophysiology as a dependent measure in children. *17*, 173-175.
- BREMNER, F. J., YOST, M., & ZINTGRAFF, C. (1985). A longitudinal study of cardiac component analysis. *17*, 319-322.
- BURKHOLDER, J. H., HILL, J. L., VAUGHN, W. J., & CASCIO, H. E. (1982). A broadband digitizing rat detector: Simultaneous recording from all sound frequencies in the range of rat ultrasonic vocalizations. *14*, 511-518.
- CARMODY, D. P., KUNDEL, H. L., & NODINE, C. F. (1980). Performance of a computer system for recording eye fixations using limbus reflection. *12*, 63-66.
- CARTER, G. M., FERRARA, M., & MASTERS, H. G. (1981). DOALL: A BASIC program solving for adaptation level and n in Helson's reformulated Stevens' power law. *13*, 61-62.
- CHANG, J. J. (1986). Theoretical and methodological approaches to apparent movement of short-range process and pattern perception. *18*, 542-550.
- CHURCH, R. M. (1983). The influence of computers on psychological research: A case study. *15*, 117-126.
- CLARK, C., DOOLING, R. J., & BUNNELL, T. (1983). Analysis and synthesis of bird vocalizations: An FFT-based software system. *15*, 251-253.
- CONEY, J. (1986). CROTX: A subroutine to plot alphanumeric stimuli on an oscilloscope. *18*, 63-64.
- COTTON, J. W., GALLAGHER, J. P., HOPKINS, M., & MARSHALL, S. P. (1978). A multimethod generative CAI system for remedial mathematics. *10*, 203-212.
- COTTON, J. W., MARSHALL, S. P., VARNHAGEN, S., & GALLAGHER, J. P. (1981). A computer-oriented task analysis method for mathematics instruction. *13*, 131-140.

- CRAFT, W. D., PAYNE, T. J., & LAPPIN, J. S. (1986). Computer-controlled displays of bending motions. **18**, 518-521.
- CUTCOMB, S. D., BOLSTER, R. B., & PRIBRAM, K. H. (1981). DADTA VI: A minicomputer-based video control system for the analysis of behavioral and electrophysiological data. **13**, 337-340.
- DALY, H. B., & DALY, J. T. (1987). A computer simulation/mathematical model of learning: Extension of DMOD from appetitive to aversive situations. **19**, 108-112.
- DAVIDSON, B. J. (1981). A rotating buffer system for on-line collection of eye monitor data. **13**, 112-114.
- DENI, R. (1977). BASIC-PLUS program for one-way and two-way within-subjects ANOVAs with post hoc Newman-Keuls. **9**, 371.
- DENI, R. (1977). BASIC-PLUS programs for Sackett's lag sequential analysis. **9**, 383-384.
- DENI, R., ERWIN, J., DRAKE, D. I., & KASSORLA, E. (1978). BASIC-PLUS programs to manage a small primate colony information and records system. **10**, 81-82.
- DODD, P. W. D., BAKEMAN, R., LOEBER, R., & WILSON, S. C. (1981). JOINT and SEQU: FORTRAN routines for the analysis of observational data. **13**, 686-687.
- DOLAN, P. M., & SHAPIRO, D. (1981). Interactive computer assistance for biofeedback and psychophysiological research: Pragmatics of development. **13**, 311-322.
- DOOLING, R. J., CLARK, C., MILLER, R., & BUNNELL, T. (1982). Program package for the analysis and synthesis of animal vocalizations. **14**, 487.
- DOYLE, A. F., & PALYA, W. L. (1980). A hierarchical LSI-11 system for real-time control, interevent time storage, and data analysis. **12**, 221-231.
- EDDY, D. R., & MOISE, S. L. (1985). A comparison of single-subject and traditional statistical designs in steady-state evoked potential research. **17**, 323-326.
- ELIE, R., VO-NGOC, B., & GAGNON, M.-A. (1978). Gait analog tracings and computerized analysis through a PDP-11/45. **10**, 666-670.
- ELSNER, J. (1982). PASTOR: A new schedule programming language. **14**, 254-263.
- ELSNER, J., & WEHRLI, R. (1978). Interface systems in behavioral research. **10**, 259-263.
- ENGELKEN, E. J., STEVENS, K. W., & WOLFE, J. W. (1982). Application of digital filters in the processing of eye movement data. **14**, 314-319.
- EVANS, J. E., III, & GUTMAN, J. C. (1978). Minicomputer processing of dual Purkinje image eye-tracker data. **10**, 701-704.
- FISHER, D. G., & ROTHKOPF, E. Z. (1982). An automated eye movement laboratory for on-line electrooculography. **14**, 113-120.
- FISK, A. D., & SCHNEIDER, W. (1982). NEST: A program to verify proper RATFOR nesting structure. **14**, 552.
- FISK, A. D., SCHNEIDER, W., & BURKHARD, J. C. (1982). SENSE: A program for calculating parametric (d') and non-parametric (A' and A_g) indexes of sensitivity. **14**, 361.
- GASS, C. L. (1977). A digital encoder for field recording of behavioral, temporal, and spatial information in directly computer-accessible form. **9**, 5-11.
- GENTER, C. R., II (1980). A "software-free" reprint file management system under RT-11. **12**, 77-78.
- GILMAN, S., DIRKS, D. D., & HUNT, S. (1979). Measurement of head movement during auditory localization. **11**, 37-41.
- GLAZENBORG, G., & SCHREUDER, R. (1983). Software tools for creating line drawings on a CRT. **15**, 453-455.
- GOODMAN, D. M. (1983). VT125 graphics hardcopy on an Epson MX-80 serial printer for RT-11 and TSX-Plus. **15**, 374-376.
- GOTMAN, J. (1981). A computer system to assist in the evaluation of the EEGs of epileptic patients. **13**, 525-531.
- GRAHAM, C., COOK, M. R., COHEN, H. D., PHELPS, J. W., & GERKOVICH, M. M. (1985). STAR: A unique embedded performance assessment technique. **17**, 642-651.
- GRANAAS, M. M. (1985). Simple, applied text parsing. **17**, 209-216.
- GRUHN, J. J. (1983). PLTLIB: A FORTRAN plot library for the IEEE 488-1975 general-purpose instrument bus. **15**, 475-477.
- HAHN, P. M., SCHMIDT, T., AGARWAL, A., FRIEDMAN, R., & MITLER, M. M. (1981). Sleep, activity, temperature, and performance: Techniques for long-term monitoring in the mouse. **13**, 723-726.
- HAITH, M. M., & PLATT, B. B. (1978). Microprocessors in the laboratory: Dedicated computation and time-shared peripherals with REMOTE-11. **10**, 516-518.
- HAMER, R., & YOUNG, F. W. (1978). TESTER: A computer program to produce individualized multiple-choice tests. **10**, 77.
- HAMMOND, N. V. (1977). A program to generate random sequences of multidimensional stimuli with constraints on first-order and second-order contingencies. **9**, 549-550.
- HANSON, S. J. (1978). Confidence intervals for nonlinear regression: A BASIC program. **10**, 437-441.
- HARVEY, L. O., JR. (1986). Efficient estimation of sensory thresholds. **18**, 623-632.
- HAYES, W. (1981). GRAPH: A BASIC-11 graphics program for digital plotters. **13**, 367.
- HEATH, T. B., & MILLER, C. E. (1985). MULTIVALUE: A BASIC program for computing theoretical predictions for simple and multivalued coalition games. **17**, 511-512.
- HESLEGRAVE, R. J., & ANGUS, R. G. (1985). The effects of task duration and work-session location on performance degradation induced by sleep loss and sustained cognitive work. **17**, 592-603.
- HEYMAN, R., BIRD, R. J., HEYMAN, R. L., & HARDING, J. (1981). Programs for the estimation of fundamental frequency, amplitude, and voicing of speech. **13**, 760.
- HOWARD, J. H., JR. (1981). RT-11 FORTRAN subroutines for on-line control. **13**, 371-373.
- JOHNSON, J. H., HARRIS, W., THOMPSON, C., MARCUS, S., BLOCK, D., NOVAK, K., YINGST, N., ALLERT, A., HOBIN, G., BYRNES, E., STRAUCH, D., FELDMAN, C., NIEDNER, D., & FINK, A. (1981). New uses for the on-line computer medium in mental health care. **13**, 243-250.
- JOHNSON, J. H., & WILLIAMS, T. A. (1978). Using a micro-computer for on-line psychiatric assessment. **10**, 576-578.
- KEENAN, J. M., & KELLER, R. A. (1980). Teaching cognitive processes: Software for laboratory instruction in memory and cognition. **12**, 103-110.
- KERNAN, W. J., JR., HIGBY, W. J., HOPPER, D. L., CUNNINGHAM, W., LLOYD, W. E., & REITER, L. (1980). Pattern recognition of behavioral events in the nonhuman primate. **12**, 524-534.
- KLIEGL, R., & OLSON, R. K. (1981). Reduction and calibration of eye monitor data. **13**, 107-111.

- KORNBROT, D. E. (1981). ARTIST: A computer system for creating and running psychology experiments. **13**, 351-359.
- LAEFSKY, I. M., & ROEMER, R. A. (1978). A real-time control system for CAI and prothesis. **10**, 182-185.
- LINDHOLM, E., & SISSON, N. (1985). Physiological assessment of pilot workload in simulated and actual flight environments. **17**, 191-194.
- LOGIE, R. H. (1984). Computer selection of verbal research materials. **16**, 59-60.
- MACKINNON, A. J. (1980). FREEIN: Flexible free-form input subroutine. **12**, 75.
- MARCHETTI, F. M. (1982). CHANGR: A program for ordering FORTRAN statement numbers on a PDP-11 system. **14**, 363-366.
- MARKMAN, H. J., & POLTROCK, S. E. (1982). A computerized system for recording and analysis of self-observations of couples' interaction. **14**, 186-190.
- MASTERSON, F. A. (1981). Coding simultaneous experiments as independent FORTRAN subroutines. **13**, 677-681.
- MEWHORT, D. J. K. (1978). DIS: An n-channel tachistoscope algorithm. **10**, 756-760.
- MILKMAN, N., SCHICK, G., ROSSETTO, M., RATLIFF, F., SHAPLEY, R., & VICTOR, J. (1980). A two-dimensional computer-controlled visual stimulator. **12**, 283-292.
- MILLER, D. F., MAGINNIS, P. T., & WILSON, M. C. (1979). SOBEX: A timesharing data system for sociopharmacological experiments. **11**, 461-463.
- MILLER, J. C., TAKAMOTO, N. Y., BARTEL, G. M., & BROWN, M. D. (1985). Psychophysiological correlates of long-term attention to complex tasks. **17**, 186-190.
- MILLIGAN, W. L., & NEWS, W. (1978). Interfacing the DEC LPS 11 to electromechanical laboratory apparatus. **10**, 312-314.
- MILLIGAN, W. L., & RICHARDSON, A. (1979). A microprocessor- (Heath ET-3400) based backup control system for laboratory experiments. **11**, 314-315.
- MORRIS, T. L. (1985). Electrooculographic indices of changes in simulated flying performance. **17**, 176-182.
- MORRISON, I. (1983). Compact representations of positional knowledge in short and long words for letters and features. **15**, 406-412.
- MORRISON, I. (1983). A LISP program to determine similarity relations in letter displays. **15**, 69-71.
- MURREL, S., & KOWALSKI, T. (1980). A real-time satellite system based on UNIX. **12**, 126-131.
- NORRIS, D. (1984). A computer-based programmable tachistoscope for nonprogrammers. **16**, 25-27.
- O'TOOLE, A. J. (1985). A word processing-linked FORTRAN data base of journal and book references. **17**, 126-127.
- PALYA, W. L. (1978). A source handbook for Digital Equipment Corporation LSI-11-compatible products. **10**, 488-509.
- PALYA, W. L., & BROWN, B. (1981). Graphics software and hardware for RT-11 systems. **13**, 255-261.
- PALYA, W. L., & DOYLE, A. F. (1978). A relay driver and contact closure sensing interface for an LSI-11 DRV11 parallel I/O board. **10**, 485-487.
- PAMMENT, P. R., & STEPHENS, J. B. (1981). A multichannel, multiobserver portable event recorder. **13**, 732-734.
- PAVEL, M., MARCOVICI, S., SHERMAN, A., & FALMAGNE, J.-C. (1983). ARIS: A computer-assisted instruction system. **15**, 138-141.
- PERLMAN, G. (1980). Data analysis programs for the UNIX operating system. **12**, 554-558.
- PERLMAN, G. (1982). Experimental control programs for the UNIX operating system. **14**, 417-421.
- POLICH, J., FISCHER, A., & STARR, A. (1983). A programmable multiple-tone generator. **15**, 39-41.
- POLTROCK, S. E., & CARR, W. G. (1980). A flexible computer-controlled perception laboratory. **12**, 132-136.
- PRINZMETAL, W., & BANKS, W. P. (1978). A psychological laboratory based on a PDP-11/10 with graphics. **10**, 779-784.
- PROUDFOOT, R. G. (1978). YEPS: Running real-time experiments on a timesharing system. **10**, 291-296.
- ROSEN, E. F., & PETTY, L. C. (1985). A data-input and -analysis system using an optical scanner. **17**, 413-414.
- RYMAN, D. H., NAITOH, P., & ENGLUND, C. E. (1984). Minicomputer-administered tasks in the study of effects of sustained work on human performance. **16**, 256-261.
- SCHMIDT, A. L. (1983). A PDP-11 assembly language program for digitizing, sorting, and averaging evoked brain potentials. **15**, 85-86.
- SCHOLZ, K. W. (1977). Timesharing on the PDP-11 under RT-11. **9**, 173-175.
- SCHOLZ, K. W., & SNOW, L. H. (1978). AVID: An intelligent CAI system for small computers. **10**, 300-306.
- SCHREINER, R. C. (1978). LINC-to-PDP-11 tape translation. **10**, 865-866.
- SCHWEITZER-TONG, D. E. (1983). The photoneuromime: An artificial visual neuron for dynamic testing of computer-controlled experiments. **15**, 9-12.
- SCINTO, L. F. M., & BARNETTE, B. D. (1986). An algorithm for determining clusters, pairs or singletons in eye-movement scan-path records. **18**, 41-44.
- SEELEY, G. W., BORGSTROM, M., & MAZZEO, J. (1982). A general interactive computer program for running signal detection experiments. **14**, 555-556.
- SHEPHERD, M. (1984). EMDISP: A visual display system with digital and analogue sampling. **16**, 297-302.
- SHERAK, R. (1982). A real-time software voice key and an application. **14**, 124-127.
- SHURE, G. H., & MEEKER, R. J. (1978). A minicomputer system for multiperson computer-assisted telephone interviewing. **10**, 196-202.
- SHWARTZ, S. P. (1978). Tachistoscope simulation package. **10**, 773-778.
- SILVERMAN, K. E. A. (1986). FRED: An interactive graphics program to modify fundamental frequency contours in resynthesized speech. **18**, 395-397.
- SMITH, E. O., & BEGEMAN, M. L. (1980). BORES: Behavior observation recording and editing system. **12**, 1-7.
- SOOHOO, G., & MONTGOMERY, A. A. (1984). Stimulus tape generator: A package to present analog recordings according to user specifications. **16**, 337.
- SOWDER, C. D. (1982). EXPECT: A PASCAL program for calculating expected values in ANOVA models. **14**, 500.
- SPETCH, M. L., & WILKIE, D. M. (1980). A program that simulates random choice in radial arm mazes and similar choice situations. **12**, 377-378.
- STODOLSKY, D. (1981). Automatic mediation in group problem solving. **13**, 235-242.
- TAKIGAWA, T., & MINO, T. (1981). TYMES: A high-level language for process control and data manipulation in the behavior laboratory. **13**, 741-746.
- TAYLOR, G. A., KLITZKE, D., & MASSARO, D. W. (1978). Considerations in software character generation. **10**, 787-788.
- TAYLOR, G. A., KLITZKE, D., & MASSARO, D. W. (1978). A

visual display system for reading and visual perception research. **10**, 148-153.

- TERNES, J. W., EHRLMAN, R., & O'BRIEN, C. P. (1982). A software system for real-time control of psychological experiments. **14**, 160-164.
- WALLEN, M. R., & HOLLAN, J. D. (1979). The LNR laboratory. **11**, 151-155.
- WALOSZEK, G. (1983). Using the TRS-80 as a terminal for the PDP-11. **15**, 474.
- WASTELL, D. G. (1982). Assembler language software for linking the Apple II to a PDP-11 as a dumb VDU. **14**, 362.
- WATSON, A. B., NIELSEN, K. R. K., POIRSON, A., FITZHUGH, A., BILSON, A., NGUYEN, K., & AHUMADA, A. J., JR. (1986). Use of a raster framebuffer in vision research. **18**, 587-594.
- WEISS, D. J., & SHANTEAU, J. C. (1982). Group-Individual POLYLIN. **14**, 430.
- WHALEY, C. P. (1977). PCSTAT: Statistical Analysis of Paired-Comparison Data. **9**, 372.
- WILSON, G. A., & FREDERICKSON, W. A. (1980). Factor rotation in interactive BASIC. **12**, 382.
- YOST, M., BREMNER, F., & GIL, A. A. (1987). Developing probability limits for longitudinal data. **19**, 139-141.
- YOUNG, F. W., NULL, C. H., & SARLE, W. (1978). Interactive similarity ordering. **10**, 273-280.
- YOUNG, S. R. (1984). RSVP: A task, reading aid, and research tool. **16**, 121-124a.

DEC PDP-12

- BOUDROT, R. L., GOODMAN, D. M., & MULHOLLAND, T. B. (1978). An EEG alpha-detection, feedback stimulation, and data analysis system. **10**, 646-651.
- CAPPELLA, J. N., & STREIBEL, M. J. (1979). Computer analysis of talk-silence sequences: The FIASSCO system. **11**, 384-392.
- ELWOOD, D. L., & CLARK, C. L. (1978). Computer administration of the Peabody Picture Vocabulary Test to young children. **10**, 43-46.
- MAURISSEN, J. P. J. (1978). QUART: A FORTRAN IV subroutine to calculate quarter life. **10**, 727-728.
- MAURISSEN, J. P. J., & INGLIS, G. B. (1978). CURVAT: A FORTRAN IV subroutine to calculate the index of curvature. **10**, 729-730.
- NATANI, K., ENGELKEN, E., & THREATT, D. (1979). PDP-12 stimulus control and data collection for lateralized discrimination learning. **11**, 264-270.
- NILSSON, T. H. (1978). FOCAL patch for synchronized I/O, precision timing, and on-line files: On-line "reflexes" for general-purpose interpreter languages. **10**, 309-311.
- SCAMMON, M. E., KENNARD, M. M., STROEBEL, C. F., & GLUECK, B. C. (1981). A user-interactive graphics-based computer system for analysis of the EEG. **13**, 517-524.
- STEVENSON, D. C., HOGAN, J. T., & ROZSYPAL, A. J. (1985). Generation of speech continua through monaural fusion. **17**, 102-106.
- WALKER, S., & REITE, M. (1977). DATASTOR: A multivariate data handling system. **9**, 299.
- WALKER, S., & REITE, M. (1978). A PDP-12 interface for time-code generator/readers. **10**, 710-711.

DEC PDP-15

- LESGOLD, A. M., & FITZHUGH, R. J. (1977). An on-line psychology laboratory for teaching and research. **9**, 184-188.
- LEVINE, J. M., & STEIN, H. (1978). GROUPCOM: A computer

program for investigating social processes in small groups. **10**, 191-195.

DEC PDP-8

- AARONSON, D., & GRUPSMITH, E. (1978). The SIMPLE Telescope. **10**, 761-763.
- AHROON, W. A., JR., & PASTORE, R. E. (1977). Procedures for computing d' and β . **9**, 533-537.
- ALLEN, R. B. (1978). FOEP: A FORTRAN-based experimental package. **10**, 63-64.
- AREND, U., MOHR, W., & WANDMACHER, J. (1981). A package of LAB 8/E subroutines for DEC OS/8 FORTRAN II. **13**, 696.
- BABKOFF, H., GENSER, S. G., SING, H. C., THORNE, D. R., & HEGGE, F. W. (1985). The effects of progressive sleep loss on a lexical decision task: Response lapses and response accuracy. **17**, 614-622.
- BENEDICT, J. O. (1979). CLASCONSIM: A computer program to simulate experiments in classical conditioning. **11**, 603-604.
- BUTLER, F. E., & GRISHAM, M. G. (1977). SKED-controlled experimentation in an undergraduate instructional laboratory. **9**, 219-221.
- CHOLEWIAK, R. W., & SHERRICK, C. E. (1981). A computer-controlled matrix system for presentation to the skin complex spatiotemporal patterns. **13**, 667-673.
- DI LOLLO, V. (1979). Luminous calibration of oscilloscopic displays. **11**, 419-421.
- FOWLER, S. C., & LEBERER, M. R. (1977). Hardware techniques for analog processing using the State Systems PDP-8 I/O interface. **9**, 210-214.
- GRISHAM, M. G., & FREI, L. J. (1977). An optically isolated digital interface for the SKED system. **9**, 215-218.
- GRUPSMITH, E. (1978). Linking large and small computers. **10**, 269-272.
- HAINLINE, L. (1981). An automated eye movement recording system for use with human infants. **13**, 20-24.
- HAMILTON, B. E., & ELSMORE, T. F. (1980). MASTER/SLAVE: Interprocessor communications between PDP-8s. **12**, 241-243.
- HARRIS, C. A., HAINLINE, L., & ABRAMOV, I. (1981). A method for calibrating an eye-monitoring system for use with infants. **13**, 11-17.
- HOWARD, J. H., JR. (1979). A multipurpose laboratory package for OS/8 BASIC. **11**, 437-444.
- HOWARD, J. H., JR. (1981). Controlling the Tektronix 4006 graphics with OS/8 BASIC. **13**, 341-346.
- HOWARD, J. H., JR., BURG, D. C., & BALLAS, J. A. (1978). A deglitching circuit for the AA50 D/A converter. **10**, 858-860.
- KADDEN, R. M. (1977). Time-share SKED acquisition of analog data: Blood pressure and heart rate. **9**, 222-230.
- KLOSTERHALFEN, W. (1980). A computer-controlled cardiometer. **12**, 58-62.
- LEBER, W. (1978). A microprocessor control and recording system for instrumental behavior research. **10**, 557-562.
- MASHOUR, M., & HOLMBERG, T. (1982). On central vision activity and peripheral sensitivity: A method with potentialities for research on a range of problems in visual perception. **14**, 441-445.
- MAURISSEN, J. P. J., & INGLIS, G. B. (1978). CURVAT: A FORTRAN IV subroutine to calculate the index of curvature. **10**, 729-730.
- MEWHORT, D. J. K. (1978). DIS: An n-channel tachistoscope algorithm. **10**, 756-760.

- MYEROW, S. M., & MILLWARD, R. B. (1978). SPLIT: A sound editor for a PDP-8 computer. *10*, 281-284.
- NARKAUS, G., & DIPPNER, R. (1978). A survey analysis program for small computers. *10*, 67-76.
- OLCH, R. H., & HECHT, S. E. (1979). Microcomputer graphics in psychological research. *11*, 119-126.
- ONIFER, W., HIRSHKOWITZ, M., & SWINNEY, D. (1978). A miniprocessor PDP8/e-based system for investigations of on-line language processing: Automated program for psycholinguistic experiments (APPLE). *10*, 307-308.
- PARTRIDGE, B., DAWKINS, R., & AMLANER, C., JR. (1978). Voltage-controlled oscillators: Inexpensive alternative to analog-to-digital converters. *10*, 712-714.
- RAY, R. L., EMURIAN, H. H., & WURSTER, R. M. (1980). COMOV: A program for the analysis of the relationship between two time series. *12*, 479-480.
- RAY, R. L., EMURIAN, H. H., & WURSTER, R. M. (1982). TMSGN: A program for testing trend against a nonrandom alternative. *14*, 355-356.
- SPETCH, M. L., & WILKIE, D. M. (1980). A program that simulates random choice in radial arm mazes and similar choice situations. *12*, 377-378.
- STEPHENS, K. R., & VAN HAAREN, F. (1977). The origins and development of state notation and SKED. *9*, 72-74.
- VAUGHAN, J. (1978). The mini and micro as intelligent terminals. *10*, 264-268.
- WILSON, G. F., & GREGORY, J. (1978). Evoked potential analysis programs for the Lab 8. *10*, 743-744.
- IBM**
- ABEDI, J. (1979). A computer program for confounded factorial designs. *11*, 600.
- AHROON, W. A., JR., & PASTORE, R. E. (1977). Procedures for computing d' and β . *9*, 533-537.
- AIGNER, H., & DARCY, R. (1977). EAT: A PL/1 entropy analysis program. *9*, 541-542.
- ALLEN, G. A., & BALDWIN, L. M. (1980). PCGEN: A FORTRAN IV program to generate paired-comparison stimuli. *12*, 383-384.
- ARUNDAL, R. B. (1984). SAMPLE and TEST: Two FORTRAN IV programs for analysis of discrete-state, time-varying data using first-order, Markov-chain techniques. *16*, 335-336.
- ASPEY, W. P. (1977). CIRDIS: A BASIC program for computing interindividual distances within a circular area. *9*, 50-51.
- ASPEY, W. P. (1977). RECDIS: A BASIC program for computing interindividual distances within a rectangular area. *9*, 26-27.
- ASPEY, W. P., & FEINSTEIN, R. (1977). INFO: A program for computing information theory measures of communication. *9*, 305-306.
- BRENT, E. E., JR. (1978). PLA-3: A FORTRAN program for prediction logic analysis for three-dimensional contingency tables. *10*, 454.
- BROWN, P. B. (1979). BEMSD: A general-purpose program for estimating missing data in a sociomatrix. *11*, 465-466.
- BROWN, P. B. (1979). NETCON: A general-purpose program for creation of a minimal length circuit matrix from sociometric data. *11*, 597-599.
- CROWELL, C. R., QUINTANAR, L. R., & GRANT, K. L. (1981). PROCTOR: An on-line student evaluation and monitoring system for use with PSI format courses. *13*, 121-127.
- DAVISON, T. C. B., & JAGACINSKI, R. J. (1977). Nonparametric analysis of signal detection confidence ratings. *9*, 545-546.
- ERLICH, O. (1977). Determining relative performance in educational evaluation. *9*, 554.
- FISHER, M. A. (1977). Simulation of the Fisher-Zeaman multiple-look attention theory. *9*, 365-366.
- FRIENDLY, M., & FRANKLIN, P. (1979). Computer control of memory experiments on a large-scale timesharing system. *11*, 212-217.
- GAMES, P. A., GRAY, G. S., HERRON, W. L., & PITZ, G. F. (1980). ANOVR: Analysis of variance with repeated measures. *12*, 467.
- GERVASIO, A. H. (1984). Computer-assisted analysis of conversation. *16*, 158-161.
- GLENCROSS, M. J. (1981). A computer program for ordered categorical data analysis. *13*, 695.
- GORMAN, B. S., & PRIMAVERA, L. H. (1980). BACKSTEP: A simple program for backward-selection multiple regression. *12*, 391-392.
- GOW, D. J. (1978). OBLICON: A FORTRAN IV program for oblique confactor rotation. *10*, 429-430.
- GREEN, R. S. (1980). Interactive scaling: A demonstration. *12*, 281-282.
- GRUPSMITH, E. (1978). Linking large and small computers. *10*, 269-272.
- GUY, R. F., POL, L. G., & BRANDON, C. W. (1982). Geographic coding of addresses: A computer system. *14*, 427-428.
- HAERTEL, R. J., & LANE, D. M. (1979). A FORTRAN IV program for testing differences in variance using a jackknife procedure. *11*, 74.
- HAMER, R., & YOUNG, F. W. (1978). TESTER: A computer program to produce individualized multiple-choice tests. *10*, 77.
- HAMMOND, S. M. (1987). DETFAC: A program for assessing factor indeterminacy. *19*, 485-487.
- HARRIS, G. J., GAVURIN, E. I., & GORDON, M. L. (1978). A FORTRAN IV program for generating anagrams and for computing several indices in anagram research. *10*, 431-432.
- HIRTLE, S. C. (1984). GRAFT: A LISP program for comparing long-term memory structures revealed through ordered trees. *16*, 405.
- HOLMES, W. M. (1979). Examining reliability and multicollinearity of scale items. *11*, 86.
- KANE, N. L. (1979). A computer program that produces line graphs. *11*, 459.
- LANE, D. M., & BECHTEL, L. R. (1978). A FORTRAN IV program for profile analysis. *10*, 49-50.
- LANGHORNE, J. E., JR., LONEY, J., & HACKER, M. (1978). A transformation program for normalizing data. *10*, 745.
- LINCOLN, C. E. (1979). RECLUS—A FORTRAN program for cluster analysis of multitrial free recall data. *11*, 469-471.
- MAURISSEN, J. P. J. (1978). QUARTR: A FORTRAN IV subroutine to calculate quarter life. *10*, 727-728.
- MAURISSEN, J. P. J., & INGLIS, G. B. (1978). CURVAT: A FORTRAN IV subroutine to calculate the index of curvature. *10*, 729-730.
- MAYS, R. (1978). Correlation coefficients corrected for missing data. *10*, 420.
- MCDERMOTT, P. A., & WATKINS, M. W. (1979). A computer program for assessing conjoint interrater agreement with a correct set of classifications. *11*, 607.
- MCDERMOTT, P. A., & WATKINS, M. W. (1979). A program to evaluate general and conditional agreement among categorical assignments of many raters. *11*, 399-400.
- MCGOWAN, W. T., III (1978). EMATS: An interactive com-

puter program (APL) for generating ANOVA model equations and error terms. **10**, 442-450.

McGOWAN, W. T., III, & APPEL, J. B. (1977). An APL program for calculating signal detection indices. **9**, 517-521.

McGOWAN, W. T., & APPEL, J. B. (1978). An APL program for calculating pairwise and nonpairwise a posteriori tests on means. **10**, 51-59.

McKINLEY, R. L. (1985). MARGIE: Marginal maximum likelihood estimation of the parameters of the one-, two-, and three-parameter logistic models. **17**, 513-514.

McKINLEY, R. L., & RECKASE, M. D. (1983). MAXLOG: A computer program for the estimation of the parameters of a multidimensional logistic model. **15**, 389-390.

MILLWARD, R., MAZZUCHELLI, L., MAGOON, S., & MOORE, R. (1978). Intelligent computer-assisted instruction. **10**, 213-217.

MORRIS, J. D. (1977). A computer program to cross-correlate several types of factors across separately factor-analyzed variable domains. **9**, 297-298.

MORRIS, J. D. (1977). Rotating a discriminant analysis solution. **9**, 29.

MORRIS, J. D. (1978). Maximizing coefficient alpha reliability while maintaining validity. **10**, 733-734.

NOMA, E., & SMITH, D. R. (1978). SHED: A FORTRAN IV program for the analysis of small group sociometric structure. **10**, 60-62.

QUINTANAR, L. R., CROWELL, C. R., PRYOR, J. B., & ADAMOPOULOS, J. (1982). Human-computer interaction: A preliminary social psychological analysis. **14**, 210-220.

REVELLE, W. (1978). ICLUST: A cluster analytic approach to exploratory and confirmatory scale construction. **10**, 739-742.

SHANTEAU, J. (1977). POLYLIN: A FORTRAN IV program for the analysis of multiplicative (multilinear) trend components of interactions. **9**, 381-382.

SMITS, G. J. (1978). A FORTRAN IV program to compute reliability of ratings for two or more judges. **10**, 864.

SMITS, G. J. (1979). A computer program to compute Scheffé's homogeneity of variance statistic and estimate its power. **11**, 394.

SMITS, G. J. (1981). A FORTRAN IV function to compute the probability of a standard normal deviate. **13**, 701.

STASSER, G., & SCHULTZ, D. W. (1977). LOCAN: A general FORTRAN program for latency-operating characteristic (LOC) analysis. **9**, 529-531.

STRICKLIN, W. R., GRAVES, H. B., & WILSON, L. L. (1977). DISTANGLE: A FORTRAN program to analyze and simulate spacing behavior of animals. **9**, 367-370.

ULLRICH, J. R., & PITZ, G. F. (1977). A general purpose analysis of variance routine. **9**, 301.

VAUGHAN, J. (1978). The mini and micro as intelligent terminals. **10**, 264-268.

WHALEY, C. P. (1977). PCSTAT: Statistical Analysis of Paired-Comparison Data. **9**, 372.

WHITE, A. P., STILL, A. W., & HARRIS, P. W. (1978). RANOVA: A FORTRAN IV program for four-way Monte Carlo analysis of variance. **10**, 732.

WHITE, A. P., STILL, A. W., & HARRIS, P. W. (1978). Six FORTRAN IV programs for conducting simple randomization tests. **10**, 455.

WHITE, A. P., & THOMPSON, C. (1978). FORTRAN IV subroutines to generate fully crossed random sequences of multidimensional stimuli with repetition limits on each dimension. **10**, 862-863.

WOUTERS, L. (1979). An APL function for computing distribution-free confidence limits on the median of a population. **11**, 401.

WRIGHT, J., & LANE, D. M. (1978). A FORTRAN IV program for linear contrasts in designs with repeated measures. **10**, 433-434.

TESTING

Computer Tailoring

- ENGLISH, R. A., RECKASE, M. D., & PATIENCE, W. M. (1977). Application of tailored testing to achievement measurement. **9**, 158-161.
- PATIENCE, W. M. (1977). Description of components in tailored testing. **9**, 153-157.
- RECKASE, M. D. (1977). Procedures for computerized testing. **9**, 148-152.
- REZMOVIC, V. (1977). The effects of computerized experimentation on response variance. **9**, 144-147.
- VALE, C. D. (1981). Design and implementation of a microcomputer-based adaptive testing system. **13**, 399-406.

Instructional Testing

- LARIMER, L. D., & WATKINS, M. W. (1980). Assessing predictive test bias with the microcomputer. **12**, 568.

Computer Administration

- BITTNER, A. C., SMITH, M. G., KENNEDY, R. S., STALEY, C. F., & HARBESON, M. M. (1985). Automated Portable Test (APT) System: Overview and prospects. **17**, 217-221.
- McKNIGHT, L. R., WATERS, B. K., & LAMOS, J. P. (1978). Development and evaluation of a microcomputer testing terminal for testing and instruction. **10**, 340-344.
- POLTROCK, S. E., & FOLTZ, G. S. (1982). An experimental psychology laboratory system for the Apple II microcomputer. **14**, 103-108.
- RIPPEY, R. M. (1986). A computer program for administering and scoring confidence tests. **18**, 59-60.

Computer Randomization Procedures

- HAMER, R., & YOUNG, F. W. (1978). TESTER: A computer program to produce individualized multiple-choice tests. **10**, 77.
- PALYA, W. L., & MARZKE, D. (1977). Multiple unique tests for classroom testing. **9**, 379.

Scoring and Analysis

- ANTONAK, R. F. (1979). ITEM3: A general-purpose FORTRAN 10 test scoring and item analysis program. **11**, 81-82.
- ELLIS, J. K. (1985). Distribution counting as a method for sorting test scores. **17**, 419-420.
- POHL, N. F., & TSAI, S. W. (1980). NORM: A subroutine for updating the norms of a reference group. **12**, 376.
- RIPPEY, R. M. (1986). A computer program for administering and scoring confidence tests. **18**, 59-60.
- ROSEN, E. F., & PETTY, L. C. (1985). A data-input and -analysis system using an optical scanner. **17**, 413-414.
- STRUBE, M. J. (1985). PRORATE: A BASIC program for calculating minimum test length given internal consistency constraints. **17**, 580.

Psychological Testing

- BEAUMONT, J. G. (1981). Microcomputer-aided assessment using standard psychometric procedures. **13**, 430-433.
- BIRCHNELL, J. (1981). The use of the computer in life history research. **13**, 624-628.

- BREMSE, R. F., & DAVIDSON, R. S. (1978). Micro-processor-assisted assessment in the clinical research laboratory. **10**, 582-584.
- BYERS, A. P. (1981). Psychological evaluation by means of an on-line computer. **13**, 585-587.
- DENI, R., & COFFEE, R. J. (1984). COMPLEX: An Applesoft BASIC program to assess preference for visual complexity. **16**, 329-330.
- FOREE, D. D., ECKERMAN, D. A., & ELLIOTT, S. L. (1984). M.T.S.: An adaptable microcomputer-based testing system. **16**, 223-229.
- HARRIS, W. G., NIEDNER, D., FELDMAN, C., FINK, A., & JOHNSON, J. H. (1981). An on-line interpretive Rorschach approach: Using Exner's comprehensive system. **13**, 588-591.
- HOGAN, R. (1981). On-line computerized career guidance. **13**, 613-615.
- HUNTER, D. R., & BURKE, E. F. (1987). Computer-based selection testing in the Royal Air Force. **19**, 243-245.
- JOHNSON, J. H., GIANNETTI, R. A., & WILLIAMS, T. A. (1978). A self-contained microcomputer system for psychological testing. **10**, 579-581.
- JOHNSON, J. H., HARRIS, W., THOMPSON, C., MARCUS, S., BLOCK, D., NOVAK, K., YINGST, N., ALLERT, A., HOBIN, G., BYRNES, E., STRAUCH, D., FELDMAN, C., NIEDNER, D., & FINK, A. (1981). New uses for the on-line computer medium in mental health care. **13**, 243-250.
- JOHNSON, J. H., & JOHNSON, K. N. (1981). Psychological considerations related to the development of computerized testing stations. **13**, 421-424.
- KLEINMUNTZ, B., & KLEINMUNTZ, D. N. (1981). Psychodiagnosis in hypothetical problem spaces. **13**, 417-420.
- LARIMER, L. D., & WATKINS, M. W. (1980). Assessing predictive test bias with the microcomputer. **12**, 568.
- LYONS, J. P., & BROWN, J. (1981). Reduction in clinical assessment time using computer algorithms. **13**, 407-412.
- MORF, M., ALEXANDER, P., & FUERTH, T. (1981). Fully automated psychiatric diagnosis: Some new possibilities. **13**, 413-416.
- PELLEGRINO, J. W., HUNT, E. B., ABATE, R., & FARR, S. (1987). A computer-based test battery for the assessment of static and dynamic spatial reasoning abilities. **19**, 231-236.
- SNODGRASS, J. G., SMITH, B., FEENAN, K., & CORWIN, J. (1987). Fragmenting pictures on the Apple Macintosh computer for experimental and clinical applications. **19**, 270-274.
- SPACE, L. G. (1981). The computer as psychometrician. **13**, 595-606.
- STOUT, R. L. (1981). New approaches to the design of computerized interviewing and testing systems. **13**, 436-442.
- JOHNSON, J. H., & WILLIAMS, T. A. (1978). Using a micro-computer for on-line psychiatric assessment. **10**, 576-578.
- MCLEOD, D. R., GRIFFITHS, R. R., BIGELOW, G. E., & YINGLING, J. (1982). An automated version of the digit symbol substitution test (DSST). **14**, 463-466.
- POLTROCK, S. E., & FOLTZ, G. S. (1982). An experimental psychology laboratory system for the Apple II microcomputer. **14**, 103-108.
- SCHLICHTING, C., & WRAY, D. (1986). COGNITION: A program for the presentation of several tests of cognitive function using the Hewlett-Packard 85 computer. **18**, 65.

Scoring and Analysis

- ANTONAK, R. F. (1979). ITEM3: A general-purpose FORTRAN 10 test scoring and item analysis program. **11**, 81-82.
- CALISTRI, R. J., & KALLMAN, H. J. (1986). DRT/***: Programs to administer and score the Diagnostic Rhyme Test. **18**, 57-58.
- CARDILLO, J. P. (1978). Interpersonal Perception Method (IPM) scoring program in FORTRAN IV. **10**, 66.
- CHAMBERS, W. V., & GRICE, J. W. (1986). Circumgrids: A repertory grid package for personal computers. **18**, 468.
- COREN, S. (1986). The Farnsworth-Munsell 100-hue test: A BASIC program for scoring and analysis. **18**, 323-324.
- GROVE, T. G., & HAYS, J. (1978). IPALION: A FORTRAN IV program for comparing interpersonal perceptions in dyads. **10**, 747-749.
- JOHNSON, J. H., GIANNETTI, R. A., & WILLIAMS, T. A. (1979). Psychological systems questionnaire: An objective personality test designed for on-line computer presentation, scoring, and interpretation. **11**, 257-260.
- MCKINLEY, R. L., & RECKASE, M. D. (1983). MAXLOG: A computer program for the estimation of the parameters of a multidimensional logistic model. **15**, 389-390.
- MCLEOD, D. R., GRIFFITHS, R. R., BIGELOW, G. E., & YINGLING, J. (1982). An automated version of the digit symbol substitution test (DSST). **14**, 463-466.
- POHL, N. F., & TSAI, S. W. (1980). NORM: A subroutine for updating the norms of a reference group. **12**, 376.
- RAE, D. S., PAUTLER, C. P., MANDERSCHIED, R. W., & SILBERGELD, S. (1977). Free Association Test (FAT) scoring and analysis program. **9**, 31-32.
- RAY, J. J., & BOZEK, R. S. (1979). NSCALE II: A program to analyze and score multiscale surveys and test batteries. **11**, 402.
- ROSEN, E. F., & PETTY, L. C. (1985). A data-input and -analysis system using an optical scanner. **17**, 413-414.
- STRUBE, M. J. (1985). PRORATE: A BASIC program for calculating minimum test length given internal consistency constraints. **17**, 580.
- SWEDE, S. W., & GOUGH, H. G. (1984). Transformations from adjectives to scales for the Adjective Check List (ACL): ACLTRANS FORTRAN IV program. **16**, 1-2.
- BITTNER, A. C., SMITH, M. G., KENNEDY, R. S., STALEY, C. F., & HARBESON, M. M. (1985). Automated Portable Test (APT) System: Over view and prospects. **17**, 217-221.
- CALISTRI, R. J., & KALLMAN, H. J. (1986). DRT/***: Programs to administer and score the Diagnostic Rhyme Test. **18**, 57-58.
- ELWOOD, D. L., & CLARK, C. L. (1978). Computer administration of the Peabody Picture Vocabulary Test to young children. **10**, 43-46.
- JOHNSON, J. H., GIANNETTI, R. A., & WILLIAMS, T. A. (1979). Psychological systems questionnaire: An objective personality test designed for on-line computer presentation, scoring, and interpretation. **11**, 257-260.
- AHROON, W. A., JR., & PASTORE, R. E. (1977). Procedures for computing d' and β . **9**, 533-537.
- ALF, E. F., JR., & GROSSBERG, J. M. (1987). DORF2R.BAS: Analyzing signal-detection theory rating data in the BASIC programming language. **19**, 475-482.
- BROPHY, A. L. (1986). Alternatives to a table of criterion values in signal detection theory. **18**, 285-286.

THEORY OF SIGNAL DETECTABILITY (TSD)

- DAVISON, T. C. B., & JAGACINSKI, R. J. (1977). Nonparametric analysis of signal detection confidence ratings. **9**, 545-546.
- DORFMAN, D. D., & BERBAUM, K. S. (1986). RSCORE-J: Pooled rating-method data: A computer program for analyzing pooled ROC curves. **18**, 452-462.
- EMERSON, P. L. (1979). Computer approximation of the inverse of the normal distribution function. **11**, 397-398.
- FISK, A. D., & SCHNEIDER, W. (1982). NEST: A program to verify proper RATFOR nesting structure. **14**, 552.
- GARDNER, R. M., & BOICE, R. (1986). A computer program to generate signal-detection theory values for sensitivity and response bias. **18**, 54-56.
- HARVEY, L. O., JR. (1986). Efficient estimation of sensory thresholds. **18**, 623-632.
- KERR, L., & THOMAS, J. P. (1977). The effects of reordering the response categories on the area under the ROC. **9**, 286-290.
- MCGOWAN, W. T., III, & APPEL, J. B. (1977). An APL program for calculating signal detection indices. **9**, 517-521.
- POLZELLA, D. J., & GOUSE, A. S. (1978). PSYCHIC: A BASIC game to test ESP as d' . **10**, 426-428.
- SEELEY, G. W., BORGSTROM, M., & MAZZEO, J. (1982). A general interactive computer program for running signal detection experiments. **14**, 555-556.
- SHELTON, B. R. (1983). Rapid calculation procedures for the maximum-likelihood method of adaptive psychophysics. **15**, 87-88.
- SINGH, S. N., & KARNEY, D. F. (1987). A simple algorithm to obtain nonparametric response bias estimates using Hodoss's method. **19**, 460-461.
- STASSER, G., & SCHULTZ, D. W. (1977). LOCAN: A general FORTRAN program for latency-operating characteristic (LOC) analysis. **9**, 529-531.
- DURHAM, I. H., & ILLINGWORTH, D. J. (1981). A low-cost computer-controlled function generator suitable for generating visual display gratings. **13**, 647-649.
- ESKEW, R. T., JR., PACE, M., & RINALDUCCI, E. J. (1984). Simple circuit for grating contrast adjustment. **16**, 538-539.
- FINLEY, G. P., & DI LOLLO, V. (1981). An oscilloscopic point-plotter interface for 8-bit microcomputers. **13**, 51-54.
- FLOWERS, J. H., & MURPHY, M. H. (1979). An economical microcomputer design for the generation and display of timed visual stimuli: The TDL VDB. **11**, 115-118.
- GRANAAS, M. M. (1985). Simple, applied text parsing. **17**, 209-216.
- HAMPSON, P. J. (1984). Flasher 80: A modified version of PET Flasher. **16**, 323-324.
- HEELEY, D. W. (1983). A rotator for X/Y oscilloscope displays. **15**, 503-507.
- HOCHHAUS, L., CARVER, S., & BROWN, J. R. (1983). Control of CRT intensity via Apple II software. **15**, 594-597.
- JORDAN, T., & MARTIN, C. (1987). The importance of visual angle in word recognition: A "shrinking screen" modification for visual displays. **19**, 307-310.
- KASHINSKY, W. M., ROMANCZYK, R. G., & TREIBER, A. (1979). The presentation of visual stimuli: An inexpensive microcomputer-based system. **11**, 64-66.
- KAYE, D. B., & HERSKOVITS, E. H. (1984). A CRT graphics system for experimental research. **16**, 463-467.
- KEHRER, L. (1983). A simple system for displaying alphanumeric characters on an oscilloscope using an AIM-65 microcomputer. **15**, 107.
- KITTERLE, F. L., & JONES, R. (1986). A programmable, multi-function dual-channel waveform generator for visual psychophysics. **18**, 571-581.
- LOFTUS, G. R., GILLISPIE, S., TIGRE, R. A., & NELSON, W. W. (1984). An Apple II-based slide-projector laboratory. **16**, 447-453.
- MERIKLE, P. M., CHEESMAN, J., & BRAY, J. (1982). PET Flasher: A machine language subroutine for timing visual displays and response latencies. **14**, 26-28.
- MILKMAN, N., SHAPLEY, R., & SCHICK, G. (1978). A microcomputer-based visual stimulator. **10**, 539-545.
- MONTGOMERY, A. A., & SOO HOO, G. (1982). ANIMAT: A set of programs to generate, edit, and display sequences of vector-based images. **14**, 39-40.
- MORRISON, P. R. (1982). LATERAL: A program for the psychophysiological investigation of the lateralization of function using the Apple microcomputer. **14**, 429.
- NATANI, K., ENGELKEN, E., & THREATT, D. (1979). PDP-12 stimulus control and data collection for lateralized discrimination learning. **11**, 264-270.
- NEFF, R., SCHWARTZ, S., & STORK, D. G. (1985). Electronics for generating simultaneous random-dot cyclopean and monocular stimuli. **17**, 363-370.
- RATCLIFF, R., PINO, C., & BURNS, W. T. (1986). An inexpensive real-time microcomputer-based cognitive laboratory system. **18**, 214-221.
- SANMARTIN, J. (1987). TREC: A tool kit for programming cognitive experiments in Applesoft BASIC. **19**, 467-468.
- SENTIS, K. P., & BAROWICZ, M. B. (1978). A CRT blanking circuit for video terminals. **10**, 856-857.
- SHEPHERD, M. (1984). EMDISP: A visual display system with digital and analogue sampling. **16**, 297-302.
- SHUM, K. H. (1981). An algorithm to generate dynamic point-light displays. **13**, 377-378.

VISUAL DISPLAY SYSTEM

- ADAMS, J. K. (1985). Visually presented verbal stimuli by assembly language on the Apple II computer. **17**, 489-502.
- AREND, U., KUNZ, H.-J., & WANDMACHER, J. (1981). A vector graphic CRT display system. **13**, 46-50.
- BILKEY, D. K. (1987). A procedure for the computerized representation and presentation of rotated and reflected stimuli. **19**, 419-421.
- BRADDICK, O. (1977). Real-time generation of random-element motion displays. **9**, 359-362.
- BRICKETT, P. A., DAVIS, C. M., GABERT, H. F., & MODIGLIANI, V. (1980). Dual on-line computers for research in cognitive psychophysiology. **12**, 248-250.
- BROOKS, J. O., III (1987). Enhancing and degrading visual stimuli. **19**, 260-269.
- CAVANAGH, P., & ANSTIS, S. M. (1980). Visual psychophysics on the APPLE II: Getting started. **12**, 614-626.
- CHANG, J. J. (1986). Theoretical and methodological approaches to apparent movement of short-range process and pattern perception. **18**, 542-550.
- CONEY, J. (1986). CROTEXT: A subroutine to plot alphanumeric stimuli on an oscilloscope. **18**, 63-64.
- DI LOLLO, V. (1979). Luminous calibration of oscilloscopic displays. **11**, 419-421.
- DI LOLLO, V., & FINLEY, G. (1986). Equating the brightness of brief visual stimuli of unequal durations. **18**, 582-586.
- DLHOPOLSKY, J. G. (1982). Software synchronizing of video displays and Z-80 processing in the Model III TRS-80. **14**, 539-544.

- SNODGRASS, J. G., SMITH, B., FEENAN, K., & CORWIN, J. (1987). Fragmenting pictures on the Apple Macintosh computer for experimental and clinical applications. **19**, 270-274.
- TAYLOR, G. A., KLITZKE, D., & MASSARO, D. W. (1978). A visual display system for reading and visual perception research. **10**, 148-153.
- TORREY, C. C. (1986). Occluding edge displays and random-dot stereograms on the Apple II. **18**, 321-322.
- TRIMBLE, J., & KAMPSCHOER, C. (1986). CRT-dependent artifacts in contrast-sensitivity measurements. **18**, 17-20.
- TYNAN, P., & ARMSTRONG, R. (1978). Computer control of grating phase and movement. **10**, 167-169.
- WALCZYK, J. J., & MELLER, P. J. (1987). PART1 and PART2: Programs for determining reading thresholds and motor response latencies. **19**, 469-474.
- WATTS, B. H. (1986). FORTH, a software solution to real-time computing problems. **18**, 228-235.
- relations in letter displays. **15**, 69-71.
- NORRIS, D. (1984). A computer-based programmable tachistoscope for nonprogrammers. **16**, 25-27.
- PALMER, J. C., MACLEOD, C. M., & LOFTUS, G. R. (1978). PLE: A high-level multiprogramming language for psychology. **10**, 764-772.
- PERERA, T. B. (1978). A versatile microcomputer-based multiple-field tachistoscope. **10**, 546-547.
- PRINZMETAL, W., & BANKS, W. P. (1978). A psychological laboratory based on a PDP-11/10 with graphics. **10**, 779-784.
- SEGALOWITZ, S. J. (1987). IBM PC Tachistoscope: Text stimuli. **19**, 383-388.
- SHWARTZ, S. P. (1978). Tachistoscope simulation package. **10**, 773-778.
- TAYLOR, G. A., KLITZKE, D., & MASSARO, D. W. (1978). Considerations in software character generation. **10**, 787-788.

Raster

- BRUSSELL, E. M., & DIXON, M. (1986). Raster versus calligraphic display devices for assessing visual performance: The influence of stimulus area and uncertainty. **18**, 347-358.
- JUST, M. A., & CARPENTER, P. (1979). The computer and eye processing pictures: The implementation of a raster graphics device. **11**, 172-176.
- MILKMAN, N., SCHICK, G., ROSSETTO, M., RATLIFF, F., SHAPLEY, R., & VICTOR, J. (1980). A two-dimensional computer-controlled visual stimulator. **12**, 283-292.
- WATSON, A. B., NIELSEN, K. R. K., POIRSON, A., FITZHUGH, A., BILSON, A., NGUYEN, K., & AHUMADA, A. J., JR. (1986). Use of a raster framebuffer in vision research. **18**, 587-594.

Tachistoscope

- AARONSON, D., & GRUPSMITH, E. (1978). The SIMPLE Tachistoscope. **10**, 761-763.
- BOWLER, D. M. (1987). Using an Apple II to control a two-field projection tachistoscope. **19**, 377-379.
- CUNNINGHAM, J. P., & COOPER, L. A. (1978). A multiprocessor system for generating visual displays and controlling experiments. **10**, 785-786.
- DIENER, D., & SMEE, W. P. (1984). Apple tachistoscope. **16**, 540-544.
- FRASER, I. H., LISHMAN, J. R., & PARKER, D. M. (1987). Temporal manipulation of stimulus patterns using the Apple II: Tachistoscopic and part presentation. **19**, 315-318.
- GREEN, B. F., & SHWARTZ, S. P. (1978). Comparative evaluation of computer-based tachistoscopes. **10**, 789-795.
- GREEN, B. F., & SHWARTZ, S. P. (1978). Computer-based tachistoscopes: Introduction. **10**, 754-755.
- MAPOU, R. L. (1982). Tachistoscopic timing on the TRS-80. **14**, 534-538.
- MEWHORT, D. J. K. (1978). DIS: An n-channel tachistoscope algorithm. **10**, 756-760.
- MORRISON, I. (1983). A LISP program to determine similarity

WRITING/REFERENCING/PUBLICATIONS

- KELLOGG, R. T. (1986). Designing idea processors for document composition. **18**, 118-128.
- KELLOGG, R. T. (1985). Computer aids that writers need. **17**, 253-258.
- MCGEE, V. E. (1986). The OWL: Software support for a model of argumentation. **18**, 108-117.
- PERERA, T. B. (1987). Writing and publishing instructional and research software. **19**, 84-87.

Reference/Reprint Management

- BISHOP, D. V. M. (1980). REFERENCE: An APPLE II package for storage and retrieval of journal references. **12**, 627-630.
- DENI, R. (1977). BASIC-PLUS programs to manage bibliographies, reference lists, and reprint files. **9**, 307-308.
- GENTER, C. R., II (1980). A "software-free" reprint file management system under RT-11. **12**, 77-78.
- GLASS, R. A., KAETZEL, L. J., & SMITH, G. R. (1980). A computer data base system for indexing research papers. **12**, 547-548.
- HUNTER, T. B., & SEELEY, G. W. (1983). An interactive program to build a computer library of literature references. **15**, 467-468.
- O'TOOLE, A. J. (1985). A word processing-linked FORTRAN data base of journal and book references. **17**, 126-127.
- SHAPIRO, N. R., & ROSELLINI, R. A. (1982). REFLIST: Programs to compile a reference list from word processor text. **14**, 47.
- WATTS, B. H. (1987). BIBSEARCH: A multifaceted research tool. **19**, 191-198.

Word Processing

- BLAU, G. L. (1984). Editing in style: A style sheet for conforming to APA editorial style. **16**, 28-31.
- ORTEGA, J., & PALYA, W. L. (1982). A simple IBM I/O Selectric typewriter controller. **14**, 99-102.