the first three blocks of trials are analyzed separately the difference between groups is significant ($F=5.00$; $df, 1/37$; $p < .05$).

Discussion

The data from this study strongly support the McCain et al, (1962, 1963) finding that the PRE can be achieved following a very short acquisition series.

In the framework of the frustration hypothesis it is assumed that after r_g has been established, non-reinforcement in a partial reinforcement group produces frustration (F). On succeeding trials fractional anticipatory frustration responses (r_f) are present. Ss are trained to approach the goal box in the presence of these antedating frustration stimuli. Thus the presence of r_f during extinction tends to evoke a running response in a partial reinforcement group. It is difficult to see how the series of events assumed to produce the PRE could develop in the small number of acquisition trials used in this and the earlier studies.

Even though the conditions of this study were somewhat different from those of the McCain et al (1962,

1963) studies, it would be rash to assume that these studies eliminate all possibilities of an artifact. Eight additional studies have been completed and should shed further light on the use of a small number of acquisition trials.

References

- AMSEL, A. The role of frustrative nonreward in noncontinuous reward situation. *Psychol. Bull.*, 1958, 55, 102-119.
- EDWARDS, A. L. *Experimental design in psychological research.* (Rev. ed.) New York: Rinehart & Co., 1960.
- MCCAIN, G., LOVE, NANCEY, & GRUER, W. Extinction as a function of a small number of partially reinforced trials. *Psychol. Rep.*, 1962, 11, 451-454.
- MCCAIN, G., REED, CYL, & MCCORMACK, L. Extinction after a small number of partial reinforcement trials. *Psychol. Rep.*, 1963, 13, 300.
- SPENCE, K. W. *Behavior theory and learning.* Englewood Cliffs, N. J.: Prentice-Hall, Inc., 1960.

Note

1. This study was supported by NIMH Grant MH-06981. Thanks are due to Ronald Kuenstler who ran the Ss.

Reply

Schulman is quite correct in pointing out that the stated value of E/N_0 was too low; the actual value was 9.2 rather than 2.9 as it appears in the article. However, the rest of Schulman's remarks are erroneous.

In paragraph three of Schulman's note he states that our readers were given the false impression that the probability of a correct response, $Pr(C)$, varies independently of the probability of a yes-response, $Pr(A_1)$. We fail to see how the relationship could be indicated more clearly than by giving the expressions for $Pr(C)$ and $Pr(A_1)$ which were the only two such equations presented in the article. These equations specify how both quantities depend upon hit and false alarm rates, and make it very clear that they are not independent. The statement that Schulman quotes from our article (which he says gives the erroneous impression that $Pr(C)$ and $Pr(A_1)$ vary independently) certainly does not convey the notion of independence to us, nor in our opinion, to anyone who has the most elementary understanding of the concept of statistical independence.

The most disturbing aspect of Schulman's note is the material presented in the first two paragraphs. We particularly invite the reader to reread the last sentence of Schulman's first paragraph where he "quotes" the article and then to read the actual material in the first paragraph on page two of the article. Schulman indicates that we attempt to establish whether the data points fall on the same ROC curve when in fact we explicitly invite the reader to decide this issue for himself. We reference a model proposed by Atkinson as giving a good account of these data (a model that predicts curvilinear operating characteristics) and state that in our opinion

the points fall on the same ROC curve. Our principal reason for presenting the data in such complete form, with 16 statistics for each of 14 subjects, is that different theories will require different types of analyses to establish their adequacy. We presented the data as we did, with no theoretical analysis, because we did not consider a note in *Psychonomic Science* as an appropriate place to compare alternative theoretical interpretations.

If Schulman is interested in analyzing these data in terms of signal detectability theory or with a linear ROC curve, then a report of the analyses might be worth publishing. However, if he does publish such an analysis we hope that he will not attribute the linear ROC assumption to us. In this regard, Schulman says that our data "are fitted nearly perfectly" by a curvilinear ROC curve of the Tanner-Swets-Green variety. We agree that the fit is extremely good, but if Schulman had used a chi-square test to judge the goodness-of-fit he would have rejected the theoretical function at beyond the 10^{-4} level. This remark is not a criticism of signal detectability theory, but a statement designed to point out that any current theory would be rejected on statistical grounds on the basis of our experiment for there were approximately 10,000 observations on each of 14 subjects. None of the current theories are precise enough to withstand a judgment based solely on whether the null hypothesis can be rejected, when such a large number of observations are made.

Except for the incorrect value of the signal-to-noise ratio, we find no basis for Schulman's criticism.

R. A. Kinchla, New York University

R. C. Atkinson, Stanford University

(See page 140 for comment by Arthur I. Schulman.)