- stimulation on stimulation frequency and behavioral experience: 2. Continuously and partially reinforced running. *Psychobiology*, **24**, 22-32.
- STANTON, P. K., MODY, I., & HEINEMANN, U. (1989). A role for *N*-methyl-D-aspartate receptors in norepinephrine-induced long-lasting potentiation in the dentate gyrus. *Experimental Brain Research*, **77**, 517-530.
- WILLIAMS, J. H., & GRAY, J. A. (1996). Dependence of the proactive behavioral effects of theta-driving septal stimulation on stimulation frequency and behavioral experience: 1. Leverpress experiments. *Psychobiology*, **24**, 9-21.
- WILLIAMS, J. H., GRAY, J. A., SNAPE, M., & HOLT, L. (1989). Long-term effects of septohippocampal stimulation on behavioural responses to anxiogenic stimuli. In P. Tyrer (Ed.), *Psychopharmacology of anxiety* (British Association for Psychopharmacology Monograph No. 11, pp. 80-108). Oxford: Oxford University Press.

(Manuscript received July 31, 1995;
revision accepted for publication October 26, 1995.)

Erratum

Snape, M., Grigoryan, G., Sinden, J. D., & Gray, J. A. Dependence of the proactive behavioral effects of theta-driving septal stimulation on stimulation frequency and behavioral experience: 2. Continuously and partially reinforced running. *Psychobiology*, 1996, **24**(1), 22-32.— On page 31, the reference to Owen, Boarder, Gray, and Fillenz (1982) should read as follows:

Owen, S., Boarder, M., Gray, J. A., & Fillenz, M. (1982). Acquisition and extinction of continuously and partially reinforced running in rats with lesions of the dorsal noradrenergic bundle. *Behavioural Brain Research*, **5**, 11-41.