

INDEX

- AAA family, 312
A23187 (Ca²⁺ ionophore), 333
A431 cells, 94,96, 191
ABC: *see* ATP binding cassette
A2C (Ca²⁺ fusogen), 490
ACCI/FAS3 gene (for acetyl-coA carboxylase), 201
Acetylcholine (ACh), 324
 receptor, 386
Acetyl-coA, 307
Acetyl-coA carboxylase, 206,211
Acinar cells, 55, 246–247,250
ACTH, 53,344
Actin, 77, 83–85,96–97, 149, 323–378
 F-actin, 84,96–95, 330, 334–378
Actin-binding proteins, 85
Actin-severing proteins, 338
 α -actinin, 97, 330, 335, 337, 340,352
Activation energy
 of fusion, 380
Acylation (with fatty acids), 212,419
Acyl camitine(s), 179, 210
Acyltransferases, 192–195, 203
Acyl-CoA, 197–199
 binding protein (ACBP). 208–213
 compartmentation, 210
 concentration, 211
 hydrolases, 188,209–210
Acyl-CoA:cholesterol acyltransferase, 206
Acyl-CoA:glycem1-3-phosphate acyltransferase, 206
Acyl-CoA:lysophospholipid acyltransferase, 200
Acyl-CoA oxidase, 311
Acyl-CoA synthetase (ACS), 188,206–211
ADAM (A Desintegrin And Metalloprotease), 444
Adaptins, 10, 13,252
 γ 2-adaptin, 252
Adaptor protein(s), 13, 134
 II (AP2). 331
ADF (actin depolymerising factor), 338, 340
ADF/cofilin proteins, 338–339
Adenine nucleotide translocase, 205–206
Adenylate cyclase, 358
ADP-ribose, 345
ADP-ribosylation, 191
 factor: *see* ARF
Adenoviruses, 413
Adducin, 342
Adrenal medulla, 73, 108, 324
Adrenergic receptors, 91, 194
Adrenoleukodystrophy, 194
AFC (inhibitor methyltransferase), 359,361
African swine fever virus (ASFV), 439
AGGC (inhibitor methyltransferase), 361
AIDS (Acquired Immune Deficiency Syndrome), 457–472
Albumin, 9
Aldosteron, 361
Alkaline phosphatase (ALP), 143, 146, 148, 152, 156
ALLN (N-acetyl-leucyl-leucy I-mleucinal), 95
Alphaviruses (family of Togaviridae), 379, 409–446,498–501
 entry, 506,508–509
 subunits (E3-E2–6K-E1), 498–501,508

- ALSV virus, 416
 Aluminum fluoride (AlF₃), 191, 250
 D-amino acid oxidase, 303
 Ammonium chloride (NH₄Cl), 387, 415, 500
 Androstanol, 421
 Angiotensin II receptor, 333
 Ankyrin, 45,252
 repeats, 46–47
 Annexin(s), 73–120, 328
 aggregation capability, 73,78–81, 84–86, 88,
 99, 103, 108
 bidendate binding mode, 78
 conformations, 79
 C-terminus, 90
 and endocytosis, 90–107
 and exocytosis, 107–113
 ion fluxes, 88
 lattice, 85, 88
 lipid binding, 80, 86
 membrane fusion, exocytosis, 81–90
 membrane interactions, 74–90
 membrane microdomains, 85–87
 N-terminally-truncated, 8 1,99, 106
 N-terminus, 73–75, 80–81, 84, 99
 phospholipid binding, 73–1 20
 phospholipid binding sites, 84
 phosphorylation, 78, 80–81, 105, 108–1 10,
 114
 protein-protein interactions, 78, 90
 subcellular distribution, 80
 vesicle trafficking, 113, 119
 Annexin I, 73–120
 Annexin II (calpactin), 73–120
 Annexin II₂/p11₂ complex, 75, 84–88, 97, 108–
 109, 117
 Annexin III, 73–120
 Annexin IV (p68), 73–120
 Annexin V, 73–120
 Annexin VI, 73–120
 Annexin VII (synexin), 73–120
 Annexin VIII, 73–120
 Annexin IX, 73–120
 Annexin X, 73–120
 Annexin XI, 73–120
 Annexin XII, 73–120
 Annexin XIIIa, 78
 myristoylation, 78
 Annexin XIIIb, 78,91
 myristoylation, 78
 Anterior pituitary cells, 83, 108
 Anthrax toxin, 55
 Anterograde vesicular transport, 238–242
 Antibody, 294,346,387
 Antigen, 485
 AP-1 (adaptor complex), 13, 17, 252
 AP-2, 17
 AP-3 (adaptor complex), 13, 252
 AP-4 (novel type adaptor complex), 13, 252
 Aplasia ganglion, 52
 Arabidopsis thaliana, 154, 253
 Arachidonic acid, 88,98, 108, 112, 193
 Arfaptin 1 (ARF effector), 251
 ARF, 1–26, 134, 180–181, 192, 198–199, 249–
 251, 261, 288–290, 314, 349, 355
 exchange factor, 253–256
 exchange protein, 12, 180, 234, 250
 GAP, 251
 GDP-Sec7 domain complex, 257–260
 GEF, 253–256,288
 I-GTP, 13,20
 N-myristylated, 181, 189, 253
 -/Sar family, 136
 ARF1 (Ras GTPase), 1–26, 148, 234, 250–252
 ^{T33IN}mutant, 251
 ARF1-ARFGAP complex, 12, 18
 ARF6, 341
 ARF-GDP-Sec7 domain protein complex, 234
 ARNO (sec7 domain protein, ARF nucleotide
 exchange factor), 253–255, 341
 Aspergillus japonicus, 488
 ATP, 93–94
 ATP binding cassette (ABC), 307
 transporter, 307
 AtT-20 cells, 53, 246
 Avian sarcoma and leukosis virus (ASLV), 507
 Autoacylation, 193, 212
 Azurophilis, 102

 Ba²⁺, 333
 Baby hamster kidney cells: *see* BHK
 Bacitracin (PDI inhibitor), 497
 Baculovirus, 344
 Bafilomycin (inhibitor endosomal ATPase),
 415,500
 BAPTA, 294
 Basophilic leukaemia cells91
 bBF (bovine brain factor), 209
 Berkeley-bodies, 147
 Bet2p, 138
 Bet4p, 138
 BHA (bromelain solubilized ectodomain of
 HA), 381

- BHK (baby hamster kidney) cells, 78, 191, 194, 242,428
 -21 cells, 247
- Bindin (sea urchin sperm), 444
- Binding protein, 203–207
 acyl-CoA, 203–205
 fatty acid, 205–207
- BiP (heat shock protein, heavy chain binding protein), 243, 295
- Bisindolylmaleimide (PKC inhibitor), 343
- Black widow spider: *see* α -latrotoxin
- Blepharospasm, 62
- Bos taurus, 254
- Botulinum neurotoxin (BoNT, types A' to G), 39–63, 113, 184, 331
- Bovine serum albumin, 204
- Bradykinin, 333
- Brain, 199
- Brefeldin A (BFA), 180, 190–191, 198, 233–263, 289, 314, 500
- Bromelain, 381
- Brucella suis, 104–106
- Bryostatin-1
- Budding, 93
- Bunyaviruses, 413
- Ca^{2+} , 73–120, 185, 199, 202, 213, 333–340, 346, 354, 362, 438
 -binding proteins, 74–75
 channel(s), 89, 202, 213, 333
 /GTP signal, 83
 nuclear, 293–295
 oscillation(s), 293
 pump, 293
 signal(s), 44, 89, 185, 293, 345
 transporter, 293
- Caenorhabditis elegans, 253
- Calcimedins, 73
- Calycylin (S100 family protein), 77, 106
- Caldesmon, 335
- Calelectrin, 74
- Calmidazolium, 343
- Calmodulin (PKC inhibitor), 74, 106, 330, 336, 345–346
- Calpains (Ca^{2+} dependent thiol protease), 490–491
- Calpastatin, 490
- Calpectin, 490
- Calphostin C (PKC inhibitor), 198, 345
- Calyculin A (phosphatase inhibitor), 340
- CAM kinase II (Ca^{2+} /calmodulin dependent protein kinase), 334, 336, 346
- cAMP, 336
- Cancer, 258
- CAPS (Ca^{2+} -dependent activator protein of secretion), 328
- Capsid protein (alphavirus protein), 411–412
- Capsid-p62–6K-E1, 413
- Captopril, 49
- Carbachol, 336, 340
- Carboxypeptidase Y (CPY), 146
- Carboxymethylation, 327, 362
- Carboxylmethyltransferase (PCMT), 357
- Cardiolipins, 202, 440–441
- Carnitine, 210
 long-chain ... acyltransferase, 210
- Catalase, 303,492
- Catecholamines, 324
 secretion, 89, 109
 Caveolae, 91, 96
- CCCP, 190
- CCL 39 fibroblasts, 361
- CCR5 (HIV-1 coreceptor), 459–472
- CD4 (receptor HIV-1 entry), 436, 458–472, 497
- CD45RA⁺, 463
- CD45RO⁺, 463
- Cdc42Hs (Rho family small GTPase), 251, 342, 361
- Cdc48 chaperone, 292
- CD spectroscopy, 23
- Cells
 permeabilized, 55
- Cell-free system, 176, 188, 193, 211, 275–277
- Cellubrevin (syb3), 329
- Ceramide, 424
- Cerulenin (inhibitor cholesterol synthesis), 439
- CH-domain (Calponin Homology), 337–338
- Chemokine(s), 463
 receptor (for chemoattractant cytokines), 463
- Chlamydia trachomatis, 106
 serovar L2, 103
- Chloroacetamide, 487
- Chloroacetic acid, 487
- Chlorocholestene (non-fusogenic cholesterol analogue), 421
- P-chloromercuriphenylsulfonic acid, 486,493, 501
- Chloroquine, 415
- CHO cells, 191, 258, 314

- Cholestane, 421
 Cholestanol, 421
 Cholestenone, 422
 Cholesterol, 85, 410, 416, 420–432
 3 β -hydroxyl group, 421
 Cholera toxin, 180, 191, 485
 Chromaffin cells, 82–83, 95, 185, 323–378
 permeabilized, 55, 90, 108
 Chromaffin granules, 80, 85.85, 89, 108–109,
 324, 335, 350
 Chromatin, 274, 277–278
 Chromobindin (annexins I, II, IV, VI), 73
 A/CCT, 330
 Chromogranin (CG), 324–378
 A (CGA), 324
 Chromosome(s)
 II, 155
 V, 158
 VI, 148
 VII, 158
 XI, 151
 XIII, 152
 XIV, 158
 XV, 158
 CIRL/latrophilin (α -latrotoxin receptor), 45
 Cisternal maturation model, 1, 5, 234–235
 Cis-unsaturated fatty acids, 88
 Class I major histocompatibility antigen(s), 413
 Clathrin, 10, 91, 94, 134, 180
 coated vesicles, 12–14, 94
 lattice, 92
 Clostridial toxins, 47–63, 184
 CnBr (cyanbromide), 393
 CNS (central nerve system), 44–63, 110
 CoASH, 188
 Coated pit, 91–92
 Coated vesicle, 91
 Coatomer, 180, 198, 314; *see also* COP
 Cofilin, 338–339
 Colchicine, 326
 Colony stimulating factor 1, 100
 Compactin, 355
 Complexin, 42
 Concanamycin, 500
 Confocal microscopy, 347, 362
 ω -conotoxin, 333
 COP (Coat Protein), 6–12, 180, 192, 198–199,
 249–254, 258
 β -COP (110 kD protein), 191, 250
 COPI/II (coatamer complexes I/II), 134, 235,
 249–250, 260
 COPI-coated vesicles, 1–26, 235, 249
 C OPII-coated vesicles, 1–26
 COP α - ζ , 11
 Coprostanol, 421
 Coreceptor: *see* HIV-1
 Coronavirus, 497–498
 Coronin (se), 340
 COS-7 cells, 81
 CPY (vacuolar carboxypeptidase Y), 148, 152,
 154–156, 245
 Cryo-electronmicroscopy, 85, 109, 411
 Cu(II), 488
 Cut6, 201
 CXCR4: *see* Fusin
 Cyclin-dependent protein kinase (Cdk5), 345
 Cysteine, 193, 356, 393, 483–509
 Cystine bridge, 484–485
 Cytochalasin D (CD), 343
 Cytohesin-1, 254
 Cytolysin, 433
 Cytomegalovirus, 116
 Cytoskeleton, 74, 77, 90, 98, 332–348
 actin, 332
 cortical, 97
 cortical actin, 82
 DDT₁MF-2 smooth muscle cells, 203
 Dendritic cells, 102–103
 Desaturase
 Δ^9 -fatty acid, 205
 D/EXD/E motif, 16
 Dextran
 150-kDa FITC-labeled, 284
 Diacylglycerol (DAG), 199
 acyltransferase, 206
 Diazene, 488
 Dictyostelium discoideum, 113, 116, 153
 Dil^{C18}, 283
 Digitonin, 315
 Dipicolinic acid, 49
 Dihydrocholesterol, 421
 DiOC₆ (fluorescent lipophilic dye), 283
 Diphtheria toxin, 48, 485, 501
 5'5'- dithiobis-(2-nitrobenzyl)acid, 486–509
 Dithioerythritol, 488
 Dithiothreitol, 487–488, 492–493, 497–498,
 500
 DMI-nitropkn (caged Ca²⁺), 335
 DNP-HSA (denitrophenylated human serum al-
 bumin), 103
 Docking, 83, 112

- Dopamine (DA)
 receptor(D₁/D_{2L}), 194
 β -hydroxylase (DBH), 324
DPAP B, 240
Drosophila, 52, 58, 204, 285, 287
 embryo, 276–278
Dss4p (hydrophilic 17 kD exchange protein in yeast), 140, 149
Dynactin, 95
Dynamn (small GTPase), 14, 91–94, 134, 415
Dynein, 95
Dystrophin, 337
- E64 (cysteine protease), 488, 490
Eastern equine encephalitis virus (EEE virus, alphavirus), 411
EBP50 (ERM binding protein), 341
Ebola virus, 383–384, 438–439
 Gp1, (Gp2, 384, 397
Echinoderms, 277
ECL (extracellular loop HIV-I coreceptor), 468–469
EDTA, 98
EF-domain, 337
EF-hand Ca²⁺-binding proteins, 75
EGF, 100
 receptor, 98–100
 receptor kinase, 80,99
EGTA, 106
Electron microscopy, 77, 390
Emp24p (p24 family), 16
Encephalitis, 411
Endocytosis, 74, 90, 97, 100, 362–363, 415, 495–496
 annexins in, 101
 caveolar pathway, 90
 caveolar-independent pathway, 90
 clathrin-dependent pathway, 90–91, 415
 clathrin-independent pathway, 90–91
 trafficking, 133–162, 246–247
Endoplasmic reticulum (ER)
 lumen, 3
 peroxisome connection, 311–314
 quality control, 3
Endosome(s), 13, 96, 98
 early (secondary), 92,96–99, 102
 fusion, 97, 185,289
 late (tertiary), 92, 97, 99, 141
Enkephalins, 324
Env (structural element), 457
Env (viral envelope protein), 457–472
 Eosin–5-maleimide, 492
 Epicholesterol, 421, 425
 Epithelial cells, 107
 ERD2 (KDEL/HDEL receptor), 243
 ER-ERGIC transport, 234–236, 248
 ERGIC *see* Intermediate Compartment
 ERGIC-58.4, 244
 ERGIC-53/58, 4, 244
 ER-Golgi transport, 234–242
 ERM proteins (erzin-radlxm-moesin), 341
 Erythrocytes, 387
 Erv25p (p24 family), 16
 Erzin, 97, 341
 Eschenchia coli, 56, 104
 ETF-1, 495
 Ethanol, 189
 Ethanol acyl transferase, 190
 Eukaryotic cells, 133
 Evolutionary pressure, 157
 Exo 1 (14–3-3 protein), 90
 Exocyst (protein complex in budding yeast), 25
 Exocyst complex (docking complex), 144
 Exocytosis, 39–63, 73, 327–332, 494
 regulated, 107–113, 348–355
 trafficking, 133–162
- F-actin, 330
Farnesyl
 moiety, 356
 protein transferase (FTPase), 156, 356–358
Fatty acid, 114, 179
 binding protein (FABP), 207, 210–213
 synthase, 203
 translocase (FAT), 207
 transport protein (FATP), 207
 unsaturated, 117
Fertilin (PPI-30), 444
Fibroblast(s), 95
Field emission in-lens scanning EM (FEISEM), 283–285
Filovirus, 507
Fimbrin, 337
Fluorescence
 energy transfer; 284
 microscopy, 274, 283–284
 spectroscopy, 93, 206
Focal dystonia, 62
Fodrin (β II spectrin), 335
Fowl plague virus (FPV), 442
Furin (protease), 413

- Fusin (HIV coreceptor, chemokine receptor family, CXCR4), 463–472
- Fusion
- clamp, 82
 - machinery, 142–145
 - protein F (Sendai virus), 440
 - protein(s), 23, 82, 443–445
 - viral, 116
- Fusogens, 295–296
- 20S fusion particle, 183–187
- Fusogenicity, 113
- Fyn (Src family like), 194
- G-protein, 192, 333, 348–355
- coupled receptors, 194
 - subunit, 191–194
- G25K proteins, 360
- GABA (γ -aminobutyrate), 324
- Gag (structural element), 457
- Galactocerebroside, 437
- Galactosylceramide, 424
- GALIO-YFT1, 147
- Gangliosides, 386, 441
- GAP (GTPase activating protein), 12, 136, 140–141, 251, 353, 360
- GAP-43, 343–347
- Gastric chief cells, 361
- GBF (sec7 domain protein), 254
- GBF1 (mammalian sec7 domain protein), 254
- GDI (GDP dissociation inhibitor), 140, 350–355, 360
- displacement factor, 140, 350
- Gdi1p(Sec19p), 144, 149
- GEA1 gene, 253,256
- Gea1p (sec7 domain protein), 253–255
- Geap2 (sec7 domain protein), 253–255
- Gea2p Sec 7 domain, 255
- GEF (guanine-nucleotide exchange factor, GEF), 136, 140, 146,234, 250, 351
- Gelsolin, 335–339
- GEP (guanine nucleotide exchange protein, GEF), 11, 234, 351, 353, 360
- Geranylgeranyl
- moiety, 356
 - protein transferase I, II (GGTase I, II), 138, 149, 156,356–358
- GFP-labeled proteins, 245
- GH₂C₁ cells,343
- Giantin (COPI vesicle membrane protein), 25
- Giardia, 107
- Glucose, 107–108, 305
- GlcNac-transferase I, 4–5
- β -glucuronosyltransferase, I 79
- GLUT4
- containing vesicles, 188, 211
- Glutamate, 324
- Glutathion, 195
- Glycosylation enzymes, 260–261
- Glyoxysomes, 304,316
- GM 130 (cis-Golgi matrix protein), 25
- GMAP-210/p210 (large coiled-coil protein), 252
- GNOM/Emb30p, 254
- Golgi apparatus, 2,4, 81, 146, 148, 154, 179, 188, 191,200,233–238,243–247, 396
- Golgi-ER retrograde transport, 4, 160
- P230/golgin-245 (large coiled-coil protein), 252
- Gonadotropes, 55
- Gp1/Gp2 (Ebola), 384
- Gp41,458–461
- Gp120 (HIV, SU)/gp41 (TM), 384, 458–461 (Gp160, 458
- GRF (guanine nucleotide releasing factor), 351
- GRIP domain, 252
- Growth-cone protein 43 (GAP-43), 194
- GRP1 (sec7 domain protein), 254
- GSF (GTP-dependent soluble factor), ,289
- GST-fusion proteins, 56
- GTP, 19,82, 111, 117, 203, 250, 287–290
- binding protein(s), 288–290
 - γ S, 180, 191, 288–289
- GTPase, 139–142, 288–290
- Guanine-nucleotide dissociation inhibitor (Gdi1p = Sec19p), 139–140,353
- Guanine-nucleotide exchange activity, 250–251
- Guanine-nucleotide exchange factor (GEF), 234, 250
- Guanosine triphosphate: *see* GTP
- GYP1; Gyp1p, 141, 149.
- GYP7; Gyp7p (GTPase activating protein), 141, 153
- Gyp6p (GAP for Ypt6p), 141, 154
- H37Ra (Mycobacterium tuberculosis strain), 102, 106
- Hansenula polymorpha, 304–305, 314
- Heart, 191
- Hck (Src family like), 194
- HeLa cells, 191, 246, 278, 341

- Hemagglutinin (HA), 196–197, 381–401
 influenza A virus, 195, 381–401
 subunits HA1, HA2, 196
 -neuroamidase (HN), 196, 440
- Hemifacial spasm, 62
- Heparan sulphate, 415
- Hepatitis B virus, 117
- HIT-cells (pancreatic β -cells), 203
- HIT-T15 cells, 53
- HIV-1 (Human immunodeficiency virus), 383,
 416, 435–437, 457–472, 496–497,
 501
 coreceptor(s), 465
 envelope glycoprotein (gp)
 gp120 (surface subunit, SU), 436–437
 gp41 (transmembrane subunit, TM), 436
 receptor: *see* CD4
- HRP (enosomal marker), 362
- Hsc70 (chaperone), 14
- HSP150 (ER luminal glycoprotein), 241, 295
- Human T-cell leukemia virus type 1 (HTLV-1),
 502
- Hydra vulgaris, 107
- Hydrogen peroxide, 49 1
- 'hydrophobic bridge' hypothesis, 11 5
- α -hydroxyacid oxidase, 303
- P-hydroxymercuribenzoate, 492
- Hypolipidemic drugs, 209
- IgA receptor, 1 12
- IgG, 103
- Immuno-fluorescence microscopy, 148, 154,
 396
- Immunoprecipitation, 179
- Importin a, 314
- Importin b, 314
- Influenza virus, 195–197, 380, 388, 593, 396,
 435
 hemagglutinin, 195–197, 245, 381–383, 391,
 395–398, 441–442, 460
 HAO, HA1, HA2: *see* Hemagglutinin
 ion channel M2 protein infrared spectroscopy,
 178
 spike glycoprotein, 196
- Inositol 1,4,5-trisphosphate (IP₃), 203
- Insect cells, 422
- Insulin, 53, 107, 361, 485, 492–493
- Intermediate Compartment (ERGIC, VTC,
 15°C compartment), 3, 234–236, 242
- Intracellular organelles
 three-dimensional structure, 236–238
- Invertase, 147, 149, 246
- Iodine, 488
- Iodoacetamide, 487
- Iodoacetic acid, 487
- Ion channel(s)
 M2 protein, 396
- Ion fluxes, 202–203
- Ionomycin, 105
- Ira1p, Ira2p (yeast Ras-GAPs), 141
- Isoprenylation, 327, 348–359
 [²⁵¹]TID-PC/16 (photoreagent), 393
- K⁺, 203, 333, 335, 353–354
- Kar2p/Bip, 246
- KAR mutants, 295–296
- Karnovsky procedure, 239
- KAR proteins, 295
- Karyogamy, 29 1, 295
- Karyomers, 279
- KDEL/HDEL motif, 14–15, 243
- KDEL receptor, 16, 244
- KE37 cells, 280
- Kex2 (Golgi protease), 154, 246
- Kidney (epithelial) cells, 191, 284
- Kinesin, 326, 35 1
- KKXX-/KXKXX motif, 14–15, 20, 314
- KN-42 (Ca²⁺/calmodulin kinase II inhibitor),
 336
- Lactate-dehydrogenase, 324
- Lamina-associated polypeptides (LAPs), 274
- Lamin B, 356
 receptor (LBR/p58/p54), 274
- Laminin receptor, 41 3
- Lamins, 277
 B type, 279
- Large dense-cored vesicle (LDV), 323–378
- Large unilamellar vesicles (LUVs), 393
- α -latrotoxin, 44–63
 ankyrin repeats, 46–47
- LBR (integral protein), 277, 279
- Lck (Src family like), 194
- LDL
 receptor, 252
- LDLC protein, 252
- Leech
 Retzius synapse, 53
- Leishmania amazonensis, 105
- Leishmania mexicana, 105
- Lipids, 409–446
- Lipophilic structures (LSs), 278–290

- Liposomes, 19–20, 53–55, 85, 114, 117, 416, 421, 440
 of phosphatidylserine, 114
Listeria monocytogenes, 105, 339, 433
 Listeriolysin O (cytolysin from *Listeria monocytogenes*), 433
 LMA1 (= thioredoxine + IB2), 143
 Long chain fatty acyl-CoA (LCACoA), 175–213
 regulation, 207–211
 synthetase, 205
 Low density lipoprotein (LDL)
 receptor, 91
 Lsd1 cells, 201
 Luciferase, 308
 Lung, 111, 191
 Lysophosphatidic acid acyltransferase, 206
 Lysophospholipid, 179, 188, 200, 202, 380
 acyltransferase, 213
 Lysosomes, 13, 91–92, 99, 105, 246–247
 Lyssavirus (Rhabdovirus family), 385, 393
- Macropinocytosis, 90
 Macrophage(s), 100
 J774-, 103
 tropic virus (M-tropic), 462–463
 Madin–Darby–Canine–Kidney cells (MDCK), 97
 Major histocompatibility complex (MHC), 100, 485
 Malonyl-CoA, 201
 Mammary gland, 238
 MAN antigens, 274
 Mannose 6-phosphate receptor, 17, 194, 495–496
 Mannose 6-phosphate signal, 17
 α -D-mannosidase, 279
 α -mannosidase II, 243–244
 MAP (microtubule associated protein), 345
 MAP kinase, 345, 347, 349
 inhibitor (PD 098059), 345
 MARCKS (Myristoylated Alanine Rich C-Kinase Substrate), 337, 342–348
 Mastoparan (stimulator of GTP/GDP exchange), 191
 Mating pheromone alpha-factor, 150, 154
 MDCK cells, 112, 244, 246, 248
 Mdm2 (yeast mutant), 200–201
 Meltrin (myoblast fusion), 444
 Membrane
 anchoring, 395
 budding, 190
- Membrane (*cont.*)
 fission, 14, 190
 fluidity, 88
 flow
 anterograde, 4
 retrograde, 4
 fusion, 190
 peroxisomal, 310–311
 trafficking, 175–177, 198
 Mercaptoethanol, 488, 508
 Mersalyl acid, 488
 Mesenchymal cells, 81
 Methyltransferase activity, 357
 Methyltransferase, 357–362
 Mevalonate pathway, 355
 Mevinolin, 355
 Miconazole (inhibitor cholesterol synthesis), 439
 Microbody, 304
 Micro-electroporation, 77, 88, 116
 Microsomes, 179, 203, 288, 494–495
 MIP-1 α (chemokine), 464
 MIP-1 β (chemokine), 464
 Mitosis, 190–191, 274
 Moesin, 97, 341–342
 Monobromobimane, 487, 490, 501
 Monensin, 190, 396, 415
 Monoclonal antibody (Mab), 387, 391, 394
 Mosquito, 410
 cells (C6/36 line), 422–423, 428
 Mouse hepatitis Virus (MHV), 437–438
 Mrs6p (REP homologue in yeast), 138
 Mss4p (GEF), 140, 251
 MTR7 gene, 201
 Mtr7-1/acc1-7-1 (yeast mutant), 201
 Multi vesicular bodies (MVBs), 80, 91, 100
 Murine erythroleukemia cells (MEL), 244
 Murine hepatitis Virus (MHV), 497–498
 Murine leukemia virus (MuLV), 383–384, 517–507, 509
 SU, TM, 384
 Muscarinic, 333
 M₁, 333, 346
 M₂, 333
 M₃, 333, 346
 receptor, 333
 Mutagenesis, 394–395
 site-directed, 196
 Mutants (studies), 392, 394–395, 427–432
 secretory, 238
 thermosensitive (ts), 238

- MV1 (fusogenic) vesicles, 282–283, 290, 296
 MV2 α (Golgi derived) vesicles, 279, 282–283, 287
 MV2b vesicles, 279, 282–283
 Mycobacterium tuberculosis, 102
 Mycoplasma, 440
 Myelin, 194–195
 PO glycoprotein, 193
 PO glycoreceptor, 194
 proteolipid protein, 193–194
 Myoblast, 444, 490–491
 Myocytes, 54, 110
 Myosin
 binding subunit (MBS), 342
 p200/myosin II, 252
 Myristoylation, 194, 355
 Myristoyl-CoA, 193, 203
- N-acetyl glucosamine, 179
 NADH, 307
 NADP, 307
 NADPH oxidase, 360
 Na⁺/H⁺ antiporter, 361
 Natriuretic peptide, 110
 NEM (N-ethylmaleimide), 23, 113, 180–181, 280, 290–292, 487, 489, 490, 492, 494–496
 Nematocytes, 107
 NEM sensitive factor (NSF): *see* NSF
 NEP-A (nuclear envelope population), 280, 296
 NEP-B (nuclear envelope population), 280
 Nerve growth factor receptor (NGFR), 386
 Neural cell adhesion molecules (NCAM), 194
 Neurexin 1 α , 45, 331
 Neuroamidase, 196
 Neuroblastoma
 clone SH-SY5Y, 332–334
 Neuromuscular junction, 49
 Neuronal cellular adhesion molecule (NCAM), 386
 Neurons, 323–378
 noradrenergic, 325
 Neuropeptides, 44, 324–378
 Neurotoxins, 39–63
 Neurotransmission, 185
 Neurotransmitter, 44
 Neurophil(s), 74, 100, 102, 105–107, 110
 receptor, 102
 Nicotinic acetylcholine receptor (nAChR), 194, 386
- Nicotinic
 agonist, 333
 receptor, 335–336
 stimulation, 108
 Nifedipine, 333
 2-nitro-5-thiocyanobenzoic acid, 488
 NMR (nuclear magnetic resonance), 306
 Non-clathrin coated vesicle, 180
 Noradrenalin (NA), 324, 332, 346
 NOS
 endothelial, 194
 NPY peptide, 324, 333
 NR-6 fibroblast cells, 25
 NSF (NEM sensitive factor), 23–24, 40–42, 181, 190, 197, 312, 329, 352, 489–490, 496
 attachment protein (SNAP), 21–24, 181–190, 329, 352, 489–490
 -SNAP affinity column, 184
 Nuclear
 bodies, 276
 division, 200–201
 envelope (NE), 273–296
 lamina, 274
 matrix, 216
 membrane, 200, 274, 276
 pore complex (NPC), 274, 276, 285, 290, 294
 vesicle, 275–279
 fusion, 275, 278, 281–298
 Nucleocapsid, 413, 415, 419
 Nyv1p (v-SNARE), 143–144, 155
- Octadecylrhodamine, 416
 Okadaic acid (phosphatase inhibitor), 340
 OLE1 gene, 200
 Oleic acid, 200, 202, 305, 380
 Oleoyl CoA, 178, 190, 193, 199
 ONUs (oleate non-utilizers, yeast mutant), 305–306
 Opsonization, 105
 Orthomyxovirus, 379, 413, 435
 Osmotic pressure, 153
 Otefin, 274
 Oxidation/reduction potential, 483–486
 Oxysterol, 251
- P2, 245
 P11, 75, 78, 96–98, 108–109
 p21^{H/N/K-mis}, 141, 194–195, 342
 P23, 16–26

- P24 family, 16–26
 Emp24p, 16
 Erv25p, 16
 P56.277
 P57,340
 P58.4
 P62
 Golgi protein (acyl-transferase ?), 190–191
 viral assembly, 413, 417
 P97 (ATPase), 291–292
 PI 15 (peripheral Golgi membrane protein), 25
 P230/golgin-245, 252
 PAK (p21 activated kinase), 342
 Palmitoylation, 190–197
 Palmitoylcarnitina, 188, 190
 Palmitoyl-CoA, 178, 190, 199, 202, 211
 Palmitoyl protein thioesterase (PFT), 192, 195
 Palmitoyltransferase, 191–192
 Pancreas, 191
 β -cells, 55, 111, 203
 Pancreatic exocrine cells, 244
 Pancreatic islets, 108
 Paramecium, 107
 Paramyxovirus, 379,397
 Parathyroid, II I
 Parinaroyl-CoA, 206
 Pes mutants: see Pex mutants
 Pat1 p/Pat2p. (ABC half-transporter), 307
 PBMC-cells, 465
 PC12 cells, 55, 336, 344, 346
 PCR, 152
 PDGF receptor kinase, 80
 PE2 (in SIN), 413
 Pep12p (t-SNARE), 151, 160
 Perfringolysin O (bacterial cytolysin), 433–434
 Permeabilized cells, 109–110, 203, 336
 Peroxins (Pex), 307
 Peroxisomes, 303–317
 targeting sequence (PTS1, PTS2). 308
 Pertussis toxin, 191
 Pex mutants (formerly pas mutants), 305
 Pex 1–19p (peroxins), 307–316
 Phagocytosis, 61,74,90–91,98, 100
 and annexins, 104–107
 Phagolysosome, 100
 annexins with, 102–103
 Phagosome, 100
 PH domain (pleckstrin homology), 251, 341–342
 Phalloidin, 347
 Phase contrast microscopy, 285
 Phenothiazine-Sepharose, 73
 Pheromone, 295
 Phorbol 12,13-dibuturate (PDBu), 334,347
 Phorbol-12-myristate- 13-acetate, 340
 Phorbol ester, 198, 336, 361
 Phosphatidic acid (PA, PtdA), 198
 Phosphatidylcholine (PC), 178, 190, 441
 Phosphatidylethanolamine (PE, PtdE), 75, 441
 Phosphatidylinositol (PI, PtdIns), 75, 254, 293, 310–311, 438–439
 (4,5)-biphosphate, 198, 251, 338–339
 4-kinase (PI-4 kinase), 329
 Phosphatidylserine (PS, PtdS), 75, 85, 90, 199, 385,438
 Phosphoinosides, 12, 42–44
 Phospholipase A₂, 88, 199, 200, 355
 acylated, 195
 type II sPLA₂, 92–93
 Phospholipase C, 360
 Phospholipase D (PLD), 198–199
 Phospholipid, 199, 355
 nsl-TPphosphorylation
 of annexins: see Annexins
 Phytophthora infestans, 145
 Pichia pastoris, 238, 304–305, 312
 PI(3) kinase, 262, 360
 PI(3,4,5)P₃, 254
 Pituitary gland, 238
 Pneumolysin (bacterial cytolysin), 433
 PNS (peripheral nervous system), 44–63
 Pol (structural element), 457
 Polyunsaturated fatty acid (free), 93
 POM121,274
 Porins, 306
 PP60c-src, 80,97
 Pp60v-src, 80
 466,340
 Prenylation, 194
 Prenylcysteine lyase, 358
 Prenyl protein transferase, 356
 Profilin (G-actin binding protein), 338
 Prolactin, 343
 Proline, 338, 383
 Proteinase A (PrA = Pep4p), 143, 147
 Protein kinase, 198
 Protein kinase A (PKA), 80
 Protein kinase C (PKC), 80, 82–83,90,96–97, 99, 198–199,332–334, 337–329, 340–344
 inhibitor (H7), 80, 108

- Protein
 carboxymethylation, 359–362
 disulfide isomerase, 485–436, 496–497
 palmitoylation, 358
 prenylation, 358–359
 thiols, 483–509
 transport, 233–263
 targeting, 134–135
 tyrosine kinase (PTK), 80
- Proteinase K, 418
- Protist, 120
- Protozoa, 100
- P-selectin, 194
- PtdInsP_n, 85
- PtK1 cells, 191
- PtK2 cells, 244
- PTS1 protein
 receptor (Pex5p), 314–316
- PTS2 protein
 receptor (Pex7p), 314–316
- Pulmonary surfactant protein (SP-C), 193
- Pyrene, 416
- 3-(2-pyridyldithio)propionate, 494
- Quality control, 485
- R5 virus (CCR5 utilizing), 464, 469
- R5X4 virus, 464
- Rab (small GTPase), 26, 135, 138, 142, 161, 194, 252, 349, 353–359
 1 (a and b), 161, 192, 252
 2.4, 252
 3a/a-d, 141, 330, 348–355, 360–363
 4, 158, 252
 5, 151, 161, 362
 6, 153–154, 161, 252
 7, 141, 161
 8, 161
 9, 252
 11, 147, 161
 3A-GAP, 141
 escort protein (REP), 138, 357
 GTPase, 141
 -family, 141, 192
 /Ytp proteins, 25
- Rabaptin, 350, 362–363
- RabGAP, 141
- Rabphilin 3a, 330, 350–352, 362
- Rabies virus (RV), 385–401
- kRac proteins, 342, 355, 359–360
- RACK (receptor for activated C kinase), 90
- “raft” domains (CH and sphingolipid-enriched domain), 441
- RAIN mutant (resistant to acid-induced neutralization), 394, 399
- Ran, 136
- RANTES (chemokine), 464
- Rap1A, 140, 361
- Rap2, 140
- RapGAP, 140
- Ras, 136, 140–145, 153, 158, 349, 358
 -like GTP binding proteins, 137, 192
 1 locus, 158
 2 protein(s), 136
 -superfamily, 9, 135–136
- Receptor
 recognition, 55
- Recycling pathways, 14–15
- Renin secretion, 492–493
- Rer1 p, 240
- Ret1p (retrieval), 11
- Ret2p, 11
- Ret3p, 11
- Retrograde fusion (Golgi vesicles back to ER), 283
- Retrograde transport, 14, 283
- Retrovirus, 379, 395, 397, 457
- Rhabdovirus, 379–401, 413
 glycoprotein G (spike), 385–397
 G proteins, 387–397
- Rho, 136, 140, 149, 342, 349, 355
 /Cdc42, 157, 342, 361
- Rhodopsin, 193–194
 kinase, 358
- Ricin, 485
- RIM (Rab3-Interacting Molecule), 352
- ROK (Rho-binding kinases), 342
- Ross River virus (alphavirus), 411
- Rous sarcoma virus, 81, 96
- Rubella virus, 508
- Ruthenium red, 202
- RV: *see* Rabies virus
- Ryanodine, 202, 213, 293
- 20S fusion particle, 56, 184
- S100 family, 90, 99, 106
- S100A10, 75
- S100C, 99
- S100 protein p11, 75
- S100A10 protein: *see* S100 protein p11
- Saccharomyces cerevisiae, 6, 120, 134–162, 189, 201, 205, 238, 245–256, 291, 304–305, 312, 316, 339, 359

- Salivary gland, 191
 Salivary mucosal glycoprotein, 195
 Sar1p (Ras GTPase), 6, 9, 261
 Sar1p-GTP, 8
 Sarcoplasmic reticulum, 202, 213
 Schizosaccharomyces pombe, 147, 153, 201, 245–246, 254
 ryh1 gene, 154
 Scinderin (Ca²⁺-dependent F-actin severing enzyme), 335–336, 339
 SCPx (sterol carrier protein), 311
 Sea urchin, 276–280, 283, 287, 296, 493–494
 sperm, 278–279
 SDF-1 (CXC chemokine stromal-derived factor-1)
 SDS-PAGE, 393, 500
 SEC, 149
 SEC1, 25
 Sec1-related proteins, 143
 nSec1/munc-18, 42
 SEC2, 140
 Sec2p, 149
 SEC4, 140, 146, 148
 Sec4p, 8, 141–142, 148–150, 157, 159, 192
 -GEF Sec2p
 /Gdi1p complex, 140
 Sec7 domain, 234, 253–256
 Sec7, 148, 255
 mutant, 148, 239
 Sec9p, 142, 150
 Sec12p, 8
 Sec13p, 6
 SEC14, 148, 311
 mutant, 148, 311
 Sec14p, 311
 Sec16p, 8
 Sec17p (yeast homologue a-SNAP), 143
 Sec18p (yeast NSF), 143, 151
 SEc21, 11, 246
 Sec23p complex, 6–8
 Sec238, 312–313
 Sec24p, 6–8
 SEC26, 11
 SEC27, 11
 SEC28.11
 Sec31p, 8, 11
 Sec35p, 144
 Sec61 pore, 315
 Sec mutant, 316
 Secretagogues, 82
 Secretory granules, 324–378
 docking, 82
 priming, 82
 Secretion
 pathway, 1–26, 4244, 60, 175–177, 233–263
 vesicles, 82
 Sed5p (cis-Golgi t-SNARE), 147, 159, 292
 Semliki Forest Virus (SFV, alphavirus), 384, 396, 398, 409–446
 glycoproteins (E1, E2, E3), 193–194, 384, 396, 398, 412, 417–419, 425–427, 431, 499–500
 P2, P3, 384
 p62E1 precursor, 384
 Sendai virus, 440–441
 Serotonin 5HT receptor, 194
 Serine/threonine kinases, 80
 SFV: *see* Semliki Forest virus
 SF-9 cells, 195
 SH3 domain, 95, 338, 342
 SH-SY5Y, 325, 331–334, 342–348: *see also* Neuroblastoma clone
 Sialic acid, 381, 440
 containing receptors, 440
 Sialyltransferase, 5
 Signal
 recognition particle, 3
 sequence, 3
 transduction, 177
 Sindbis virus (SIN, alphavirus), 196, 410–446, 498–500, 508
 SIV virus, 384, 436, 465, 470
 SKL signal (PTS1), 308
 SLO (cell permeabilizing agent), 315
 Sly.p, 142–145, 155
 SLY2 (SEC22), 147
 SLY12 (BET1), 147
 Small GTP-binding protein (smg, GTPase-activity), 288–290
 Small synaptic vesicle (SSV), 323–378
 SNAP (soluble NSF attachment protein): *see* NSF attachment protein, 489
 α -SNAP, 181
 β -SNAP, 181, 202
 SNAP-23, 58, 60
 SNAP-25 (Synaptosome-Associated Rotein-25kDa, t-SNARE), 21–24, 42–44, 51–63, 118, 143, 150, 184–185, 197, 202, 329
 SNAP-SNARE-NSF interactions, 112–113, 118, 184–187, 202

- SNAREs (SNAP receptor), 81, 184, 195–197
 associated proteins, 43, 60
 hypothesis, 21–23, 39–44, 49, 142–145, 184–187, 202, 235, 291–293, 352, 443–445, 489
 motif, 58
 new, 60
 overexpressed, 55–57
 pins, 185, 291
 proteins, 21–23, 58, 148
 V-SNARE/t-SNARE interactions, 21–23
 Snc1 p, Snc2p (VAMP/syntaxin homologue), 150, 197
 Sodium carbonate
 extraction, 317
 Sodium periodate, 488
 Sodium tetrathionate, 488, 492
 SOS, 358
 Spectrin, 77, 91, 95–96, 252, 330, 337, 342
 Sperm, 444
 -egg fusion, 491–492
 motility, 492
 nuclei, 275
 Spermatids, 244, 248
 Sphingolipids, 410, 416, 424–432
 Sphingomyelin, 424
 Sphingosine base, 424
 Spike glycoprotein, 381–401, 409, 412, 416–419
 Spike-nucleocapsid interaction, 412, 419
 Spike-spike interactions, 420
 Squid,
 giant synapse, 52
 Src family, 194
 Srf-1, 2, 3, 4, 5 mutants (SFV mutant, sterol requirement function), 427–432
 Srp54, 312–313
 SR-3YI (Rous sarcoma virus oncogene) cells, 81
 SSD1-d, 155
 Sso1p (plasma membrane t-SNARE, syntaxin), 150, 159
 ss02p (plasma membrane t-SNARE, syntaxin), 150, 159
 Staphylococcus aureus, 55
 Stalk formation, 442–443
 “stalk intermediate” (during membrane fusion), 442
 Staurosporine (PKC inhibitor), 114
 Stearoyl-CoA, 193
 Sterol carrier protein-2 (SCP-2), 206–207, 211
 Stilbene disulfonic acid, 112
 Stilbene maleimide, 493
 Streptolysin-O, α -toxin (bacterial cytolysin), 55, 346, 433–434
 N-succinimidyl-3-(2-pyridyl)dithio)propionate (SPDP), 488
 Sulfhydryl groups
 involvement in fusion, 483–509
 Superoxide, 491
 Superoxide dismutase, 492
 Surf clam, 276
 Synapse, 143, 184
 Synapsin I, 110, 334, 336, 346
 Synaptic proteins, 40–42
 Synaptic transmission, 184
 Synaptic vesicle, 21, 110, 184, 202
 Syntaxin (VAMP, p18), 21–23, 40, 143, 184–185, 197, 202, 329, 331
 Synaptophysin (p38), 42, 110, 114, 118, 329, 331
 Synaptosome, 42, 45, 346
 Synaptotagmin (p65), 42–45, 47, 90, 118, 185, 197, 202, 331, 352
 Syncytia, 196, 387–388
 Synexin (annexin VII), 73
 SYS gene, 155
 Syntaxin, 21, 25, 40–42, 51, 56, 60, 143, 184–185, 202, 330–331, 352
 /HPC- I, 40
 T20 (fusion inhibitory peptide), 471
 TBEV *see* Tick borne encephalitis virus
 T-cells, 243
 CD45RA⁺, 243
 CD45RO⁺, 243
 T-cell antigen receptor (TCR), 243
 T-tropic virus, 463
 Tetanus toxin (TeNT), 44–63, 184, 331
 TGF- β , 49, L
 Thapsigargin (inhibitor ER Ca²⁺ ATPase), 203
 Thermolysin, 382
 Thiol-disulfide-exchange enzyme, 502, 506,
 Thiol modification reagent, 486–496
 Thylakoid membranes, 315
 Thymopoietin, β , 274
 Tick borne encephalitis virus (TBEV), 384–385, 396
 E protein, 384, 396, 398
 M protein, 396
 prM protein, 396
 Tlg1p (t-SNARE, syntaxin), 161

- Tlg2p (t-SNARE, syntaxin), 155, 160–161
 TM (transmembrane domain sequence), 384, 395
 Torpedo marmorata, 58,74
 Torticollis, 62
 Toxins
 bacterial, 433–435
 TPA (phorbol ester), 325, 332, 335, 346–347
 TPEN (Zn²⁺/Fe²⁺ chelator), 294
 Transacylation, 195
 Transcytosis, 185, 248
 Transducing system (visual transduction), 358, 360
 Transfection, 53–55
 Transferprotein
 lipid, 310
 Transferrin, 92
 receptor(s), 91,94, 194
 Transmission electron microscopy, 284–287
 TRAPP (transport protein particle), 25
 complex (docking complex), 144
 -ER-Golgi vesicle-targeting complex, 240
 Triacscin C, 188
 Trichocyst, 107
 Trifluoperazine, 343
 Triton X-100, 108, 188, 278–279, 388, 441
 Trypanosoma brucei, 149, 158
 Tyrosine hydroxylase, 324
 Tyrosine kinase, 194
 Tyrosylprotein-sulfotransferase, 5
- U937 cells, 104
 Ufe1p (t-SNARE, retrograde from GA to ER), 159
 Urate oxidase, 303
 Urchin: *see* Sea urchin
 sperm chromatin, 285
 Uso1p (yeast homologue of p115). 25, 144
 UV-photolysis, 393
- Vacuole-vacuole docking, 143, 153
 Vacuole-vacuole fusion, 144, 153, 185
 Vam3p (t-SNARE), 143–144, 160
 Vam7p (SNAP-25 homologue), 143–144
 VAMP/synaptobrevine (vesicular associated membrane protein), 21–23, 40–43
 VASP (vasodilator-stimulated phosphoprotein), 338
 Veratridine, 333
 stimulated Ca²⁺ channel: *see* VSCC
- Vero cells, 439
 Vesicle
 aggregation, 74
 budding, 188–199
 clathrin-coated, 180
 docking, 142
 fusion, 135, 142, 181–199
 mechanism, 181–199
 Vesicular maturation model, 1, 5
 Vesicular monoamine transporter 2 (VMAT2), 332
 Vesicular stomatitis virus (VSV, rhabdovirus), 179, 242, 385–401
 -encoded G-protein, 179, 242, 387
 Vesicular trafficking, 74, 95, 135, 141, 159–162, 179–181,192, 199–203, 211–213,235–236
 Vesicular-tubular cluster: *see* Intermediate Compartment
 Vesiculoviruses, 385
 Villin, 336
 Vinculin, 340
 Viral
 entry, 414
 exit, 414
 fusion protein, 197
 hemorrhagic septicemia virus (VHSV), 388, 393
 Virosome, 388
 Virus
 infection
 CD4-independent, 470–471
 spike protein (VSP), 409–446
 Voltage-gated Na-channel, 194
 Volvox carteri, 145
 VPS-gene(s), 156
 Vps 1,240
 Vps21, 151
 Vps33p, 145
 Vps34p [PI(3) kinase], 262
 Vps41, 152
 Vps45p, 151
 Vps8, 151
 VSCC (veratridine stimulated Ca²⁺ channel), 333
 VSV-G protein, 9, 23, 247–249
- W-7 (inhibitor cholesterol synthesis), 439
 Western equine encephalitis virus (WEE virus, alphavirus), 411
 WW (proline-rich ligands binding domain), 338

- X-linked adrenoleukodystrophy (X-ALD), 307
X4 virus (CXCR4 utilizing), 464–465
Xanthine oxidase, 492
Xenopus, 276–280, 285, 287, 296
 eggs, 289
X-ray crystallography, 22.77, 383
- Yarrowia lipolytica, 304–305, 312–315
Yeast, 245–246
 mutants, 200–202, 305–306
 vacuole, 150–152
3Y1 (embryonic fibroblast) cells, 81
Yip1 (Ypt receptor ?), 139
Ypt (GTPase, 1–11), 135–162
 -GAP, 141
 GTPase cycle, 139–142
Ypt1p, 141–148, 154–155, 157, 159, 161, 192, 240
 mutations (N1211, D124N), 146, 148
Ypt3, 161
Ypt31p (intra Golgi-transport), 146–148, 154, 157–159, 161
Ypt32p (intra Golgi-transport), 146–148, 157–159, 161
Ypt4p, 159, 161
Ypt5p, 161
Ypt51p, 141, 150–152, 161
Ypt52p, 150–152, 161
Ypt53p, 150–152, 161
Ypt6p, 141, 146, 148, 153–155, 159, 161
Ypt7p, 141–144, 146, 152–154, 160–161
Ypt10p, 155–156, 161
Ypt11p, 155–156, 161
Ypt51 (=Vps21), 151, 158, 160
Ypt53, 158
Ypt/Rab-GTPase(s), 133–162
YXXF motif, 17
- Zellweger syndrome, 304
Zn²⁺, 49–52, 294