

Index

A

A&E departments

- accident prevention role 144–5
- children attending 128
- nurses in 144
- nurses' qualifications 143

ability, to use evidence 49–50

academic aspirations 8–9

access to evidence 48–9, 50–1

see also journals

accidents

- accident prevention strategies 128–9, 140–2
- definition 131–2
- factors influencing 129–30
- gender and social class 129–30
- Injury Minimisation Programme 141
- statistics 129–30

accident surveillance study 128–47

accident statistics 129–30

age groups of participants 135

aim of study 128

background literature 129–32

bias prevention 139–40

conclusion 145–6

consent to research 134

data collection 130–1

- procedure 133–4
- structured interviews 139, 142
- structured questionnaire 133

discussion 138–45

- accident prevention strategies 140–2

- implications for nursing practice 142–5

limitations of study 138–40

- methodological issues 138–40

ethical considerations 134

ethnic origin of participants 136

future developments 146

methodology 133–4

objectives of study 132

post-accident support visits 143

research question 132

results 135–8

accident details 136–8

analysis 135

- demographic and social information 135–6

sampling 133–4

acetaminophen, *see* paracetamol

acetanilid 266

Achieving Effective Practice (NHS directive) 1

acquired immune deficiency syndrome, *see* HIV/AIDS

Action for Sick Children 166

Added Power and Understanding in Sex Education, *see* A PAUSE

adolescent patients

popularity/unpopularity of 249–50, 255

standards for 250

adolescent sexual activity 205–6

adolescent sexual health 185–202

literature review 187–8

- acquiring sexual health knowledge and skills 187
- professionals' role in education 188

rational decision making *v.* self-efficacy 187–8

need for promotion of 186

research study 188–99

aims of study 188–9

bias 190

'bracketing' 189

conclusion 198–9

- contraception 193, 208
- data analysis 191
- discussion 195–8
- findings 191–4
- GPs and family planning
 - clinic consultations 192
- implications for practice 195–8
- methodology 190–1
- nurses' role 190–1, 193–4, 197–8
- pilot study 190
- relationship skills 192–3
- sample 189
- sexual knowledge learning
 - process 191–2, 195–6
 - sexual self-efficacy 192–3, 196–7, 209
- adult intensive care units (AICUs) 225
 - paediatric training 235
- adult patients, popularity of 244
- advocacy 5, 9, 10, 29, 160
 - school nurses 122
- AIDS, *see* HIV/AIDS
- anatomy, children's knowledge of,
 - research study 148–62, 168
 - background 148
 - conclusions 160
 - consent to research 153
 - data analysis 156–7
 - discussion 157–9
 - ethical considerations 153
 - limitations of study 159–60
 - literature review 148–52
 - methodology 152–6
 - grid scoring system 155–6
 - projective drawing method 153, 154, 159
 - prompted technique 153, 154–5
 - unprompted technique 153, 154
 - recommendations 160
 - results 156–7
 - sampling 152
- antibiotics, *see* intravenous
 - antibiotic administration
- antipyretics 262–3, 264, 265, 269, 281
 - administration to comply with parents' wishes 270
 - nurse education in use of 282
 - in prevention of febrile convulsions 270–2
 - see also* paracetamol
- A PAUSE (Added Power and Understanding in Sex Education) 195, 203–23
 - adult/peer-led partnerships 219–20
 - background 204–10
 - future developments 218–20
 - future funding 219
 - recommendations 218–20
 - research project 210–12
 - results 210–12
 - service provision 212–18
 - extension of service 212
 - facilitators 213–15
 - funding 212
 - gender balance 216
 - peer-led sessions 216–18
 - programme content 212–13
 - role of school nurse 213, 214–15, 218, 220
 - see also* sex education
- arachidonic acid 263
- aspirin 266, 268
- assessment
 - clinical/academic staff roles 15–18
 - Research Assessment Exercise 43
 - of theory, grid of marking criteria 19
 - see also* clinical assessment
- Australian Council of Paediatric Nurses, conference 384
- autonomy, in use of evidence 50

B

- BA (Hons) in Paediatric Nursing, *see* nursing graduates
- bathing, tepid/warm 271, 282
- Bayer (pharmaceutical company) 9
- body temperature
 - bathing and sponging to reduce 271, 282
 - circadian rhythms 266, 278
 - in febrile convulsions 270–2
 - in fever 265–6
 - thermoregulation 263–4
- bradykinin 268
- A Bridge to the Future* 224, 232
- Bristol Children's Hospital 4
- British Journal of Nursing* 43
- British Medical Journal* 112
- British Paediatric Association (BPA) 112
 - dependency level definitions 241
 - survey and report on intensive care 224, 227
- Brook Advisory Service 215

C

- care
 - client-centred 26, 30–2, 33, 37–8
 - documentation of 21–2
 - 'care by nursing' (CBN) units 69
 - 'care by parent' (CBP) units 69, 70
 - Care of Critically Ill Children* (BPA report) 227
 - caring, *v.* research 3
 - Center for Disease Control, USA 10
 - Centre for Evidence-based Paediatric Practice Nursing (CEPP-N) 389–93
 - Child: Care Growth and Development* 47
 - Child Health in the Community* (DoH report) 164, 325

- children
 - competent decision-makers on own health 124
 - passive subjects or social actors? 110–13
 - see also* views of children on local health services
- Children Act 1989 112, 149
- Children's Charter (*Patient's Charter: Services for Children and Young People*) 112, 149, 163, 164, 322, 325
- chronic pain, research study 359–81
 - aims of study 366
 - background 359
 - conclusions 377–9
 - coping strategies 373–4
 - data analysis 368–70
 - data collection 368
 - definition 360–1
 - ethical considerations 367
 - findings 370–7
 - child's and family's concerns 370–2
 - conclusion 365
 - dealing with pain 373–5
 - experience of pain 372–3
 - interfacing with professionals 376–7
 - social context 375
 - stress 371, 372
 - literature review 360–5
 - approaches to care and management 364–5
 - background issues 360
 - defining chronic pain 360–1
 - key areas 360
 - meaning of pain and child's attributes 362–3
 - modelling and familial patterns 363–4
 - models of chronic pain 361–2
 - triggers and journeys 364

- methodology 365–8
 - methodological approaches 366
 - stages of study 367
 - models of chronic pain 361–2, 370
 - pain process, initiation *v.* maintenance 361
 - recommendations for professionals 378–9
 - restrictions created by 373–5
 - sample 366–7
 - statement of intent 365
 - CINAHL 61
 - circadian rhythms 266, 277–8
 - client-centred care 26, 30–2, 33, 37–8
 - clinical assessment 16
 - collecting evidence 19–24
 - commentary in practice 20–1
 - conclusion 54–5
 - critical incident analysis 20
 - data sources 19
 - discussion of practice in general 22–3
 - documentation of care 21–2
 - incessant? 22
 - ‘inform-change-monitor’ 18
 - means of 18–19
 - observation of nurse in practice 22
 - outcomes 23–4
 - reflective diary extracts 21
 - tripartite relationship 13, 15–18
 - written evidence 23
 - clinical governance 1, 4, 39
 - clinical nurse teachers 15
 - clinics, for teenagers 125
 - Cochrane Centre database 22, 48, 61, 391
 - cognition, hypothetico-deductive model 309
 - commentary in practice 20–1
 - communication
 - in discharge planning 326–7
 - in local health services, children’s views on 115–17
 - see also* information entries
 - community care, decision making in transfer from hospital to home care, *see* decision analysis
 - community practice teachers 15–16
 - conferences
 - Australian Council of Paediatric Nurses 384
 - International Evidence-based Child Health Nursing Conference 2
 - consent, to research 7, 10, 134, 153
 - proxy consent 7, 10–11
 - continuous negative extra thoracic pressure (CNEP) ventilators 10
 - contraception 193, 208
 - coping strategies
 - in chronic pain 373–4
 - mothers of children in intensive care units 92
 - counselling
 - medical crisis counselling (MCC) 365
 - for parents and nurses of children in intensive care units 104–5
 - Court Report 324
 - critical incident analysis 20
 - critically ill children
 - transport of 228
 - see also* intensive care; intensive care units
 - cryogenics 263, 264
 - cystic fibrosis, *see* intravenous antibiotic administration
- ## D
- Database of Abstracts of Reviews of Effectiveness (DARE) 61
 - data collection
 - for clinical assessment 19–24
 - see also under individual studies*
 - decision analysis
 - applications 310

- assumptions 316–18
 - cognitive process continuum 308
 - concept map 309
 - decision flow diagram 311
 - limitations 316–18
 - model and process 310–12
 - sensitivity analysis 317
 - in transfer from hospital to home care 306–21
 - aim of decision analysis 312
 - background 306–7
 - case example 312–16
 - clinical judgements 308–9
 - iatrogenic morbidity 313–14
 - implications for practice 318–19
 - maximum expected utility (MEU) 315–16
 - objectives of decision analysis 312
 - stages in decision analysis 312–16
 - variables affecting decision-making process 308–10
 - decision making, on basis of evidence 49–50
 - Declaration of Helsinki 7
 - dependency level definitions 241
 - depression, in mothers of children in intensive care units 99–100, 105
 - Descriptive Phenomenology model 350
 - diabetes, PDSN role evaluation 285–305
 - age-banded education sessions 300–1
 - discussion 300–1
 - evaluation approach 300
 - evaluation results 300–1
 - aim of hospital service 285
 - background 285–7
 - clinic attendance 297–300
 - clinic reminder cards 298, 299
 - discussion 299–300
 - evaluation approach 298
 - evaluation results 298–9
 - non-attendance (DNA) rate 298, 299–300
 - teenagers' questionnaire on service 300
 - conclusion 301–2
 - home management for newly diagnosed children 287–94
 - advantages 287–8, 293
 - availability of community services 287
 - background 287–8
 - clinical condition at presentation 293–4
 - cost effectiveness 287, 292–3
 - dietary education 289
 - discussion 292–4
 - emergency on-call service 289
 - evaluation approach 290
 - evaluation results 290–1
 - family education 288–9, 296
 - information booklets 289
 - practical skills for families 288, 289
 - readmission of children with established diabetes 294–7
 - discussion 296–7
 - evaluation approach 294
 - evaluation results 294–6
 - psychological support 297
 - psychosocial issues 296–7
 - recommendations for practice 302
 - role justification objectives 286
- diazepam 272
- Discharge of Patients from Hospital* (DoH report) 324, 334–5
- discharge planning, research study 322–45
 - aims of study 323, 331
 - conclusions 338–41
 - cultural aspects 337

data analysis 333
 documentation in discharge
 planning process 338–9
 DoH recommendations for
 discharge procedure 324,
 334–5
 ethical considerations 333
 findings and discussion 333–8
 factors influencing discharge
 planning 335, 336
 information leaflets 335–6
 literature review 323–31
 communication 326–7
 co-ordinating discharge and
 continuing care 330–1
 early discharge and hospital
 costs 325
 historical overview 323–5
 psychological issues 328–9
 teaching 327–8
 methodology 331–3
 objectives of study 332
 questionnaire 332, 342–4
 recommendations for clinical
 practice 338–41
 responsibility for 334, 335, 338
 sample 332–3
 success criteria 330–1
 see also under decision analysis
 discourse analysis 350
 discussion, of practice in general
 22–3
 distress, idioms of 362
 doctors *v.* nurses, children's views
 122–3, 124
 documentation of care 21–2
 drop-in clinics 125
 Dunblane massacre 10

E

Economic and Social Research
 Council 111

education
 curriculum development model
 51–4
 in making judgements/decisions
 49–50
 mandatory research modules 6
 post-registration 6
 pre-registration programme
 aims 39
 promoting evidence-based care
 through 51–4
 see also higher education
 Education Act 1993, sex education
 191
 empowerment 164
 ENB Open Learning Pack 197
 enjoyment of nurses in caring, *see*
 popularity of child patients
 environment, influencing nurses'
 approaches to care 29
 ethics
 ethical dimensions of research
 9–10
 unethical HIV drug trials 10
 see also consent; *and under*
 individual studies
 evidence-based medicine, definition
 2
Evidence-based Nursing 44, 384
 evidence-based nursing practice
 clinical assessment, *see* clinical
 assessment
 collaborative approach 382,
 389, 392, 393
 conclusion 392–3
 conditions for applications of
 research findings to practice
 384–8
 clinically relevant research
 evidence 384–5
 decision to use evidence
 48–50
 locating and evaluating
 research reports, skills
 for 386

- organisational support 387–8
 - recognition of potential of
 - evidence 385
 - summary 388
 - time availability 386–7
 - implementation 55, 382–94
 - nurses' views 383
 - organisationally driven model
 - 388–9
 - reasons for non-development of
 - 382
 - research problems 59–60
 - research questions 59
 - Royal Alexandra Hospital
 - model 389–93
 - evaluation and education
 - processes 389–92
 - sources of practice knowledge
 - 382
 - F**
 - families
 - family needs v. research 9
 - nurses' partnerships with
 - 254–5, 257–8
 - unpopular parents 257, 258
 - see also* parents
 - family planning clinics 125
 - febrile convulsions
 - antipyretics in prevention of
 - 270–2
 - body temperature in 270–2
 - management strategies 262
 - paracetamol administration to
 - prevent 280
 - see also* fever *entries*
 - fever
 - body temperature in 265–6
 - definitions 263, 276–8
 - inconsistencies in 266,
 - 276–8
 - endotoxin-induced 266–7
 - interpretation of 265–6, 281–2
 - nature of 263–5
 - positive immunological role
 - 262, 264, 265, 281
 - signs and symptoms 277
 - see also* febrile convulsions
 - fever, nurses' management of,
 - research study 262–84
 - conclusion 281–2
 - findings 276–80
 - administration of
 - paracetamol to prevent
 - febrile seizures 280
 - fever definitions 276–8
 - reasons for administration of
 - paracetamol 273, 274,
 - 279–80
 - understanding of
 - paracetamol action 278
 - implications for clinical practice
 - 280–1
 - literature review 263–72
 - antipyretics in prevention of
 - febrile convulsions 270–2
 - interpretation of fever
 - 265–6, 280–1
 - nature of fever 263–5
 - paracetamol action 266–8
 - paracetamol because of
 - parents' wishes 270
 - paracetamol to provide
 - comfort 268–9
 - methodology 272–6
 - triangulation 274
 - purpose of study 262
 - questionnaire 273, 274
- G**
- Getting Evidence into Practice*
 - (NHS bulletin) 11
- Gillick competence 7, 10
- Gillick judgement 148
- Graduate Diploma in Child Health
 - Nursing 14
- graduate level practice 13
 - level 3 practice 19

nature of 19
 need for nursing as graduate
 activity 14–15
 tripartite relationship 13, 15–18
see also nursing graduates
 Grantham and Kesteven General
 Hospital 3

H

Health of the Nation

accidents as target area 128,
 129, 130
 sexual health strategy 206
 health services
 clinics for teenagers 125
 views of children, *see* views of
 children on local health
 services
 Health Visitors' Association 112
 higher education
 academic aspirations 8–9
 legacy of graduate training 26,
 27
 move into 1, 3, 5
 nursing integrated into 9
 programmes of study 13–14
 shift from teaching into research
 5
 see also education; nursing
 graduates
 Higher Education Quality Council
 19
 HIV, unethical drug trials 10
 HIV/AIDS 204
 Home Accidents Surveillance
 System 130–1
 home care 309–10
 family concerns 348
 v. hospital care, cost-
 effectiveness 325
 transfer from hospital, *see*
 decision analysis

home care schemes
 advantages and disadvantages
 347–8
 evolution of 347
 homosexuality 218
 hospitals
 'care by nursing' (CBN) units
 69
 'care by parent' (CBP) units 69,
 70
 changing nature of admissions
 325
 children's concepts of 167–9
 discharge, *see* discharge
 planning
 home care *v.* hospital care, cost-
 effectiveness 325
 preparation for, *see* information
 leaflets *entries*
 see also parental participation in
 care of hospitalised children
 human immunodeficiency virus, *see*
 HIV/AIDS
 hyperalgesia 268
 hypothetico-deductive model of
 cognition 309

I

iatrogenic morbidity 313–14
 ibuprofen 262, 266, 278–9, 282
 v. paracetamol 267–8
 idioms of distress 362
 illness, children's
 conceptions/misconceptions of
 167–9
 implementation, of evidence-based
 practice 55, 382–94
 inclination, to use evidence 48
 information accessibility in local
 health services 121–2
 need for 124–5
 see also communication; *and*
 information leaflets *entries*

- information leaflets/booklets 50
 - burns and scalds 326–7
 - for diabetes management 289
 - on discharge from hospital 335–6
 - intravenous antibiotic administration 354
- information leaflets, in preparing children for hospital admission, research study 163–84
 - aim of study 169
 - average reading age 176
 - background 163–4
 - conclusion 182
 - discussion 180
 - implications for clinical practice 181–2
- leaflets
 - design and content 169–71, 172–5, 177, 178–9
 - evaluation 172
 - parent views 176–80
 - piloting 172
 - readability 171–2
 - SMOG testing 175
 - specifically for children? 181
- limitations of study 180–1
- literature review 164–9
 - children's concepts of hospital and illness 167–9
 - information giving 164–5
 - information leaflets/booklets 166, 167, 169
 - parental dissatisfaction with information provision 165–6
 - preparing children 166–7
 - who prepares children? 169
- methodology 169
- needs assessment 171, 175
- pilot study 176
- recommendations for clinical practice 181–2
- results 177–80
 - age group suitability 179–80
 - leaflet content 178–9
 - leaflet design 177
 - parents' preparation methods 179
 - sample characteristics 177
- 'inform-change-monitor' 18
- informed consent, *see* consent
- Injury Minimisation Programme 141
- intensive care, provision and outcome, research study 224–43
 - aims of study 231
 - background 224–5
 - conclusion 240
 - design of study 238–9
 - literature review 225–7
 - methodology 228–31
 - mortality risk 227, 233–5
 - objectives 232
 - outcome evaluation 228–31
 - outcome measures 231
 - pilot study 233–5
 - questions to be considered 232
 - research questions 231
 - sample 235–7
 - inclusion criteria 236–7, 237, 241
 - tertiary care units 224, 226, 227, 228
 - time schedule 239
- intensive care units, mothers of children in, research study 90–109
 - aim of study 92–3
 - 'burnt-out' nurses 103, 105
 - care and treatment information 96
 - concern for the child 96–7
 - altered body image 97
 - environment 97
 - fear of death or permanent brain damage 96–7
 - conclusion 107
 - coping, *see* support and coping *below*
 - counselling for parents and nurses 104–5
 - critical illness 91

- discussion of fears with nurses 97
 - findings
 - discussion of 93–104
 - summary of 103–4
 - impact on mothers 95
 - implications for nursing practice 104–5
 - implications for nursing
 - research 105–6
 - initial experience 94
 - initial shock and crisis 94
 - initial stabilisation 95
 - availability of nurse for parents 104, 105
 - literature review 91–2
 - methodology 93
 - parent as carer 96–7, 100
 - perception of doctors 103
 - perception of nursing 100–3
 - befriending 102
 - competent care 101–2
 - humour 102–3
 - individualised nursing care 101
 - mothers' perceptions of nurses 102
 - parental education 102
 - research questions 90, 92–3
 - stress and stressors 92, 95
 - support and coping 98–100
 - coping strategies 92
 - depression 99–100, 105
 - impact on the family 98–9
 - siblings 98
 - waiting and reflecting 94–5
 - International Evidence-based Child Health Nursing Conference 2
 - International Journal of Nursing Studies* 43
 - intravenous antibiotic
 - administration at home in cystic fibrosis, research study 346–58
 - aim of study 347
 - background 346–7
 - conclusions 355–6
 - findings 350–5
 - advantages/
 - disadvantages for families 352–4
 - flexibility between home and hospital treatment 355
 - initial experiences 351
 - normality and control 352–4
 - parental concerns 351, 355
 - Port-a-cath 352, 356
 - training and support for parents 354–5, 355, 356
 - further research 356–7
 - literature review 347–8
 - methodology 348–50
 - data collection and analysis 350
 - design 348–9
 - informed consent 349
 - sample 349
 - setting 349
 - subjects 350
 - recommendations for practice 355–6
 - Iowa Model of Research in Practice 388
- J**
- Joseph Rowntree Foundation 111
 - Journal of Advanced Nursing* 43, 44, 47
 - Journal of Child and Family Nursing* 44
 - Journal of Child Health Care* 47
 - Journal of Clinical Nursing* 43
 - Journal of Pediatric Oncology Nursing* 43
 - journals
 - academic 43, 44
 - clinical 43
 - evidence available in 46–8
 - evidence-based 43–4
 - nursing journals 43–51
 - on-line access 49

role in promoting evidence-based care 42–56
 weekly magazines 43
see also individual journal titles
 juvenile rheumatoid arthritis (JRA) 362–3

L

language, overcomplicated terminology 116–17
 leaflets, *see* information leaflets
 lecturer practitioners 1, 5, 15
 Local Government Act 1988 218
Local Voices 112

M

manifest analysis 350
Marc goes to Hospital (film) 166
 mastery experience model 196
 medical crisis counselling (MCC) 365
 medication
 form of 116
 UKCC standards for administration of 278
 medicine/nursing overlap 45
 MEDLINE 61
 menarche, age of 204–5
 Mengele, Dr Josef 9
Mental Health Practice 43
 mothers, *see* intensive care units, mothers of children in

N

named nurse 253
 National Institute for Clinical Excellence 4
 NHS, key targets 340

NHS Centre for Reviews and Dissemination 11, 61, 145, 203, 391

Nightingale, Florence 2–3

Nuremberg trials 7, 10

nurses

v. doctors, children's views 122–3, 124

named nurse 253

see also school nurses

nursing graduates, research study 26–41

ability to challenge *status quo* 34, 35–6, 38, 39

acquisition of practical skills 33, 35, 36

assimilation and shaping of beliefs and values 30–3

background 27–8

conclusion 38–9

data analysis 29–30

discussion 38–9

impressions of being graduates 34–6

influence of preparation for practice 30–3

literature review 28–9

main themes 30–8

methodology 29–30

practice styles 37–8

usefulness of theoretical basis of course 32–3

see also graduate level practice; higher education

nursing/medicine overlap 45

nursing profession, academic aspirations 8–9

nursing research, paucity of 2

Nursing Research 384

nursing roles, expanded 2–3

nursing/social work overlap 45

Nursing Standard 43

Nursing Times 43, 44

O

- observation, as data collection technique 22
- outcomes, in clinical assessment 23–4
- outreach clinics 125

P

- paediatric diabetes specialist nurse (PDSN) role, *see* diabetes, PDSN role evaluation
- Paediatric Intensive Care: A Framework for the Future* 224, 224–5, 232
- paediatric intensive care units (PICUs) 224, 227
 - definition 225
 - see also* intensive care; intensive care units
- paediatric nursing
 - applicability of other disciplines' research to 48
 - definition 45
 - focus of 46
 - overlap with other disciplines 45
- Paediatric Nursing* 43, 47
- paediatric nursing research
 - access to evidence 48–9, 50–1
 - decision to use evidence 48–50
 - defining the evidence base 45–6
 - see also* journals
- pain
 - organic/non-organic 361
 - see also* chronic pain
- pain disease 362
- pain families 363–4
- pain illness 362
- painkillers 374
- pain management 45–6, 373–4
 - pharmacological/non-pharmacological 364–5

- RCN guidelines for pain recognition and assessment 50
- paracetamol 262–3
 - administration of
 - to comply with parents' wishes 270
 - by nurses, questionnaire 274, 275, 279–80
 - to prevent febrile seizures 280
 - to provide comfort 268–9
 - reasons for 273, 274, 279–80
 - routes of administration 267
 - v.* ibuprofen 267–8
 - physiological action 266–8
 - in reducing temperature 281–2
 - understanding of
 - pharmacodynamic action 274–5, 278
 - see also* antipyretics
- parental participation in care of hospitalised children, research review 57–89
 - advantages/disadvantages 58, 67, 70
 - conclusions 73
 - data extraction 63
 - discharge decisions 307, 309–10, 315, 318
 - discussion 70–3
 - effect on children 69–70, 71–2, 84–6
 - emotional and physical wellbeing 70, 84–6
 - effect on parents 58–9, 65–9, 70–1, 74–83
 - control and decision making 67, 74–83
 - emotional status 68–9, 74–83
 - knowledge and competence 67–8, 74–83
 - roles and relationships 66–7, 74–83

- ethnic minorities 72, 73
- literature review 58–61
 - exclusion criteria 63
 - inclusion criteria 62–3
 - journals searched 62
 - methods 61–3
- overview of studies 74–86
 - effects on children 84–6
 - effects on parents 74–83
- parents' role, nurses' *v.* parents'
 - expectations of 66
- participants' characteristics 64–5
- participation defined 57
- promotion of 58–9
- research question 60–1
- research studies 57–89
- results 64–70
- study characteristics 64
- Parental Stressor Scale 92
- parents
 - 'care by parent' (CBP) units 69, 70
 - parental dissatisfaction with
 - information provision 165–6
 - unpopular 257, 258
 - see also* families; intensive care units; and parental participation *entries*
- Patient Partnership: Building a Collaborative Strategy* 112
- Patient's Charter* 112
 - on patient information 172
- Patient's Charter: Services for Children and Young People* (Children's Charter) 112, 149, 163, 164, 322, 325
- Pediatric Cerebral Performance Category (PCPC) 231, 236
- Pediatric Index of Mortality (PIM) 227, 230, 236
- Pediatric Overall Performance Category (POPC) 231, 236
- Pediatric Risk of Mortality (PRISM) 227, 229, 231, 236
- phenacetin 266, 268
- phenomenology 246–7
 - Descriptive Phenomenology model 350
- Physiological Stability Index 229
- physiology, children's knowledge of 168
- physiotherapy, in chronic pain 374
- Piaget, Jean 149
- Platt Report 257, 323
- popularity of child patients 244–61
 - literature review 245–6
 - patient and situational factors 245
 - physical attraction 245–6
 - temperament theory 246
 - research study
 - age groups 249–50
 - analysis framework 247
 - conclusion 259
 - conditions (illnesses) 251–2
 - data analysis 248–58
 - discussion 259
 - effect of separation on children 249
 - families 254–5, 257–8
 - family conformance to ward routine 257, 259
 - method 248
 - negative feelings 256–7
 - nurse–family partnership 254–5, 257–8
 - nurses' experiences 255–6
 - nurses' expertise 253–5
 - participants 248
 - purpose and focus of study 246–7
 - relationships 252–3
 - support for nurses 250
 - unpopular parents 257, 258
- popularity/unpopularity 246
 - of adolescent patients 249–50, 255
 - of adult patients 244
 - of child patients, *see* popularity of child patients
 - of parents 257, 258

Port-a-cath venous access device
352, 356
pregnancy terminations 205
professional bodies, role of 10–11
Project 2000 5
 pre-Project 2000 trained nurses
 6, 8
prostaglandins 263, 265, 266–7,
268
proxy consent 7, 10–11
psychological trauma, children
 admitted to hospital 166–7
PSYCLIT 61
Public Health Research and
 Resource Centre 112–13
‘publish or perish’ 5, 8
pyrogens 263

R

randomised controlled trials 3–4,
59, 60
readability formulae 171–2
 SMOG 175
referral fatigue 376, 378
reflection 26–7, 28, 32, 35
reflective diaries 21
relaxation, in chronic pain 374
research
 v. caring 3
 on *v.* with children 7
 conducting 6–7
 ‘data first/patient second’? 5
 ethical dimensions 9–10
 nurses’ perspective of 4
 paucity of nursing research 2
 utilisation problems 382–3
Research Assessment Exercise 43
Research Utilization Program 388
rights of children in research 7,
9–11
Royal Alexandra Hospital, Sydney,
 model for evidence-based
 nursing practice 389–93

 evaluation and education
 processes 389–92
Royal College of Nursing 10
Royal College of Paediatrics and
 Child Health 10

S

school nurses
 as advisors and advocates 122
 role in A PAUSE (Added Power
 and Understanding in Sex
 Education) programme 213,
 214–15, 218, 220
School Nursing Service 196
schools, sex education in 187, 191,
195, 206–7
 see also A PAUSE
self-efficacy 187–8, 208–9
 sexual 192–3, 196–7, 209
sex education 191–2
 future developments 218–20
 and gender 207, 216
 ‘Heineken principle’ 208
 parents and 191–2, 195–6
 recommendations 218–20
 in schools 187, 191, 195, 206–7
 theoretical perspective 208–10
 see also A PAUSE
sexual health
 strategies 206–7
 see also adolescent sexual health
SMOG testing of literature 175
socialisation 27
social work/nursing overlap 45
societal changes 204–5
socio-economic inequalities
 affecting accidents 130
sponging, tepid 271
stress
 in chronic pain 371, 372
 mothers of children in intensive
 care units 92, 95
Parental Stressor Scale 92

T

teenage sexual activity, *see*
 adolescent sexual activity;
 adolescent sexual health
 temperament theory 246
 temperature, *see* body temperature
 terminology, overcomplicated
 116–17
 tertiary care centres 226, 227, 228
 definition 224
 theatre in education (TIE) 219
 theory–practice gap 1, 4–6, 15
 investigation and report 5
 Therapeutic Intervention Score
 System (TISS) 230, 231
 ‘think-aloud’ 20–1
 tiredness, pain and 373
 treatment procedures, children’s
 views on 115–17
 treatment settings, children’s views
 on 115–17
 triangulation 274

U

United Nations Convention 7
 universities, research-led
 philosophy 5
 ‘publish or perish’ 5, 8
 University of York, *see* NHS Centre
 for Reviews and Dissemination
 unpopularity of patients and
 others, *see*
 popularity/unpopularity

V

views of children on local health
 services, research study 110–27
 background 110–12
 conclusion 125
 discussion 123–5
 ethical considerations 113–14

findings 114–23

access to information and
 advice 121–2
 communication issues
 115–17
 cure *v.* care 123
 doctors *v.* nurses 122–3, 124
 ignoring children and young
 people 115–16
 need for recognition of fears
 118–19
 overcomplicated terminology
 116–17
 role of health care
 professionals 122–3
 treatment procedures
 117–19
 treatment settings 119–21
 implications for practice 123–5
 literature review 111–12
 methodology 113–14
 Vygotsky, L.S. 149–50, 159

W

*Welfare of Children and Young
 People in Hospital* (DoH report)
 112, 164, 324
 World Wide Web 50