

Index

- accumulated quantization error, 243
- active noise control, 314
- adaptive equalization, 191
- adaptive filter
 - applications, 25
 - basic configuration, 25
 - concept of an, 24
 - main characteristics, 27
- adaptive prewhitening, 190
- Affine Projection Algorithm, 39
- algorithm stability, 286
- ANC, *see* active noise control
- annihilation-reordering look-ahead, 273
- APA, *see* Affine Projection Algorithm
- application(s), 147, 151
 - example, 149, 176
- back-substitution, 79
- backward error analysis, 209
- backward prediction, 69
 - error, 148, 176, 178
 - matrix, 162
 - vector, 179
 - problem, 162, 163, 167, 168
- backward stability, 209
- beamforming
 - adaptive beamformer, 338
- BIBO, *see* Bounded Input Bounded Output
- binormalized data-reusing LMS algorithm, 36, 38
- block processing realization, 281
- block updating, 192
- BNDR-LMS, *see* binormalized data-reusing LMS algorithm
- bounded distance, 217
- Bounded Input Bounded Output, 283
- burst-trained equalizer, 308
- channel equalization, 26
- Cholesky factor, 54, 186
 - inverse, 190
- Cioffi, J. M., 16
- coarse-grain pipelining, 272
- computational complexity, 178, 195, 293, 320
- concurrent algorithm, 273
- condition number, 33, 43
- controllability matrix, 218
- conventional QRD-RLS algorithm, 60, 63, 238
 - dynamic range of internal variables, 241
- conventional RLS algorithm, 41
- convergence factor, 31
- conversion factor, 68
- Coordinate Rotation Digital Computer, 270
- CORDIC, *see* Coordinate Rotation Digital Computer
 - arithmetic, 269
- cost function, 52
- Data-reusing LMS algorithm, 34
- decoupling property, 116
 - exact decoupling of the LSL predictor, 122
- deterministic cross-correlation vector, 53
- distributed weight extraction, 313
- downdate, 199
- DR-LMS, *see* Data-reusing LMS algorithm
- eigenvalue, 2
- eigenvector, 2
- equalizer, 308
- equicontinuity, 213
- equivalent-output filtering, 309
- error accumulation, 230
- error feedback mechanism, 123, 142
- error propagation, 244
- Euclidean norm, 206

- Euclidean space, 56
- exact initialization, 64
- fast algorithms, 88, 220, 301
- Fast QRD-Lattice algorithm
 - finite precision analysis, 261
 - infinite precision analysis, 258
- Fast QRD-lattice algorithm, 257
- Fast QRD-RLS, 16
- Fast QRD-RLS algorithms based on a
 - posteriori* backward prediction errors, 95
- Fast QRD-RLS algorithms based on a
 - posteriori* forward prediction errors, 90
- Fast QRD-RLS algorithms based on a *priori*
 - backward prediction errors, 98
- Fast QRD-RLS algorithms based on a *priori*
 - forward prediction errors, 92
- fast transversal filter, 118, 142
 - stabilized FTF algorithm, 143
- filter
 - information, 190
 - Potter's square-root, 190
 - square-root covariance, 190
- filtered-x
 - RLS algorithm, 315
- fine-grain pipelining, 269, 272, 286
- finite precision analysis of the QRD-RLS
 - algorithm, 236
- finite-precision, 283, 284, 286
 - environment, 141
- forgetting factor, 29
- forward prediction, 71
 - error, 158, 159, 166
 - covariance matrix, 165
 - matrix, 165
 - vector, 166
 - error matrix, 163
 - problem, 153, 167, 168
 - problems, 162, 172
- forward stability, 209
- forward substitution, 79
- FQR.POS.B, *see* Fast QRD-RLS algorithms
 - based on a *posteriori* backward
 - prediction errors
 - matrix equations, 98
- FQR.POS.F, *see* Fast QRD-RLS algorithms
 - based on a *posteriori* forward prediction
 - errors
 - matrix equations, 92
- FQR.PRI.B, *see* Fast QRD-RLS algorithms
 - based on a *priori* backward prediction
 - errors
 - matrix equations, 99
- FQR.PRI.F, *see* Fast QRD-RLS algorithms
 - based on a *priori* forward prediction
 - errors
 - matrix equations, 93
- FQRD-RLS, *see* QRD-RLS, fast algorithms
 - classification of algorithms, 88
 - computational complexity, 99
- Francis, J. G. F., 4
- FTF, *see* fast transversal filter
- Generalized Sidelobe Canceler, 331
- Gentleman, W. M., 14
- Givens rotation, 10, 57, 123, 150, 156, 159,
 - 165, 183, 271, 274, 286, 293
 - complex version, 84
 - matrices, 59, 159
- Gram-Schmidt procedure, 71, 73, 121
 - classical, 6
 - modified, 8
- GSC, *see* Generalized Sidelobe Canceler
- Hankel matrix, 222
- Householder
 - matrix, 182
 - reflections, 9
 - transforms, 181
 - hyperbolic, 184
 - row, 184
- hyperbolic norm, 184
- hypernormal matrix, 184
- IBP, *see* (intermediate backward) prediction
 - error
- IFP, *see* (intermediate forward) prediction error
- infinite precision analysis of the QRD-RLS
 - algorithm, 237
- initialization procedure, 64
- input data matrix, 52
 - triangularization of the, 53
- input vector, 147, 149, 151, 152
- input-data deterministic autocorrelation
 - matrix, 53
- Instantaneous Square Error, 29
- interference cancelation, 26
- interpolation, 117, 118
 - error, 118, 121
 - modified QR-decomposition for, 126
- Inverse QRD-RLS algorithm, 76, 78, 143
 - Constrained IQRD-RLS algorithm, 330
 - GSC-based IQRD-RLS algorithm, 334
- IQRD, *see* Inverse QRD-RLS algorithm
- ISE, *see* Instantaneous Square Error

- Jacobi, C. G. J., 2
- joint-process estimation, 62, 126, 139
- KaGE RLS algorithm, 143
- Kalman
 - filtering, 190
 - gain, 186
 - gain vector, 139
- Kublanovskaya, V. N. , 4
- Kung, H. T., 14
- Lagrange multipliers, 36
- lattice filter, 116
- LCAF, *see* linearly constrained adaptive filter
- LCMV, *see* linearly constrained minimum variance
- Least-Mean Square algorithm, 32
- least-squares, 116
- least-squares lattice, 116, 117
- linear interpolation, 117, 118
- linear prediction, 117
- linearly constrained adaptive filter, 323
- linearly constrained minimum variance, 323
- LMS, *see* Least-Mean Square algorithm
- lookahead techniques, 272
- lower triangular matrix, 62
- lower triangularization algorithms (updating backward prediction errors), 93
- LR algorithm, 3
- LS, *see* least-squares
- LSL, *see* least-squares lattice
 - interpolator, 118–120
 - orthogonal bases for LSL interpolator, 121
 - predictor, 118, 122
- matrix inversion lemma, 40
- McWhirter structure, 64
- McWhirter, J. G., 16
- Mean-Square Error, 28
- misadjustment, 33, 42
- modified filtered-x
 - FQRD-RLS, 316, 318
 - structure, 316
- MSE, *see* Mean-Square Error
- NDR-LMS, *see* Normalized Data-reusing algorithm
- NLMS, *see* Normalized LMS algorithm
- nonstationary environment, 43
- Normalized Data-reusing algorithm, 35
- Normalized LMS algorithm, 33
- numerical robustness, 183, 188
- numerical stability, 205, 336
- optimal solution, 53, 54
- order recursive FQRD-RLS algorithms, 100
- order-recursive, 176
 - implementations, 149
 - MC-FQRD-RLS algorithms, 171
 - property, 116
- orthogonal triangularization, 57
- orthogonal-projections algorithm, 36
- orthogonality principle, 55
- overflow, 242
- parallelism, 279
- persistence of excitation, 53, 217
- perturbation, 211
- pipelinability, 273
- pipelined implementation, 269
- pipelined QRD-RLS adaptive filter, 284, 288
- pipelined realization, 280
- prediction error, 121
 - backward, 121
 - intermediate, 120, 121
 - forward, 121
 - intermediate, 120, 121
- problem conditioning, 208
- projection operator, 55
- pseudo-inverse, 207
- QR algorithm, 4
- QR decomposition, 5, 41, 116, 300
- QR-decomposition-based least-squares lattice algorithm, 116
- QRD, *see* QR decomposition
- QRD lattice algorithm, 229
- QRD-based fast Kalman algorithm, 117
- QRD-LSL, *see* QR-decomposition-based least-squares lattice algorithm
- QRD-LSL prediction, 126
- QRD-LSL prediction algorithm, 126
- QRD-RLS
 - fast algorithms, 87
 - Householder block exact inverse QRD-RLS algorithm, 196
 - Householder block exact QRD-RLS algorithm, 192
- quantization
 - effects, 53
 - error, 242
- Recursive Least-Squares algorithm, 40, 41, 117, 139, 186
- reflection coefficients, 116
- regression coefficients, 136
- retiming technique, 278

- RLS, *see* Recursive Least-Squares algorithm, *see* Recursive Least Squares
 - Householder RLS algorithm, 186
 - sliding window, 199
- rotated vector, 56
- rotating mode, 271
- rotation matrix, 58
- Rutishauser, H., 3

- sequential algorithm, 273
- SFG, *see* signal flow graph
- signal flow graph, 271
- signal prediction, 27
- Singular Value Decomposition, 207
- soft-start procedure, 66
- spectral analysis, 335
- spectral norm, 206
- square-root factor, 186
- square-root-free, 115
 - QRD-RLS algorithm, 80
- SRF, *see* square-root-free
 - (QRD-LSL)-based RLS algorithm, 139
 - Givens rotation, 123
 - Givens rotation with a feedback mechanism, 123, 125
 - QRD-LSL interpolation algorithm, 125, 127
 - QRD-LSL prediction algorithm, 136
- stability, 46
 - analysis, 242
- state transition matrix, 218
- state vector, 227
- steepest-descent algorithm, 32
- step-size, 31
- SVD, *see* Singular Value Decomposition
- system identification, 25, 303
- systolic architecture, 270
- systolic array, 272

- Toeplitz matrix, 222
- tracking performance, 43
- transversal filters, 116

- upper triangular matrix, 62
- upper triangularization algorithms (updating forward prediction errors), 89

- vector norm, 206
- vectoring mode, 271

- weight extraction, 272, 299
 - explicit, 272
 - implicit, 272
 - in FQRD-RLS algorithm, 304
- Weighted Least-Squares, 29, 51
- Wiener solution, 29
- WLS, *see* Weighted Least-Squares, *see* Weighted Least-Squares