

Index

A

Active sports, giving up or modifying as a treatment option, 32.

See also Sports activities

Activities

goals following surgery, 139–153

pivoting, need for an anterior cruciate ligament in, 48

Activities of daily living, asymptomatic nature of anterior cruciate ligament injuries in, 32

Activity level

as a factor in treatment planning, 31
individual, as a factor in treatment decisions, 36

Adhesions, suprapatellar pouch, flexion loss due to, 178

Adolescents, treatment options for, 37–38

Adrenaline

for a femoral nerve block, 67
for patellar tendon grafting, 122

Age

and choice of treatment of anterior cruciate ligament tears, 32–33

as a factor in treatment decisions, 36–37

as a factor in treatment planning, 31
and success rate of meniscal repair, 72

Allograft

advantages and disadvantages of, 63–64

cadavers as a source of, 43

history of, 45

patellar tendon, for older athletes, 37

Ambulation, following surgery
initial period, 139–144

at twelve weeks, 150

at two to nine weeks, 144–149

American Academy of Orthopedic Surgeons, 45

Anatomy, of the anterior cruciate ligament, 3

Ancef

for a femoral nerve block, 67

for patellar tendon grafting, 122

Anesthesia

examination under, 23–25

for hamstring graft reconstruction, 67

for patellar tendon grafting, 121–122

Anterior cruciate ligament, defined, 40

Anterior drawer test, 20

Anterior notch scarring, and extension loss, 178

Anterior translation, tibial, endpoint to, 13

Anteromedial bundles, 3–4

Anteromedial portal

BioScrew introduction through, 112

guide wire insertion through, for patellar tendon grafting, 132

tibial guide insertion through, 104–105

in patellar tendon grafting, 128

Antibiotics, postoperative

administration of, 119

Arthrex technique, for soft tissue

fixation in reconstruction, 55

Arthritis

and the anterior cruciate ligament deficient knee, 38

Arthritis (*cont.*):

- degenerative, from injury to anterior or posterior cruciate ligament, 3
- risk of, in athletes after early anterior cruciate ligament reconstruction, 33

See also Osteoarthritis

Arthrofibrosis

- in anterior cruciate ligament reconstruction, 52–53
- global, treating, 177

Arthrometer

- for evaluating laxity, 6
 - of the knee, 41
- for evaluating partial tears of the anterior cruciate ligament, 27
- for measurement
 - in hamstring graft reconstruction, 65–66
 - in preparation for a patellar tendon graft, 121–122

Arthroscopic medial/lateral retinacular release, for loss of flexion postoperatively, 179

Arthroscopic meniscectomy, for treatment of meniscal tears, 32

Arthroscopy, 23–25

- diagnostic
 - in hamstring graft reconstruction, 69–71
 - for patellar tendon grafting, 122–124
- in meniscus repair, before reconstruction, 35
- for partial tear evaluation, 28–29
- for partial tear management, 30
- for treatment of anterior cruciate ligament injury, 32

Arthroscopy Association of North America (AANA), 86–87

Articular cartilage, reconstruction for preventing further damage to, 40

Aspiration, of blood from an acute knee injury, 16–17

Athlete

- high school, outcomes of anterior cruciate ligament tears, 36
- injury ending the career of, 1, 5

- preteenage, difficulties in treating, 155
- size of, and anterior cruciate ligament treatment options, 32
- skeletally immature, treatment options for, 37–38

Attachment sites, on the tibia and femur, 3

Autograft

- hamstring, disadvantages of, 53
- patellar tendon, history of, 45
- semitendinosus, for older athletes, 37

B

Basketball

- female athletes' injuries in, 8
- type of injury from, 4

Bioabsorbable fixators

Bioscrew

- graft fixation by, 189
- insertion of, 109, 112–115
- in patellar tendon grafting, 132–135
- studies of effectiveness, 181–188
- evaluation of, 88–89
- meniscal, 74–75
 - in repair of bucket-handle tear, 81–83
- in soft tissue fixation, 55–56
- See also* Fixation

Bioabsorbable materials, for graft anchoring, 192

Biomechanics, of the anterior cruciate ligament, 4–5

BioStinger insertion, technique of, for meniscal tear repair, 83–89

Body movement, and injury, noncontact, 8–9

Bone density, reduced, and use of secondary femoral fixation, 99

Bone plug

- length of, in patellar tendon grafting, 125
- loss of fixation, 171
- patellar
 - boat shaped, 175
 - pulling into the femoral tunnel, 132–133
- for patellar tendon grafts, 135
- tibial, stapling in a graft tunnel mismatch, 173

- Bone scan, in diagnosis of anterior cruciate ligament injury, 23
- Bone to bone healing, with patellar tendon grafts, 47–48
- Brace
 - functional, for nonoperative treatment, 39
 - knee, duration of use after surgery, 43
 - for partial tear management, 30
 - postsurgical use of, controversy over, 190
 - treatment of anterior cruciate ligament injuries with, 32
- Bullseye femoral aiming guide, 105
 - for patellar tendon grafting, 130
 - for preventing tunnel malposition, 165–166
- Bupivacaine
 - for a femoral nerve block, 67
 - for patellar tendon grafting, 122
- Buttons, 59–61
- C**
- Cannulae, zone-specific, for passing sutures in bucket-handle tear of the meniscus repair, 78–80
- Capsular injury
 - arthroscopic examination of, 24
 - severity of symptoms and, 12
- Cardiovascular conditioning, for nonoperative treatment of acute injury, 39
- Carleton Sports Medicine Clinic graft choices, 46–47
- Case example, skiing injury, recovery from, 33–35
- Central pivot, 3
- Changes, in hamstring grafting with Bioscrew fixation, after study completion, 187–188
- Chlorhexidine, to cleanse a dropped graft, 127, 159–160
- Chondral injury
 - in isolated anterior cruciate ligament injuries, 5
 - severity of symptoms and, 12
- Closed-kinetic chain exercises, 139
- Collagen scaffold, synthetic, for grafting, 192
- Collateral ligament, assessment of, 18–20
- Complications
 - of anterior cruciate ligament reconstruction, 44, 154–180
 - of bioabsorbable fixator use, 89–90
- Computed tomography scan, in diagnosis of anterior cruciate ligament injury, 22
- Computer mapping, of isometric points for drilling tunnels, 4
- Conservative treatment
 - brace use in, 190
 - for immature athletes, 37
 - indication for, in acute knee, 155
 - of the medial collateral ligament, 38
 - for minimal tear of the anterior cruciate ligament, 123
 - for partial tear of the anterior cruciate ligament, 26
 - plea for, 33–35
- Contact mechanism, of injury, 7
- Continuous passive motion machine, for postoperative care
 - in hamstring grafting, 118–120
 - in patellar tendon grafting, 138
- Contraindications, to harvest of the patellar tendon, 53
- Counseling, for activity modification in nonoperative treatment, 39
- Criteria, for inclusion in a study of reconstruction using hamstring grafts, 181
- Cross-pin fixation
 - in reconstruction, 58–59
 - of soft tissue, in reconstruction, 55
- Crutches, for nonoperative treatment of anterior cruciate ligament injury, 39
- Cryo-cuff, for postoperative care hamstring graft regime, 118–120
- patellar tendon grafting, 138
- Cryotherapy, for nonoperative treatment of acute injury, 39
- Cyclops lesion
 - diagnosis and repair of, 23
 - excising before anterior cruciate ligament reconstruction, 35–36

D

- Daniel, Dale, 5
- Debridement
 - of the anterior cruciate ligament stump, 101–104
 - arthroscopic, 52
 - for extension loss, 119
 - of ligament ends to treat a cyclops lesion, 23
 - of a meniscus tear before repair, 74–75
- Decisions, controversial, about treatment, 36–39
- Deterioration, progressive, of the knee, 1
- Diagnosis
 - of anterior cruciate ligament injury, 12–25
 - of a bucket-handle tear of the meniscus, 89–90
- Disease transmission, risk of, from allografts, 63
- Dropped graft
 - as a complication of surgery, 159–162
 - options to change or cleanse, 125–127

E

- Eccentric guide, for drilling a femoral tunnel, 131–132
- Eccentric quadriceps contraction, 6
- Effusion, as a symptom of a tear of the anterior cruciate ligament, 15–17
- Electrocautery
 - for anterior cruciate ligament stump removal, 101
 - to stimulate the meniscal synovial border, 75
- Endo-button, 55–56, 59–61
 - for fixation, 46
 - in posterior blowout of the femoral tunnel, 166
 - soft tissue fixation of hamstring grafts, 186
 - for treating an immature athlete, 155
- Endopearl
 - for hamstring graft preparation, 99–100
 - opposing a BioScrew at the femoral cortical aperture, 187

- pulling through the notch, in hamstring graft reconstruction, 111
- use with a bioscrew, 57
- Endoscopic reconstruction, 5
- Epinephrine
 - for a femoral nerve block, 67
 - for patellar tendon grafting, 122
- Estrogen receptors, of the anterior cruciate ligament, 9
- Ethylene oxide, for sterilizing allografts, 45
- Examination under anesthesia (EUA), arthroscopic, 23–25
- Exercise
 - gym program for nonoperative treatment of acute injury, 39
 - knee flexion
 - delaying after hamstring graft, 139–141
 - delaying after patellar tendon graft, 138
 - laxity of the anterior cruciate ligament from, 9
 - following surgery
 - initial period, 140–144
 - at twelve weeks, 150
 - at two to nine weeks, 144–150
- Extension, loss of, 178–179
 - rehabilitation for, 119
- Extension splint
 - for nonoperative treatment of acute injury, 39
 - for postoperative care
 - day one, 140
 - hamstring graft, 118–120
 - in patellar tendon grafting, 138
- External rotation, mechanism of injury in, 6
- Extra-articular reconstructions, 1
- Extrinsic conditioning, of female athletes, 8

F

- Fat globules, on aspirated blood, indication of intra-articular fracture, 17
- Fat pad, removal of
 - in excision of the meniscus, 89

- to visualize the anterior cruciate ligament, 25
 - to visualize the meniscus, 72
 - Female athletes, anterior cruciate ligament injury incidence among, 7–11
 - Femoral aiming guide, to prevent tunnel malposition, 165
 - Femoral nerve block
 - in hamstring graft reconstruction, 65–66
 - in preparation for a patellar tendon graft, 121–122
 - Femur
 - attachment sites, 3
 - fixation of, in patellar tendon grafting, 133–135
 - isometric points of insertion, 4–5
 - screw pullout strengths from, 56
 - tunnels through, in prepubescent patients, 37
 - Fibrin clot, in repair of the meniscus, 86
 - Fibroplastic proliferation, as cause of arthrofibrosis, 52
 - Fixation
 - devices for, strength of, 176–177
 - femoral, in patellar tendon grafting, 133–135
 - of a graft, using a Bioscrew, 189
 - loss of, from bone plug cut-off, 171–173
 - soft tissue, 55–56
 - See also* Bioabsorbable fixators; Interference fit screw; Tibial fixation
 - Fixation points, for fixation of the anterior cruciate ligament in reconstruction, 56
 - Flexion
 - knee
 - exercises after hamstring graft, 139–141
 - for Lachman test and pivot-shift test, 13
 - loss of, 178–179
 - Football
 - examination of knees of players, 23
 - reconstruction as a requirement for continuation, 31
 - type of injury from, 4
 - Force
 - from activities of daily living, on the anterior cruciate ligament, 56
 - applied to the ligament, effect on the type of tear, 4
 - high-velocity, injury from, 4
 - Four-bundle graft, 111
 - appearance and size of, 99–100
 - evolution of, 46–47
 - size of, 53
 - tensioning and strength of, 101–102
 - Fracture, of the patella, during graft harvesting, 49–51
- G**
- Gastrocnemius, cutting the hamstring tendon free from, 94–96
 - Gender, and incidence of injuries, 7–11
 - Giving way
 - continuing damage from, 43
 - after nonoperative management, in adolescent athletes, 37
 - from a torn meniscus, in a non-athlete, 48
 - Global stiffness, as a complication of reconstruction, 177
 - Goals, of rehabilitation, by time segment, 139–150
 - Graft
 - choosing the type of, 188
 - comparison of sources of, 42–43
 - femoral, positioning, 107–108
 - gracilis, outcomes of, 181–182
 - length of the intra-articular anterior cruciate ligament and, 4–5
 - mismatch of, in patellar tendon grafting, 136
 - option of, for older athletes, 37
 - passage of, for hamstring graft reconstruction, 111
 - selection of, 45–64
 - semitendinosus versus patellar tendon, 1
 - tensioning and pretensioning of, 189

Graft (*cont.*):

See also Four-bundle graft; Graft harvesting; Hamstring graft; Patellar tendon graft; Semitendinosus graft

Graft fixation

with bioabsorbable materials, 192
inadequate, complications of, 176
in patellar tendon grafting, 133–137
soft tissue, screw size and, 172–173
See also Bioabsorbable fixators;

Fixation

Graft harvesting

autogenous, 190
of the hamstring graft, 91–96
of the patellar tendon, 124–127
complications of, 156–159
diagnostic arthroscopy before, 122
from the opposite knee, 47
problems associated with, 43
site morbidity in, 42, 45–48

Graft inspection, 115

of a patellar tendon graft, 137

Graft passage

complications of, 173
in patellar tendon grafting, 132–133

Groves, Hay, 1

Growth plates, open, evaluating
potential for damage to in
reconstruction, 37

H

Hamstring graft

advantages and disadvantages of,
53–57
BioScrew fixation of, results, 181–192
choice of, by patients, 47
harvesting of, 91–96
healing of, 101
knee flexion exercise delay in, 139
in osteopenic bone, complications of,
176
preparation of, 94–99
reconstruction techniques using,
65–120

Hamstrings

emphasis on training, for female
athletes, 8–9
exercise program to strengthen, 39

late activation of, in anterior cruciate
ligament injury, 6–7
relaxation of, for the Lachman test,
12

Healing

bone-to-bone, with patellar tendon
grafts, 47–48
of a hamstring graft, 101
of skiing injuries, 33
tendon-to-bone, 62

Hemarthrosis

flushing out before arthroscopy, 23
from a tear of the anterior cruciate
ligament, 15–16

Hewett, Tim, 8

History

of an anterior cruciate ligament
injury, 12
of graft selection for reconstruction,
45–47

Hook probe, for examining the
ligament proximally, 29

Hydrogen peroxide wound cleansing,
119, 138

I

Imaging

in diagnosis of anterior cruciate
ligament injury, 22–23
for tibial plateau fracture detection,
17
See also Magnetic resonance
imaging; X-ray

Incision, skirt, for hamstring graft
harvest, 91

Indications, for patellar tendon grafts,
48

Individualization, of treatment of
anterior cruciate ligament
injuries, 31

Infection, complications of anterior
cruciate ligament
reconstruction, 44

Injury

low-velocity, in skiing, 4
mechanisms of, 6–7

Instability, degree of

as a factor in treatment decisions, 36
as a factor in treatment planning, 32

- Interference fit screw
 contraindication to, with a weak posterior wall, 166
 for fixing a graft, 46
 loose fixation of, 172–173
 for soft tissue fixation, 55–58
 strength of, tunnel dilation to improve, 109
- Internal rotation, mechanism of injury in, 6
- International Knee Documentation Committee (IKDC), 190
 activity score system of, 184–187
- Intra-articular fracture, indication of, 17
- Intra-articular length, of the anterior cruciate ligament, 4
- Intra-articular reconstructions, 1
- Intraoperative complications, 156–174
- Isometric points, of insertion of the tibia and the femur, 4
- J**
- Johnson, Dr. Robert, 7, 11
- Joint infection, hematogenous, with synthetic graft use, 64
- Joint injection
 in hamstring graft reconstruction, 65–66
 in preparation for a patellar tendon graft, 121–122
- Joint laxity, intrinsic, gender differences in, 9
- Joint-line tenderness, examining for, 17
- K**
- Kaiser emergency room, data on unoperated knee ligament injuries, 5
- Knee
 angle for the Lachman test and pivot-shift test, 13
 degeneration of, from osteoarthritis, 33
 deterioration of, progressive, from an anterior cruciate ligament tear, 1
 injury reduction with flexed neutral position, 9
 injury to the ligaments of, unoperated, 5
 landing stances, and injury to female athletes, 9
 loss of extension in, 15
 pathology of, arthroscopy for determining, 23
 position of, for repair of a bucket-handle tear of the meniscus, 77–78
 in the quadriceps active test for anterior cruciate ligament deficiency, 21
- Knee brace, use after surgery, 151–153
 after healing, 140
- Knee Ligaments, Structure, Function, Injury and Repair* (Dale), 5
- Kocher
 in patellar tendon grafting, to hold a pin in place, 132
 traction tool, 94
- KT-1000 arthrometer. *See* Arthrometer
- KT measurement, at follow-up,
 hamstring grafts with Bioscrew fixation, 183
- KT-S measurement
 to confirm secure fixation, 115–118
 of a patellar tendon graft, 137–138
- Kurzweil, Peter, 86–88
- K-wire
 for BioScrew introduction, in patellar tendon grafting, 134–135
 drilling into a joint, 105
 overdrilling of, as a complication of reconstruction, 167–169
 in patellar tendon grafting, 128
 for prevention of tibial tunnel malposition, 162–163
- L**
- Lachman test, 7, 12–14
 defining a partial tear with, 26
 for evaluating partial tears, 29
 at follow-up, BioScrew effectiveness study, 183–184
 in hamstring graft reconstruction, 65
- Landing stance, of female athletes, 9
- Lateral compartment, arthroscopic examination of, 24
- Lateral joint lines, palpating for tenderness, 17

Laxity

- of the anterior cruciate ligament, giving way due to, 40
- anteroposterior, degree of, 6
- grading of, under anesthesia, 23
- measurement of, hamstring graft with Bioscrew fixation study, 183–184
- residual, in ligaments after anterior cruciate ligament reconstruction, 44

Ligament

- injuries associated with anterior cruciate ligament injury, 21–22
- metabolism of, and hormone receptors of ligaments, 9
- unoperated injury to, in the knee, 5

Ligament augmentation device (LAD), to supplement the semitendinosus graft, 45

Ligament of Humphrey, and tibial tunnel site, 4

Ligamentum mucosum, removing to assess ligament injury, 23–24

Limb alignment, gender differences in anterior cruciate ligament injury due to, 9

Linvatec tibial guide, 104, 128

Load, applied to the knee, to open the compartment for meniscal repair, 79

Load to failure

- of femoral fixation devices, 177
- of tibial fixation devices, 61

M

McMurray test, for meniscus injury, 17–18

Magnetic resonance imaging (MRI)

- for diagnosis of anterior cruciate ligament injury, 23
- for evaluating anterior cruciate ligament tears, 41
- partial, 28
- for identifying laxity causes, 179

Medial collateral ligament (MCL), injury to, 7

- with anterior cruciate ligament injury, 38

Medial compartment

- arthroscopy for viewing, 23–24
- osteoarthritis in, 155

anterior cruciate ligament laxity combined with, 38–39

Medial gutter, arthroscopy for viewing, 23–24

Medial joint line, palpating for tenderness, 17

Medial meniscal tear, association of, with anterior cruciate ligament tear, 5

Medications for pain, global stiffness treated with, 177

Meniscal injury, severity of symptoms and, 12

Meniscectomy, for older patients, 32

Meniscus

- bucket-handle tear of, 15
- diagnosis of, 23
- repair staged with anterior cruciate ligament reconstruction, 36

effect of, on the knee, 41

injury to, in return to active sports, 36

joint-line tenderness in, 17

medial

- arthroscopy for viewing, 23–24
- tear in, chronic cases, 17

pathology of, giving way in sedentary patients as an indication of, 32

repair of, 30

- during hamstring graft reconstruction, 69–83
- versus resection, 123

risk of damage to, from reinjury, 40

tear of

- acute, 5
- indications for reconstruction in, 40
- lateral, 17–18
- after nonoperative management, in adolescent athletes, 37
- repair before anterior cruciate ligament reconstruction, 35–36
- selecting a type of repair, 71–72
- after a trivial injury, 12

Monopolar electrode, to stimulate the synovium at a meniscal tear, 75

Morbidity
 association with synthetic grafts, 64
 of the harvest site, 62, 192
 for hamstring grafting, 53
 for patellar tendon autografts, 45–49
 for semitendinosus grafts, 190
 reducing with allografts, 63
 in surgery, 1

Morphine
 for a femoral nerve block, 67
 for patellar tendon grafting, 122

Morphology, of a meniscal tear, 72

Muscular strength, gender differences in, 8

N

National Collegiate Athletic Association (NCAA), injury rates in, by gender and sport, 7–8

Natural history of anterior cruciate ligament injuries, 5–6

Nautilus program, for nonoperative treatment of acute injury, 39

Noncontact injury mechanism, 8–9
 noncontact pivot, 6

Nonoperative management protocol, for anterior cruciate ligament injury, 39

Notch
 intercondylar
 displacement of a longitudinal meniscus tear into, 72
 passing a patellar bone plug through, 132
 narrow, ligament tear produced by, 25
 scarring of, as cause of extension loss, 178
 torn ligament impinging in, 15
 width of, and gender-related injuries, 9

Notchplasty
 in hamstring graft reconstruction, 101–104
 in patellar tendon grafting, 127–128
 soft tissue, in hamstring grafting, 182
 trend in the performance of, 189

O

Operative treatment
 evolution of, 1
 for partial tear of the anterior cruciate ligament, 26
See also Surgery

Options
 controversial decisions about treatment, 36–39
 in grafting, history of, 46–47

Osgoode-Schlatters disease, as a contraindication to harvesting the patellar tendon, 53

Osteoarthritis
 and the anterior cruciate ligament deficient knee, 38–39
 early onset, in adolescent athletes after nonoperative management of injuries, 37
 medial compartment, and the anterior cruciate ligament-deficient knee, 155
 following meniscus removal, 41
 from pivotal sports, in untreated tear of the anterior cruciate ligament, 41

Osteopenic bone, as a cause of hamstring graft slipping, 176

Osteotome, for bone plug removal, 125

Osteotomy, high tibial, conditions for, 156

Outcomes
 of Biostinger insertion in repair of a bucket-handle tear of the meniscus, 87–88
 of injury, risk factors affecting, 5–6
 of reconstruction using hamstring grafts, 181–192
 second-look arthroscopy to measure, in meniscal repair, 82–83

Outpatient procedures, arthroscopic, 1

Overruns, cut, 175

P

Pain
 from anterior cruciate ligament reconstruction, 44
 anterior knee, as an indicator for hamstring grafting, 154–155

Pain (*cont.*):

- control of, 1
 - decreasing after surgery, 139
 - from giving way after an acute episode, 43
 - on kneeling, after patellar tendon grafting, 49
 - in the McMurray test with positive result, 18
 - oral medication for, after patellar tendon grafting, 138
 - in osteoarthritis with anterior cruciate ligament laxity, 38–39
 - patellofemoral
 - in anterior cruciate ligament reconstruction, 51–52
 - as a contraindication to patellar tendon harvesting, 53
 - in semitendinosus reconstruction, 62
 - from pivotal sports with untreated anterior cruciate ligament tear, 41
 - postoperative
 - oral medication for, 119
 - from patellar tendon graft, 46
 - preemptive management of
 - in hamstring reconstruction, 67–68
 - in patellar tendon graft, 121–122
 - study of patients with and without surgery, 5
- Palmer, Ivor, 1
- Patella
- entrapment of, after graft harvesting, 49–50
 - fracture of
 - as a complication of reconstruction, 175
 - after graft harvesting, 49–51
 - lack of contour in anterior cruciate ligament injury, 16
- Patellar tendon graft, 42, 47–53, 121–138
- contraindication to, in anterior knee pain, 154
 - length of the intra-articular anterior cruciate ligament and, 4–5
 - reliability of, 190

- repair of the anterior cruciate ligament with, 1
- screw size for attaching, 172–173
- versus semitendinosus graft, 188–189
- soft tissue fixation of, 56
- using Bioscrew fixation, 186
- for young athletes approaching skeletal maturity, 37

Patellofemoral joint

- arthroscopy for viewing, 23–24
- flexion loss from tightness of, 178

Patellofemoral syndrome, as a

- potential complication in anterior cruciate ligament reconstruction, 154

Patient

- age of, and anterior cruciate ligament repair risks, 37–38
- compliance of, and suitability of meniscal repair, 72
- factors in treatment of anterior cruciate ligament injuries, 31–32
- graft choices made by, 190
- informing of treatment options, 36
- questions about surgical procedure, 40–44
- selection of
 - and complications in anterior cruciate ligament reconstruction, 154
 - controversial, 188
 - time after surgery for returning to sports and work, 41–42

Periosteal button, tibial screw fixation

- augmented with, hamstring grafting, 111–115

Peroneal nerve, protection of, in repair of a bucket-handle tear of the meniscus, 77

Phantom foot mechanism, 11

Phlebitis, complications of anterior cruciate ligament reconstruction, 44

Physical conditioning, of female athletes, 8

Physical examination

- for anterior cruciate ligament injury, 12–22
- of partial tears, 26–29

- Physiotherapy
 after hamstring graft reconstruction, 119
 for nonoperative treatment of acute injury, 39
 after patellar tendon grafting, 138
 postoperative, 42
 to regain range of motion, 35
 timing of, after surgery, 139
- Piston drilling, complications from lack of visualization, 169–170
- Pituitary rongeur, for measuring the size of a notch for reconstruction, 101
- Pivotal sports, reconstruction needed for participation in, 40–41
- Pivot shift test, 14–15
 defining a partial tear with, 26–27
 evaluating a partial tear with, 29
- Planting and cutting movement, noncontact mechanisms for anterior cruciate ligament injury, 9
- Polyester tape, continuous, use with the Endo-button, 55
- Poly-L-lactic acid screw. *See* Bioabsorbable fixators, Bioscrew
- Portal placement, in diagnostic arthroscopy, 69–71
- Position of no return
 for anterior cruciate ligament injury, 6
 in female athletes and incidence of injuries, 8
- Posterior attachment, cutting, in excision of a bucket-handle tear of the meniscus, 90
- Posterior blowout, of the femoral tunnel, 166–167
- Posterior cortex, avoiding, in femoral tunnel drilling, 130–131
- Posterior cruciate ligament (PCL)
 and the anterior cruciate ligament, 3
 association with hyperflexion and hyperextension, 7
 attachment of the anterior cruciate ligament to, 29
 fat on, and tibial tunnel site, 4
 injury to, 21–22
- Posterior drawer test, 21–22
- Posterolateral bundles, 3–4
- Posterolateral incision, for repair of bucket-handle tear of the meniscus, 77
- Posterolateral injury, association with meniscal tear, 15
- Posteromedial incision, for repair of bucket-handle tear of the meniscus, 75–76
- Postoperative period
 complications in, of reconstruction, 175–180
 means of assessment in, in a study of hamstring grafts, 181
 regimen in hamstring graft reconstruction, 118–120
 regimen in patellar tendon grafting, 138
- Preoperative period
 complications of anterior cruciate ligament reconstruction in, 154–156
 means of assessment in, in a study of hamstring grafts, 181
- Prevention of injury, 1, 11
 through training, 7
- Progesterone receptors, of the anterior cruciate ligament, 9
- Proprioceptive training, for preventing injuries, 7
- Proximal transverse saw cut, for preventing patella fracture following harvesting, 51
- Puberty, and choice of treatment for injuries, 37–38
- Pullout strength, of soft tissue devices, 56–57. *See also* Load to failure
- Q**
- Quadriceps
 active exercise of, after surgery, 139–140
 exercise program to strengthen, 39
 weakness in, after patellar tendon graft, 49
- Quadriceps active mechanism, of injury, 6–7
- Quadriceps active test, 21

Quadriceps tendon
 central, for grafting, 62
 history of use of, 46–47

R

Radiographs, in diagnosis of anterior cruciate ligament injury, 22

Range of motion
 loss due to anterior cruciate ligament reconstruction, 44
 physiotherapy to regain, 35
 test for, 15

Reconstruction, 32–33
 complication of, recurrent instability as, 179–180
 in partial tears
 criteria for, 4
 indications for, 30
 for patients in high-demand sports, 26
 tunnels for, mapping and drilling, 4
 in younger athletes, with meniscal repair, 32

Red out, visualization problem in, 169–170

Reduction, of the handle,
 bucket-handle meniscal tear, 74–75

Rehabilitation
 postoperative, history of, 45–46
 after reconstruction, 52, 139–153
 after repair of bucket-handle tears of the meniscus, 88

Reinjury, as a cause of recurrent instability, 179

Revision surgery, results in a hamstring graft with Bioscrew fixation study, 186

Risk benefit, of reconstruction, 41

Rosenberg, Tom, 55

Rule of thirds, for estimating return to sports after injury, 5

S

Saphenous nerve
 injury to, during hamstring harvest, 54
 retracting in repair of a bucket-handle tear of the meniscus, 76

Scissors, inserting, in excision of a bucket-handle tear, 90

Screw
 divergent, as a complication of reconstruction, 173–174
 loss of fixation from action of, 171
 removal of, after reconstructive surgery, 43
See also Bioabsorbable fixators, Bioscrew; Interference fit screw

Semitendinosus
 suture to, of Endopearl, 100
 technique of anterior cruciate ligament reconstruction with, 65–66

Semitendinosus graft, 1, 42
 advantages of, 185–186, 190
 disadvantages of, 190
 double-looped, outcomes of, 181–182
 harvesting, complications of, 158–159
 morbidity, 62
 history of, 45–46
 for an immature athlete, 155
 length of the intra-articular anterior cruciate ligament and, 4–5
 versus patellar tendon graft, 188–189
 tunnels through, in prepubescent patients, 37

Sharpey's fibers, tendon ingrowth with, 101

Skeletal maturity, effect of, on decisions about treatment, 38

Skiing
 healing from injuries incurred in, 33
 injuries from, internal rotation, 7
 low-velocity injuries experienced in, 4
 prevention of injury in, 11

Soccer
 female athletes' injuries in, 8
 reconstruction as a requirement for continuation, 31

Soft tissue fixation techniques, in reconstruction, 55–56

Speed of force, type of tear in the ligament affected by, 4

Sports activities
 light, conditions for resuming after surgery, 150

- modification of, to manage partial tears, 29–30
- timing of return to, after reconstruction, 189
- trend in participation in, and incidence of injuries, 3
- Statistical evaluation, of results in a hamstring graft with Bioscrew fixation study, 184–185
- Surgery
 - indications for anterior cruciate ligament tear treatment, 40
 - for repair of the cruciate ligament, 1
 - timing of intervention with, 35–36
- Surgical technique, in semitendinosus and gracilis tendon use for reconstruction, 182–183
- Sutures
 - in bucket-handle tears of the meniscus, 74
 - hamstring graft, criteria for confirming tensioning and securing before cutting, 115
 - in ligaments, 1
 - passing, technique in repair of the meniscus, 78–83
 - in repair of the meniscus, 86
 - for repair of the peripheral meniscal tear, 71–72
 - tension on, for patellar tendon graft, 133
 - tibial bone plug, angles of, 134
- Sweden, aggressive surgical approach of, 1
- Swelling, decreasing after surgery, 139
- Synovitis, as a reaction to synthetic grafts, 64
- Synovium
 - in bucket handle tear of the meniscus, 72
 - removal in excision of the meniscus, 89–90
 - removing to assess ligament injury, 23
- Synthetic grafts
 - advantages and disadvantages of, 64
 - failure incidence in reconstruction, 42
 - history of, 45
- Synthetic ligament, advantages of, avoiding postoperative stiffness, 53
- T**
- Tears
 - bucket-handle, of the meniscus, 123–124
 - excision of, 89–90
 - degree of, and treatment options, 123
 - flap, of the meniscus, 123
 - partial
 - of the anterior cruciate ligament, 26–30
 - of the anteromedial or posterolateral bundles, 4
 - vertical longitudinal, repair of, 72
- See also* Meniscus, tear of
- Technique, of BioStinger insertion, in meniscal tear repair, 83–89
- Tendon
 - defect in, from a patellar tendon graft, 49
 - exposure of, for hamstring graft harvest, 91
 - release of, for hamstring graft harvesting, 91
 - rupture of, in patellar tendon graft harvesting, 51
 - stripping, in hamstring graft harvesting, 94–96
- See also* Patellar tendon *entries*; Quadriceps tendon
- Tendonitis, patellar, at a harvest site, 49
- Tendon-to-bone healing, in reconstruction, 62
- Tensile strength, of ligaments in the knee, 4
- Tensioning of the graft, 189
- Tibia
 - anterior subluxation of, 14
 - anterior translation of, in the Lachman test, 13
 - attachment sites, 3
 - internal rotation weakness after hamstring harvest, 53
 - isometric points of insertion, 4–5
 - in the Lachman test, 12

- Tibia (*cont.*):
 plateau fracture of the, 17
 rotation of, stress on the anterior cruciate ligament, 6
 screw pullout strengths from, 56
 subluxing forward, protection against, 6–7
 tunnels through, in prepubescent patients, 37
- Tibial fixation
 in patellar tendon grafting, 134–137
 of soft tissue, 61
- Tibial osteotomy, with reconstruction, in osteoarthritis and anterior cruciate ligament injury, 39
- Ti-Cron sutures, 98–100, 111
- Timing of operation, controversial, 188
- Tomograms, in diagnosis of anterior cruciate ligament injury, 22
- Toradol, for a femoral nerve block, 67
- Tourniquet, in hamstring graft reconstruction, 68
- Treatment options
 for anterior cruciate ligament injuries, 31–44
 for partial tears of the anterior cruciate ligament, 29–30
- Trocar, for reducing the handle of a meniscus tear, 90
- Tunnel
 dilation of, to improve pullout strength of the interference screw, 109
 femoral
 complications of, 164–167
 drilling of, 105–108
 graft introduced into, 111
 guide wire passed up anterior aspect of, 133
 marking a graft for introducing into, 100
 for a patellar tendon graft, 130–133
 placing a screw in, 172
 surgical technique for, 182–183
 X-ray assisted placement of, 191
 malposition of, as a complication of reconstruction, 162–166
 mapping and drilling, 4
 mismatch with a graft, 173
 placement of, 190
 in anterior cruciate ligament reconstruction, 61–62
 causing recurrent instability, 179
 in grafting operation, 46
 and range of motion, 52
 radiographic morphology of, evaluating Bioscrew osteolytic effects, 187
 securing soft tissue to, in reconstruction, 55–56
- tibial
 anterior malposition of, 162–163
 drilling in harvesting of the hamstring graft, 91
 graft introduction into, 111
 in the immature athlete, 155
 for a patellar tendon graft, 124, 128–130
 positioning, 104–106
 screw size and, 172
 surgical technique for, 182–183
- Tunnel expansion
 after anterior cruciate ligament reconstruction, 180
 on follow-up, hamstring graft with Bioscrew fixation study, 183
- Tunnel notching, to start the Bioscrew, in hamstring grafting, 109–110
- Two-fist sign, 12–13
- Tylenol, 119
- V**
- Valgus
 knee rotated with, 6
 stress of
 avoiding after surgery, 153
 in the pivot-shift test, 14
 stress testing of, 18–20
- Valgus position, of female athletes on landing from a jump, 8
- Varus
 force applied to knee in meniscal repair, 78–80
 stress of, avoiding after surgery, 152
 stress testing of, 18–20

Vascular access channels, creating in
meniscus repair, 75

Vioxx, 119

for patellar tendon grafting, 122

Viscoelasticity, of ligaments in the
knee, 4

Visualization, of the screw angle, to
prevent damaging a graft, 171

W

Wedge osteotomy, for osteoarthritis
with anterior cruciate ligament
deficiency, 39

W-manuever, to view an entire joint,
23–24, 69–71

X

X-ray

evaluation of anterior cruciate

ligament reconstruction, 33

femoral tunnel placement assisted
by, 191

for identifying laxity causes, 179

Z

Zimmer splint, to aid ambulation after
surgery, initial period, 139–140

Zone-specific repair, of a
bucket-handle tear of the
meniscus, 81–83