

Index

A

- 2-aminopurine, 82
- 2 μ plasmid, 158
- 5-bromouracil, 82
- Abacus mutants, 316
- Aberrant octad segregations, 162–164
- Accumulation of precursor, 101
- Acetyltransferase, 291
- Achlya*, 30
- Acremonium chrysogenum*, 206
- Acridine, 82
- Activators, 288, 289, 317
- Aculeacin A, 314
- Adaptive peaks, 274, 275
- Additive tree, 256
- Adenine auxotrophs, 85, 98
- Adenylosuccinase, 85, 101
- Adhesion, 330
- Aequorea victoria*, 287
- Agaric, 11, 14
- Agaricales, 13
- Agaricus bisporus*, 37, 146, 156, 157, 277
- Agaricus bitorquis*, 156, 325
- Agaricus brunnescens*, 156
- Agglutination, 52
- Agglutinin, 51
- Aggregate species, 48
- Aggregation, 321, 324, 326, 329
- Agrocybe aegerita*, 324, 325, 327
- Alcohol, 17, 88
- Alignment, 251
- Alkaloids, ergot, 18
- Alkylating agents, 81, 82
- Allele map, 177, 180
- Allelic complementation, 100, 101, 103
- Allelic incompatibility, 39
- Allelism, functional, 98
- Allomyces*, 8
- Allopolyploids, 76
- Allozymes, 186, 249, 269
- Alternation, of generations, 8
- Alu* sequences, 201, 202
- Amanita*, 261
- Amber, 5
- Amino acid pools, 85, 86
- Aminoimidazole, 101
- Amphipathic molecules, 329
- Amylases, 277
- Anastomoses, 32–34, 39, 67
- Aneuploids, 76
- Anonymous loci, 187
- Antagonism, mycelial, 41
- Antheridiol, 30
- Antheridium, 30
- Antibiotic, 18
- Aphyllophorales, 13
- Apoptosis, 39
- Apothecium, 11, 12
- AP-PCR, 194
- Appressed mycelium, 50
- Arbitrary primers, 194
- Arbuscular mycorrhiza, 9
- Archiascomycetes, 10
- Armillaria bulbosa*, 156, 197, 198
- Armillaria mellea*, 49
- Armillaria ostoyae*, 28, 198
- Arrays of DNA, 196, 230
- Artificial selection, 273
- Ascobolus*, 133
- Ascobolus heterothallicus*, 42

- Ascobolus immersus*, 163, 172, 178, 261, 303
Ascobolus stercorarius, 42
 Ascocarps, 10
Ascochyta rabiei, 200
 Ascogenous hypha, 56, 57, 106
 Ascogonium, 56, 57, 106
 Ascomata, 10, 11, 321, 329
 Ascomycota, 9
 Ascospores, 10
 Ascus, 9, 10, 12
 Ascus mother cell, 51
 Ascus segregations, 132–145, 162–164, 170–172
Aspergillus, 10
Aspergillus flavus, 147
Aspergillus foetidus, 277
Aspergillus fumigatus, 93, 238, 239
Aspergillus nidulans, 39–41, 76, 86, 93, 146–154, 206, 207, 238, 250, 272, 275, 315–318, 320, 322, 328
Aspergillus niger, 147, 239, 275, 277
Aspergillus oryzae, 147, 277
Aspergillus terreus, 18
Aspergillus wentii, 277
 Attenuation, 335
 Attractants, 32
Aureobasidium, 205
 Autopolyploids, 76
 Autoregulation, 319, 320, 337
 Autotetraploids, 76
 Autotropism, 33
 Auxanographic technique, 85
 Auxotrophs, 74, 83–85, 87
 Auxotrophs, adenine, 85, 98
 Avirulence genes, 272
- B**
- B chromosomes, 76, 206, 207
 BACs (bacterial artificial chromosomes), 225, 226
 Bacteriophage, 225
 Baker's yeast, 20, 276
 Balanced growth, 311
 Balanced polymorphisms, 271
 Barrage, mycelial, 41
 Base analogues, 82
 Base mismatch, 170
Basidiobolus, 9
 Basidiomata, 11, 325
 Basidiomycete genome projects, 240
 Basidiomycota, 9, 12
 Basidiospore, 12, 56, 57
 Basidiospore dispersal, 198
 Basidium, 12
 Beadle, G. W., 83
 Beer yeasts, 276
 Benomyl, 250
 β -galactosidase, 287
 β -glucan, 314
 β -tubulin, 322
 Bifactorial incompatibility, 36, 68
 Binomial distribution, 111
 Biochemical mutants, 83
 Biofuels, 19
 Bioinformatics, 24, 232
 Biological control, 18
 Biological species, 38
 Biotechnology, 19
 Biotrophs, 16
 Bipolar heterothallism, 36
 Bivalent, 108, 150
 Black bread mold, 9
Blastomyces dermatitidis, 272
 Boletes, 14
 Bootstrapping, 259
Botrytis cinerea, 201
 Bracket fungi, 11, 13–15
 Branch migration, 167, 174
 Branching, 285, 286, 337, 339
 Bread yeasts, 276
 Breeding experiments, early, 20
 Breeding strategy, 50
 Breeding systems, 36
 Bremer decay indexes, 260
 Brewer's yeast, 20, 276
 Bristle mutants, 316
 Brown rots, 13
Bufo, 261
 Bufotenin, 261
- C**
- Caffeine, 82
Candida albicans, 10, 206, 237, 239, 272, 311, 312, 314
 Cap proteins, 329
 Carriers, 263
 Catabolite repression, 295

- Causality, 311
 Cell death, 39
 Cell migration, 4
 Centromere linkage, 138
 Centromere mapping, 132–135
 Centromere marker, 141–145
 Cephalosporin, 277
Ceratocystis, 205
 Chain termination sequencing, 227–230
 CHEF (clamped homogeneous electric field), 223
 Chemical degradation sequencing, 227
 Chemical mutagens, 81
 Chemolithotrophs, 16
 Chemotrophs, 16
 Chestnut blight, 269
 Chiasma interference, 131, 132, 181
 Chiasmata, 108, 118
 Chi-squared test, 111–120
 Chi-structure, 167–169, 174
 χ^2 distribution, 111
 χ^2 tables, 111–113
 χ^2 test, 111–120
 χ -structure, 167–169, 174
 Chitin synthase, 314
 Choanoflagellates (Choanoflagellida), 9
 Chromatid interference, 139
 Chromatids, 108
 Chromatin, 290
 Chromatin remodelling, 290–292
Chromocrea spinulosa, 55
 Chromosomal rearrangements, 75
 Chromosome breakage, 75
 Chromosome inactivation, 302
 Chromosome length polymorphisms (CLPs), 76, 109, 206, 207
 Chromosome map, 125, 132, 212
 Chromosome painting, 109
 CHRs (cluster homology regions), 235
 Chytridiomycota, 8, 9
 Chytrids, 8, 9
Cis-acting element, 60, 287
 Citric acid, 17, 277
 Clade, 4
 Cladogram, 7, 257
 Clamp connection, 13, 44–47, 56, 57, 63, 67, 328
 Clamped homogeneous electric field (CHEF), 223
 Clavarioid fungi, 14
 Clearing zones, 89
 Cleistothecia, 12, 319, 322, 328
 Clonal population, 268, 272
 Clone contigs, 231, 232
 Cloning libraries, 226, 227
 Cloning vectors, 225, 226
 CLPs (chromosome length polymorphisms), 76, 109, 206, 207
 Cluster homology regions (CHRs), 235
 Clustered genes, 262
 Coactivators, 291, 293
Coccidioides immitis, 269, 272
Cochliobolus carbonum, 269
Cochliobolus heterostrophus, 57, 59
 Co-conversion, 163
 Codominant, 191
 Coefficient of coincidence, 131, 132
 Coenocytic hyphae, 9
 Coevolution, 271, 272
Colletotrichum gloeosporioides, 206
Colletotrichum graminicola, 250
 Colonial mutants, 83, 104, 105, 273
 Commitment, 338
 Common-*A* heterokaryon, 45–47, 49, 63
 Common-*B* heterokaryon, 45–47, 63
 Communities, mycorrhizal, 16
 Compatibility, vegetative, 33–35, 39
 Competence, 319, 323, 332, 335
 Competition, 267
 Complementation, allelic, 100, 101, 103
 Complementation group, 100, 101, 103
 Complementation map, 101, 103
 Complementation matrix, 99
 Complementation test, 98, 101, 104, 105
 Complementing mutants, 97
Con genes, 320, 321
 Conditional lethals, 84
 Confrontations, 36, 39, 44
 Conidia, 12, 320
 Conidiation, 310, 315, 316, 320
 Conidiophore, 12, 315, 318, 319
Coniophora, 50
 Conjugate division, 44–47, 63, 106
 Conjugate mitosis, 106
 Conjugation, 33, 60
 Contigs, 231, 238
 Contingency test, 114

- Continuous flow fermenter, 273
 Control of translation, 306
 Convergent evolution, 15
 Conversion, 162–164
 Conversion polarity, 178, 179
Copia, 201, 203
Coprinus bisporus, 37, 49, 50
Coprinus cinereus, 29, 36, 44–49, 62–67, 79, 85, 143–145, 147, 154, 156, 324–331
Coprinus congregatus, 47, 323
Coprinus patouillardii, 47
Coprinus radiatus, 154
Coprinus sterquilinus, 48
 Coralloid fungi, 14
 Correction routines, 253
Cos sites, 225
 Cosmids, 225, 227
 Crop diseases, 14
 Crossover, 118, 124, 128, 130–132, 148–154, 167–169, 181
 Cross-walls, 285
 Crozier, 56, 57, 106
Cryphonectria parasitica, 59, 40, 199, 269
 Cryptic mutations, 75
Cryptococcus neoformans, 240, 272
 Cultivated mushrooms, 14, 18, 146, 198, 277
 Cyclosporin, 18
 Cytoplasmic segregations, 154–159
 Cytosine hydrate, 81
- D**
- Decay indexes, Bremer, 260
 Deep time, 248, 249
 Degrees of freedom, 112, 114
 Deletion cassette, 92
 Deletion mapping, 178
 Deletion mutations, 75, 188, 191, 203
 Dendrograms, 259
 Detecting linkage, 118
 Determination, 320
 Deuteromycetes (Deuteromycotina), 29
 Development, multicellular, 19
 Developmental subroutines, 331, 333, 334
 Dibenzopyridine, 82
 Dideoxy-sequencing, 227–230
 Differential gene expression, 310, 314
 Differentiation, 284
 Dikaryon, 13, 29, 44–47, 59, 60, 63
 Dimers, 290
 Di-mon matings, 48
 Dimorphism, 311–314
 Dinosaurs, 7
 Diploid, 51, 52, 73, 76, 147–154
 Diploid, stability, 154
 Diploid selection, 147
 Diploid strains, 49
Dipodascus, 10
 Directed shotgun sequencing, 232
 Discocarps, 321
 Discrete character methods, 254
 Disease resistance, 270
 Disease tolerance, 270
 Disequilibrium, linkage, 264, 265, 268, 269
 Disjunction, 108, 181
 Disjunction, errors, 76
 Disomics, 76
 Distance matrix, 252, 253
 Distance methods, 252
 Distance values, 252, 253
 Divergence, of eukaryotic Kingdoms, 3
 Diversity, 8, 14, 268
 Division, equational and reductional, 108
 DNA arrays, 196, 230
 DNA glycolases, 82
 DNA methylation, 189, 302–304
 DNA microchips, 196, 197, 230
 DNA modification, 300–305
 DNA polymerase, 157
 DNA repair, 82, 108
 DNA-binding proteins, 288
 Dolipore septa, 47
 Dominance modifiers, 327, 328
 Dominant alleles, 72, 73
 Double crossovers, 139, 140
 Double digests, 219, 220
 Double-stranded RNA (dsRNA), 157
Drosophila melanogaster, 202, 304
 DsRNA (double-stranded RNA), 157
 Duplicated genes, 234, 235, 250
 Duplications, 75
 Dutch elm disease, 41

E

Early breeding experiments, 20
EcoRI, 188, 190, 191, 204
 Ectomycorrhiza, 13
 Electrophoretic karyotypes, 205, 207
 Electrophoretogram, 92
 Elongationless mutants, 326
 Emergent structures, 330
 EMS, ethylmethanesulphonate, 81
 Endomycorrhiza, 13
 Endosymbiosis, 237
 Enhancers, 287, 292–294, 299
 Enhancesome, 301
 Entomophthorales, 9
Epichloe, 250
 Epigeal, 12
 Epigenetic inheritance, 302
 Epigenetic phenomena, 284
 Epigenetics, 300–305, 337, 338
 Epiplasm, 106
 Epistasis, 105, 106
 Epistatic selection, 265, 266
 Equational division, 108
 Equilibrium, linkage, 264, 265
 Ergot alkaloids, 18
 ERK (extracellular signal-regulated kinase), 312
 Error-prone repair, 80
Erysiphe graminis, 266
Escherichia coli, 21, 23
 ESTs (expressed sequence tags), 214, 238
 Ethylmethanesulphonate, EMS, 81
 Euascomycetes, 10, 12
 Euchromatin, 291
 Eukaryotes, 2
 Evolution, convergent, 15
 Evolution, of genes, 247
 Evolution, molecular, 4
 Evolution cages, 273
 Evolution of life, 3
 Evolutionary clocks, 247, 249, 256, 259
 Evolutionary distance, 252–254
 Excision-repair, 79, 82, 171, 172
 Exons, 21, 305
 Expansionless mutants, 326
 Expressed sequence tags (ESTs), 214
 Extracellular matrix, 337

Extracellular signal-regulated kinase (ERK), 312

F

Farnesyl residues, 279
 Feedback activation, 320
 Feedback fixation, 315, 320, 337, 338
 Fermentation, 18, 20
 Field inversion gel electrophoresis (FIGE), 223
 Filtration enrichment, 87
 Fine structure map, 177
 Fingerprints, 92, 196–199, 205, 249, 269
 First division segregation, 133–135, 138, 139
 FISH (fluorescent *in situ* hybridization), 109
 Fitness, 265, 266
 Flagella, 8, 9
Flammulina velutipes, 328
 Flanking markers, 165, 172, 177–179
 Fleming, Sir Alexander, 276
 Fluorescent *in situ* hybridization (FISH), 109
 Fluorescent proteins, 287
 Forward mutations, 74, 83
 Fossil spores, 3
 Fossils, mycorrhizal, 5
 Fossils, oldest, 5
 Four-strand stage, 126
 Frame shift mutations, 75, 82
 Frataxin, 236
 Friedreich ataxia, 236
 Fruit bodies, 11, 12, 17, 110
 Fruit bodies, perennial, 15
 Fruit body development, 46, 325–339, 334
 Functional allelism, 98, 104
 Functional genomics, 233
 Fungal chromosomes, 205
 Fungal Genetics Newsletter, 213
 Fungal genomes, 230
 Fungal Kingdom, 3
 Fungal morphogenesis, 332, 334
 Fungal populations, 266–269
 Fungivores, 17
Fusarium, 272–275
Fusarium moniliforme, 93

Fusarium venenatum, 104, 105
 Fusidic acid, 277

G

GAL genes, 295–298
Galactomyces, 10
 Galactose utilization, 295–298
 Galectins, 329
 Gametangia, 8, 9, 31, 285
Ganoderma lucidum, 277, 278
 Gasteroid, 14
Gelasinospora tatrasperma, 44
 Gene clusters, 262
 Gene conversion, 162–164
 Gene disruption, 93
 Gene duplication, 260
 Gene evolution, 247
 Gene finder, 236
 Gene knockouts, 236
 Gene silencing, 298–305
 Gene structure, 288
 Gene-for-gene relationship, 265, 270–272
 Generations, alternation, 8
 Genet, 38, 198
 Genetic drift, 265
 Genetic fitness, 69
 Genetic map, fine structure, 177
 Genetic redundancy, 234
 Genome, human, 21, 22
 Genome, yeast, 21, 22
 Genomes of fungi, 230
 Genomics, 21, 23, 232
 Genospecies, 38
 GFP (green fluorescent protein), 287
Gibberella fujikuroi, 39
 Gills, 14
 Glomales, 7, 9, 13
Glomerella cingulata, 55
 Glucanases, 328
 Glucans, 328
 Glucose repression, 295
 Glucose-stat, 274
 Glycosylation, 279
 Glyoxylate shunt, 51
 Goodness-of-fit, 113
 G-protein, 32, 51, 59, 61, 67, 312
 Green fluorescent protein (GFP), 287
 Grigg, G. W., 90

Griseofulvin, 277
 Group selection, 69
 Growth factors, 337
 GTP binding proteins, 51
Gypsy, 201, 203

H

Haemophilus influenzae, 23
 Half-chiasma, 167–169
 Haploid, 51, 52, 73, 76
 Haploidization, 76, 148–154
 Hardy-Weinberg equilibrium, 263–266, 268
 Hartig net, 13
 HDGS (homology-dependent gene silencing), 304
 Helix-loop-helix motif, 289
 Helix-turn-helix motif, 289
 Hemiascomycetes, 10
 Herbal medicines, 278
Het loci, 39–44
Heterobasidion annosus, 50
 Heterochromatin, 291
 Heterodimer, 61, 65, 67
 Heteroduplex DNA, 108, 164–182
 Heterogeneous nuclear ribonucleoproteins (hnRNPs), 306
 Heterogenic incompatibility, 39, 43, 49
 Heterokaryon, 10, 12, 13, 29, 38, 104, 146, 147, 191
 Heterokaryon, common-*A*, 45–47, 49, 63
 Heterokaryon, common-*B*, 45–47, 63
 Heterokaryon incompatibility, 34
 Heterokaryotic, 48
 Heterologous DNA, 225
 Heterologous genes, 278
 Heteromers, 290
 Heteroplasmons, 155
 Heterothallic, 29, 30, 48
 Heterothallism, bipolar, 36
 Heterothallism, tetrapolar, 36
 Heterozygous advantage, 69
 High mobility group (HMG) proteins, 40, 59, 61
 Histone, 290, 291
 Histone, acetylation, 30
 Histone deacetylase, 292
 Histone octamers, 289

- Histoplasma capsulatum*, 272
 Hitchhiking, 265
 HMG box, 40
HML locus, 53, 54
HMR locus, 53, 54
 HnRNPs (heterogeneous nuclear ribonucleoproteins), 306
HO endonuclease, 52, 54
 Holliday, Robin, 85, 166
 Holliday junction, 166–169, 175, 176
 Holliday model, 166, 168–175
 Homeobox, 61
 Homeodomain genes, 65, 68
 Homeodomain proteins, 61, 62, 64, 66
 Homogeneity, testing for, 113
 Homogenic incompatibility, 39, 43
 Homokaryon, 29, 38, 44, 146
 Homologous hole, 65
 Homologous recombination, 108, 166, 168, 174, 175
 Homology-dependent gene silencing (HDGS), 304
 Homomers, 290
 Homothallic, 29, 30, 48
 Homothallism, primary, 146
 Homothallism, secondary, 37, 146
 Hook cell, 13, 44–47
 Horizontal transfer of genes, 260–262
 Hormones, 30–32, 337
 Hot spots, mutational, 79
 Hot spots, recombination, 120
Hox genes, 61
 Human Genome Project, 21, 22, 213
 Hybrid-DNA, 108, 164–182
 Hybrid vigor, 38
 Hybrid zones, 248
 Hydnoid fungi, 14
Hydnum, 11
 Hydrophobic rodlets, 320
 Hydrophobins, 329, 330
 Hydroxylamine, 81
 Hymenium, 12, 13
 Hymenomycetes, 13
 Hymenophore development, 330, 331
 Hymenophoreless mutants, 331
 Hypersensitive response, 271
 Hypervirulent mutation, 272
 Hypha, 4
 Hypha, coenocytic, 9
 Hyphal fusion, 32, 67
 Hypogean or hypogeous, 12, 17
 Hypostasis, 105
- I**
 Iceman, 17
Ichijiku mutant, 330
 Idiomorphs, 36
 IKFs (interkingdom gene fusions), 262
 Immunomodulators, 18
Impala, 93
 Imprinting, 302
In situ hybridization, 203
 Inbreeding potential, 37
 Incompatibility, 34
 Incompatibility, allelic, 39, 43
 Incompatibility, bifactorial, 36
 Incompatibility, heterogenic, 39, 43, 49
 Incompatibility, homogenic, 39, 43
 Incompatibility, nonallelic, 39, 43
 Incompatibility, unifactorial, 36
 Incompatibility, vegetative, 39, 40, 43
 Independent segregation, 110
 Individuality, 37, 38
 Inducer hypha, 15
 Induction, 332
 Insertion, 188, 191
 Integrase, 202
 Interaction network, 299, 308, 309
 Interallelic recombination, 177
 Interference, chiasma, 131, 132
 Interference, chromatid, 139
 Intergenic suppression, 90
 Interkingdom gene fusions (IKFs), 262
 Internal node, 256
 Internally transcribed spacers (ITS), 249
 Internuclear recognition, 67
 Interspecific studies, 248
 Intragenic recombination, 178
 Intragenic suppression, 90
 Intraspecific variation, 248
 Introns, 21–23, 234, 305
 Invasive disease, 272
 Inversion, 75
 Invertase, 277
 Irradiation, 79
 Isolation of tetrads, 141
 Isozymes, 186

ITS (internally transcribed spacers),
249

J

Joint molecules, 167

K

Karyogamy, 31, 34, 51, 56, 106, 107
Karyotype, 109
Karyotype, electrophoretic, 205, 207
Karyotype analysis, 109
Karyotyping, 76, 205, 206
Killer toxin, 157
Kinetochore, 108
Kingdom Animalia, 3
Kingdom Fungi, 3
Kingdom Plantae, 3
Kingdom Prokarya, 2
Kingdom Protoctista, 2
Kluyveromyces lactis, 157
Knotless mutants, 326

L

Laccaria proxima, 199
Laccase, 317, 322, 323
Lactams, 261
Largest organism, 8, 28, 197, 198
LCRs (locus control regions), 301
Lectins, 329
Lentinula, 277
Lentinula edodes, 156, 198
Lenzites trabea, 324
Leptographium, 205
Lethal mutations, 84
Leucine zipper, 290
Libraries of clones, 226, 227
Lichens, 10, 28
Life cycle, 51, 52
Lignin, 13
LINEs (long interspersed elements),
201, 202
Lingzhi, 278
Linkage, 137
Linkage analysis, 120–154
Linkage detection, 118
Linkage disequilibrium, 264–266, 268,
269, 272
Linkage distance, 119
Linkage equilibrium, 264, 265

Linkage groups, 125, 132
Linkage map, 63, 92, 145, 153, 182, 212
Lipases, 277
Lipopeptide, 67
Localization, of transcripts, 307
Locus control regions (LCRs), 301
Long interspersed elements (LINEs),
201, 202
Long terminal repeats (LTRs), 202

M

M13 bacteriophage, 228
Macroconidia, 56, 320
Macroevolution, 263
MAGGY elements, 203
Magnaporthe grisea, 57, 93, 203, 238,
239
MAP kinase (mitogen-activated
protein kinase), 61, 312, 313
Mapping panel, 212, 213
Mariner, 261
MAT loci, 51–55, 58, 59
Mating systems, 36
Matings, di-mon, 48
Mating-type factors, 33
Mating-type subloci, 62
Mating-type switching, 52–55
Maturationless mutants, 326
Maximum likelihood, 255
Mediator, 293, 294
Meiosis, 106–108, 152, 153
Mendel, Gregor, 72, 73
Meselson-Radding model, 173
Metabolic suppression, 90
Metabolome, 233
Methylation of DNA, 189
Methylation sequence, 302–304
Methylmethanesulphonate, MMS, 81
Metulae, 316, 319
Mevinolin, 18
Microchips of DNA, 196, 197, 230
Microconidia, 56, 320
Microevolution, 263
 μ ORF, 317, 318
Microsatellites, 199, 200, 213, 249
Migration, of cells, 4
Migration, nuclear, 44, 46, 47, 63, 67
Minimal medium, 74, 85
Minimum evolution, 255, 256

- Minisatellites, 200
 MIP (methylation induced premeiotically), 303
 Mismatch repair, 171, 172, 179
 Mitochondria, 47
 Mitochondrial crosses, 156
 Mitochondrial DNA (mtDNA), 156, 157
 Mitochondrial genes, 157
 Mitochondrial genomes, 154, 155, 249
 Mitochondrial inheritance, 155, 156
 Mitochondrial mosaics, 156
 Mitochondrial mutants, 156
 Mitochondrial recombinants, 155, 157
 Mitochondrial ribosomes, 156
 Mitogen-activated protein kinase (MAP kinase), 61, 312, 313
 Mitosis, 152, 153
 Mitotic crossing over, 148–154
 Mitotic recombination, 147–154
 MMS, methylmethanesulphonate, 81
 Model organisms, 19
 Modifiers, 327, 328
 Molecular clocks, 247, 249, 256, 259
 Molecular evolution, 4
 Molecular markers, 186, 196, 212, 249
 Molecular mutants, 91, 92
Monascus, 277
 Monokaryon, 29, 44
 Monokaryotic fruiting, 324, 325, 331
 Monophyletic, 4
 Monosomics, 76
 Morels, 12
 Morphogenesis, 284
 Morphological characters, 73
 Morphological mutants, 83
 mRNA processing, 294
 mtDNA (mitochondrial DNA), 156, 157
Mucor, 9, 31, 277, 314
 Multicellular, development, 19
 Multipoint crosses, 126
 Muscular dystrophy, 22
 Mushroom cultivation, 18
 Mushrooms, 13
 Mutagenesis, 77
 Mutants, auxotrophic, 84
 Mutants, biochemical, 83
 Mutants, colonial, 83, 104
 Mutants, complementing, 97
 Mutants, elongationless, 326
 Mutants, expansionless, 326
 Mutants, hymenophoreless, 331
 Mutants, knotless, 326
 Mutants, maturationless, 326
 Mutants, mitochondrial, 156
 Mutants, morphological, 83
 Mutants, primordiumless, 326
 Mutants, rescue technique, 86, 87
 Mutants, resistant, 83, 89
 Mutants, sporeless, 326
 Mutants, temperature sensitive, 84, 316
 Mutation, 74
 Mutation, cryptic, 75
 Mutation, deletion, 75
 Mutation, forward, 74, 83
 Mutation, frame shift, 75, 82
 Mutation, hot spots, 79
 Mutation, hypervirulent, 272
 Mutation, kinetics, 78
 Mutation, lethal, 84
 Mutation, point, 74
 Mutation, reverse, 74, 90
 Mutation, spontaneous, 76, 77
 Mycelial antagonism, 41
 Mycelial barrage, 41
 Mycelium, 16, 28, 33
 Mycoprotein, 104, 273–275
 Mycorrhiza, 13
 Mycorrhiza, arbuscular, 9
 Mycorrhizal communities, 16
 Mycorrhizal fossils, 5
 Mycorrhizal network, 16
 Mycotechnology, 275
- N**
 Necrotrophs, 16
 Negative interference, 132
 Neighborhoods, 268
 Neighbor-joining, 255, 256
 Nematophytes, 5
Neotiella, 56, 57, 107
 Nested arrays, 227
 Network, 33
 Network, mycorrhizal, 16
Neurospora, 10, 90, 133
Neurospora africana, 56

- Neurospora crassa*, 36, 39–42, 44, 55, 57, 59, 83, 137, 146, 154, 155, 163, 203, 238, 303–305, 320
- Neurospora* development, 321
- Neurospora discreta*, 55
- Neurospora intermedia*, 55, 155
- Neurospora pannonica*, 55
- Neurospora sitophila*, 55
- Neurospora terricola*, 55
- Neurospora tetrasperma*, 37, 42, 55, 146, 329
- Neutral mutations, 265
- Nick (in DNA), 167–177
- Nitrogen mustards, 82
- Nitrosoguanidine, NTG, 81
- Nitrous acid, 81
- Noncoding DNA, 187
- Non-outcrossing breeding strategy, 50
- Nonparental ditype tetrads or octads (NPD), 136–145
- Nontranscribed spacers (NTS), 204, 205
- NPCs (nuclear pore complexes), 306
- NPD (nonparental ditype tetrads or octads), 136–145
- NTG, nitrosoguanidine, 81
- NTS (nontranscribed spacers), 204, 205
- Nuclear fusion, 31, 34, 51, 56, 106, 107
- Nuclear matrix, 291
- Nuclear migration, 44, 46, 47, 57, 63, 67, 107, 146
- Nuclear pairing, 63
- Nuclear pore complexes (NPCs), 306
- Nuclear targeting, 330
- Nucleosome, 290–292
- Nutrient sinks, 16
- Nutrition, 16
- Nutritional mutants, 73, 74
- O**
- Octads, 56, 57, 132, 162
- OFAGE (orthogonal field alternation gel electrophoresis), 205, 223
- Oidia, 44, 49, 79, 328
- Oldest fossils, 5
- Oldest organism, 197, 198
- Oogoniol, 30
- Oogonium, 30
- Oomycetes (Oomycota), 30
- Oospheres, 30
- Oospores, 30
- Open reading frame (ORF), 21, 23, 232–234
- Ophiostoma*, 205
- Ophiostoma ulmi*, 41, 55
- Optical mapping, 223–225
- Ordered octads, 136–140
- ORF (open reading frame), 21, 23, 232–234
- Orphans, 234
- Orthogonal field alternation gel electrophoresis (OFAGE), 205, 223
- Outbreeding, 68
- Outbreeding potential, 36
- Outcrossing breeding strategy, 50
- P**
- Paecilomyces farinosus*, 204
- Palindromic, 91
- Panmictic populations, 268
- Paracentric inversion, 75
- Paracoccidioides brasiliensis*, 272, 313
- Parasexual cycle, 76, 154
- Parental ditype tetrads or octads (PD), 136–145
- Parental genotypes, 118
- Parentheses, 13
- Parsimony, 255
- Partial digestion, 218–222
- Pathogens, 18, 270
- PAUP*, 256
- PCD, programmed cell death, 39
- PCR (polymerase chain reaction), 189, 192–195, 200
- PD (parental ditype tetrads or octads), 136–145
- Penetrance, 327, 328
- Penicillin, 18, 276, 277
- Penicillium*, 10
- Penicillium camembertii*, 199
- Penicillium chrysogenum*, 147, 154, 276
- Penicillium digitatum*, 147
- Penicillium expansum*, 147
- Penicillium nalgiovense*, 199
- Perennial fruit bodies, 15
- Pericentric inversion, 75
- Perithecium, 11, 12, 44, 57, 146, 321, 322, 329
- Permissive temperature, 84

- Pest control, 18
 PEST regions, 307
 Pesticides, 19
 PFGE (pulsed field gel electrophoresis), 109, 205, 223
 Phage λ , 225
 Phagemid, 228
Phanerochaete, 50
 Phenoloxidase, 323
 Phenylketonuria, 263, 264
 Pheromone, 8, 32, 51–53, 59, 60, 66, 67
 Pheromone receptor, 32
 Pheromone response element (PRE), 60, 61
 Phialides, 316, 319
 Phosphorylation, 279
 Photolyase, 79
 Photoreactivation, 79
 Phototrophs, 16
Phycomyces, 31
 PHYLIP, 256
 Phylogenetic tree, 254–261, 269
 Phylogenetics, 246, 262
 Phylogeny, 3, 7, 248, 250, 251, 253, 255, 260
 Phylogeography, 248
 Phylogram, 257
 Physical maps, 214, 215
Phytophthora, 239
Phytophthora cactorum, 30
Phytophthora cinnamomi, 30
Phytophthora erythroseptica, 30
Phytophthora heveae, 30
Phytophthora infestans, 30, 266, 269
Phytophthora palmivora, 30
 Pigments, 277
Pilobolus, 31
Piptoporus betulinus, 17
 Plantae, 3
 Plasmids, 33, 157, 225
Pleurotus, 277
Pleurotus ostreatus, 156
Pneumocystis carinii, 239
Podospora anserina, 39, 40, 43, 44, 57, 59, 157, 158, 261, 323, 325
 Point mutation, 74
poky, 156
 Polarity, in conversion, 178, 179
 Pollution, 19
 Poly-A tail, 214, 306
 Polymerase chain reaction (PCR), 189, 192–195, 200
 Polymorphism, 92, 187, 188, 196, 200–205, 235
 Polyploids, 76
 Polypore, 11, 14
Polyporus ciliatus, 324
 Polysaccharides, 17
 Polytene chromosomes, 304
 Polytoamy, 256, 257
 Population genetics, 262
 Population structure, 268
 Populations, fungal, 266–269
 Positive autotropism, 33
 Posttranscriptional gene silencing (PTGS), 304
 Posttranslational modifications, 279, 307
 Pour plates, 79
 PRE (pheromone response element), 60, 61
 Precursor accumulation, 101
 Prediction, 113
 Primary homothallism, 55, 146
 Primordiumless mutants, 326
 Prion (proteinaceous infective particle), 43, 158, 159
 Probability, 111–120
 Progametangium, 31
 Programmed cell death (PCD), 39
 Prokarya, (prokaryotes), 2
 Promoter, 278, 287, 291, 293, 294
 Proteasome, 307, 308
 Protein interactions, 308, 309
 Protein kinase, 32, 59
 Proteinaceous infective particle (prion), 43, 158, 159
 Proteinases, 277
 Proteome, 233
Protoaxites, 5
 Protoctista, 2
 Protoperithecia, 323
 Prototroph, 73, 84, 88
 Pseudoclamps, 325
 Pseudogenes, 204, 235
 Pseudohypha, 313
 PTGS (posttranscriptional gene silencing), 304

- Puccinia graminis*, 36
Puffballs, 13, 14
Pulsed field gel electrophoresis (PFGE), 109, 205, 223
Purine biosynthesis, 102
Pyrenopeziza brassicae, 322
Pyrimidine dimers, 79
Pyronema, 56, 57
Pyrosequencing, 30
Pythium, 31
- Q**
Quelling, 304
Quenching, 300
Quorn™, 104, 273–275
- R**
Random amplification of polymorphic DNA (RAPD), 194, 195, 196, 198, 199, 249
Random assortment or segregation, 124–126
Random mating, 268, 269
RAPD (random amplification of polymorphic DNA), 194, 195, 196, 198, 199, 249
Rare cutter restriction enzymes, 223
rDNA (ribosomal DNA), 205, 216–222
Reading frame, 75
Receptor, 32, 51, 60, 66, 67, 312
Recessive alleles, 72
Reciprocal activators, 319, 320
Recognition, between nuclei, 67
Recombinant, 118, 124, 130, 131
Recombinant genotypes, 118
Recombination, 29, 108, 118, 119, 161–182
Recombination, homologous, 166, 168, 174, 175
Recombination, interallelic, 177
Recombination, intragenic, 178
Recombination, mitotic, 147–154
Recombination, site-specific, 175
Recombination frequency or value, 119, 125, 126, 128, 130–147, 179–181
Recombination hotspots, 120
Recombination machine, 174
Recombination mapping, 127
Recycling, 14, 19
Reductional division, 108
Regulation, 286–309
Regulon, 298
Reijnders' knots, 15
Reinforcement, 332
Reishi, 278
Rejection, 50
Relative sexuality, 30
REMI (restriction enzyme mediated insertion), 93
Repair pathways, 81, 82
Repeat induced point mutation (RIP), 203, 303
Repeated sequences, 23
Replica plating, 85, 86
Replication errors, 77, 82
Reporter gene, 287
Repressor, 291
Rescue technique, for mutants, 86, 87
Resistance, to disease, 270
Resistance mutations, 83, 89
Response to environment, 319
Resting sporangia, 9
Restriction enzyme, 91, 188–191, 193, 205, 215, 218, 222
Restriction enzyme mediated insertion (REMI), 93
Restriction fragment length polymorphisms (RFLPs), 92, 188–192, 194, 195, 198, 199, 249
Restriction map, 191, 206, 216–225
Restriction phenotype, 92, 189, 190
Restrictive temperature, 84
Resupinate fruit body, 11
Retrotransposons, 202
Retrovirus, 158, 201, 202
Reverse genetics, 166
Reverse mutation, 74, 90
Reverse transcriptase, 157, 201, 202, 204
Reversion, 90
RFLPs (restriction fragment length polymorphisms), 92, 188–192, 194, 195, 198, 199, 249
Rhizoids, 8
Rhizomorph, 28, 49, 197, 198
Rhizopus, 31, 272
Rhizopus foetidus, 277
Rhizopus stolonifer, 9
Ribosomal DNA (rDNA), 216–222, 249, 250

- RIP (repeat induced point mutation), 203, 303
 RNA polymerase, 157
 Rooted trees, 258
- S**
- Saccharomyces cerevisiae*, 10, 19–21, 36, 37, 51, 52, 58, 61, 76, 92, 106, 108, 109, 145, 154, 155, 158, 163, 202, 203, 232–234, 275, 276, 278, 284, 288, 295–298, 308, 311–313, 317
- Sample size, 116
- Saprotrophs, 16
- Scerotinia*, 201
- Schizophyllum commune*, 29, 36, 44–49, 62–67, 147, 156, 206, 322–325, 328
- Schizosaccharomyces pombe*, 10, 37, 55, 106, 108, 234, 238, 325
- Sclerotia, 325, 326
- Sclerotinia sclerotiorum*, 268, 269, 329
- Sclerotinia trifoliorum*, 55
- Second division segregation, 133–135, 138, 139
- Secondary homothallism, 37, 50, 55, 146
- Secondary metabolism, 262, 310
- Secondary metabolites, 17
- Secretion, 279
- Segregation, 29
- Segregation, independent, 110
- Selection, 273
- Selection, of diploids, 147
- Selection coefficient, 265, 274
- Selection pressure, 265, 266, 275
- Selfish genes, 262
- Selfish-DNA, 203
- Self-nonsel self recognition, 38, 39, 45, 65
- Self-sterile, 146
- Senescence, 157
- Septa, 10–13, 285
- Septa, dolipore, 47
- Septal pore, 285
- Septoria tritici*, 206
- Sequence comparisons, 251
- Sequence contigs, 231
- Sequence tagged sites (STSs), 213
- Sequencing methods, 227–233
- Sex hormones, 32
- Sexual reproduction, 29, 30, 34, 36
- Shiang-gu, 198, 277
- Shiitake, 198, 277
- Short interspersed elements (SINEs), 201
- Shotgun sequencing, 230, 231
- Signal transduction, 32, 312, 313, 325
- Significance tests, 111–120
- Silencers, 299
- Silencing, 298–305
- Silent information regulators (SIR loci), 301
- Silent storage loci, 52
- Simple sequence repeats (SSRs), 199
- SINEs (short interspersed elements), 201
- Single-strand break, 167
- Single-strand conformation polymorphisms (SSCP), 195
- Sinks, of nutrients, 16
- SIR loci (silent information regulators), 301
- Sistotrema*, 323
- Sistotrema brinkmannii*, 48
- Site-directed mutagenesis, 92, 287
- Site-specific recombination, 175
- Small nuclear ribonucleoproteins (snRNPs), 305
- Small subunit ribosomal DNA (SSrDNA), 205
- snRNPs (small nuclear ribonucleoproteins), 305
- Sodium deoxycholate, 86
- Soil particles, 17
- Solid-state fermentations, 277
- Somatic compatibility, 197–199
- Somatic incompatibility, 34
- Sorbose, 86
- Sordaria*, 133, 134
- Sordaria brevicollis*, 42, 163, 172, 329
- Sordaria* development, 321, 322
- Sordaria fimicola*, 163, 172
- Sordaria macrospora*, 146, 322
- Southern hybridization, 109, 189
- Spacer DNA, 204
- Sparing reaction, 85
- Spatial scales, 268
- SPB (spindle pole body), 106, 107
- Sphaeropsis sapinea*, 200
- Spindle fibers, 47
- Spindle pole body (SPB), 106, 107
- Spliceosome, 305
- Splicing machinery, 21

- Spontaneous mutation, 76, 77
 Sporangia, resting, 9
 Sporangiphore, 31
 Sporangium, 31
 Spore, fossil, 3
 Spore dispersal, 330
 Spore formation, 107
 Sporeless mutants, 326
 Sporidia, 59
 SR proteins, 305, 306
 SSCP (single-strand conformation polymorphisms), 195
 SSrDNA (small subunit ribosomal DNA), 205
 SSRs (simple sequence repeats), 199
 Stability of diploids, 154
 Star tree, 256
 Statins, 18, 275
Stereum hirsutum, 50
Stereum sanguinolentum, 50
 Sterigmata, 12, 56, 57, 107
 Steroids, 18, 30
 Sterols, 31
 Stinkhorn, 11, 15
 Storage loci, 301
Streptomyces coelicolor, 21–23
 Stroma, 11, 324
 STSs (sequence tagged sites), 213
 Subcloning, 227
 Subloci, of mating type factors, 62, 64, 65
 Subroutines, developmental, 331, 333, 334
 Substitutions, 253
 Suppression, 90
 Survival curves, 77
 Suspensor, 31
 Synapsis, 150
 Synaptonemal complex, 107, 108, 109, 176, 177, 181
 Systematics, 3, 12
- T**
 T (tetatype tetrads or octads), 136–145
 TAFs (*trans*-acting factors), 293
Taq polymerase, 192
 TATA-box, 292–294
 Tatum, E. L., 83
 Taxospecies, 38
 Temperature sensitive mutants, 84, 316
 Termination codon, 75
 Terminators, 278
 Testcrosses 132
 Tetrad, 132, 162
 Tetrad analysis, 136–145
 Tetrad isolation, 141
 Tetraploids, 76
 Tetrapolar heterothallism, 36
 Tetrapolar mating types, 59
 Tetratype tetrads or octads (T), 136–145
 Three-point cross, 120, 127–132
 Thymine-thymine dimers, 79
 Tinder, 17
 Toadstools, 14
tol mutations, 42
 Tolerance, disease, 270
 Tolerance of imprecision, 333
 Total isolation procedure, 84, 87
 Toxins, 18
Trans-acting factors (TAFs), 293
 Transcript accumulation, 319
 Transcript localization, 307
 Transcription, 291–305
 Transcription activator, 61
 Transcription control, 287
 Transcription elongation, 290, 294
 Transcription factor, 62, 287–299, 317, 319
 Transcription initiation, 290, 293
 Transcription machine, 289, 292
 Transcription regulators, 65
 Transcriptome, 233
 Transition, 74, 188, 253, 255
 Translation regulation, 306, 319
 Translational triggering, 315, 317, 319, 333, 336, 337
 Translocation, 75, 285
 Transposable elements, 93, 201
 Transposition, 75, 203
 Transposon, 166, 201, 203
 Transvection, 304, 305
 Transversion, 74, 188, 253, 255
 Tree, evolutionary, 254
Tremella, 47
Trichoderma reesei, 239
 Trichogyne, 32, 59

- Trichophyton rubrum*, 204
 Trigger-ORF, 335, 337
 Triploids, 76
 Trisporic acid, 31
 Trisporol, 31
 Trivalents, 76
 True fungi, 4, 7
 Truffle, 11, 12, 15, 17
Tuber borchii, 199
 Tubulins, 250
 Two-hybrid system, 308, 309
 Ty elements, 158, 201, 202
- U**
 UAS (upstream activation sequence),
 234, 294
 Ubiquitin, 307, 308
 Ultrametric trees, 259
 Ultraviolet light (UV), 79
 Unbalanced growth, 88, 311, 333
 Unidentified reading frame (URF),
 232
 Unifactorial incompatibility, 36
 Uniparental inheritance, of
 mitochondria, 155
 Unordered tetrads, 140–145
 Unrooted trees, 258, 259
 Unweighted pair group method with
 arithmetic means (UPGMA), 255,
 256
 Upstream activation sequence (UAS),
 234, 294
 Upstream repressing sequence (URS),
 234
 Uredinomyces, 13
 URF (unidentified reading frame),
 232
 URS (upstream repressing sequence),
 234
 Ustilaginomyces, 13
Ustilago, 47
Ustilago maydis, 59–62, 86, 154,
 311–313, 325
Ustilago violacea, 156
 UV (ultraviolet light), 79
- V**
 Vacuole, 285
 Valley fever, 269
- Variable number tandem repeat
 (VNTR), 200
 V-c group, 34, 39, 41
 Vectors, 225
 Vegetative compatibility, 33–35, 39,
 68
 Vegetative death, 41
 Vegetative incompatibility, 39–44, 49,
 58, 59
Verticillium albo-atrum, 153
Verticillium dahliae, 39
vic loci, 39
 Virulence factors, 270
 Virulence genes, 272
 Viruses, 33, 157
 Viruslike particles, 157
 VNTR (variable number tandem
 repeat), 200
- W**
 Waste products, 19
 Weed control, 18
 White rots, 13
 Wild type, 73, 74, 266
 Wine yeasts, 276
 Woronin bodies, 285
- X**
 X-rays, 79, 80
- Y**
 YACs (yeast artificial chromosomes),
 76, 226
Yarrowia lipolytica, 314
 Yeast, 10, 19
 Yeast artificial chromosomes (YACs),
 76, 226
 Yeast genome, 21, 22, 214, 233–236
 Yeast-mycelial dimorphism, 311–314
- Z**
 Zinc fingers, 317, 318, 289
 Zipper, leucine, 290
 Zoospores, 8, 9
 Zygomycetes, 9
 Zygomycota, 9, 30
 Zygomphore, 31
 Zygosporangium, 9, 30, 285
 Zygosporos, 9, 30, 31