

Index

A

- ABC, 71–72, 162–163, 178, 191, 195, 197, 210, 214, 224, 226, 228, 264
- Acetylation, 136, 152–154, 157
- Acetylcholinesterase, 119, 176
- AChe, 119, 176
- Acridine Orange, 89
- Acrolein, 20, 25, 165
- Acrylamide, 245
- Acrylic embedding media, 166
- Adaptor proteins, 1, 12
- Grb2, 1, 10–11
- Shc, 1–2, 12
- Adeno-associated virus, 83
- Adenoviral vectors, 51
- Adenovirus, 36, 68
- Adrenergic receptor(s), 54
- Agarose gel electrophoresis, 41–42, 87, 96, 100, 106, 242
- AgNORs, 238
- Alkaline phosphatase. *See* AP
- Alkaline phosphatase streptavidin. *See* AP-streptavidin
- Amacrine cell(s), 86–87, 91, 107
- Amino acid(s), 167, 176, 178, 179, 182, 205
- anterograde tracing with, 176, 178, 180, 203, 205, 207–208, 211, 224–225, 228, 231–233
- isotope-conjugated neurotransmitters, 204
- isotope labeled amino acids, 205
- tritiated amino acids, 205
- 7A6 monoclonal antibody, 240
- AMPA, 65–66, 87, 107, 201
- Amplicon, 146, 149, 156
- Amyloid precursor protein. *See* APP
- Annealing temperature, 98, 156
- Annexin V, 237, 239, 255, 258
- annexin V-Cy3, 57, 92–94, 100, 105
- annexin V-FITC, 19, 54, 57, 125, 127–128, 210, 239, 262, 270
- binding assays, 237, 239
- Anterograde degeneration, 203
- Anterograde labeling. *See* Anterograde tracing
- Anterograde tracers. *See* Anterograde tracing; Tracer(s)
- Anterograde tracing, 176, 178, 180, 203–205, 207–208, 211, 212, 216–218, 224–225, 228, 231–233
- BDA, 205–207, 224–225, 227–230, 232
- biocytin, 182, 191–193, 198, 201, 205, 207, 210, 212, 224–225, 232–233
- carbocyanine derivatives, 205, 210, 216
- CTb, 205–208, 223–231, 233, 261–263, 265–267, 270
- DiA, 205, 207, 211
- DiI, 205, 207, 211, 215
- DiO, 205, 218
- Fast DiI, 205
- Fluoro-Emerald, 205–207
- Fluoro-Ruby, 205–207, 219
- HRP, 128, 162, 176, 178, 183–186, 188, 198, 205, 208, 210–214, 216, 219, 223, 231, 234
- Lipophilic carbocyanine dyes, 205
- neurobiotin, 182, 191–192, 195, 198, 201, 205, 207, 224–225, 232, 261, 263
- PHA-L, 205–208, 211–212, 218, 224–225, 232–234, 261–263
- Antigenicity, 130, 136, 162, 165–168, 173, 179, 187, 254, 263
- antigen-antibody reaction, 161
- antigenic site, 197

Index

- antigen(s), 3, 8, 12, 17, 19, 87, 90, 120–121, 128, 136, 141, 143, 161, 162, 165, 167, 170–180, 187, 201, 216, 234, 236, 238, 240, 246, 248, 249, 251–252, 254–262, 270
masking of antigenic sites, 137
spatial distribution of antigen, 173, 260
subcellular localization of antigens, 4, 65, 138, 142, 166, 170, 173
- Antisense primers, 98
- AP, 49, 51, 85, 107–108, 120, 122, 124–125, 130, 142, 145, 149–151, 153, 163, 176, 177, 178, 226, 229, 231, 244, 248, 260, 272
streptavidin, 226, 229
- ApoHRP
WGA, 205
- Apoptain. See Caspase 3
- Apoptosis, 100, 103, 106, 161, 235, 237, 239–243, 245, 247–259
apoptotic bodies, 240, 251
apoptotic cells, 235, 237, 239–241, 244, 248–255, 257–258
apoptotic nuclei, 240–241
apoptotic program, 237, 240
biochemical assays, 235, 241
in situ detection, 141, 158, 239, 242, 250, 256
- APP, 33–36
anti-human, 33
distribution in axons, 34–35
distribution in dendrites, 34–35
- Argyrophilic nucleolar organizer region proteins. See AgNORs
- Ascorbic acid, 276, 281, 283
- Astrocyte(s), 2, 31, 36, 39, 76, 78, 170, 173, 256, 273, 280–283
- Asymmetrical synapses, 265
- Autofluorescence, 208, 213, 215, 232
- Autolysis, 241
- Autoradiographic procedures, 137, 139, 205, 218, 254
- Autoradiography, 16, 49, 99, 122, 132, 178, 205, 208, 236, 249
silver grains, 26, 124, 139, 236, 249
tritiated amino acids, 205
tritiated thymidine, 236, 248–249
- Avidin-biotin-peroxidase complex. See ABC
- Avidin-fluorochrome, 261
- Axon(s)
axonal boutons, 201, 229, 269
axonal tracers, 204, 215
axonal transport, 203, 205, 209, 212, 218
filling in ultrastructural tracing studies, 223
silver impregnation of degenerating axons, 203, 218–219
- B**
- Background, 2, 12, 16, 26, 29, 37, 39, 48, 53, 57, 67, 85, 120, 135–136, 145, 149, 154, 156, 161, 170, 173, 175, 181, 193, 198, 204, 213, 221, 228, 231–232, 235, 243, 247, 250, 259, 261–262, 273
fluorescent tracers, 205, 208, 212–215, 218, 223–224
subtraction (in confocal microscopy), 57, 193, 195, 198, 200, 216
in ultrastructural tracing studies, 223
- BamHI, 55
- Banderaea simplicifolia. See BSI-B4; Lectins
- BCIP, 122, 130, 132, 150, 156, 244
- Bcl-2, 240, 248, 254, 256
- BDA, 176, 205–207, 224–225, 227–230, 232
- BDHC, 222
- Benzamidine, 12
- Benzidine dihydrochloride. See BDHC
- Benzodiazepine, 54, 58
- BET, 47
- Bicuculline, 53, 62
- Bi-directional tracing with CTb, 226, 228
- Bi-directional transport of tracers, 216, 225
- Binding studies, 140
- Biocytin, 182, 191–193, 198, 201, 205, 207, 210, 212, 224–225, 232–233
- Biolistics, 67–69, 71, 73, 76–78, 82–84
gene gun, 67–69, 73–76, 78, 83–84
tungsten particles, 68
- Biotin, 121, 125, 127, 130, 132, 134, 147, 162, 191, 195, 206–208, 210, 214, 217, 224, 241, 261, 263–264
biotin-based tracers, 205, 208, 210, 214, 224–225
- Biotinylated dextran amine. See BDA
- Biotinylated nucleotides, 242
- Bisbenzimidazole, 237
- Bleaching, 274–275, 280
- Brain slices, 15–16, 18–19, 21, 23, 25, 69, 83–84, 88, 273–275, 277–283
- BrdU, 174, 236, 238, 242–243, 246–250, 253, 256
- 5-bromodeoxyuridine, 236, 247
- BSI-B4, 261, 263, 265–266, 269
- B-tubulin CMV, 33, 35, 40, 78
- C**
- CA1 hippocampal region, 280–282
[Ca²⁺]_i increase, 65, 84, 107, 239, 256, 273–275, 277–283
- Calbindin D28k, 69
- Calcitonin gene-related peptide, 174, 179, 265, 271
- Calcium, 12, 29–30, 34–36, 54, 56, 67–69, 76, 78, 83, 88, 91, 95, 111, 239, 257, 273, 275,

- 277, 279, 281, 283
binding proteins, 69, 83, 258
[Ca²⁺]_i increase, 65, 84, 107, 239, 256, 273–275, 277–283
channels, 54, 60, 65, 83, 86–88, 90, 107–108, 111, 182, 281–283
Green, 35, 39, 53, 57, 65–66, 69, 84, 90, 107–108, 124, 127, 137, 206–207, 217, 237, 256, 266–268, 279–280
phosphate DNA co-precipitation. See Calcium phosphate precipitation
phosphate precipitation, 30, 56
Calcium indicators, 239
calcium green, 279
calibration, 278
Fluo-3, 239, 279
Fura-2, 239, 283
Calibration
calculating absolute [Ca²⁺] values, 279
extracellular calibration, 278, 280, 282
intracellular calibration, 278
solution, 276–280, 282
Carbocyanine derivatives, 205, 210, 216
CARD, 124, 128, 140–142
Casein-kinase 2a, 238
Caspase 3, 240, 242, 255–258
Caspase(s), 240, 242–243, 255, 258
caspase 3, 240, 242, 255, 257
caspase-9, 2
CAT, 3, 6, 29, 39–40, 45–46, 51, 78–82, 177–180, 182–183, 196, 201, 232–233, 238, 272
Catalase(s), 212
Catalyzed reporter deposition. See CARD
Catecholamines, 91
Cationic lipid transfection, 29
Cationic polymers, 38
CD 44 cell surface adhesion molecule, 240
CDNA, 17–19, 22–24, 34, 36, 56, 58–61, 85–88, 90, 92, 95–96, 98–100, 102, 104, 107–108, 147, 149, 152–153, 155–158
CDNA template(s), 147
Cell, 2, 5, 7, 9–10, 15–19, 21–25, 27–29, 32–34, 36, 38, 43, 45, 48, 51, 53–56, 58–62, 65, 67–69, 73–74, 76–93, 95–98, 100, 102–104, 106–108, 109–111, 115, 121, 124, 132, 135, 138–139, 141–143, 145–146, 152, 154, 157–158, 161, 171, 173–183, 186–190, 192–201, 203–205, 208, 215–218, 224, 230, 232–243, 245–260, 263, 265–267, 269, 271–272, 274–275, 277, 280–281, 283
compartment-specific (cellular) antigens, 19
cycle, 99–100, 155, 235–236, 238, 247, 254–257
death, 2, 224, 235, 242, 254–258
death apoptotic. See Apoptosis
death autophagic, 239
death non-lysosomal vesiculate, 239
division, 236–238, 247, 249
grafting, 38
lines, 38, 51, 54, 74, 76–77, 89, 107, 256, 262, 280
lysates, 5, 9–10, 33, 36
membrane asymmetry, 239
proliferation, 1–2, 12, 55, 161, 235–239, 241, 243, 245–249, 251, 253–257
proliferation markers, 236
ultrastructure, 28, 161–162, 165–166, 171, 178–180, 186, 231, 233–234, 240, 263
Cerebellum, 69–70, 109–114, 146, 180, 245–248, 250, 252–254, 256–258
cerebellar cortex, 174, 246, 249, 254, 256
cerebellar interneurons, 246, 258
cerebellar neurons, 2, 53–54, 60, 63
EGL, 246–250, 252
granule cell precursors, 174, 246, 249–250, 256
granule cells, 56, 65, 82, 88, 109–110, 112, 174, 234, 237, 246, 247, 249–250, 256, 257–258
IGL, 246–248, 250, 253
ML, 4–8, 11, 17, 20, 30–34, 40–41, 44–46, 55–57, 70–72, 75, 93–97, 100, 121, 150–154, 156, 185–188, 215, 227–229, 243–248, 261, 263, 276, 278
Purkinje cells, 69, 83, 89, 107, 146, 254
C fibers, 265–266, 268
C-fos, 1, 215, 218
CGRP, 124, 174, 200, 231, 265–266, 268–269
Chemiluminescence. See ECL
Chemiluminescent detection system. See ECL
Chloramphenicol acetyl transferase. See CAT
Chloride, 33, 53–54, 60, 91, 150, 152, 156, 165, 183, 187, 191, 193, 205, 226–227, 244–245, 263
current, 53, 56, 59, 158, 161, 186, 193, 200, 211, 227
ions, 91, 95
Cholera toxin. See CTb
Cholera toxin B. See CTb
Chromatin, 237, 240–241, 251–253, 258
condensation, 37, 41, 47, 240, 251–252
eterochromatin, 249–250
Chromatography, 47, 94–95, 100
C-jun, 8
Clathrin-coated pits, 114
CLSM. See Confocal microscope
CMV-CAT, 45–46
CMV promoter, 33, 35, 40, 78

Index

- CNTF, 8–9
Colocalization, 54, 57, 61, 63, 79–80, 82, 142, 179, 234, 272
Combination of transgenic technology with single-cell RT-PCR, 101
Combined confocal and electron microscopy, 263, 270
Combined primer annealing, 156
Compartment-specific cellular antigens, 19
 lamp proteins, 19
 rab proteins, 19
 syntaxin, 6, 23–24
Concavalin A, 95–96, 97
Cone bipolar(s), 86, 179
Confocal laser scanning microscope. *See* Confocal microscope
Confocal microscope, 16–19, 22, 28, 120, 122, 127, 138, 141, 193, 194, 195, 198, 200, 216, 218, 233, 237, 259–260, 262, 264, 265, 268, 270–275, 278, 279, 282, 283
 confocal microscopy of retrogradely labeled neurons, 223, 225
 correlated studies of confocal microscopy and electron microscopy, 222
 image acquisition speed, 275
 photobleaching, 54, 262, 278, 282
 photodamaging, 278, 282
 pinhole, 274–275
 point scanning, 275
 ratiometric dyes, 279–280
 ratio value, 279–280
 refractive index, 271
 sampling speed, 275
 signal-to-noise ratio, 194, 214, 274
 spatial resolution, 26, 173–174, 260, 274–275
 stacks of confocal images, 271
 three-dimensional reconstruction of neurons, 223
 UV, 41, 98, 167, 270, 278–279, 282
Confocal microscopy. *See* Confocal microscope
Correction factors, 271
Cortex, 49, 69–70, 83, 86, 109–114, 146, 174, 183, 191, 200–201, 205, 217, 234, 246, 249, 254, 256–257, 271, 281–282
cortical neurons, 36, 55–56, 60–61, 63–64, 201
 pyramidal neurons, 183, 191, 280–283
COS-7 cells, 17–19, 22–24, 26, 28
Cotransfection, 34–35, 67, 82
CP, 29–30, 34–35
CPP32. *See* Caspase 3
CREB, 8, 84
Cresyl violet, 214, 218
Cross-contamination, 106
Cross-reactivity in ultrastructural tracing studies, 223, 225, 230
Cryoprotectant medium, 71
Cryoprotection, 195
Cryostat sections, 46, 100, 121–122, 130, 132, 135–136, 138, 152, 165, 254
Cryosubstitution, 162
CTb, 205–208, 223–234, 261–263, 265–267, 270
 bidirectional tracing, 221, 226, 228
 conjugate with saporin, 224
 gold, 208, 211, 217–218, 223, 231, 233, 243–244, 250–251, 253, 255
 neuronal uptake of CTb tracers, 223
 saporin-CTb conjugate, 224
 studying projection neurons, 270
 unconjugated CTb, 223–225, 229
Curing, 166, 173, 189
Cy3.5, 57, 92–94, 100, 105
Cyanine, 262
Cy3-conjugated antibody, 90
Cytokines, 1–2
 interferon, 1, 115
 interleukin, 1, 257
- D**
DA, 28, 49, 51, 85, 91–92, 95, 100, 102, 105–106, 107–108, 110–111, 142, 178–179
 biosynthesis, 85, 107, 196
 transporter. *See* DAT
DAB, 71–73, 125, 128, 130, 134, 163, 165, 172–173, 175, 183, 187–188, 195–196, 210, 214–217, 222, 227–230, 233, 263–264, 270.
 See also HRP substrate(s)
DAB reaction product, 187, 215, 270
DAPI, 89, 237
Dark-field observation (of tracers), 218
DAT, 49, 51, 115, 179, 191, 193, 201, 277
DATP, 241
DBH, 227, 229–230
Dead cells. *See* Apoptosis
Degeneration methods, 176, 180–181
 anterograde degeneration, 203
 retrograde degeneration, 203
 Wallerian degeneration, 203
Degeneration techniques. *See* Degeneration methods
Dehydration in ultrastructural tracing studies, 223
Dendrites, 23, 27, 30, 34–35, 57, 61–62, 69, 83, 95, 139, 142, 196–197, 201, 204, 206, 216–217, 223, 230, 233–234, 259, 261, 265–268, 270–272, 280–281, 283
 dendritic processes, 76
 dendritic synthesis, 141
 density of contacts onto the dendritic tree, 260, 270
 filling in dendritic tree, 62, 200, 223, 225, 260,

- 265, 267, 270
 filling in ultrastructural tracing studies, 223
 length, 205, 236, 271
- Densitometry, 242
- Density filters, 274
- Desensitization, 25, 58
- Detector gain, 275
- Detergents in ultrastructural tract tracing studies, 222–223
- DEVD tetrapeptide, 243
- Dextran(s), 121, 176, 205–207, 211, 217, 224, 232–234, 261, 263
- Diabete, 68
 diabetic states, 68
- 4',6-diamidino-2-phenylindole, 237
- Diamidino yellow, 206–207
- 3,3' diaminobenzidine, 71, 128, 263
- Dichroic mirror, 274, 278
- DIG, 121–122, 125, 147, 151–152, 154–156, 241
 digoxigenin labeled oligoprobes, 121
 Digital camera, 57, 187, 189, 214. See also Image analysis
- Digoxigenin. See DIG
- Dilution of primary antibodies, 19–20, 168, 170
- Dimethyl-chloro-sylane, 96–97
- DiO, 205, 218
- Direct delivery of genes, 38
- Direct in situ PCR, 146–147, 149, 158
- Direct in situ RTPCR, 146–147, 149–150
- DNA, 2, 4, 9, 29–32, 36–39, 41–42, 47–48, 51, 55, 65, 67–68, 73–74, 76, 82–84, 87, 98–100, 106, 121, 142, 145–147, 149, 151–154, 156–159, 236–242, 247, 249–251, 253, 255–258
- agarose gel electrophoresis, 41–42, 87, 98–100, 106, 121, 142, 242
- annealing temperature, 98, 156
- condensation, 37, 41, 47, 240, 251–252
- fragmentation, 196, 239–242, 251, 253, 255, 258
- modifying enzyme(s), 241, 253
- nick(s), 241, 255, 257
- nick translation, 241, 255
- nuclease(s), 241
- nucleosome(s), 241
- polymerase, 55, 85, 88, 99, 103, 140, 145, 151, 153–154, 156, 158, 238, 241–242, 251, 256–257
- polymerase α , 238
- thermal denaturation, 240
- DNAse, 96–97, 121, 150–154, 157
- Dopamine. See DA
- Dopamine-beta-hydroxylase. See DBH
- Dopaminergic amacrine cell(s), 91
- Dorsal horn, 111, 113–114, 174, 178–180, 182, 190, 200–201, 229–233, 261, 264–267, 269, 271
- Dorsal root ganglion, 29, 111, 113–114
- Double face method. See Multiple immunolabeling
- Double fluorescent detection, 142
- Double fluorescent ISH, 122–123, 128, 138
- Double immunogold staining, 170. See Multiple immunolabeling
- Double ISH at the electron microscope level, 125, 129, 138
- Durcupan, 263–264
- DUTP, 146, 241
- Dye(s), 87, 88, 89, 90, 92–94, 103, 120, 137, 182, 189, 193, 204–205, 212–214, 216, 217–218, 233, 237, 239, 245–246, 253, 259–263, 273–283. See also Fluorescent dyes
 intra-axonal injection, 204
 intracellular injection, 184, 192, 259, 261, 263, 269
 lipophilic dyes, 204
- Dying cells, 237, 239, 241, 252. See also Apoptosis
- Dying neurons, 280–281. See also Apoptosis
- Dynamic of neurotransmitter receptors, 54
- E**
- E6, 90, 92–93, 100, 103, 105
- ECL, 246
- EcoRi, 55
- E6-Cy3, 85, 90, 92–93, 95, 97, 100, 103, 105
- EGF, 1, 11
- EGFP-N1, 35–36, 55–56
- EGL, 246–248, 250, 252, 257
- E6-Hy hybridoma cells, 92, 100
- Electron microscope, 18, 20, 89–90, 91, 119–120, 125, 127, 128–129, 135–140, 142, 161, 164, 166, 169, 177–180, 182, 189, 191, 195, 197, 200, 205, 213, 216, 219, 221–222, 229, 230–234, 241, 243–244, 249, 251, 256, 259, 260, 263, 264, 270, 272, 276
 correlated light and electron microscopy analysis, 222
 correlated light and ultrastructural observations in ultrastructural tracing studies, 223
 structural preservation, 167, 222
- Electron microscopy. See Electron microscope
- Electrophoresis, 5, 7–8, 12, 33, 41–42, 47, 87, 94, 96, 100, 106, 156–157, 242, 245–246, 251
 agarose gel, 41–42, 87, 96, 100, 106, 242
- Electroporation, 32, 35–36, 67–68, 76
- ELISA, 39, 242
- Embedding, 28, 120, 138, 162–163, 166–167, 173, 175–176, 178, 180, 188, 197, 229, 231, 249

Index

- Embedding (continued)
 acrylic embedding media, 166
 durcupan, 263–264
 epon, 21–22, 127, 130, 166–167, 179, 185,
 188–191, 195, 198, 227, 229
 epoxy resins, 166, 171
 low temperature, 167, 180, 196
 paraffin, 32, 138, 157
 post-embedding immunocytochemistry, 90, 166,
 168–169, 177, 179, 197
 post-embedding immunogold, 120, 163, 171,
 173–176, 179, 189, 197, 201, 249
 pre-embedding immunocytochemistry, 162, 175,
 197
 pre-embedding immunogold, 15, 19, 171, 197
 resin infiltration, 166
- Embryos, 10–11, 141, 211
 embryonic development, 235, 255
- Emission, 44, 90, 237, 239, 261, 274, 279–280
- End labeling, 241
- Endocytosis, 16, 23, 25–29, 90, 232
 inhibitors, 10, 12, 136, 245, 254
- Endonuclease(s), 255, 258
 enzyme histochemical techniques, 176
- Endosome(s), 16, 23, 28
- Epidermal growth factor. See EGF
- Episomally-located sequences, 51
- Epitope(s), 2, 19–20, 34, 173, 238
- Etching, 166–167, 171, 177, 189
- Ethanol, 5, 7, 41, 44, 70, 75, 121, 153–155, 167,
 169, 185, 191, 210, 213, 222, 225,
 227–229, 232, 262, 271–272
 to increase tissue penetration, 163, 171–172
- EthD-2, 237
- Ethidium homodimer-2. See EthD-2
- Evans blue, 205–207
- Excitation, 57, 90, 98, 208, 214, 237, 261, 274,
 278–279, 282
 emission filters, 44
- Excitatory Synapses, 190
- Expression library, 36
- Expression vector(s), 32, 35, 47, 51, 53–56
 pCDM8, 55
 pEGFP-N1, 35–36, 55–56
- External granular layer. See EGL
- Extracellular recording, 182
- Extravidin-peroxidase, 264
- Ex vivo gene transfer, 68
- F
- Fab' fragments, 165, 174, 244
- Fast Blue, 205–207, 227, 229–231
- Fast DiI, 205
- Fast red, 122, 125, 128
- FDG, 45
- Ferritin, 28, 222
- FGF, 1
- Fiber(s) en (of) passage, 203, 205
- Fibroblast Growth Factor. See FGF
- Filter(s), 10–11, 44, 55, 57, 70–73, 150, 169–170,
 210, 214–215, 243, 260–261, 263, 274
- FITC, 19, 44–45, 54, 57, 90, 121, 125, 127–128,
 147, 210, 237, 239, 262, 270
- Fixation, 21–22, 25, 39, 44–46, 91, 120, 127, 130,
 132, 135–136, 140, 150, 152–154, 157,
 161, 162–163, 165–169, 171, 172, 173,
 175–176, 178, 186–187, 193, 200, 205–208,
 210, 212, 213, 222–225, 227–228, 232,
 237–238, 249, 254, 261–263, 272
 acrolein, 20, 25, 165
 formaldehyde, 46, 57, 71–72, 91, 135, 141,
 150–152, 166, 169, 175, 193, 213, 261–263
 glutaraldehyde, 20–21, 25, 91, 135, 165–170,
 172, 175–178, 183, 186–187, 191, 193,
 206–207, 210, 213, 222–225, 227–228, 232,
 244–245, 249, 263, 272
 glutaraldehyde as a fixative for ultrastructural trac-
 ing studies, 223
 immersion, 135, 152, 187
 osmium ferrocyanide, 167, 169
 osmium in ultrastructural tracing studies, 222–223
 osmium tetroxide, 20–21, 25, 161, 166–169, 183,
 191, 222, 243, 249
 paraformaldehyde, 17–18, 25, 33, 44, 122, 125,
 127, 130, 132, 150, 152–153, 157, 165,
 167–169, 183, 186, 191, 193, 206–207,
 210, 213, 222, 227–228, 263
 paraformaldehyde as a fixative for ultrastructural
 tracing studies, 223
 picric acid, 135, 165, 168, 191, 193
 post-fixation, 22, 25, 45, 137, 162, 166–167, 173,
 187, 222–223, 228
 slides, 44, 132, 135–136, 149–150, 152–156,
 165, 210, 262, 264
 tannic acid, 166, 180
 uranyl acetate, 167, 169–170, 189, 245, 264
- Fixative. See Fixation
- Flow cytometry, 159, 239, 255
- Fluo-3, 239, 279
- Fluorescein. See FITC
- Fluorescein isothiocyanate, 19, 54, 127–128, 210,
 262
- Fluorescence, 45, 57, 60–63, 90, 127, 137, 143, 189,
 206–207, 210, 213–215, 217–218, 237, 239,
 241, 260, 268, 274–275, 279, 283
 intensity, 57, 60–61, 274–275, 278–279

- microscope, 45, 210, 214
Fluorescence microscope. See Fluorescence
Fluorescen-conjugated dextran. See Fluoro Emerald
Fluorescent bead. See Fluorescent microspheres
Fluorescent clusters, 53
Fluorescent dye(s), 88, 182, 189, 237, 239, 253,
260–262, 279, 282
 acridine Orange, 89
 annexin V-Cy3, 57, 92–94, 100, 105
 annexin V-FITC, 19, 54, 57, 125, 127–128, 210,
 239, 262, 270
 bisbenzimidazole, 237
 bodipy, 19
 Calcium Green, 35, 39, 53, 57, 65–66, 69, 84, 90,
 107–108, 124, 127, 137, 206–207, 217,
 237, 256, 266–268, 279–280
 Cy3.5, 57, 92–94, 100, 105
 cyanine, 262
 DAPI, 89, 237
 Dextran(s), 121, 176, 205–207, 211, 217, 224,
 232–234, 261, 263
 Diamidino yellow, 206–207
 EthD-2, 237
 Ethidium bromide, 42, 47, 99–100
 Evans blue, 205–207
 Fast Blue, 205–207, 227, 229–231
 Fast DiI, 205
 Fast red, 122, 125, 128
 FITC, 19, 44–45, 54, 57, 90, 121, 125, 127–128,
 147, 210, 237, 239, 262, 270
 Fluo-3, 239, 279
 Fluorogold, 206–207, 223–224, 231–234, 270
 Fura-2, 239, 283
 Fura Red, 279–280
 Hoechst 33342, 237
 Hoechst dyes, 237
 Indo-1, 273, 275–283
 Indocarbocyanine, 55
 Lipophilic carbocyanine dyes, 205
 Lissamine rhodamine (TRITC), 210, 262
 Lucifer yellow, 88, 191–193, 198, 200, 263
 mBBr, 239
 mBCL, 239
 Merocyanine 450, 239
 Mito Tracker Red CMX Ros, 239
 Oregon green, 279–280
 SNARF-1, 239
 SYTO stains, 237
 SYTOX Green, 237
 Texas Red, 22, 217, 241
 TRITC, 210
 YO-PRO(tm)-1 iodide, 205, 237
Fluorescent ligands, 15–16, 28, 140
 Fluo-NT, 17, 22–25
 Fluo-SRIF, 17, 22–24
 Fluorescent microspheres, 205–208
 Fluorescent stains. See Fluorescent dye(s)
 Fluorescent tracer(s), 205, 208, 212–215, 218,
 223–224. See also Fluorescent dye(s)
 carbocyanine derivatives, 205, 210, 216
 CTb, 205–208, 223–234, 261–263, 265–267,
 270
 DiA, 205, 207, 211
 diamidino yellow, 206–207
 Evans blue, 205–207
 Fast Blue, 205–207, 227, 229–231
 Fast Dil, 205
 Fast red, 122, 125, 128
 Fluoro-Emerald, 205–207
 Fluoro-Ruby, 205–207, 219
 lipophilic carbocyanine dyes, 205
 nuclear yellow, 206–207
 PI, 205–206, 237
Fluorochrome(s), 92, 134, 198, 206–208, 215,
223–224, 241, 261, 263
 fluorochrome-conjugated secondary antibodies,
 210, 214
 fluorochrome-conjugated streptavidin, 206–207,
 263
 fluorogenic substrate(s), 242
 wavelength, 208, 214, 262, 279–280, 282–283
Fluoro-Emerald, 205–207
Fluorogold, 206–207, 223–224, 231–234, 270
Fluoro-Ruby, 205–207, 219
Focus, 103, 120, 192, 204, 260, 268, 271, 274, 279,
282
Forkhead factors, 2
Formaldehyde, 46, 57, 71–72, 91, 135, 141,
150–152, 166, 169, 175, 193, 213, 261–263
Freeze-thawing, 138, 165, 171, 196
Frontal cortex, 70, 200
Fura-2, 239, 283
Fura Red, 279–280
- G**
GABAA, 53–55, 57–61, 63, 65–67, 92, 102, 201
 clusters, 32, 53, 57, 61–65, 162–163, 166, 174,
 190
 colocalization, 61, 63, 79–80, 82
 gabaergic presynaptic terminals, 61
 gabaergic synapse(s), 53, 65, 178, 201
 GFP, 35–36, 39, 48–49, 53–55, 57–63, 65, 69,
 78, 80–82, 90
 receptor, 1–2, 8, 34, 36, 51, 63, 65–66, 83,
 86–88, 88, 92, 95, 102, 107, 109–110, 115,
 119, 124, 138, 158–159, 165, 181, 201,

Index

- GABAA (continued)
215, 223, 233, 234, 238, 240, 257, 259, 261, 278, 282
receptor clusters, 53, 61, 65
receptor subunits, 53–54, 57–58, 61, 92, 102, 107, 141
subunits, 53–66
- GAD, 61, 63, 65, 87, 115, 178, 183
- Gal, 113, 115, 142
construct, 30–31, 38, 41–42, 45
polyclonal antibody, 33, 46, 48–49, 77, 245–246
Galactosidase. See Gal
- Galanin, 115, 124, 127, 132, 138, 142–143, 272
- Gelatin, 20, 34, 45, 125, 127, 130, 138, 168, 191, 193, 213
- Gel-based DNA fragmentation assay, 242
- Gene, 1, 29, 32, 36–40, 46–51, 55, 67–69, 71, 73–89, 91–93, 95, 97, 99, 101–103, 105, 107–108, 109, 124, 138–142, 149, 155, 158, 215, 276
expression, 1, 28, 30, 32–33, 35–39, 45–47, 49–51, 53–56, 65–69, 76, 78, 80–89, 91–93, 95, 97, 99, 101–103, 105, 107–108, 109, 138–139, 141–142, 158
Gene Gun, 67–69, 73–76, 78, 83–84
product, 45, 46, 49, 55, 72–73, 86, 88–91, 98–102, 106–107, 109, 139–141, 149, 155–157, 214–216, 219, 270
transfer, 12, 31, 33, 37–40, 50–51, 67–69, 71, 73, 75, 77, 79–81, 83–84, 97
- General lysis buffer, 245
- Genomic probe(s), 147
- GFAP, 39, 78, 113–115, 170–172
GFAP monoclonal antibody, 170
- GFP, 39, 53, 65–66, 69, 90, 107–108
- Glia, 30, 78, 110, 257
Glial cell, 39, 78, 109–112, 114, 146, 212, 230, 250, 253
glial filaments, 171–173
- Glial cell(s). See Glia
- Glial fibrillary acidic protein. See GFAP
- Glucose oxidase, 71–72, 228, 231
- GluR1, 34
- GluR2, 88, 115
- Glutamate receptor 1. See GluR1
- Glutamate receptor 2. See GluR2
- Glutamate receptors. See Receptors
- Glutamic acid decarboxylase. See GAD
- Glutaraldehyde, 20–21, 25, 91, 135, 165–170, 172, 175–177, 183, 186–187, 191, 193, 206–207, 210, 213, 222–225, 227–228, 232, 244–245, 249, 263, 272. See also Fixation
- Glycine, 5, 54, 65, 93–94, 142, 178, 183, 234, 245–246, 272
glycine receptor, 54, 65, 142. See also Receptor
- GM1 ganglioside receptor, 223
- Gold, 20, 23, 26–27, 67–68, 73–75, 78–79, 82, 120, 127–128, 130–132, 137, 139, 161–163, 165–167, 169–180, 197, 201, 208, 211, 217–218, 223, 231, 233, 243–244, 250–251, 253, 255. See also Immunogold
clusters, 32, 53, 57, 61–65, 64, 162–163, 166, 174, 190
colloidal gold particles, 162–163, 176, 253
IgG gold conjugates, 171, 243–244
Nanogold, 163, 166, 168, 171, 174, 178
particles, 22–24, 26–27, 67–68, 73, 75, 78–79, 82, 128, 130–131, 137, 150, 162–163, 171, 173–176, 178, 208, 216, 223, 244, 250, 253
protein A-gold, 169–170, 173, 177, 180
protein G-gold, 177
suspension, 7, 75, 95, 97, 210–211, 261, 263
toning, 223
ultra small gold, 120
- Golgi impregnation, 86, 176, 178, 180, 203–204
- Golgi method. See Golgi impregnation
- Golgi staining. See Golgi impregnation
- Gomori technique, 91
- Gonadotropin-releasing hormone neurons, 90, 108
- GPCR, 16
- Grb2, 1, 10–11
- Green fluorescent protein. See GFP
- Growth factor(s), 1–2, 8, 10–11, 38, 149, 240, 255, 258
CNTF, 8–9
EGF, 1, 11
FGF, 1
NGF, 2, 142
PDGF, 1
- ## H
- Halogenated indolyl derivative, 90
- Hapten-labeled nucleotide(s), 155, 157
- Hapten-labeled primer(s), 146, 149, 157
- Heating, 135, 142, 150, 180, 240–241, 250
- Heterooligomeric proteins, 54
- HindIII, 55
- Hippocampus, 2, 39, 69, 86, 108–114, 170–172, 200–201, 281
hippocampal neurons, 28–30, 34–36, 65, 82, 142
hippocampal slice, 79
hippocampal slice-explant culture, 84
primary cultures, 17, 53–55, 65, 87–88
pyramidal neurons, 183, 191, 280–283
- Histochemical procedures. See Histochemistry
- Histochemical reactions. See Histochemistry

- Histochemistry, 39, 48, 71, 119, 135, 141–143, 153, 158, 177–178, 180, 182, 206–208, 210, 213–214, 219, 222, 223, 229, 233–234, 257
- HNP/FAST red, 122, 125, 128
- HNPP, 122, 125, 127–128, 137
- Hoechst 33342. See Bisbenzimidazole
- Hoechst dyes, 237
- HRP, 28, 72, 120, 127–128, 132, 134, 139–140, 162, 176, 178, 180, 183–186, 188, 195, 198, 205–214, 216, 219, 222–224, 223, 228, 230–231, 234, 248, 264, 268, 270, 272
- based tracers, 205, 214, 223
- crystals, 5, 211, 229–230, 277
- gelfoam, 211
- histochemistry, 71, 119, 141–143, 177–178, 180, 182, 206–208, 210, 213–214, 219, 223, 229, 233–234
- modified TMB stabilization, 214
- Nickel-intensified DAB reaction, 214
- penetration of peroxidase/DAB reaction product, 187, 215, 270
- proteolytic degradation by lysosomal enzymes in ultrastructural tracing studies, 223
- ultrastructural tracing studies, 223
- HRP substrate(s)
- BDHC, 222
- DAB, 71–73, 125, 128, 130, 134, 163, 165, 172–173, 175, 183, 187–188, 195–196, 210, 214–217, 222, 227–230, 233, 263–264, 270
- modified TMB stabilization, 214
- Nickel-intensified DAB reaction, 214
- Pyronin, 229–230
- TMB, 210, 214, 219, 222, 227–231
- Vector VIP, 222, 234
- Human placental alkaline phosphatase. See PLAP
- 2-hydroxy-3-naphthoic acid-2'-phenylanilide phosphate, 122, 128
- Hypothalamus, 50–51, 70, 76–77, 83, 111, 113–114, 124, 142–143, 232
- hypothalamic cultures, 78, 81
- hypothalamic magnocellular neurons, 127, 132
- hypothalamic neurons, 69, 78, 80
- hypothalamic slice-explant culture, 83–84
- hypothalamo-neurohypophysial system, 76
- Hypothermia, 43
- I**
- ICC. See Immunocytochemistry
- IdU, 236, 243, 246–250
- IgG, 3, 46, 55, 71–72, 93–94, 103, 169, 171, 183, 188, 191, 193, 195, 243–244
- IgG gold conjugate(s), 171, 243–244
- IgG-gold technique(s), 173
- IGL, 246–248, 250, 253
- Image acquisition speed, 275
- Image analysis, 46, 178, 180, 196–197, 200, 214, 238, 257
- Immunoautoradiographic method. See Immunoautoradiography
- Immunoautoradiography, 39
- Immunoblotting, 3
- Immunocytochemical labeling. See Immunocytochemistry
- Immunocytochemical staining. See Immunocytochemistry
- Immunocytochemical techniques. See Immunocytochemistry
- Immunocytochemistry, 3, 4, 8, 18, 22–23, 33, 39, 48–49, 57, 63, 71, 78–79, 85, 87, 90, 91, 92, 102–103, 119–120, 121, 123, 124, 125, 127, 129, 130–143, 145, 147, 157, 161–180, 187–189, 188, 195, 196, 197, 200–201, 204–205, 208, 210, 215–218, 231–234, 236, 237, 240, 247, 248, 249, 252–254, 257, 259–262, 271, 272
- immunodetection of cancer cells, 90
- post-embedding immunocytochemistry, 90, 166, 168–169, 177, 179, 197
- pre-embedding immunocytochemistry, 162, 175, 197
- Immunoenzymatic techniques, 162, 173
- immunofluorescence, 3, 10, 30, 33–35, 206–208, 210, 224, 226, 259, 261–263, 265, 270–271
- immunoperoxidase methods in ultrastructural studies, 221–224
- immunoperoxidase reaction(s), 226–227
- photoconversion, 215, 218–219, 224, 231, 233
- Immunogold, 15, 19, 25–27, 120, 163, 166, 169–171, 173–180, 189, 197, 201, 249, 251–252, 256, 270
- IgG gold conjugate(s), 171, 243–244
- IgG-gold technique(s), 173
- post-embedding immunogold protocols, 120
- pre-embedding, 15, 19, 171, 197
- Protein A-gold, 169–171, 173, 177, 180
- Protein G-gold, 177
- silver intensification, 20–21, 162, 171, 175, 178, 208, 210, 217, 223
- silver intensified immunogold. See Silver intensification
- single immunogold staining, 169–170
- sodium metaperiodate, 166–167, 169–171, 180, 189, 243
- spatial resolution, 26, 173–174, 260, 274–275
- transferase-immunogold technique(s), 257
- ultra small gold, 120

Index

- Immunogold (continued)
ultrathin frozen sections, 162, 175, 178
- Immunohistochemistry. See Immunocytochemistry
- Immunolabeling. See Immunocytochemistry
- Immunoprecipitation, 3–8, 10–12
assay, 4, 6–8, 10, 39, 43, 45–48, 51, 71, 77–78,
146, 237, 239, 242, 245–246, 255, 258
of protein kinase, 1, 4, 7–8, 238, 258
- Immunostaining. See Immunocytochemistry
- Impermeant dyes. See Fluorescent dye(s)
- Indirect in situ PCR, 146–147
- Indirect in situ RT-PCR, 146–149, 152, 154
- Indo-1, 273, 275–283
- Indocarbocyanine, 55
- Inhibitory post-synaptic potential(s). See IPSPs
- Inhibitory synapses, 61
- Inositol-triphosphate. See IP3
- In situ detection, 141, 158, 239, 242, 250, 256
- In situ end-labeling techniques. See ISEL techniques
- In situ hybridization, 71, 86, 88, 119, 121, 123, 125,
127, 129, 131, 133, 135, 137, 139,
141–143, 145–147, 152, 156–159, 161, 204,
240, 255, 258
detection sensitivity, 146
posthybridization washing, 121–122, 125, 127,
132, 136
radioactive and enzymatic double ISH, 121, 123,
130, 133, 138–139
riboprobe(s), 121–122, 136–138, 141
triple labeling combining ICC and a radioactive
and enzymatic double ISH, 133
- In situ nick translation, 241, 255
- In situ PCR, 142, 145–147, 149–150, 152, 155–158
acetylation, 136, 152–154, 157
amplicon, 146, 149, 156
cDNA template(s), 147
combined primer annealing, 156
direct, 146–147, 149, 158
genomic probe(s), 147
hapten-labeled nucleotide(s), 155, 157
hapten-labeled oligonucleotide primer(s), 154
hapten-labeled primer(s), 146, 149, 157
indirect, 146–147
internal oligonucleotide probe(s), 149
labeled oligonucleotide, 48, 147, 154
non-specific nuclear staining, 154, 156–157
random oligo (dT) primer(s), 155
thermocyclers, 152
- In situ polymerase chain reaction. See In situ PCR
- In situ RT-PCR, 154, 156–157
- Insulin, 32, 56, 61, 63–66
- Insulin-like growth factor receptor, 240
- Interferon(s), 1, 115
- Interleukin(s), 1, 257
- Internal granular layer. See IGL
- Interplexiform cell(s), 91
- In toto X-gal revelation, 45
- Intracellular calcium concentration, 30, 257, 273,
275, 277, 279, 283
- Intracellular dye filling, 204
- Intracellular pH, 239
- Intracellular recording, 181–183, 200
- Intraventricular delivery, 38
- Intron(s), 78, 80, 154, 156
- In vivo gene transfer, 40, 51
- 5-iododeoxyuridine, 236
- Ion channels, 86–87
- Iontophoresis, 56, 182, 186, 201, 206–209, 211,
225
iontophoretic injection, 182, 186
microionophoretic filling of single neurons, 176
- IP3, 282
- IPSP(s), 186, 193
- ISEL techniques, 241, 251
- Isotope-conjugated neurotransmitters, 204
- Isotopic methods, 147, 236, 249
- Isotopic protocols. See Isotopic methods
- J**
- JAK, 2, 4, 12–13
- Janus Kinase(s), 2
- Jurkat cells, 240
- Juxtacellular labeling, 182
- K**
- Ki-67, 236, 238, 246, 248, 255, 257–258
- Kinases, 1–2, 4, 8, 10, 12, 258–259
JAK, 2, 4, 12–13
Janus, 2
MEK, 1
PKA, 283
PKB, 2, 8
PKC, 8, 115, 283
Protein kinase assay, 6–7
Raf1, 1
RSK, 145, 149, 154, 156–158
Serine/Threonine, 2, 10, 238
Src, 1, 8
- Kinases inhibitors, 12
okadaic acid, 10
sodium fluoride, 6, 10
- Ki67 nuclear antigen, 236, 238, 246, 248
- KiS2, 238, 257
- KiS5, 238
- Kozak sequence, 90
- KpnI, 55

- Krox-24 gene, 51
- L**
- Labeled oligonucleotide(s), 147, 154
- LacZ, 40, 69, 78, 89, 180
- Large dense-cored vesicles. See LGVs
- Laser, 194, 232–233, 237, 262, 271–275, 278–279, 281–282
- light, 28, 39, 43, 45, 47, 70, 89–92, 98, 130, 139, 142–143, 153, 156–157, 161, 163, 165, 167–169, 176–183, 187–190, 195–197, 199–201, 203, 205–211, 213–217, 219, 221–222, 224–226, 228, 230–235, 241, 244, 246–247, 249, 259, 268, 270, 272–274, 278, 282
- power, 77, 79, 171–172, 214, 216, 229, 274, 281
- scanning confocal microscopy. See Confocal microscope
- scanning cytometry, 237
- Laser scanning confocal microscopy. See Confocal microscope
- Laser Scanning Microscope, 194
- Lead citrate, 91, 107, 127, 130, 167, 170, 189, 229, 233, 245, 264
- Lectins, 176, 224, 261, 263
- binding to oligosaccharides in axonal membranes, 223–224
- BSI-B4, 261, 263, 265–266, 269
- Concanavalin A, 95–96, 97
- degenerating neuronal profiles, 223
- inactivation of protein synthesis, 139, 142, 205, 224
- internalization, 15–16, 18, 23–25, 28, 65, 142, 180
- neuronal death induced by, 224, 254–255
- PHA-L, 205–208, 211–212, 218, 224–225, 232–234, 261–263
- ricin, 224, 234
- suicide tracers in ultrastructural tracing studies, 224
- volkensin, 224
- WGA, 205, 208, 223
- WGA-gold, 223
- WGA-HRP, 178, 208
- WGA-HRP-gold, 223
- Lesion(s) of neuronal pathways, 224
- Leupeptin, 4–5, 7, 12, 245
- LGV(s), 173–174
- Ligand-gated channel(s), 102
- Ligand(s), 9, 15–19, 22–24, 28, 54, 87, 119
- Ligation-mediated PCR, 242, 255
- Ligation-mediated polymerase chain reaction. See Ligation-mediated PCR
- Light microscope, 39, 89, 91, 139, 163, 168–169, 169, 176, 182, 187, 188, 189, 196, 200, 205–208, 210, 213, 216, 221, 228, 244, 246, 249, 268
- correlated light and electron microscopy analysis, 222, 224–225
- Light microscopy. See Light microscope
- Lipid-mediated cell transfection, 76
- Lissamine rhodamine (TRITC), 210, 262
- Low temperature, 167, 180, 196
- Luciferase, 38–40, 43, 45–46, 48–51, 69, 78
- Luciferin, 43
- Lucifer yellow, 88, 191–193, 198, 200, 263
- photoconversion, 215, 218–219, 224, 231, 233
- Luteinizing hormone receptor, 142
- Lymphocyte precursor(s), 241
- Lysosome, 212, 223
- M**
- MAP2, 34, 36, 113
- Markers, 18, 36, 39, 76, 86–89, 106, 112–113, 120, 127, 138–139, 176, 201, 208, 215–216, 222, 224, 230, 233, 236–238, 240, 245–246, 249, 253, 258, 260–261, 272
- of apoptosis, 100, 103, 106, 237, 239, 242, 257
- single stranded DNA monoclonal antibodies, 237, 240
- of cell proliferation, 235–236, 238, 243, 246–250, 254, 257
- BrdU, 174, 236, 238, 242–243, 246–250, 253, 256
- Casein-kinase 2a, 238
- IdU, 236, 243, 246–250
- Ki67 nuclear antigen, 236, 238, 246, 248
- KiS2, 238, 257
- KiS5, 238
- Mib-1, 238
- Th-10a, 238, 256
- Topoisomerase IIa, 238
- transferrin receptor, 16, 238, 257
- proliferating cells. See Markers of cell proliferation
- MbBr, 239
- MbCl, 239
- Melanotrope cells, 277, 283
- Meninges, 70, 152, 245
- Merocyanine 450, 239
- Messenger molecule(s), 139
- Metabotropic glutamate receptor. See MGluR2
- MGluR2, 34, 115
- Mib-1, 238
- Microinjection, 37–38, 43, 67, 279
- Microtubule-Associated Protein2. See MAP2
- Microvilli, 90

Index

- Microwave, 135, 142
Migration, 23, 42, 157, 225, 246–247, 254,
256–257
migratory events, 247
migratory phenomena, 248
Miniature synaptic currents, 194
Mitochondria, 68, 83, 224, 229, 240
mitochondrial membrane antigen, 240
mitochondrial membrane depolarization, 239
oxidative activity, 239
Mitosis, 51, 254
Mitotic index, 235
Mito Tracker Red CMX Ros, 239
ML, 246–248, 254
Modified calcium phosphate transfection, 34–35
Molecular layer. See ML
Monoamine neurons, 119
Monobromobimane. See MBBr
Monochlorobimane. See MBCL
Monoclonal antibodies, 6, 10, 12, 45, 83, 90, 107,
188, 196–197, 200, 236–237, 240, 255,
257–258
7A6, 240
anti-HA, 33
anti-histone, 242
anti-phosphoserine/threonine, 2, 3, 10, 238
anti-phosphotyrosine, 3, 6, 10–11
BrdU, 174, 236, 238, 242–243, 246–250, 253,
256
EG, 90, 92–93, 100, 103, 105
GFAP, 39, 78, 113–115, 170–172
IdU, 236, 243, 246–250
Ki-67, 236, 238, 246, 248, 255, 257–258
KiS2, 238, 257
KiS5, 238
luciferase, 38–40, 43, 45–46, 48–51, 69, 78
Mib-1, 238
NeuN, 39
single stranded monoclonal antibodies, 237, 240
Th-10a, 238, 256
MRNA, 86, 92, 95, 99–100, 102–103, 106, 109,
124, 127, 130, 132, 135–143, 145–147,
149, 152–159, 238, 255
Multi-photon excitation microscopy, 282
Multiple immunolabeling, 170, 259
double immunogold staining, 170
simultaneous labeling, 174–175
triple labeling combining ICC and a radioactive
and enzymatic double ISH, 133
Multiple labeling, 120, 130, 137–138, 141, 175,
208, 214–215, 223–224, 230
Multiple staining. See Multiple immunolabeling
Multiplex semi-nested RT-PCR, 102–103
Myelinated afferents, 265–268
- N**
NADPH-d, 176, 180
N-(2-aminoethyl) biotinamide hydrochloride. See
Neurobiotin
Nanogold, 163, 166, 168, 171, 174, 178
NBT, 91, 122, 130, 132, 244
NBT/BCIP, 122, 130, 132, 150, 156, 244
Necrosis, 115, 240–241, 254–255
Neocortex, 86, 109–110, 112–113, 183, 191, 281.
See Cortex
NeuN, 39
Neurobiotin, 182, 191–192, 195, 198, 201, 205,
207, 224–225, 232, 261, 263
Neurofilament, 39
Neurogenesis, 2, 13, 247, 254
Neurokinin 1. See NK1
Neuronal circuits, 221–222, 224, 259, 268, 270–271
Neuronal connection(s), 161, 175–176, 221–224,
232, 260
Neurons, 2, 28–36, 39, 53–57, 60–61, 63–65,
67–69, 76–78, 80, 82–92, 95–98, 100–105,
107–108, 119, 124, 127, 132, 139,
141–143, 146, 161–162, 175–183, 185–187,
189, 191, 193, 195, 197–201, 203–204,
212–213, 216–218, 221–225, 229–235, 247,
250, 253, 255–261, 264–273, 278, 280–283
Neuropeptide receptor antibodies, 15
Neuropeptide(s), 15–16, 18–19, 28, 115, 124, 138,
141–143, 233
Neuropil, 25, 171, 216
Neurosteroid(s), 53, 58–59, 66
Neurotensin, 15, 28, 142. See NT
Neurotensin receptor 1. See NT1 receptor(s)
Neurotrophins, 1, 83
NGF, 2, 142
Neurotropic virus(es), 204
Neutral Red, 214
NGF, 2, 142
NheI, 55
Nickel grids, 169, 243
Nick translation, 241, 255
Nicotinamide adenine dinucleotide phosphate-
diaphorase. See NADPH-d
Nissl staining, 132, 203, 218
Nitric oxide, 115, 176, 254
Nitro blue tetrazolium/bromochloro-indolylphos-
phate. See NBT/BCIP
Nitro blue tetrazolium chloride. See NBT
NK1, 28, 265–269, 271
NMDA, 36, 54, 65–66, 201, 278
NMDAR2A subunit, 107

- NMDAR1 subunit, 109
NO, 3, 6, 9, 12, 16, 24, 38, 45, 47–49, 54, 68, 70, 72–73, 78–79, 82, 89–90, 99, 102, 104, 106, 122, 127, 135–137, 150, 154, 156–157, 166, 176–177, 187, 198, 210, 232, 237, 249, 254, 265, 267, 269, 272, 277, 282–283
Non-isotopic methods, 146, 236, 249
Non-isotopic protocols. See Non-isotopic methods
Non-specific nuclear staining, 154, 156–157. See in situ RT-PCR
Non-specific staining, 57, 92, 103, 163
Non-viral vectors, 38
Northern blot(ting), 86, 88, 145
NSE, 78, 80, 113–115
NT, 15, 17–18, 22, 24, 28, 99, 142, 172
NT1, 22–24
NT1 receptor(s), 22–24
Nuclear staining, 154, 156–157, 218, 253
Nuclear yellow, 205–207
Nucleic acid(s), 73, 142, 145–146, 152–154, 157–158, 237, 240, 251, 257
Nucleic acid thermal denaturation, 240
Nucleosome(s), 241
Nucleus, 1–2, 9–10, 22, 24, 29, 57–58, 70, 76, 79, 82, 109, 111–114, 124, 127, 132, 141, 177–180, 216–217, 226, 231–234, 240, 250, 257, 271–272
 chromatin, 237, 240–241, 251–253, 258
 chromatin condensation, 37, 41, 47, 240, 251–252
 eterochromatin, 249–250
 nuclear staining, 154, 156–157, 218, 253
- O**
OF-1 mouse, 42
Okadaic acid, 10
Olfactory lobes, 70
Oligo(dT) primer(s), 98, 137, 151, 153, 155
Oligomer(s), 241
Oligonucleotide(s), 38, 47, 51, 99, 143, 145, 147, 149, 152–154
Oligoprobe(s), 121, 136, 138
Oligosaccharide in axonal membrane, 224
Opioid(s), 15, 17, 28, 177–178, 201
Optical section(s), 266, 274
Optic nerves, 70
Oregon green, 279–280
Organotypic culture, 71, 73–81, 83–84
Organotypic slice, 69, 73–75, 83
Oscillations, 277, 283
Osmicated material. See Osmium
Osmication. See Osmium
Osmium, 20–21, 25, 125, 130, 161–162, 166–169, 171, 173, 175, 183, 188, 191, 195, 197, 222, 224–225, 243, 249
 ferrocyanide, 44, 167, 169
 post-fixation, 22, 25, 45, 137, 162, 166–167, 173, 187, 222–223, 228
 tetroxide, 20–21, 25, 161, 166–169, 183, 191, 222, 243, 249
 in ultrastructural tracing studies, 162, 198, 205, 221–224, 253
Oxidative activity, 239
Oxygenation, 277
Oxytocin (OT), 76, 83, 113, 115, 124, 127, 142–143
- P**
Pancreatic islets, 68, 83, 178
PAP, 162–163, 178, 196, 197, 227–228
Papain, 95–97, 103–104
Paraffin, 32, 138, 157
Paraformaldehyde, 17–18, 25, 33, 44, 122, 125, 127, 130, 132, 150, 152–153, 157, 165, 167–169, 183, 186, 191, 193, 206–207, 210, 213, 222, 227–228, 263
 as a fixative for ultrastructural tracing studies, 221–224
 vapors, 175
Paraventricular nucleus (PVN), 76–77, 80–81
PARP, 242–243, 245–246, 251
Patch clamp, 56, 87–88, 90, 181–182, 189, 192, 194, 199–200, 282
PC12 cells, 2
PCD, 235, 239–240, 242, 254–257. See also Apoptosis
Pcis-CMV-CAT, 41
PCMV-luciferase, 40
PCMV(nls)-Lac-Z, 40, 69
PCNA, 236, 238, 254–258
PCR, 55, 85, 87, 96, 98–100, 102, 104, 106–108, 140, 142, 145–147, 149–153, 155–159, 242, 255
 antisense primers, 98
 multiplex semi-nested RT-PCR, 102–103
 oligo(dT) primer(s), 98, 137, 151, 153, 155
 promoter constructs, 78
 single round PCR, 98
 two rounds PCR, 99
PDGF, 1
PEG, 138, 209, 211
PEGFP-N1, 35–36, 55–56
PEI, 37–43, 39, 41, 43, 45–47, 49, 51

Index

- Penetration, 68, 82, 135, 140, 162–163, 165, 171–172, 196–197, 211, 222, 225, 232, 234, 262, 270–272, 279, 282
of antibodies, 162, 196–197, 232, 262, 271–272
of peroxidase/DAB reaction product, 183, 195, 210, 214, 222, 228, 264
of reagents for immunocytochemical studies, 161–164, 171, 195–196, 232, 281
of reagents for ultrastructural tracing studies, 162, 198, 222
- Pepsin, 150–151, 153, 157
- Pepstatin, 4–5, 7, 12
- Peptidase inhibitor(s), 17
aprotinin, 4–5, 7, 245
leupeptin, 4–5, 7, 12, 245
- Peptide(s), 3–4, 12, 15–17, 76, 84, 87, 115, 119, 124, 132, 139, 141–142, 173–174, 179, 265–266, 268, 271
- Perfusion, 44–45, 56, 62, 98, 135, 186–187, 210, 212–213, 222, 224, 227–228, 262–263, 280–282
- Peroxidase. See HRP
- Peroxidase-anti-peroxidase. See PAP
- Peroxide toxicity, 241
- Phagocytes, 239–240, 247, 252
- PHA-L, 205–208, 211–212, 218, 224–225, 232–234, 261–264
- Phaseolus leucoagglutinin. See PHA-L
- Phaseolus vulgaris-leucoagglutinin. See PHA-L
- Phenylmethylsulfonyl fluoride, 4, 6, 10, 245
- Phosphatase(s), 5, 7, 49, 85, 91, 107–108, 120, 122, 124–125, 130, 142, 145, 149–151, 153, 176, 178, 226, 229, 231, 244, 248
- Phosphatidylserine, 239, 255
- Photobleaching, 54, 262, 278, 282
- Photoconversion, 215, 218–219, 224, 231, 233
- Photodamaging, 278, 282
- Photoreceptor, 86
- PI, 205, 237
- Picric acid, 135, 165, 168, 191, 193
- Pinhole, 274–275
- PKA, 283
- PKB, 2, 8
- PKC, 8, 115, 283
- Placental alkaline phosphatase. See APP
- PLAP, 85, 90–92, 95, 100, 103–105, 107
- Plasmid(s), 30, 34, 37–38, 40–42, 46–57, 61, 65, 67, 73–74, 82, 83
DNA, 2, 4, 9, 29–32, 36–39, 41–42, 47–48, 51, 55, 65, 67–68, 73–74, 76, 82–84, 87, 98–100, 106, 121, 142, 145–147, 149, 151–154, 156–159, 236–242, 247, 249–251, 253, 255–258
pcis-CMV-CAT, 41
pCMV-luciferase, 40
pEGFP-N1, 35–36, 55–56
plasmid-based genes, 37
- Platlet-derived growth factor. See PDGF
- Pluronic acid, 276–277
- Point scanning, 275
- Poly-ADP-ribose polymerase. See PARP
- Polyclonal antibodies, 12, 44, 210
anti-CTb, 227–228
anti-DBH, 229
anti-human APP, 33
anti-MAP2, 33
anti-PHA-L, 210
to PAP, 162–163, 178, 196, 197, 227–228
- Polyethylene glycol. See PEG
- Polyethylenimine. See PEI
- Poly-L-lysine, 55
- Polymerase α , 238
- Polymerase chain reaction. See PCR
- Post-embedding, 90, 120, 162–163, 166–177, 179, 189, 196–197, 201, 249
- Post-mitotic cell(s), 247
- Postmitotic primary neurons, 29
- Postsynaptic receptor genes, 102
- Pre-embedding, 15, 19, 137, 162–163, 165–166, 170–173, 175–177, 179–180, 188, 196–197, 201, 233–234, 270
- Primary fixation. See Fixation
- Primary hippocampal neurons, 29
- Primer(s), 87–88, 98–100, 102, 104, 106, 146–147, 149, 151–157
antisense, 98
custom designed forward, 155
flanking introns, 154
hapten-labeled, 146, 149, 157
random oligo (dT), 155
- Progenitor cells, 1–2, 8–12, 246, 249, 256
- Programmed cell death. See PCD
- Proliferating cell nuclear antigen. See PCNA
- Proliferating index, 235–236
- Promoter, 2, 33, 35, 37–40, 47, 50–51, 66, 68, 76, 78, 80, 83, 85, 88–90, 92, 104, 108
constructs, 32, 35, 37–38, 57–58, 61, 67–68, 73, 76, 78, 80–82
regulation, 2–4, 12, 28–29, 37–39, 47, 50–51, 58, 60–61, 63, 65, 69, 88, 141–142, 149, 158, 255–256, 258, 283
- Propidium iodide. See PI
- Protease digestion, 150, 153–154, 157
- Protease inhibitor(s), 10, 12, 245
aprotinin, 4–5, 7, 245
benzamidine, 12

- leupeptin, 4–5, 7, 12, 245
 pepstatin, 4–5, 7, 12
 phenilmethylsulfonyl fluoride, 4, 6, 10, 245
 Proteinase K, 150, 154, 244, 249
 Protonation, 38
 PS, 77, 239–240
 PVN, 76–77, 80–81
 Pyramidal cells. See Pyramidal neurons
 Pyramidal neurons, 89, 109, 183, 191, 200, 233, 280–283
 Pyronin, 229–230
- Q**
- Quantification, 39, 138, 174, 178, 180, 238, 258, 270
 Quantitative analysis, 26, 84, 178, 201
 quantification of immunostaining, 174
 quantification of the radioactive signal, 138
 quantitative expression of transgene, 83, 180
 quantitative studies, 49, 271
- R**
- Rab, 19, 23, 46
 Radioactive procedures, 32, 39, 99, 120–124, 127, 130, 133, 136–139, 141–142, 236, 249
 isotopic methods, 236
 non-isotopic methods, 146, 236, 249
 radioactive and enzymatic double ISH, 121, 123, 130, 133, 138–139
 radioimmunological procedures, 162
 radioisotopes, 242
 radiolabeled nucleotides, 2, 88, 143, 145, 176, 196–197
 tritiated thymidine, 236, 248–249
 Raf1, 1
 Random examers, 98
 Ras, 1–2
 Ratiometric dye(s), 275, 279–280
 Ratio value, 279–280
 Receptors, 1–2, 8, 15–20, 22–28, 34, 36, 51, 53–55, 57–61, 63, 65–66, 83, 86–88, 92, 95, 102, 107, 109–110, 115, 119, 124, 138, 139–143, 158–159, 165, 177–179, 181, 201, 215, 223, 233, 234, 238, 240, 257, 259, 261, 265–272, 278, 282
 adrenergic receptor(s), 54
 channel complex, 58
 cluster colocalization, 57
 cluster(s), 32, 53, 57, 61–65, 162–163, 166, 174, 190
 epitope-tagged, 18–19
 extrasynaptic clusters, 61
 for ganglioside GM1, 223
 GluR1, 34
 GluR2, 88, 115
 glycine receptor, 54, 65, 142
 GPCR, 16
 insulin-like growth factor receptor, 240
 ligand-induced internalization, 16
 mGluR2, 34, 115
 neuropeptide(s), 15–16, 18–19, 28, 115, 124, 138, 141–143, 233
 NK1, 28, 265–269, 271
 NMDA, 36, 54, 65–66, 201, 278
 NMDAR1 subunit, 109
 NT1, 22–24
 receptor-ionophore complex, 88
 receptor-ligand complex, 16
 resensitization, 16
 sequestration, 16, 283
 sst2A, 22, 24–25, 27–28
 subunits, 53–54, 57–58, 61, 92, 102, 107, 141
 TR, 50, 122
 transferrin, 16, 28, 238, 257
 TrkA, 2
 Reciprocal circuits, 225
 Recombinant virus, 29–30
 Reduced glutathione, 239
 Refractive index, 271
 Reporter-based tracers, 204
 Reporter gene(s), 38, 40, 48–49, 89, 176
 Repp86, 238
 Resin infiltration, 166
 Retina, 69, 84–87, 90–92, 95, 97–98, 100, 102–104, 107–110, 112, 178–179, 255
 amacrine cells, 86–87, 91, 107
 bipolar cells, 107, 110
 cone bipolar(s), 86, 179
 dopaminergic cells, 90, 107
 ganglion cells, 86, 95, 100, 102, 110, 232, 272
 interplexiform cell(s), 91
 Photoreceptor, 86
 rod bipolar, 89, 91, 95, 110
 Retrograde degeneration, 203
 Retrograde labeling. See Retrograde tracing
 Retrograde tracing, 176, 204–206, 208, 212, 216–218, 223, 224–225, 231–233, 270
 with colloidal gold particles, 162–163, 176, 253
 CTb-HRP, 205–208, 223
 diamidino yellow, 206–207
 Evans blue, 205–207
 Fast Blue, 205–207, 227, 229–231
 fluorescent counterstains, 215
 fluorescent tracers, 205, 208, 212–215, 218, 223–224
 HRP-based tracers, 205, 214, 223

Index

- Retrograde tracing (continued)
with HRP conjugated to plant lectins, 176
Nuclear yellow, 205–207
PI, 205, 237
radiolabeled amino acids, 176
retrograde degeneration, 203
retrograde transport of tracers, 89, 232, 234
WGA-apoHRP, 205
- Retrovirus, 107
- Reverse transcriptase. See RT
- Reverse transcriptase polymerase chain reaction. See RT-PCR
- Rhodamine. See TRITC
- Ribosomal S6 kinase. See RSK
- Ribosome(s), 240
- Ricin, 224, 234
- RNA, 35, 41, 83, 86, 88, 95–96, 98, 103–104, 108, 116, 121, 135, 141–143, 147, 150–151, 158, 257
mRNA, 86, 92, 95, 99–100, 102–103, 106, 109, 124, 127, 130, 132, 135–143, 145–147, 149, 152–159, 238, 255
mRNA by single-cell RT-PCR, 92
reverse transcriptase, 88, 96, 99, 104, 147, 151–152, 155, 157, 238
RNase inhibitor(s), 96, 100, 136
- Rod(s), 89, 91, 95, 110
- RSK, 145, 149, 154, 156–158, 158
- RSV, 78
- RT, 88, 96, 98, 99, 104, 147, 151–152, 155, 157, 238
- RT-PCR, 85, 87–88, 92, 95–96, 98–104, 106–107, 109, 140, 142, 145–158
- S**
- Sacl, 99–101, 106
- Sampling speed, 275
- Saporin, 224
- Sciatic nerve, 266–267
- Sepharose, 3, 12, 93–94
- Sequestration, 16, 283
- Shc, 1–2, 12
- Signal-to-noise ratio, 194, 214, 274
- Signal transducer and activator of transcription. See Transcription
- Silver, 20–21, 26, 124–125, 127, 130, 137, 139, 162, 171, 174–175, 177–180, 201, 203, 208, 210, 216–219, 223, 227, 236, 238, 249, 255, 258
enhanced gold labeling, 137, 161, 166, 175–178, 251
grains, 26, 124, 139, 236, 249
impregnation of degenerating axons, 203, 218
intensified immunogold. See Immunogold
Simultaneous labeling. See Immunogold
Single immunogold staining. See Immunogold
Single-stranded DNA. See ssDNA
Skin, 34, 67, 155, 185, 204, 256
Slice preparation(s), 107, 176, 182, 191, 199, 237, 276
SNARF-1, 239
Sodium borohydride, 183, 187, 191, 193, 222, 225, 228, 232
Sodium fluoride, 6, 10
Sodium metaperiodate, 166–167, 169–171, 180, 189, 243
Somatostatin. See SRIF
Southern blot(ting), 99, 145
Spatial distribution, 173, 260
Spatial resolution, 26, 173–174, 260, 274–275
SpeI, 55
Spermidine, 74
Spinal cord, 29, 111, 113–114, 166, 170, 174, 177–180, 182–183, 185, 200–201, 217, 222, 230–234, 265–267, 271–272, 277, 281–282
neurons, 28–36, 119, 124, 175–183, 185–187, 189, 191, 193, 195, 197–201, 203–204, 212–213, 216–218, 221–225, 229–235, 247, 264–273, 278, 280–283
spinal dorsal horn, 180, 229, 231, 261, 264
spinothalamic tract, 267
substantia gelatinosa, 177–179, 271, 282
in ultrastructural tract tracing studies, 162, 198, 205, 221–224, 253
Spontaneous inhibitory postsynaptic currents, 61
Src, 1, 8
SRIF, 15, 17, 22, 23, 26–27, 28, 115, 272
SsDNA, 237, 240–241, 255, 257
STAT, 2, 4, 9, 12–13
Statin, 238, 258
STM buffer, 244
Stratacooler, 104
Streptavidin, 125, 127, 130, 134, 198, 226, 229, 263
Structural preservation, 167, 222
Substance P, 28, 115, 174, 179, 187, 201, 233, 265–266, 268, 271–272
Substantia nigra, 47, 49, 110–112, 114, 217
Suicide tracers in ultrastructural tracing studies, 224
Survival, 1–2, 32, 70, 206–207, 212, 236, 246–247, 250, 253–254, 256
post injection survival, 207, 212
Synapse(s), 28, 53, 60–61, 65, 161, 166, 171, 178–179, 190, 197, 198–201, 204, 224, 226, 230, 234, 259–260, 265, 267–269, 272
in degenerating neurons, 178, 203, 218, 224
gabaergic, 53, 65, 178, 201

- monosynaptic connections, 204
 polysynaptic connections, 204
 retrograde transsynaptic tracers, 204
 synaptic circuitry, 181, 221, 232
 synaptic connection(s), 86, 89–92, 177, 179–180, 259
 synaptic input to neurons in ultrastructural tracing studies, 223
 synaptic specialization(s), 221, 269, 270
 synaptic vesicles, 172–174, 201, 229
 Synaptophysin, 53
 Synthetic vectors, 38
 SYTO stains, 237
 SYTOX Green, 237
- T**
- Tannic acid, 166, 180
 Taq DNA polymerase, 99, 151, 153–154, 156
 T4 DNA ligase, 241, 250
 TdT, 241–242, 244, 251
 Telomerase, 238, 256, 258
 Template(s), 88, 99–100, 106, 121, 147, 156
 Terminal deoxynucleotidyl transferase. *See* TdT
 Tetramethyl rhodamine-dextran amine. *See* Fluoro-Ruby
 Texas Red, 22, 217, 241
 TH, 56, 85, 89, 91–92, 99–100, 102, 104, 106, 107, 112–113, 115, 124, 178
 gene, 55, 67–69, 71, 73–89, 91–93, 95, 97, 99, 101–103, 105, 107–108, 109, 124
 Th-10a, 238, 256
 Thalamus, 217, 265, 267
 Three-dimensional reconstruction, 223
 Thyroid, 50–51
 Thyroid hormone receptor, 51. *See* TR
 Thyrotropin Releasing Hormone, 51. *See* TRH
 Time lapse video microscopy. *See* Video microscopy
 TMB, 210, 214, 219, 222, 227–231
 Topoisomerase IIa, 238
 Toxin(s), 205–208, 223–224, 231–234, 261
 CTb, 205–208, 223–234, 261–263, 265–267, 270
 saporin, 224
 TR, 50, 51, 122
 Tracer(s), 176–177, 204–219, 221–234, 236, 261, 262–263, 270
 anterograde tracing, 176, 178, 180, 203–205, 207–208, 211, 224–225, 228, 231–233
 axonal tracers, 204, 215
 axonal transport, 203, 205, 209, 212, 218
 BDA, 176, 205–207, 224–225, 227–230, 232
 bi-directional labeling. *See* Bidirectional transport
 bi-directional transport, 216, 225
 biocytin, 182, 191–193, 198, 201, 205, 207, 210, 212, 224–225, 232–233
 biotin-based tracers, 205, 208, 210, 214, 224–225
 combined retrograde and anterograde labeling, 212
 CTb-HRP, 206–208, 223
 cytoplasmic labeling, 216, 218
 dark-field observation, 218
 Diamidino yellow, 206–207
 Evans blue, 205–207
 Fast Blue, 205–207, 227, 229–231
 fluorescent tracer(s), 205, 208, 212–215, 218, 223–224
 gold-conjugated tracers, 208, 210–211, 213, 216
 HRP-based tracers, 214
 isotope-conjugated neurotransmitters, 204
 juxtacellular labeling, 182
 labeled neurotransmitters, 178, 223
 lipophilic dyes, 204
 Neurobiotin, 182, 191–192, 195, 198, 201, 205, 207, 224–225, 232, 261, 263
 neurotropic virus(es), 204
 nuclear staining, 154, 156–157, 218, 253
 Nuclear yellow, 205–207
 PI, 205, 237
 post-injection survival, 207, 212
 reporter-based tracers, 204
 retrograde tracing, 176, 204–206, 208, 212, 216–218, 223, 224–225, 231–233, 270
 retrograde transsynaptic tracers, 204
 transganglionic tracing, 204
 transmembrane dye diffusion, 216
 in ultrasonic tracing studies, 223
 ultrastructural visualization, 171–172, 176, 179, 243, 249–250, 252
 Tracing studies, 221–223, 225, 232
 Tract-tracing methods, 176, 218
 Transferase(s), 257
 TdT, 241–242, 244, 251
 Transcription factor(s), 1–2, 4, 8, 47, 138–139, 158
 Transfection, 15–17, 19, 29–36, 39, 45, 47, 49–51, 53–57, 59–63, 65, 67–69, 71, 73, 75–85
 Biolistics, 67–69, 71, 73, 76–78, 82–84
 of cDNA in cultured mammalian cells, 29
 COS-7 cells, 17–19, 22–24, 26, 28
 efficiency, 29–30, 33, 35, 38–39, 45, 47–48, 54, 65, 68–69, 73, 82–83, 90, 92, 102, 135, 137, 142, 154, 156, 166
 Gene Gun, 67–69, 73–76, 78, 83–84
 heterologous (transfection) systems, 15–16, 124, 139
 hyperexpression, 82

Index

- Transfection (continued)
 integrated sequences, 51
 integrated transcriptional responses, 37
 lipid-mediated cell transfection, 76
 modified calcium phosphate transfection, 34–35
 transfected cell lines, 51
 viral transfection, 60
 in vivo gene transfer, 40, 51
- Transfection methods. See Transfection
- Transferase-immunogold technique(s), 257
- Transferrin receptor, 16, 28, 238, 257
- Transganglionic tracing, 204
- Transganglionic transport, 267
- Transgene(s), 38–39, 45–46, 48, 51, 82–83, 89, 108, 141, 180
 transgene expression, 38, 45, 83, 108
 transgenesis, 37–38
 transgenic mouse (mice), 66, 76, 78, 82, 90, 92, 102, 103, 107–108, 180
 transgenic retina, 100
- Transmembrane dye diffusion (in tracing studies), 216
- TRH, 50–51
- TRH promoter, 50–51
- Triple labeling combining ICC and a radioactive and enzymatic double ISH, 130, 133, 139
- TRITC, 210, 239, 261–263, 266
- Tritiated thymidine, 236, 248–249
- Triton, 5–6, 20, 33, 71–72, 138, 165, 168–171, 193, 195, 222, 243, 245, 261, 263, 271
- TrkA, 2
- Trophic factor(s), 235
- Tubulin CMV, 33, 35, 40, 78
- TUNEL, 241, 248–253, 257
- Tungsten particles, 68
- Two rounds PCR, 99
- Tymidine, 236, 247–249
- Tyramide, 128, 132, 134, 140, 142
 amplification, 132, 134, 140–142
- Tyrosine hydroxylase. See TH
- Tyrosine kinase receptor(s), 8. See also Receptor(s)
- 243, 249–250, 252
- Ultrastructure. See Ultrastructure studies
- Ultrathin frozen sections, 162, 175, 178
- Unmodified T7 polymerase, 241
- Unmyelinated fibers, 261, 265–266, 272
- Uranyl acetate, 167, 169–170, 189, 245, 264
- UV, 41, 98, 167, 270, 278–279, 282
- V
- Vaccinia virus, 38
- Vascular perfusion, 222, 224
- Vasopressin. See VP
- Vector VIP, 113, 115, 222, 234
- Vibrating microtome. See Vibratome
- Vibratome, 18, 21, 39, 44–45, 49, 95, 125, 136, 138, 165, 168–169, 177, 189, 191, 193, 196–197, 210, 213, 227–228, 232, 260, 262–264, 270, 272, 276
 antifreeze mixtures for vibratome sections, 228
 sections, 17–18, 20, 22, 24–25, 44–46, 49, 95, 124–125, 135–136, 138, 161–163, 165–171, 173, 175–180, 187–190, 193–199, 201, 213–216, 228–232, 257–264, 266–268, 270–272
- Video microscopy, 35
- Viral messengers, 120
- Viral transfection methods, 60
- Viral vectors, 68, 76, 81–82
 adeno-associated virus, 83
 for gene delivery, 51
 recombinant virus, 29–30
 retrovirus, 107
 vaccinia virus, 38
- Visual cortex, 69, 83, 281–282
- Visual perception, 85
- VLM, 226, 229–230
- VOC(s), 54, 87–88, 90, 158, 282
- Volkensin, 224
- Voltage-gated calcium channel(s). See VOC
- Voltage-operated calcium channel(s). See VOC
- VP, 76, 78, 83, 115, 124, 127, 132, 138, 142–143
- W
- Wallerian degeneration, 203
- Wavelength, 208, 214, 262, 279–280, 282–283
- Western blot(ting), 3, 8, 10, 15, 30, 32, 33, 35–36, 243, 246, 251
- WGA, 205, 208, 223, 272
 apoHRP, 205
 CTb, 205–208, 223–234, 261–263, 265–267, 270
 CTb-HRP, 206–208, 223
 gold, 208, 223

HRP, 178, 208, 223
HRP-gold, 223
Wheat-germ agglutinin. See WGA
White matter, 246–248, 252–253, 258

X

Xenopus oocyte(s), 37, 47, 54, 83, 142, 283
X-gal, 44–45, 48, 69

Y

Yama. See Caspase 3
YO-PRO(tm)-1 iodide, 205, 237

Z

Zeta-sizing, 47
Zinc, 58
Zolpidem, 53, 56, 58–59