

Index

A

- AD-NET (Asian Dust Network), 151
- Advanced Microwave Sounding Unit (AMSU), 186-188
- Aerial vehicles, uninhabited (UAVs), 106, 110-117, 177
- Aerosol characterization by lidar, 148-149
- Aerosol climatology on continental scale, 155-157
- Aerosol forcing, 38-46
 - direct, 39-40
 - indirect, 40-41
- Aerosol index method, TOMS, 27-29
- Aerosol lidar, 145
- Aerosol mass spectrometer (AMS), 121, 123
- Aerosol measurement, 24-29
- Aerosol Raman lidar, 144-150
- Aerosols, 23, 38
- Aerosonde, 114
- Aircraft campaigns
 - atmospheric observations and, 106-110
 - databases, 93
 - European, atmospheric observations with, 85-94
 - instrumentation, 86-89
 - planning, 92
 - purpose of, 85-86
 - quality checks of, 90-92
- Air quality (AQ), 233
 - poor, 23
 - study from satellites, 23-36
- Air toxic pollutants, 166
- Air Toxics Monitoring Network (ATMN), 164
- Algorithms, 188-189
- Altair, 115
- Altus-I, 112
- AMS (aerosol mass spectrometer), 121, 123
- AMSU (Advanced Microwave Sounding Unit), 186-188
- Anelastic/Raman lidar, 149
- AQ, *see* Air quality
- Aqua satellite, 41
- Asian Dust Network (AD-NET), 151
- Asian pollutant emissions, 5
- ATMN (Air Toxics Monitoring Network), 164
- Atmospheric composition
 - observing systems for, *see* Observing systems for atmospheric composition
 - processes and issues of, 4
- Atmospheric constituents, spatial and temporal scales of, 6
- Atmospheric observations
 - aircraft and, 106-110
 - by aircraft and ground-based campaigns, 83-127
 - with European aircraft campaigns, 85-94
 - by ground-based networks, 129-199
 - by satellites, 21-81
- Atmospheric warming, 183
- A-train satellite constellation, 39, 41-45
- Aura satellite, 41

- Aura satellite mission, EOS, 64-69
- Autonomous systems
 challenges in, 172-175
 networks of, 178-179
 requirements for, 169-172
 unmanned platforms as, 176-177
- Autonomy, levels of, 171
- B**
- Backscattered ultraviolet measurements,
 total ozone from, 48-62
- Bayes' theorem, 231
- Box model, 4-5
- C**
- Calibration
 defined, 185-186
 examples, 186-188
 problems and uncertainties with, 188
- Calibration and validation (*cal/val*)
 importance of, 182-183
 process, 183-184
- CALIPSO, 42, 44-46
- Carbonaceous aerosols, 23
- Carbon dioxide, 4, 186
- Carbon monoxide, 31-32
- CARIBIC, 86
- CASM system, 122
- CASTNet (Clean Air Status and Trends
 Network), 161
- CCD (convective cloud difference)
 method, 29-30
- Central limit theorem, 234
- CERES, 45-46
- CF (CRYSTAL-FACE) mission,
 107-109
- Clean Air Act, United States, 159
- Clean Air Status and Trends Network
 (CASTNet), 161
- Climate, 3
- Climate system, schematic of, 2
- Cloud-scale meteorology, 17
- CNG (compressed natural gas), 122
- Commercial aircraft, measuring
 tropospheric constituents from,
see MOZAIC
- Compressed natural gas (CNG), 122
- Computing, high-performance,
 224-227
- Condition-based maintenance, open
 systems architecture for
 (OSA-CBM), 174-175
- Continental scale, aerosol climatology on,
 155-157
- Convective cloud difference (CCD)
 method, 29-30
- Criteria pollutants, 24
- CRYSTAL-FACE (CF) mission, 107-109
- D**
- DARPA (Defense Advanced Projects
 Research Agency), 176-178
- Data assimilation, 213-221
 observing system for, 221-223
 of ozone data, 217-221
- Data assimilation system, schematic of,
 215
- Data management, 173
- "Deep-blue" algorithm, 26
- Defense Advanced Projects Research
 Agency (DARPA), 176-178
- Degrees of freedom for signal (DOFS), 236
- Differential absorption lidar, 145
- Differential optical absorption
 spectroscopy (DOAS) technique,
 49-50, 53-54
- Direct aerosol forcing, 39-40
- Discrete equations, 209
- Discrete wavelength algorithm, 61-62
- Discretization, 211-212
- DOAS (differential optical absorption
 spectroscopy) technique, 49-50,
 53-54
- Dobson-Brewer technique, 51
- Dobson unit, 48
- DOE/ARM program, 113
- DOFS (degrees of freedom for signal), 236
- Dust, 23
- Dust layers, Saharan, 155
- Dust Network, Asian (AD-NET), 151
- E**
- Eagle UAV, 114
- EARLINET Lidar Network, 152-157
- Earth, radiation balance of, 3-6
- Earth components, 2
- Earth observing system (EOS) Aura
 satellite mission, 64-69

ECC (electrochemical concentration cell), 134
 Electrical power, 172
 Electrochemical concentration cell (ECC), 134
 Emissions, 6-7, 8
 Asian pollutant, 5
 Energy sources, 172
 Environmental monitoring system, 1
 Environmental power sources, 172
 ENVISAT, MIPAS experiment aboard, 71-80
 EOS (Earth observing system) Aura satellite mission, 64-69
 ESA (European Space Agency), 71
 Ethane, 7
 EUFAR fleet, 87-88
 EULINOX, 85
 European Space Agency (ESA), 71
 External validation, 193-195
 noncoincident, 197-198

F

Falcon instrumentation during TROCCINOX, 89
 FDMS TEOM, 121
 Federal and state monitoring networks, United States, 159-167
 Future monitoring networks, United States, 165-167

G

Generalized linear inverse problem, 235-236
 Geostationary orbit (GEO), 35, 36
 Global-scale winds, 18
 Ground-based campaign, United States, 119-126
 Ground-based networks, atmospheric observations by, 129-199
 Ground observations, satellite validation by, 195-197
 Ground vehicles, unmanned (UGV), 176

H

HALO, 86
 Helios, 115
 High-performance computing, 224-227
 High vantage point satellites, 33-36

HIRDLS, 46, 66, 68
 Hydroperoxyl radical, 7

I

Ice super-saturation (ISS), 99
 IMK (Institute for Meteorology and Climate Research), 71
 IMPROVE (Interagency Monitoring of Protected Visual Environments) network, 162, 163
 INCA, 85
 Indirect aerosol forcing, 40-41
 Instantaneous ozone production, 9-10
 Institute for Meteorology and Climate Research (IMK), 71
 Interagency Monitoring of Protected Visual Environments (IMPROVE) network, 162, 163
 Internal validation, 191-192
 International Summer School of Oceanic and Atmospheric Sciences, 2
 Inverse model, 230
 Inverse modeling techniques, 230-237
 Inverse problem
 generalized linear, 235-236
 for scalars, 232-234
 Isoprene, 7
 ISS (ice super-saturation), 99

K

KOPRA radiative transfer code, 75

L

L1 (Lagrange point, first), 35, 36
 Laboratory validation, 191
 Lagrange point, first (L1), 35, 36
 Lambert-equivalent reflectivity (LER), 55, 57-59
 LEO (low-earth orbit), 33-36
 LER (Lambert-equivalent reflectivity), 55, 57-59
 Lidar
 aerosol characterization by, 148-149
 aerosol Raman, 144-150
 anelastic/Raman, 149
 Lidar Network, 143-158
 EARLINET, 152-157
 Lidar systems, standard, 144
 Limb sounding geometry, 73, 74

- Limb-viewing instruments, 24
 Linear inverse problem, generalized, 235-236
 Liquid water content (LWC), 40-41
 Low-earth orbit (LEO), 33-36
 LWC (liquid water content), 40-41
- M**
- Machinery health management, 173, 174
 Maximum-likelihood estimation algorithm, 62
 Measurements, comparison of, 182-199
 Meteorology, 15-18
 Micro power plants, 172
 Micropulse Lidar Network (MPLNET), 151-152
 MIPAS experiment aboard ENVISAT, 71-80
 MIPAS instrument, 72, 220
 MLS, 46, 66, 68
 Modeling, 207-213
 Modeling techniques, inverse, 230-237
 MODIS instrument, 25-26, 42, 43, 204
 Monitoring networks, future, United States, 165-167
 Motes, 179
 MOZAIC, 86, 91-92, 97-100
 instrumentation, 97-98
 objective of, 97
 results, 98-100
 MPLNET (Micropulse Lidar Network), 151-152
- N**
- NAAQS (National Ambient Air Quality Standard), 125, 166
 Nadir-viewing techniques, 24
 NAMS (National Air Monitoring Stations), 160-164
 NASA ERAST program, 113, 116
 NASA UAV Science Demonstration Program, 113-114
 National Air Monitoring Stations (NAMS), 160-164
 National Ambient Air Quality Standard (NAAQS), 125, 166
 National Core Monitoring Network, *see* NCore *entries*
- National Dry Deposition Network (NDDN), 161
 NCore (National Core Monitoring Network), 166
 NCore level 2 core parameter list, 167
 NDDN (National Dry Deposition Network), 161
 NDSC (Network for Detection of Stratospheric Changes), 150-151, 190
 Network for Detection of Stratospheric Changes (NDSC), 150-151, 190
 Nitrogen dioxide, 30-31
 Nitrogen oxides, 4
 NOAA-9 SBUV/2, 192
 Noncoincident external validation, 197-198
 NOXAR, 86
 Nuclear power sources, 172
 Nucleation, 14
 NWP (numerical weather prediction), 182-183
- O**
- Observational error, 232
 Observational web, output of, 201-237
 Observation operator, 214
 Observing systems
 for atmospheric composition, 1-2, 3-4
 components of, 3
 concept of, 1-2
 for data assimilation, 221-223
 retrieval capabilities of, 236-237
 OMI, 46, 66, 68
 Open systems architecture for condition-based maintenance (OSA-CBM), 174-175
 Operational satellite data, 222
 OSA-CBM (open systems architecture for condition-based maintenance), 174-175
 Ozone, 4, 8-13, 23
 depletion in southern polar vortex, 77, 78
 measurement requirements and profiles, 132
 mixing ratio, 136, 137, 138
 from soundings, 131-140

- Ozone (*Continued*)
 total, 189
 algorithm for, 189
 from backscattered ultraviolet measurements, 48-62
 mapping spectrometer, *see* TOMS entries
 TOMS algorithm, 54-61
 tropospheric, 66-67
 estimation of, 29-30
 Ozone data, data assimilation of, 217-221
 Ozone production, instantaneous, 9-10
 Ozonesondes, 139-140
- P**
 PAMS (Photochemical Assessment Monitoring Stations) program, 161
 Parameterized equations, 209
 PARASOL, 42
 Partially oxidized organics (POO), 124
 Particle microphysics and chemistry, 13-15
 Pathfinder, 114
 PBL (planetary boundary layer), 16-17
 Photochemical Assessment Monitoring Stations (PAMS) program, 161
 Physical models, 208
 PILS-IC, 121
 Planetary boundary layer (PBL), 16-17
 PM_{2.5}, 3, 13, 23, 119, 120
 PM_{2.5} FRM Network, 162, 164
 PM supersite program, 119-126
 PMTACS-NY program, 121
 Polar stratospheric clouds (PSC), 79-80
 Polar vortex, 76-78
 southern, ozone depletion in, 77, 78
 POLINAT, 85, 91-92
 Pollutant emissions, Asian, 5
 Pollutants
 air toxic, 166
 criteria, 24
 POO (partially oxidized organics), 124
 Power sources, 172
 Propene, 7, 8
 PSC (polar stratospheric clouds), 79-80
- Q**
 Quality checks of aircraft campaigns, 90-92
- R**
 Radiance validation, satellite, 193-195
 Radiation balance of Earth, 3-6
 Radiative transfer equation (RTE), 73-75
 Radiometric drift, 59
 Raman lidar, aerosol, 144-150
 Raman lidar return, 147
 Raman water vapor lidar, 145
 Remotely piloted vehicles (RPVs), 106
 Renewable energy sources, 172
 Representative equations, 209
 Research satellite data, 222
 Retrieval capabilities of observing systems, 236-237
 RPVs (remotely piloted vehicles), 106
 RTE (radiative transfer equation), 73-75
- S**
 SAGE III Ozone Loss and Validation Experiment (SOLVE), 193
 SAGE instrument, 29
 Saharan dust layers, 155
 Sampling, needs for, 3-18
 Satellite constellation, A-train, 39, 41-45
 Satellite radiance validation, 193-195
 Satellites
 air-quality study from, 23-36
 atmospheric observations by, 21-81
 high vantage point, 33-36
 Satellite validation by ground observations, 195-197
 SBUV (Solar Backscattered Ultraviolet/2) instrument, 220-221
 Scalars, inverse problem for, 232-234
 Sensor webs, 169-181, 203-206
 classes of, 204
 swarms as, 179-181
 SES-TEOM, 121
 SHADOZ (southern hemisphere additional ozonesondes), 132-140
 Short-time scale, needs for sampling on, 3-18
 SIPs (state implementation plans), 125
 SLAMS (State and Local Air Monitoring Stations), 160, 165
 Solar Backscattered Ultraviolet/2 (SBUV) instrument, 220-221

- SOLVE (SAGE III Ozone Loss and Validation Experiment), 193
- Soundings, ozone from, 131-140
- Southern hemisphere additional ozonesondes (SHADOZ), 132-140
- Spatial scale, needs for sampling on, 3-18
- Spectral-fitting algorithms, 62
- State and Local Air Monitoring Stations (SLAMS), 160, 165
- State implementation plans (SIPs), 125
- Statistical models, 208
- Stratosphere, lower, upper troposphere and (UTLS), 97-100
- Sulfur dioxide, 32-33
- Swarms, 179-181
- Synoptic-scale meteorology, 17-18
- T**
- TES, 46, 66, 68, 204-205
- Time synchronization, 175
- TOAR (top-of-the-atmosphere reflectance), 25-26, 27
- TOMS aerosol index method, 27-29
- TOMS total ozone algorithm, 54-61
- Top-of-the-atmosphere reflectance (TOAR), 25-26, 27
- Total ozone mapping spectrometer, *see* TOMS *entries*
- Trace gas distributions, derivation of, 76-78
- TRADEOFF project, 93
- TROCCINOX, 86
- Falcon instrumentation during, 89
- Tropical transition layer (TTL), 29
- Troposphere, 2
- upper, and lower stratosphere (UTLS), 97-100
- Tropospheric chemistry, 8-13
- Tropospheric composition, 3-6
- Tropospheric constituents, measuring, from commercial aircraft, *see* MOZAIC
- Tropospheric ozone, 66-67
- estimation of, 29-30
- TTL (tropical transition layer), 29
- U**
- UAVs (uninhabited aerial vehicles), 106, 110-117, 177
- UGV (unmanned ground vehicles), 176
- Ultraviolet measurements, backscattered, total ozone from, 48-62
- Underwater vehicles, unmanned (UUV), 177
- Uninhabited aerial vehicles (UAVs), 106, 110-117, 177
- United States
- Clean Air Act, 159
- federal and state monitoring networks, 159-167
- future monitoring networks, 165-167
- ground-based campaign, 119-126
- Unmanned ground vehicles (UGV), 176
- Unmanned platforms as autonomous systems, 176-177
- Unmanned underwater vehicles (UUV), 177
- Upscatter fraction, 40
- UTLS (upper troposphere and lower stratosphere), 97-100
- UUV (unmanned underwater vehicles), 177
- V**
- Validation, 190-199
- defined, 190
- external, *see* External validation
- internal, 191-192
- laboratory, 191
- requirements for, 190
- satellite, by ground observations, 195-197
- satellite radiance, 193-195
- VOCs (volatile organic compounds), 4, 124
- Volatile organic compounds (VOCs), 4, 124
- W**
- Warming, atmospheric, 183
- Water vapor, 4
- Weather prediction, numerical (NWP), 182-183
- Winds, global-scale, 18
- X**
- XML, 174