

---

## References

- [1] R. J. Adler, R. E. Feldman, and M. S. Taqqu, eds., *A Practical Guide to Heavy Tails: Statistical Techniques and Applications*, Birkhäuser Boston, Cambridge, MA, 1998.
- [2] J. Anděl, Nonlinear nonnegative AR(1) processes, *Comm. Statist. Theory Methods*, **18-11** (1989), 4029–4037.
- [3] J. Anděl, Nonnegative autoregressive processes, *J. Time Series Anal.*, **10-1** (1989), 1–11.
- [4] D. Applebaum, *Lévy Processes and Stochastic Calculus*, Cambridge Studies in Advanced Mathematics, Vol. 93, Cambridge University Press, Cambridge, UK, 2004.
- [5] D. Applebaum, Lévy-type stochastic integrals with regularly varying tails, *Stochastic Anal. Appl.*, **23-3** (2005), 595–611.
- [6] M. Arlitt and C. L. Williamson, Web server workload characterization: The search for invariants (extended version), in *Proceedings of the ACM Sigmetrics Conference, Philadelphia, PA*, ACM, New York, 1996; available from {mfa126,carey}@cs.usask.ca.
- [7] M. Arlitt and C. Williamson, *Web Server Workload Characterization: The Search for Invariants*, Master’s thesis, University of Saskatchewan, Saskatoon, SK, Canada, 1996.
- [8] S. Asmussen, *Applied Probability and Queues*, 2nd ed., Applications of Mathematics: Stochastic Modelling and Applied Probability, Vol. 51, Springer-Verlag, New York, 2003.
- [9] K. B. Athreya, Bootstrap of the mean in the infinite variance case, in *Proceedings of the 1st World Congress of the Bernoulli Society (Tashkent, 1986)*, Vol. 2, VNU Sci. Press, Utrecht, The Netherlands, 1987, 95–98.
- [10] K. B. Athreya, Bootstrap of the mean in the infinite variance case, *Ann. Statist.*, **15-2** (1987), 724–731.
- [11] A. A. Balkema and S. I. Resnick, Max-infinite divisibility, *J. Appl. Probab.*, **14-2** (1977), 309–319.
- [12] B. Basrak, R. A. Davis, and T. Mikosch, The sample ACF of a simple bilinear process, *Stochastic Process. Appl.*, **83-1** (1999), 1–14.

- [13] B. Basrak, R. A. Davis, and T. Mikosch, A characterization of multivariate regular variation, *Ann. Appl. Probab.*, **12**-3 (2002), 908–920.
- [14] B. Basrak, R. Davis, and T. Mikosch, Regular variation of GARCH processes, *Stochastic Process. Appl.*, **99**-1 (2002), 95–115.
- [15] B. Basrak, *The Sample Autocorrelation Function of Non-Linear Time Series*, Ph.D. thesis, Rijksuniversiteit Groningen, Groningen, The Netherlands, 2000.
- [16] J. Beirlant, Y. Goegebeur, J. Teugels, and J. Segers, *Statistics of Extremes: Theory and Applications*, Wiley Series in Probability and Statistics, Wiley, Chichester, UK, 2004 (with contributions from D. De Waal and C. Ferro).
- [17] J. Beirlant, P. Vynckier, and J. Teugels, Tail index estimation, Pareto quantile plots, and regression diagnostics, *J. Amer. Statist. Assoc.*, **91**-436 (1996), 1659–1667.
- [18] J. Beran, Statistical methods for data with long-range dependence, *Statist. Sci.*, **7**-4 (1992), 404–416 (404–427 including discussions and rejoinder).
- [19] J. Bertoin, *Lévy Processes*, Cambridge Tracts in Mathematics, Vol. 121, Cambridge University Press, Cambridge, UK, 1996.
- [20] R. N. Bhattacharya, V. K. Gupta, and E. Waymire, The Hurst effect under trends, *J. Appl. Probab.*, **20** (1983), 649–662.
- [21] P. J. Bickel and D. A. Freedman, Some asymptotic theory for the bootstrap, *Ann. Statist.*, **9**-6 (1981), 1196–1217.
- [22] P. Billingsley, *Convergence of Probability Measures*, Wiley, New York, 1968.
- [23] P. Billingsley, *Weak Convergence of Measures: Applications in Probability*, CBMS–SIAM Series in Applied Mathematics, Vol. 5, Society for Industrial and Applied Mathematics, Philadelphia, 1971.
- [24] P. Billingsley, *Probability and Measure*, Wiley Series in Probability and Mathematical Statistics, 3rd ed., Wiley–Interscience, New York, 1995.
- [25] P. Billingsley, *Convergence of Probability Measures*, 2nd ed., Wiley–Interscience, New York, 1999.
- [26] N. H. Bingham, C. M. Goldie, and J. L. Teugels, *Regular Variation*, Cambridge University Press, Cambridge, UK, 1987.
- [27] D. C. Boes and J. D. Salas-La Cruz, On the expected range and expected adjusted range of partial sums of exchangeable random variables, *J. Appl. Probab.*, **10** (1973), 671–677.
- [28] D. C. Boes, Schemes exhibiting Hurst behavior, in J. Srivastava, ed., *Essays in Honor of Franklin Graybill*, North-Holland, Amsterdam, 1988, 21–42.
- [29] O. J. Boxma and J. W. Cohen, Heavy-traffic analysis for the GI/G/1 queue with heavy-tailed distributions, *Queueing Systems Theory Appl.*, **33**-1–3 (1999), 177–204.
- [30] L. Breiman, On some limit theorems similar to the arc-sin law, *Theory Probab. Appl.*, **10** (1965), 323–331.

- [31] P. J. Brockwell and R. A. Davis, *Time Series: Theory and Methods*, 2nd ed., Springer-Verlag, New York, 1991.
- [32] P. J. Brockwell, N. Pacheco-Santiago, and S. I. Resnick, Weak convergence and range analysis for dams with Markovian input rate, *J. Appl. Probab.*, **19** (1982), 272–289.
- [33] M. Brown, An invariance property of Poisson processes, *J. Appl. Probab.*, **6** (1969), 453–458.
- [34] M. Brown, Some results on a traffic model of Rényi, *J. Appl. Probab.*, **6** (1969), 293–300.
- [35] M. Brown, A property of Poisson processes and its application to macroscopic equilibrium of particle systems, *Ann. Math. Statist.*, **41** (1970), 1935–1941.
- [36] M. Brown, Invariant of traffic streams, *Cahiers Centre Études Rech. Opér.*, **14** (1972), 23–26.
- [37] M. Brown, Low density traffic streams, *Adv. Appl. Probab.*, **4** (1972), 177–192.
- [38] F. H. Campos, J. S. Marron, C. Park, S. I. Resnick, and K. Jaffay, Extremal dependence: Internet traffic applications, *Stoch. Models*, **21**-1 (2005), 1–35.
- [39] J. Cao, W. Cleveland, D. Lin, and D. X. Sun, On the nonstationarity of internet traffic, in *Proceedings of the ACM SIGMETRICS 2001*, ACM, New York, 2001, 102–112; available online from <http://cm.bell-labs.com/cm/ms/departments/sia/InternetTraffic/webpapers.html>.
- [40] J. Cao, W. Cleveland, D. Lin, and D. X. Sun, The effect of statistical multiplexing on internet packet traffic: Theory and empirical study, 2001, <http://cm.bell-labs.com/cm/ms/departments/sia/InternetTraffic/webpapers.html>.
- [41] E. Castillo, *Extreme Value Theory in Engineering*, Academic Press, San Diego, 1988.
- [42] T. L. Chow and J. L. Teugels, The sum and the maximum of i.i.d. random variables, in *Proceedings of the Second Prague Symposium on Asymptotic Statistics (Hradec Králové, 1978)*, North-Holland, Amsterdam, 1979, 81–92.
- [43] E. Çinlar, *Random Measures and Dynamic Point Processes II: Poisson Random Measures*, Discussion Paper 11, Center for Statistics and Probability, Northwestern University, Evanston, IL, 1976.
- [44] D. B. H. Cline, *Estimation and Linear Prediction for Regression, Autoregression, and ARMA with Infinite Variance Data*, Ph.D. thesis, Colorado State University, Fort Collins, CO, 1983.
- [45] J. W. Cohen, *Heavy-Traffic Theory for the Heavy-Tailed M/G/1 Queue and  $\nu$ -Stable Lévy Noise Traffic*, Technical Report PNA-R9805, Centrum voor Wiskunde en Informatica, Amsterdam, 1998.
- [46] J. W. Cohen, *The  $\nu$ -Stable Lévy Motion in Heavy-Traffic Analysis of Queueing Models with Heavy-Tailed Distributions*, Technical Report PNA-R9808, Centrum voor Wiskunde en Informatica, Amsterdam, 1998.

- [47] J. W. Cohen, A heavy-traffic theorem for the GI/G/1 queue with a Pareto-type service time distribution, *J. Appl. Math. Stochastic Anal.*, **11-3** (1998), 247–254.
- [48] J. Cohen, S. Resnick, and G. Samorodnitsky, Sample correlations of infinite variance time series models: An empirical and theoretical study, *J. Appl. Math. Stochastic Anal.*, **11-3** (1998), 255–282.
- [49] S. G. Coles, J. E. Heffernan, and J. A. Tawn, Dependence measures for extreme value analyses, *Extremes*, **2-4** (1999), 339–365.
- [50] S. G. Coles, *An Introduction to Statistical Modeling of Extreme Values*, Springer Series in Statistics, Springer-Verlag, London, 2001.
- [51] M. Crovella, A. Bestavros, and M. S. Taqqu, Heavy-tailed probability distributions in the world wide web, in M. S. Taqqu, R. Adler, R. Feldman, eds., *A Practical Guide to Heavy Tails: Statistical Techniques for Analyzing Heavy Tailed Distributions*, Birkhäuser Boston, Cambridge, MA, 1999.
- [52] M. Crovella and A. Bestavros, *Explaining World Wide Web Traffic Self-Similarity*, Technical Report TR-95-015, Computer Science Department, Boston University, Boston, 1995; available from {crovella,best}@cs.bu.edu.
- [53] M. Crovella and A. Bestavros, Self-similarity in world wide web traffic: Evidence and possible causes, in *Proceedings of the ACM SIGMETRICS 1996 International Conference on Measurement and Modeling of Computer Systems*, Vol. 24, 1996, ACN, New York, 160–169.
- [54] M. Crovella and A. Bestavros, Self-similarity in world wide web traffic: Evidence and possible causes, *Performance Evaluation Rev.*, **24** (1996), 160–169.
- [55] M. Crovella and A. Bestavros, Self-similarity in world wide web traffic: evidence and possible causes, *IEEE/ACM Trans. Networking*, **5-6** (1997), 835–846.
- [56] M. Crovella, G. Kim, and K. Park, On the relationship between file sizes, transport protocols, and self-similar network traffic, in *Proceedings of the 4th IEEE Conference on Network Protocols (ICNP'96)*, IEEE Press, Piscataway, NJ, 1996, 171–180.
- [57] S. Csörgő, P. Deheuvels, and D. Mason, Kernel estimates for the tail index of a distribution, *Ann. Statist.*, **13** (1985), 1050–1077.
- [58] S. Csörgő and D. Mason, Central limit theorems for sums of extreme values, *Math. Proc. Cambridge Philos. Soc.*, **98** (1985), 547–558.
- [59] S. Csörgő, E. Haeusler, and D. M. Mason, The asymptotic distribution of extreme sums, *Ann. Probab.*, **19-2** (1991), 783–811.
- [60] S. Csörgő, E. Haeusler, and D. M. Mason, The quantile-transform approach to the asymptotic distribution of modulus trimmed sums, in *Sums, Trimmed Sums and Extremes*, Progress in Probability, Vol. 23, Birkhäuser Boston, Cambridge, MA, 1991, 337–353.

- [61] S. Csörgő, E. Haeusler, and D. M. Mason, The quantile-transform–empirical-process approach to limit theorems for sums of order statistics, in *Sums, Trimmed Sums and Extremes*, Progress in Probability, Vol. 23, Birkhäuser Boston, Cambridge, MA, 1991, 215–267.
- [62] S. Csörgő and L. Viharos, On the asymptotic normality of Hill’s estimator, *Math. Proc. Cambridge Philos. Soc.*, **118**-2 (1995), 375–382.
- [63] C. Cunha, A. Bestavros, and M. Crovella, *Characteristics of WWW Client–Based Traces*, Technical Report BU-CS-95-010, Computer Science Department, Boston University, Boston, 1995; available from {crovella,best}@cs.bu.edu.
- [64] M. Dacorogna, H. A. Hauksson, T. Domenig, U. Müller, and G. Samorodnitsky, Multivariate extremes, aggregation and risk estimation, *Quantitative Finance*, **1**-1 (2001), 79–85.
- [65] D. J. Daley and D. Vere-Jones, *An Introduction to the Theory of Point Processes, Vol. I: Elementary Theory and Methods*, 2nd ed., Probability and Its Applications, Springer-Verlag, New York, 2003.
- [66] J. Danielsson, L. de Haan, L. Peng, and C. G. de Vries, Using a bootstrap method to choose the sample fraction in tail index estimation, *J. Multivariate Anal.*, **76**-2 (2001), 226–248.
- [67] S. Datta and W. P. McCormick, Bootstrap inference for a first-order autoregression with positive innovations, *J. Amer. Statist. Assoc.*, **90**-432 (1995), 1289–1300.
- [68] B. D’Auria and S. I. Resnick, Data network models of burstiness, *Adv. Appl. Probab.*, **38**-2 (2006), 373–404.
- [69] R. A. Davis and W. P. McCormick, Estimation for first-order autoregressive processes with positive or bounded innovations, *Stochastic Process. Appl.*, **31**-2 (1989), 237–250.
- [70] R. A. Davis and T. Mikosch, The sample autocorrelations of heavy-tailed processes with applications to ARCH, *Ann. Statist.*, **26**-5 (1998), 2049–2080.
- [71] R. A. Davis and T. Mikosch, Point process convergence of stochastic volatility processes with application to sample autocorrelation, *J. Appl. Probab.*, **38A** (2001), 93–104.
- [72] R. A. Davis and S. I. Resnick, Tail estimates motivated by extreme value theory, *Ann. Statist.*, **12** (1984), 1467–1487.
- [73] R. A. Davis and S. I. Resnick, Limit theory for moving averages of random variables with regularly varying tail probabilities, *Ann. Probab.*, **13**-1 (1985), 179–195.
- [74] R. A. Davis and S. I. Resnick, More limit theory for the sample correlation function of moving averages, *Stochastic Process. Appl.*, **20**-2 (1985), 257–279.
- [75] R. A. Davis and S. I. Resnick, Limit theory for the sample covariance and correlation functions of moving averages, *Ann. Statist.*, **14**-2 (1986), 533–558.
- [76] R. A. Davis and S. I. Resnick, Extremes of moving averages of random variables from the domain of attraction of the double exponential distribution, *Stochastic Process. Appl.*, **30**-1 (1988), 41–68.

- [77] R. A. Davis and S. I. Resnick, Limit theory for bilinear processes with heavy tailed noise, *Ann. Appl. Probab.*, **6** (1996), 1191–1210.
- [78] R. Davis, E. Mulrow, and S. Resnick, The convex hull of a random sample in  $\mathbf{R}^2$ , *Comm. Statist. Stochastic Models*, **3-1** (1987), 1–27.
- [79] P. Deheuvels, D. M. Mason, and G. R. Shorack, Some results on the influence of extremes on the bootstrap, *Ann. Inst. H. Poincaré Probab. Statist.*, **29-1** (1993), 83–103.
- [80] P. Deheuvels and D. M. Mason, A tail empirical process approach to some nonstandard laws of the iterated logarithm, *J. Theoret. Probab.*, **4-1** (1991), 53–85.
- [81] P. Deheuvels and D. M. Mason, Functional laws of the iterated logarithm for the increments of empirical and quantile processes, *Ann. Probab.*, **20-3** (1992), 1248–1287.
- [82] P. Deheuvels, A construction of extremal processes, in *Probability and Statistical Inference (Bad Tatzmannsdorf, 1981)*, Reidel, Dordrecht, The Netherlands, 1982, 53–57.
- [83] P. Deheuvels, Spacings, record times and extremal processes, in *Exchangeability in Probability and Statistics (Rome, 1981)*, North-Holland, Amsterdam, 1982, 233–243.
- [84] P. Deheuvels, The strong approximation of extremal processes II, *Z. Wahrscheinlichkeitstheor. Verw. Gebiete*, **62-1** (1983), 7–15.
- [85] A. L. M. Dekkers and L. de Haan, On the estimation of the extreme-value index and large quantile estimation, *Ann. Statist.*, **17** (1989), 1795–1832.
- [86] A. L. M. Dekkers and L. de Haan, Optimal choice of sample fraction in extreme-value estimation, *J. Multivariate Anal.*, **47-2** (1993), 173–195.
- [87] A. L. M. Dekkers, J. H. J. Einmahl, and L. de Haan, A moment estimator for the index of an extreme-value distribution, *Ann. Statist.*, **17** (1989), 1833–1855.
- [88] E. del Barrio and C. Matrán, The weighted bootstrap mean for heavy-tailed distributions, *J. Theoret. Probab.*, **13-2** (2000), 547–569.
- [89] L. de Haan and J. de Ronde, Sea and wind: Multivariate extremes at work, *Extremes*, **1-1** (1998), 7–46.
- [90] L. de Haan and A. Ferreira, *Extreme Value Theory: An Introduction*, Springer-Verlag, New York, 2006.
- [91] L. de Haan, E. Omey, and S. I. Resnick, Domains of attraction and regular variation in  $\mathbb{R}^d$ , *J. Multivariate Anal.*, **14-1** (1984), 17–33.
- [92] L. de Haan and E. Omey, Integrals and derivatives of regularly varying functions in  $\mathbb{R}^d$  and domains of attraction of stable distributions II, *Stochastic Process. Appl.*, **16-2** (1984), 157–170.
- [93] L. de Haan and L. Peng, Comparison of tail index estimators, *Statist. Neerlandica*, **52-1** (1998), 60–70.

- [94] L. de Haan, S. I. Resnick, H. Rootzén, and C. G. de Vries, Extremal behaviour of solutions to a stochastic difference equation with applications to ARCH processes, *Stochastic Process. Appl.*, **32**-2 (1989), 213–224.
- [95] L. de Haan and S. I. Resnick, Limit theory for multivariate sample extremes, *Z. Wahrscheinlichkeitstheor. Verw. Gebiete*, **40** (1977), 317–337.
- [96] L. de Haan and S. I. Resnick, Conjugate  $\pi$ -variation and process inversion, *Ann. Probab.*, **7**-6 (1979), 1028–1035.
- [97] L. de Haan and S. I. Resnick, Derivatives of regularly varying functions in  $\mathbb{R}^d$  and domains of attraction of stable distributions, *Stochastic Process. Appl.*, **8**-3 (1979), 349–355.
- [98] L. de Haan and S. I. Resnick, On regular variation of probability densities, *Stochastic Process. Appl.*, **25** (1987), 83–95.
- [99] L. de Haan and S. I. Resnick, Estimating the limit distribution of multivariate extremes, *Stochastic Models*, **9**-2 (1993), 275–309.
- [100] L. de Haan and S. I. Resnick, On asymptotic normality of the Hill estimator, *Stochastic Models*, **14** (1998), 849–867.
- [101] L. de Haan and U. Stadtmueller, Generalized regular variation of second order, *J. Australian Math. Soc. Ser. A*, **61**-3 (1996), 381–395.
- [102] L. de Haan, *On Regular Variation and Its Application to the Weak Convergence of Sample Extremes*, Mathematisch Centrum, Amsterdam, 1970.
- [103] L. de Haan, Weak limits of sample range, *J. Appl. Probab.*, **11** (1974), 836–841.
- [104] L. de Haan, An Abel–Tauber theorem for Laplace transforms, *J. London Math. Soc.* (2), **13**-3 (1976), 537–542.
- [105] L. de Haan, von Mises-type conditions in second order regular variation, *J. Math. Anal. Appl.*, **197**-2 (1996), 400–410.
- [106] J. Dieudonné, *Foundations of Modern Analysis*, enlarged and corrected printing, Pure and Applied Mathematics, Vol. 10-I, Academic Press, New York, 1969.
- [107] J. L. Doob, *Stochastic Processes*, Wiley, New York, 1953.
- [108] G. Draisma, L. de Haan, L. Peng, and T. T. Pereira, A bootstrap-based method to achieve optimality in estimating the extreme-value index, *Extremes*, **2**-4 (1999), 367–404 (2000).
- [109] H. Drees, Refined Pickands estimators of the extreme value index, *Ann. Statist.*, **23**-6 (1995), 2059–2080.
- [110] H. Drees, L. de Haan, and S. I. Resnick, How to make a Hill plot, *Ann. Statist.*, **28**-1 (2000), 254–274.
- [111] H. Drees, Refined Pickands estimators with bias correction, *Comm. Statist. Theory Methods*, **25**-4 (1996), 837–851.

- [112] H. Drees, *Estimating the Extreme Value Index*, Habilitationsschrift (Ph.D. thesis), Mathematics Faculty, University of Cologne, Köln, Germany, 1998.
- [113] H. Drees, A general class of estimators of the extreme value index, *J. Statist. Plann. Inference*, **66**-1 (1998), 95–112.
- [114] H. Drees, On smooth statistical tail functionals, *Scandinavian J. Statist.*, **25**-1 (1998), 187–210.
- [115] H. Drees, Optimal rates of convergence for estimates of the extreme value index, *Ann. Statist.*, **26**-1 (1998), 434–448.
- [116] R. M. Dudley, *Real Analysis and Probability*, Wadsworth and Brooks/Cole, Belmont, CA, 1989.
- [117] N. G. Duffield, J. T. Lewis, N. O’Connell, R. Russell, and F. Toomey, Statistical issues raised by the Bellcore data, in *Proceedings of the 11th IEE UK Teletraffic Symposium, Cambridge UK*, IEE, London, 1994, 23–25.
- [118] D. E. Duffy, A. A. McIntosh, M. Rosenstein, and W. Willinger, Analyzing telecommunications traffic data from working common channel signaling subnetworks, *Comput. Sci. Statist.*, **25** (1993), 156–165 (special issue: M. E. Tarter and M. D. Lock, eds., *Statistical Applications of Expanding Computer Capabilities: Proceedings of the 25th Symposium on the Interface between Statistics and Computer Science*).
- [119] R. Durrett and S. I. Resnick, Functional limit theorems for dependent variables, *Ann. Probab.*, **6**-5 (1978), 829–846.
- [120] M. Dwass, Extremal processes, *Ann. Math. Statist.*, **35** (1964), 1718–1725.
- [121] M. Dwass, Extremal processes II, *Illinois J. Math.*, **10** (1966), 381–391.
- [122] M. Dwass, Extremal processes III, *Bull. Inst. Math. Acad. Sinica*, **2** (1974), 255–265 (collection of articles in celebration of the 60th birthday of Ky Fan).
- [123] B. Efron and R. J. Tibshirani, *An Introduction to the Bootstrap*, Monographs on Statistics and Applied Probability, Vol. 57, Chapman and Hall, New York, 1993.
- [124] B. Efron, The bootstrap and modern statistics, *J. Amer. Statist. Assoc.*, **95**-452 (2000), 1293–1296.
- [125] B. Efron, Second thoughts on the bootstrap, *Statist. Sci.*, **18**-2 (2003), 135–140 (issue on the silver anniversary of the bootstrap).
- [126] J. H. J. Einmahl and D. M. Mason, Generalized quantile processes, *Ann. Statist.*, **20**-2 (1992), 1062–1078.
- [127] J. Einmahl, L. de Haan, and V. Piterbarg, Nonparametric estimation of the spectral measure of an extreme value distribution, *Ann. Statist.*, **29**-5 (2001), 1401–1423.
- [128] P. Embrechts and C. M. Goldie, On closure and factorization properties of subexponential and related distributions, *J. Australian Math. Soc. Ser. A*, **29**-2 (1980), 243–256.



- [129] P. Embrechts, C. Kluppelberg, and T. Mikosch, *Modelling Extreme Events for Insurance and Finance*, Springer-Verlag, Berlin, 1997.
- [130] P. D. Feigin, M. F. Kratz, and S. I. Resnick, Parameter estimation for moving averages with positive innovations, *Ann. Appl. Probab.*, **6-4** (1996), 1157–1190.
- [131] P. Feigin and S. I. Resnick, Estimation for autoregressive processes with positive innovations, *Stochastic Models*, **8** (1992), 479–498.
- [132] P. Feigin and S. I. Resnick, Limit distributions for linear programming time series estimators, *Stochastic Process. Appl.*, **51** (1994), 135–165.
- [133] P. Feigin and S. I. Resnick, Linear programming estimators and bootstrapping for heavy tailed phenomena, *Adv. Appl. Probab.*, **29** (1997), 759–805.
- [134] P. Feigin and S. I. Resnick, Pitfalls of fitting autoregressive models for heavy-tailed time series, *Extremes*, **1** (1999), 391–422.
- [135] W. Feller, *An Introduction to Probability Theory and Its Applications*, Vol. 2, 2nd ed., Wiley, New York, 1971.
- [136] M. I. Fraga Alves, M. I. Gomes, and L. de Haan, A new class of semi-parametric estimators of the second order parameter, *Port. Math. (N.S.)*, **60-2** (2003), 193–213.
- [137] H. Furrer, *Risk Theory and Heavy-Tailed Lévy Processes*, Diss. ETH 12408, Ph.D. thesis, Eidgenössische Technische Hochschule, Zurich, 1997.
- [138] H. Furrer, Risk processes perturbed by  $\alpha$ -stable Lévy motion, *Scandinavian Actuarial J.*, **1998-1** (1998), 59–74.
- [139] R. Gaigalas and I. Kaj, Convergence of scaled renewal processes and a packet arrival model, *Bernoulli*, **9-4** (2003), 671–703.
- [140] J. Galambos, *The Asymptotic Theory of Extreme Order Statistics*, Wiley Series in Probability and Mathematical Statistics, Wiley, New York, Chichester, UK, Brisbane, Australia, 1978.
- [141] M. W. Garrett and W. Willinger, Analysis, modeling and generation of self similar vbr video traffic, in *Proceedings of the ACM SigComm, London*, 1994, ACM, New York, 1994.
- [142] J. Geffroy, Contribution à la théorie des valeurs extrêmes, *Publ. Inst. Statist. Univ. Paris*, **7-3-4** (1958), 37–121.
- [143] J. Geffroy, Contribution à la théorie des valeurs extrêmes II, *Publ. Inst. Statist. Univ. Paris*, **8** (1959), 3–65.
- [144] J. L. Geluk and L. de Haan, *Regular Variation, Extensions and Tauberian Theorems*, CWI Tracts, Vol. 40, Stichting Mathematisch Centrum, Centrum voor Wiskunde en Informatica, Amsterdam, 1987.
- [145] J. L. Geluk and L. Peng, An adaptive optimal estimate of the tail index for MA(1) time series, *Statist. Probab. Lett.*, **46-3** (2000), 217–227.

- [146] J. Geluk, L. de Haan, S. I. Resnick, and C. Stărică, Second-order regular variation, convolution and the central limit theorem, *Stochastic Process. Appl.*, **69-2** (1997), 139–159.
- [147] E. Giné and J. Zinn, Necessary conditions for the bootstrap of the mean, *Ann. Statist.*, **17-2** (1989), 684–691.
- [148] C. M. Goldie, Implicit renewal theory and tails of solutions of random equations, *Ann. Appl. Probab.*, **1-1** (1991), 126–166.
- [149] M. I. Gomes, F. Caeiro, and F. Figueiredo, Bias reduction of a tail index estimator through an external estimation of the second-order parameter, *Statistics*, **38-6** (2004), 497–510.
- [150] M. I. Gomes, L. de Haan, and L. Peng, Semi-parametric estimation of the second order parameter in statistics of extremes, *Extremes*, **5-4** (2002), 387–414.
- [151] M. I. Gomes and M.J. Martins, “Asymptotically unbiased” estimators of the tail index based on external estimation of the second order parameter, *Extremes*, **5-1** (2002), 5–31.
- [152] M. I. Gomes and M. J. Martins, Bias reduction and explicit semi-parametric estimation of the tail index, *J. Statist. Plann. Inference*, **124-2** (2004), 361–378.
- [153] C. A. Guerin, H. Nyberg, O. Perrin, S. I. Resnick, H. Rootzén, and C. Stărică, Empirical testing of the infinite source poisson data traffic model, *Stochastic Models*, **19-2** (2003), 151–200.
- [154] E. Haeusler and J. L. Teugels, On asymptotic normality of Hill’s estimator for the exponent of regular variation, *Ann. Statist.*, **13-2** (1985), 743–756.
- [155] P. Hall, On some simple estimates of an exponent of regular variation, *J. Roy. Statist. Soc. Ser. B*, **44-1** (1982), 37–42.
- [156] P. Hall, Asymptotic properties of the bootstrap for heavy-tailed distributions, *Ann. Probab.*, **18-3** (1990), 1342–1360.
- [157] J. M. Harrison, *Brownian Motion and Stochastic Flow Systems*, Wiley, New York, 1985.
- [158] D. Heath, S. I. Resnick, and G. Samorodnitsky, Patterns of buffer overflow in a class of queues with long memory in the input stream, *Ann. Appl. Probab.*, **7-4** (1997), 1021–1057.
- [159] D. Heath, S. I. Resnick, and G. Samorodnitsky, Heavy tails and long range dependence in on/off processes and associated fluid models, *Math. Oper. Res.*, **23-1** (1998), 145–165.
- [160] D. Heath, S. I. Resnick, and G. Samorodnitsky, How system performance is affected by the interplay of averages in a fluid queue with long range dependence induced by heavy tails, *Ann. Appl. Probab.*, **9** (1999), 352–375.
- [161] J. E. Heffernan and S. I. Resnick, Hidden regular variation and the rank transform, *Adv. Appl. Probab.*, **37-2** (2005), 393–414.
- [162] J. E. Heffernan and S. I. Resnick, Limit laws for random vectors with an extreme component, *Ann. Appl. Probab.*, submitted, 2005; available online from <http://www.orie.cornell.edu/~sid>.

- [163] J. E. Heffernan, A directory of coefficients of tail dependence, *Extremes*, **3-3** (2000), 279–290.
- [164] D. Heyman and T. V. Lakshman, What are the implications of long-range dependence for vbr-video traffic engineering?, *IEEE/ACM Trans. Networking*, **4-3** (1996), 301–317.
- [165] B. M. Hill, A simple general approach to inference about the tail of a distribution, *Ann. Statist.*, **3** (1975), 1163–1174.
- [166] S. Holmes, C. Morris, and R. Tibshirani, Bradley Efron: A conversation with good friends, *Statist. Sci.*, **18-2** (2003), 268–281 (issue on the silver anniversary of the bootstrap).
- [167] X. Huang, *Statistics of Bivariate Extreme Values*, Ph.D. thesis, Tinbergen Institute Research Series, Vol. 22, Erasmus University, Rotterdam, The Netherlands, 1992.
- [168] H. Hult and F. Lindskog, Extremal behavior of regularly varying stochastic processes, *Stochastic Process. Appl.*, **115-2** (2005), 249–274.
- [169] H. Hult and F. Lindskog, *Extremal Behavior of Stochastic Integrals Driven by Regularly Varying Lévy Processes*, Technical report, School of Operations Research and Industrial Engineering, Cornell University, Ithaca, NY, 2006; available online from <http://www.orie.cornell.edu/~hult>.
- [170] H. Hult and F. Lindskog, On Kesten’s counterexample to the Cramér–Wold device for regular variation, *Bernoulli*, **12-1** (2006), 133–142.
- [171] H. Hult, *Topics on Fractional Brownian Motion and Regular Variation for Stochastic Processes*, Ph.D. thesis, Department of Mathematics, Royal Institute of Technology, Stockholm, 2003.
- [172] K. Itô, *Stochastic Processes*, Aarhus University Lecture Notes Series, Vol. 16, Aarhus University, Aarhus, Denmark, 1969.
- [173] K. Itô, *Lectures on Stochastic Processes*, 2nd ed., Tata Institute of Fundamental Research Lectures on Mathematics and Physics, Vol. 24, Tata Institute of Fundamental Research, Bombay, 1984 (with notes by K. Muralidhara Rao).
- [174] K. Itô, *Stochastic Processes: Lectures Given at Aarhus University*, Springer-Verlag, Berlin, 2004 (reprint of the 1969 original; edited and with a foreword by O. E. Barndorff-Nielsen and K. Sato).
- [175] P. Jelenković and A. A. Lazar, A network multiplexer with multiple time scale and subexponential arrivals, in P. Glasserman, K. Sigman, and D. D. Yao, eds., *Stochastic Networks*, Lecture Notes in Statistics, Vol. 117, Springer-Verlag, New York, 1996, 215–235.
- [176] P. Jelenković and A. Lazar, Subexponential asymptotics of a Markov-modulated random walk with queueing applications, *J. Appl. Probab.*, **35-2** (1998), 325–347.
- [177] P. Jelenković and A. Lazar, Asymptotic results for multiplexing subexponential on–off processes, *Adv. Appl. Probab.*, **31** (1999), 394–421.

- [178] I. Kaj and M. S. Taqqu, Convergence to fractional Brownian motion and to the telecom process: The integral representation approach, Technical Report U.U.D.M. 2004:16, Department of Mathematics, Uppsala University, Uppsala, Sweden, 2004.
- [179] I. Kaj, *Stochastic Modeling in Broadband Communications Systems*, SIAM Monographs on Mathematical Modeling and Computation, Society for Industrial and Applied Mathematics, Philadelphia, 2002.
- [180] O. Kallenberg, *Random Measures*, 3rd ed., Akademie-Verlag, Berlin, 1983.
- [181] J. Karamata, Sur un mode de croissance régulière des fonctions, *Mathematica (Cluj)*, **4** (1930), 38–53.
- [182] J. Karamata, Neuer Beweis und Verallgemeinerung einiger Tauberian-Sätze, *Math. Z.*, **33**-1 (1931), 294–299.
- [183] J. Karamata, Sur un mode de croissance régulière: Théorèmes fondamentaux, *Bull. Soc. Math. France*, **61** (1933), 55–62.
- [184] H. Kesten, Random difference equations and renewal theory for products of random matrices, *Acta Math.*, **131** (1973), 207–248.
- [185] J. G. Kinader, An invariance principle applicable to the bootstrap, in *Exploring the Limits of Bootstrap* (East Lansing, MI, 1990), Wiley Series in Probability and Mathematical Statistics, Wiley, New York, 1992, 157–181.
- [186] J. F. C. Kingman, The single server queue in heavy traffic, *Proc. Cambridge Philos. Soc.*, **57** (1961), 902–904.
- [187] J. F. C. Kingman, The heavy traffic approximation in the theory of queues (with discussion), in *Proceedings of the Symposium on Congestion Theory* (Chapel Hill, NC, 1964), University of North Carolina Press, Chapel Hill, NC, 1965, 137–169.
- [188] C. Klüppelberg and T. Mikosch, Some limit theory for the normalized periodogram of  $p$ -stable moving average processes, *Stochastic Process. Appl.*, **47** (1992), 323–344.
- [189] K. Knight, On the bootstrap of the sample mean in the infinite variance case, *Ann. Statist.*, **17**-3 (1989), 1168–1175.
- [190] T. Konstantopoulos and S. J. Lin, Macroscopic models for long-range dependent network traffic, *Queueing Systems Theory Appl.*, **28**-1–3 (1998), 215–243.
- [191] M. Kratz and S. I. Resnick, The qq-estimator and heavy tails, *Stochastic Models*, **12** (1996), 699–724.
- [192] J.-P. Kreiss and E. Paparoditis, Autoregressive-aided periodogram bootstrap for time series, *Ann. Statist.*, **31**-6 (2003), 1923–1955.
- [193] H. Künsch, Discrimination between monotonic trends and long range dependence, *J. Appl. Probab.*, **23** (1986), 1025–1030.
- [194] T. Kurtz, Limit theorems for workload input models, in S. Zachary F. P. Kelly, and I. Ziedins, eds., *Stochastic Networks: Theory and Applications*, Clarendon Press, Oxford, UK, 1996.

- [195] J. Lamperti, On extreme order statistics, *Ann. Math. Statist.*, **35** (1964), 1726–1737.
- [196] E. Landau, *Darstellung und Begründung Einiger Neueren Ergebnisse der Funktionentheorie*, Springer-Verlag, Berlin, 1916.
- [197] M. R. Leadbetter, G. Lindgren, and H. Rootzén, *Extremes and Related Properties of Random Sequences and Processes*, Springer-Verlag, New York, 1983.
- [198] A. W. Ledford and J. A. Tawn, Statistics for near independence in multivariate extreme values, *Biometrika*, **83**-1 (1996), 169–187.
- [199] A. W. Ledford and J. A. Tawn, Modelling dependence within joint tail regions, *J. Roy. Statist. Soc. Ser. B*, **59**-2 (1997), 475–499.
- [200] A. W. Ledford and J. A. Tawn, Concomitant tail behaviour for extremes, *Adv. Appl. Probab.*, **30**-1 (1998), 197–215.
- [201] A. W. Ledford and J. A. Tawn, Diagnostics for dependence within time series extremes, *J. Roy. Statist. Soc. Ser. B*, **65**-2 (2003), 521–543.
- [202] W. E. Leland, M. S. Taqqu, W. Willinger, and D. V. Wilson, On the self-similar nature of Ethernet traffic, *IEEE/ACM Trans. Networking*, **2**-1 (1994), 1–15.
- [203] W. E. Leland, M. S. Taqqu, W. Willinger, and D. V. Wilson, Statistical analysis of high time-resolution ethernet Lan traffic measurements, *Comput. Sci. Statist.*, **25** (1993), 146–155 (special issue: M. E. Tarter and M. D. Lock, eds., *Statistical Applications of Expanding Computer Capabilities: Proceedings of the 25th Symposium on the Interface between Statistics and Computer Science*).
- [204] W. E. Leland, M. S. Taqqu, W. Willinger, and D. V. Wilson, On the self-similar nature of ethernet traffic (extended version), *IEEE/ACM Trans. Networking*, **2**-1 (1994), 1–15.
- [205] R. LePage, Bootstrapping signs, in *Exploring the Limits of Bootstrap* (East Lansing, MI, 1990), Wiley Series in Probability and Mathematical Statistics, Wiley, New York, 1992, 215–224.
- [206] D. V. Lindley, The theory of queues with a single server, *Proc. Cambridge Philos. Soc.*, **48** (1952), 277–289.
- [207] F. Lindskog, *Multivariate Extremes and Regular Variation for Stochastic Processes*, Ph.D. thesis, Department of Mathematics, Eidgenössische Technische Hochschule, Zurich, 2004; available online from <http://e-collection.ethbib.ethz.ch/cgi-bin/show.pl?type=diss&nr=15319>.
- [208] T. Lindvall, Weak convergence of probability measures and random functions in the function space  $D(0, \infty)$ , *J. Appl. Probab.*, **10** (1973), 109–121.
- [209] Y. Malevergne and D. Sornette, *Extreme Financial Risks: From Dependence to Risk Management*, Springer-Verlag, Berlin, 2006.
- [210] A. W. Marshall and I. Olkin, Domains of attraction of multivariate extreme value distributions, *Ann. Probab.*, **11**-1 (1983), 168–177.

- [211] D. Mason and T. Turova, Weak convergence of the Hill estimator process, in J. Galambos, J. Lechner, and E. Simiu, eds., *Extreme Value Theory and Applications*, Kluwer Academic Publishers, Dordrecht, The Netherlands, 1994, 419–432.
- [212] D. Mason, Laws of large numbers for sums of extreme values, *Ann. Probab.*, **10** (1982), 754–764.
- [213] D. Mason, A strong invariance theorem for the tail empirical process, *Ann. Inst. H. Poincaré*, **24** (1988), 491–506.
- [214] G. Matheron, *Random Sets and Integral Geometry*, Wiley Series in Probability and Mathematical Statistics Wiley, New York, London, Sydney, 1975 (with a foreword by G. S. Watson).
- [215] K. Maulik, S. I. Resnick, and H. Rootzén, Asymptotic independence and a network traffic model, *J. Appl. Probab.*, **39-4** (2002), 671–699.
- [216] K. Maulik and S. I. Resnick, The self-similar and multifractal nature of a network traffic model, *Stochastic Models*, **19-4** (2003), 549–577.
- [217] K. Maulik and S. I. Resnick, Characterizations and examples of hidden regular variation, *Extremes*, **7-1** (2005), 31–67.
- [218] A. J. McNeil, R. Frey, and P. Embrechts, *Quantitative Risk Management: Concepts, Techniques and Tools*, Princeton Series in Finance, Princeton University Press, Princeton, NJ, 2005.
- [219] A. McNeil, Estimating the tails of loss severity distributions using extreme value theory, *Astin Bull.*, **27** (1997), 117–137.
- [220] M. Meerschaert and H. P. Scheffler, *Limit Distributions for Sums of Independent Random Vectors*, Wiley, New York, 2001.
- [221] T. Mikosch, T. Gdrich, C. Klüppelberg, and R. J. Adler, Parameter estimation for ARMA models with infinite variance innovations, *Ann. Statist.*, **23-1** (1995), 305–326.
- [222] T. Mikosch, S. I. Resnick, H. Rootzén, and A. W. Stegeman, Is network traffic approximated by stable Lévy motion or fractional Brownian motion?, *Ann. Appl. Probab.*, **12-1** (2002), 23–68.
- [223] T. Mikosch and S. I. Resnick, Activity rates with very heavy tails, *Stochastic Process. Appl.*, **116** (2006), 131–155.
- [224] T. Mikosch and C. Stărică, Long range dependence effects and ARCH modeling, in P. Doukhan, G. Oppenheim, and M. S. Taquq, eds., *Theory and Applications of Long Range Dependence*, Birkhäuser Boston, Cambridge, MA, 2003.
- [225] T. Mikosch and A. Stegeman, The interplay between heavy tails and rates in self-similar network traffic, Technical report, Department of Mathematics, Rijksuniversiteit Groningen, Groningen, The Netherlands, 1999; available online from <http://www.cs.rug.nl/~eke/iwi/preprints/>.

- [226] T. Mikosch and C. Stărică, Change of structure in financial time series and the GARCH model, *REVSTAT Statist. J.*, **2** (2004), 16–41.
- [227] T. Mikosch, Modeling dependence and tails of financial time series, in B. Finkenstadt and H. Rootzén, eds., *SemStat: Seminaire Europeen de Statistique: Extreme Values in Finance, Telecommunications, and the Environment*, Chapman and Hall, London, 2003, 185–286.
- [228] I. Molchanov, *Theory of Random Sets*, Probability and Its Applications, Springer-Verlag, London, 2005.
- [229] J. Neveu, *Discrete-Parameter Martingales*, North-Holland Mathematical Library, Vol. 10, North-Holland, Amsterdam, 1975 (translated from the French by T. P. Speed).
- [230] J. Neveu, Processus ponctuels, in *École d'Été de Probabilités de Saint-Flour VI—1976*, Lecture Notes in Mathematics, Vol. 598, Springer-Verlag, Berlin, 1977, 249–445.
- [231] J. Neyman and E. L. Scott, Statistical approach to problems of cosmology, *J. Roy. Statist. Soc. Ser. B*, **20** (1958), 1–43.
- [232] K. Park and W. Willinger, Self-similar network traffic: An overview, in K. Park and W. Willinger, eds., *Self-Similar Network Traffic and Performance Evaluation*, Wiley–Interscience, New York, 2000, 1–38.
- [233] M. Parulekar and A. M. Makowski, Tail probabilities for a multiplexer with a self-similar traffic, in *Proceedings of the 15th Annual IEEE INFOCOM*, IEEE Press, Piscataway, NJ, 1996, 1452–1459.
- [234] M. Parulekar and A. M. Makowski, Tail probabilities for M/G/ $\infty$  input processes I: Preliminary asymptotics, *Queueing Systems Theory Appl.*, **27**-3–4 (1997), 271–296.
- [235] L. Peng, *Second Order Condition and Extreme Value Theory*, Ph.D. thesis, Tinbergen Institute, Erasmus University, Rotterdam, 1998.
- [236] J. Pickands, Statistical inference using extreme order statistics, *Ann. Statist.*, **3** (1975), 119–131.
- [237] D. Radulović, On the bootstrap and empirical processes for dependent sequences, in H. Dehling, T. Mikosch, and M. Sorensen, eds., *Empirical Process Techniques for Dependent Data*, Birkhäuser Boston, Cambridge, MA, 2002, 345–364.
- [238] R.-D. Reiss and M. Thomas, *Statistical Analysis of Extreme Values*, 2nd ed., Birkhäuser Verlag, Basel, Switzerland, 2001.
- [239] A. Rényi, *Foundations of Probability*, Holden–Day, San Francisco, 1970.
- [240] A. Rényi, *Probability Theory*, North-Holland Series in Applied Mathematics and Mechanics, Vol. 10, North-Holland, Amsterdam, 1970 (translated by L. Vekerdi).
- [241] S. I. Resnick and P. Greenwood, A bivariate stable characterization and domains of attraction, *J. Multivariate Anal.*, **9**-2 (1979), 206–221.

- [242] S. I. Resnick and H. Rootzén, Self-similar communication models and very heavy tails, *Ann. Appl. Probab.*, **10** (2000), 753–778.
- [243] S. I. Resnick and R. Roy, Leader and maximum independence for a class of discrete choice models, *Econom. Lett.*, **33-3** (1990), 259–263.
- [244] S. I. Resnick and R. Roy, Multivariate extremal processes, leader processes and dynamic choice models, *Adv. Appl. Probab.*, **22-2** (1990), 309–331.
- [245] S. I. Resnick and R. Roy, Superextremal processes, max-stability and dynamic continuous choice, *Ann. Appl. Probab.*, **4-3** (1994), 791–811.
- [246] S. I. Resnick and R. Roy, Super-extremal processes and the argmax process, *J. Appl. Probab.*, **31-4** (1994), 958–978.
- [247] S. I. Resnick and M. Rubinovitch, The structure of extremal processes, *Adv. Appl. Probab.*, **5** (1973), 287–307.
- [248] S. I. Resnick, G. Samorodnitsky, and F. Xue, How misleading can sample acf's of stable MA's be? (Very!), *Ann. Appl. Probab.*, **9-3** (1999), 797–817.
- [249] S. I. Resnick, G. Samorodnitsky, and F. Xue, Growth rates of sample covariances of stationary symmetric  $\alpha$ -stable processes associated with null recurrent markov chains, *Stochastic Process. Appl.*, **85** (2000), 321–339.
- [250] S. I. Resnick and G. Samorodnitsky, A heavy traffic approximation for workload processes with heavy tailed service requirements, *Management Sci.*, **46** (2000), 1236–1248.
- [251] S. I. Resnick and C. Stărică, Smoothing the moment estimator of the extreme value parameter, *Extremes*, **1-3** (1998).
- [252] S. I. Resnick and C. Stărică, Smoothing the Hill estimator, *Adv. Appl. Probab.*, **29** (1997), 271–293.
- [253] S. I. Resnick and E. van den Berg, Sample correlation behavior for the heavy tailed general bilinear process, *Stochastic Models*, **16-2** (2000), 233–258.
- [254] S. I. Resnick and E. van den Berg, Weak convergence of high-speed network traffic models, *J. Appl. Probab.*, **37-2** (2000), 575–597.
- [255] S. I. Resnick and E. Willekens, Moving averages with random coefficients and random coefficient autoregressive models, *Comm. Statist. Stochastic Models*, **7-4** (1991), 511–525.
- [256] S. I. Resnick, Tail equivalence and its applications, *J. Appl. Probab.*, **8** (1971), 136–156.
- [257] S. I. Resnick, Inverses of extremal processes, *Adv. Appl. Probab.*, **6** (1974), 392–406.
- [258] S. I. Resnick, Weak convergence to extremal processes, *Ann. Probab.*, **3-6** (1975), 951–960.
- [259] S. I. Resnick, Point processes, regular variation and weak convergence, *Adv. Appl. Probab.*, **18** (1986), 66–138.



- [260] S. I. Resnick, *Extreme Values, Regular Variation and Point Processes*, Springer-Verlag, New York, 1987.
- [261] S. I. Resnick, Point processes and Tauberian theory, *Math. Sci.*, **16-2** (1991), 83–106.
- [262] S. I. Resnick, *Adventures in Stochastic Processes*, Birkhäuser Boston, Cambridge, MA, 1992.
- [263] S. I. Resnick, Discussion of the Danish data on large fire insurance losses, *Astin Bull.*, **27** (1997), 139–151.
- [264] S. I. Resnick, *A Probability Path*, Birkhäuser Boston, Cambridge, MA, 1998.
- [265] S. I. Resnick, Why non-linearities can ruin the heavy tailed modeler’s day, in M. S. Taqqu, R. Adler, and R. Feldman, eds., *A Practical Guide to Heavy Tails: Statistical Techniques for Analyzing Heavy Tailed Distributions*, Birkhäuser Boston, Cambridge, MA, 1998, 219–240.
- [266] S. I. Resnick, Hidden regular variation, second order regular variation and asymptotic independence, *Extremes*, **5-4** (2002), 303–336.
- [267] S. I. Resnick, Modeling data networks, in B. Finkenstadt and H. Rootzén, eds., *SemStat: Seminaire Europeen de Statistique: Extreme Values in Finance, Telecommunications, and the Environment*, Chapman and Hall, London, 2003, 287–372.
- [268] S. I. Resnick, On the foundations of multivariate heavy tail analysis, *J. Appl. Probab.*, **41A** (2004), 191–212 (special volume: J. Gani and E. Seneta, eds., *Stochastic Methods and Their Applications: Papers in Honour of C. C. Heyde*).
- [269] E. L. Rvačeva, On domains of attraction of multi-dimensional distributions, in *Selected Translations in Mathematics, Statistics, and Probability*, Vol. 2, American Mathematical Society, Providence, RI, 1962, 183–205.
- [270] J. D. Salas, D. Boes, and V. Yevjevich, Hurst phenomenon as a pre-asymptotic behavior, *J. Hydrology*, **44-1-2** (1979), 1–15.
- [271] J. D. Salas and D. Boes, Expected range and adjusted range of hydrologic sequences, *Water Resources Res.*, **10-3** (1974), 457–463.
- [272] J. D. Salas and D. Boes, Nonstationarity of mean and Hurst phenomenon, *Water Resources Res.*, **14-1** (1978), 135–143.
- [273] G. Samorodnitsky and M. Taqqu, *Stable Non-Gaussian Random Processes: Stochastic Models with Infinite Variance*, Stochastic Modeling, Chapman and Hall, New York, 1994.
- [274] K. Sato, *Lévy Processes and Infinitely Divisible Distributions*, Cambridge Studies in Advanced Mathematics, Vol. 68, Cambridge University Press, Cambridge, UK, 1999 (translated from the 1990 Japanese original; revised by the author).
- [275] E. Seneta, *Regularly Varying Functions*, Lecture Notes in Mathematics, Vol. 508, Springer-Verlag, New York, 1976.

- [276] R. Serfozo, Functional limit theorems for extreme values of arrays of independent random variables, *Ann. Probab.*, **10-1** (1982), 172–177.
- [277] R. W. Shorrock, On discrete time extremal processes, *Adv. Appl. Probab.*, **6** (1974), 580–592.
- [278] R. W. Shorrock, Extremal processes and random measures, *J. Appl. Probab.*, **12** (1975), 316–323.
- [279] M. Sibuya, Bivariate extreme statistics, *Ann. Inst. Statist. Math.*, **11** (1960), 195–210.
- [280] G. Simmons, *Topology and Modern Analysis*, McGraw–Hill, New York, 1963.
- [281] U. Stadtmüller and R. Trautner, Tauberian theorems for Laplace transforms, *J. Reine Angew. Math.*, **311–312** (1979), 283–290.
- [282] U. Stadtmüller and R. Trautner, Tauberian theorems for Laplace transforms in dimension  $D > 1$ , *J. Reine Angew. Math.*, **323** (1981), 127–138.
- [283] U. Stadtmüller, A refined Tauberian theorem for Laplace transforms in dimension  $d > 1$ , *J. Reine Angew. Math.*, **328** (1981), 72–83.
- [284] A. Stam, Regular variation in  $\mathbb{R}_+^d$  and the Abel–Tauber theorem, Technical report, Mathematisch Instituut, Rijksuniversiteit Groningen, Groningen, The Netherlands, 1977.
- [285] A. Stegeman, Modeling traffic in high-speed networks by on/off models, Master’s thesis, Department of Mathematics, Rijksuniversiteit Groningen, Groningen, The Netherlands, 1998.
- [286] C. Stărică, Multivariate extremes for models with constant conditional correlations, *J. Empirical Finance*, **6** (1999), 515–553.
- [287] C. Stărică, Multivariate extremes for models with constant conditional correlations, in P. Embrechts, ed., *Extremes and Integrated Risk Management*, Risk Books, London, 2000, 515–553.
- [288] M. S. Taqqu, W. Willinger, and R. Sherman, Proof of a fundamental result in self-similar traffic modeling, *Comput. Comm. Rev.*, **27** (1997), 5–23.
- [289] W. Vervaat, Functional central limit theorems for processes with positive drift and their inverses, *Z. Wahrscheinlichkeitstheor. Verw. Gebiete*, **23** (1972), 245–253.
- [290] W. Vervaat, *Success Epochs in Bernoulli Trials (with Applications in Number Theory)*, Mathematical Centre Tracts, Vol. 42, Mathematisch Centrum, Amsterdam, 1972.
- [291] W. Vervaat, Random upper semicontinuous functions and extremal processes, in *Probability and Lattices*, CWI Tracts, Vol. 110, Stichting Mathematisch Centrum, Centrum voor Wiskunde en Informatica, Amsterdam, 1997, 1–56.
- [292] R. von Mises, La distribution de la plus grande de  $n$  valeurs, *Rev. Math. Union Interbalcanique*, **1** (1936), 141–160.
- [293] R. von Mises, *Selected papers of Richard von Mises, Vol. 2: Probability and Statistics, General*, American Mathematical Society, Providence, RI, 1964.

- [294] I. Weissman, Extremal processes generated by independent nonidentically distributed random variables, *Ann. Probab.*, **3** (1975), 172–177.
- [295] I. Weissman, Multivariate extremal processes generated by independent non-identically distributed random variables, *J. Appl. Probab.*, **12-3** (1975), 477–487.
- [296] I. Weissman, On weak convergence of extremal processes, *Ann. Probab.*, **4-3** (1976), 470–473.
- [297] L. Weiss, Asymptotic inference about a density function at an end of its range, *Naval Res. Logist. Quart.*, **18** (1971), 111–114.
- [298] W. Whitt, The continuity of queues, *Adv. Appl. Probab.*, **6** (1974), 175–183.
- [299] W. Whitt, Heavy traffic limit theorems for queues: A survey, in *Mathematical Methods in Queueing Theory (Proceedings of a Conference at Western Michigan University, May 10–12, 1973)*, Lecture Notes in Economics and Mathematical Systems, Vol. 98, Springer-Verlag, Berlin, 1974, 307–350.
- [300] W. Whitt, Some useful functions for functional limit theorems, *Math. Oper. Res.*, **5-1** (1980), 67–85.
- [301] W. Whitt, *Stochastic Process Limits: An Introduction to Stochastic-Process Limits And their Application to Queues*, Springer-Verlag, New York, 2002.
- [302] D. V. Widder, *The Laplace Transform*, Princeton Mathematical Series, Vol. 6, Princeton University Press, Princeton, NJ, 1941.
- [303] W. Willinger, V. Paxson, and M. S. Taqqu, Self-similarity and heavy tails: Structural modeling of network traffic, in R. J. Adler, R. E. Feldman, and M. S. Taqqu, eds., *A Practical Guide to Heavy Tails: Statistical Techniques and Applications*, Birkhäuser Boston, Cambridge, MA, 1998, 27–53.
- [304] W. Willinger and V. Paxson, Where mathematics meets the Internet, *Notices Amer. Math. Soc.*, **45-8** (1998), 961–970.
- [305] W. Willinger, M. S. Taqqu, M. Leland, and D. Wilson, Self-similarity in high-speed packet traffic: Analysis and modelling of ethernet traffic measurements, *Statist. Sci.*, **10** (1995), 67–85.
- [306] W. Willinger, M. S. Taqqu, M. Leland, and D. Wilson, Self-similarity through high variability: Statistical analysis of ethernet lan traffic at the source level (extended version), *IEEE/ACM Trans. Networking*, **5-1** (1997), 71–96.
- [307] W. Willinger, *Data Network Traffic: Heavy Tails Are Here to Stay*, presentation at Extremes—Risk and Safety, Nordic School of Public Health, Gothenberg, Sweden, 1998.
- [308] A. L. Yakimiv, *Probabilistic Applications of Tauberian Theorems*, Modern Probability and Statistics, VSP, Leiden, The Netherlands, 2005.
- [309] A. L. Yakimiv, Multidimensional Tauberian theorems and their application to Bellman–Harris branching processes, *Mat. Sb. (N.S.)*, **115 (157)-3** (1981), 463–477, 496.

- [310] A. L. Yakimiv, Asymptotics of the probability of nonextinction of critical Bellman–Harris branching processes, *Trudy Mat. Inst. Steklov.*, **177** (1986), 177–205, 209; Probabilistic problems of discrete mathematics, *Proc. Steklov Inst. Math.*, **1988-4** (1988), 189–217,
- [311] A. L. Yakimiv, The asymptotics of multidimensional infinitely divisible distributions, *J. Math. Sci.*, **84-3** (1997), 1197–1207 (special issue: D. H. Mushtari, ed., *Proceedings of the XVII Seminar on Stability Problems for Stochastic Models, Kazan', Russia, June 19–26, 1995, Part III*).
- [312] A. L. Yakimiv, Tauberian theorems and the asymptotics of infinitely divisible distributions in a cone, *Teor. Veroyatnost. i Primenen.*, **48-3** (2003), 487–502.
- [313] M. Zarepour and K. Knight, Bootstrapping unstable first order autoregressive process with errors in the domain of attraction of stable law, *Comm. Statist. Stochastic Models*, **15-1** (1999), 11–27.
- [314] V. M. Zolotarev, *One Dimensional Stable Distributions*, Translations of Mathematical Monographs, Vol. 65, American Mathematical Society, Providence, RI, 1986 (translated from the original 1983 Russian edition).
- [315] V. M. Zolotarev, The first passage time of a level and the behaviour at infinity of a class of processes with independent increments, *Theory Probab. Appl.*, **9** (1964), 653–661.

---

## Index

- acf, 341, 342
  - classical, 347
  - heavy tailed, 347
  - sample, 341
- active sources, 254
- activity rate, 264
- addition, 226, 228
- almost surely continuous, 213, 215, 216, 220
- altHill plot, 317
- angular measure, 179, 196, 211, 251, 304,  
308, 310, 311, 313, 316, 318, 337, 352,  
370
  - full dependence, 196
  - hidden, 335, 337
  - independence, 193
- ARCH, 6, 307
- ARMA, 341
- Arzelà–Ascoli theorem, 46
- asymptotic
  - dependence, 304
    - full, 195
  - independence, 191, 195, 206, 231, 304,  
313, 316, 319, 322, 325, 327, 332, 355
  - and extremes, 209
  - examples, 209
  - pairwise, 209
  - normality, 94, 291, 296, 302, 304, 341, 350
  - variance, 90, 369
- augmentation, 122, 130, 144, 241
  - and transition functions, 144
- autocorrelation function, 8, 341
- autoregressive model, 184, 341
- auxiliary function, 37
- axes, 360
- basic convergence, 138
- Bellcore study, 124
- big block–little block, 210
- binding, 210, 228
- bootstrap, 184, 247
  - asymptotics
    - do not work, 189
    - work, 188
  - multinomial, 187
  - procedure, 187
  - sample, 187, 188
    - mean, 247
    - size, 186
- Boston University study, 4, 124
- Breiman’s theorem, 231, 250
  - converse, 250
- Brownian motion, 292, 300
  - convergence to, 54
- $C[0, 1]$ , 45
- $C[0, \infty)$ , 45, 360
- $C_K^+(\mathbb{E})$ , 49
- $\mathcal{C}(h)$ , 42
- $C(\mathbb{S})$ , 39
- càdlàg, 360
- Cauchy, 21, 67, 198
- characteristic function, 53, 153, 154

- stable Lévy motion, 154
- choice theory, 251
- cluster, 164
- coefficient of tail dependence, 322, 327
- compact, 171, 324
  - support, 360
- compactness condition, 141, 177, 232, 241, 242, 248
- complete randomness, 120
  - and independent increments, 151
- composition, 297, 338
- cone, 167, 175, 198, 323, 331, 351, 352, 355, 360
  - subcone, 323
- connection rate, 253, 254
- consistent estimator, 73, 89, 94, 108, 138, 308
- continuous
  - function
    - modulus of continuity, 46
    - mapping, 42, 55, 82, 83, 137, 213, 215, 337
    - second theorem, 69
- convergence
  - almost sure, 41
  - criterion
    - Laplace functional, 137
    - probability measures, 39
    - Skorohod, 47
    - uniform, 17
    - vague, 49
      - and regular variation, 61
    - weak, 39
      - and almost sure, 41
- convex hull, 251
- correlation, 306
- Cramér–Wold device, 53
- $D[0, 1]$ , 46
- $D[0, \infty)$ , 46, 257, 360
- $D(h)$ , 42
- Découpage de Lévy, 76, 115
- Danish data, 13, 105
- data
  - networks, 3
  - transmission, 123
- diffusion approximation, 272
  - domain of attraction, 92
    - regular variation, 23
  - Donsker’s theorem, 54, 292
  - download time, 264
  - duration, 238, 316
  - empirical measure, 63, 134, 138
    - convergence to PRM, 138
    - Laplace functional, 139
    - Poissonized, 134
    - weak convergence of, 138
  - exceedance, 74, 75, 171
    - times, 75
  - excess, 75
  - exchange rates, 7, 305
  - extremal process, 160, 212, 213, 247
    - and Lévy process, 164
    - construction, 161
    - properties, 161
    - structure, 213
    - weak convergence, 213
  - extreme events, 304
  - extreme-value distributions, 92, 369
    - definition, 91
    - domain of attraction, 92
  - extremes, 171, 211, 363, 368
    - multivariate, 211, 212
    - weak convergence, 211, 212
- $\mathcal{F}$ , 44
- fast growth, 255
- file size, 238, 253, 317
- first-come-first-served basis, 273
- fractional Brownian motion, 125, 254
- function class
  - $\Pi$ , 207, 250
- functional, 213, 215, 220
  - difference, 216
  - extreme, 213
  - integral, 84
  - largest jump, 164, 220
  - maximal, 146
  - restriction, 176, 183, 206, 215, 233, 243
  - summation, 146, 214, 215
    - continuity, 221

- $\mathcal{G}$ , 44
- GARCH, 6, 307
- GI/G/1 queue, 272, 278, 281
- Glivenko–Cantelli theorem, 182
- Hausdorff metric, 251
- heavy
  - tails
    - analysis, 1
    - and file size, 125
    - and long-range dependence, 125, 130
    - and transmission duration, 125
    - components, 1
    - context, 3
    - detection, 96, 101, 102
    - examples, 3
    - overview, 1
    - traffic, 254, 272, 275, 279
- hidden regular variation, 322–325, 327, 328, 330, 332, 333, 337, 351
  - detection, 332
  - example, 330, 331
  - finite angular measure, 331, 352, 353
  - infinite angular measure, 330, 354
- Hill
  - estimator, 74, 80, 85, 187, 292, 296, 302, 303, 350, 364, 369
  - consistency, 81
  - Internet response data, 102
  - variants
    - smooHill, 89
    - altHill, 90
  - not location invariant, 88
  - practice, 85
  - plot, 85, 307, 317, 319, 332
  - BU data, 4
  - Danish data, 105
  - exponential variates, 96
  - horror, 86
  - Internet response data, 103
  - process, 90
- homogeneous Poisson process, 293
- independent increments, 120, 151
- induced measure, 121
- infinite-node Poisson model, 4, 123, 125, 253
  - active sources, 254
  - and long-range dependence, 127
  - fast growth, 255
  - input rate, 255
  - slow growth, 255
  - transmission rate, 123, 254
- infinite-order moving average, 341
- input rate, 255
- insurance, 13, 319, 332
  - claims, 264, 319
  - premium, 13
  - reinsurance, 13
- Internet, 238, 316
  - duration, 124, 125, 316
  - file transfers, 316
  - rate, 124, 316
  - response, 102, 316, 317
  - size, 124, 317
  - throughput, 316
  - traffic, 123
- invariant, 126
- inverse, 18, 360
- inversion, 32, 58, 266
  - second-order regular variation, 67
- Itô representation, 216
- $J_1$ -topology, 360
- $\mathcal{K}$ , 44
- Karamata
  - representation, 29, 256
  - theorem, 25, 85, 132, 219, 246, 258, 261, 262, 285, 299
  - and point processes, 248
  - stochastic version, 207
  - Tauberian, 265
  - variant, 36
- Kolmogorov
  - convergence criterion, 150
  - inequality, 157, 160, 218, 283
  - continuous-time version, 157
- Laplace functional, 132, 190, 210, 287
  - and random measures, 132
  - and weak convergence, 137

- definition, 132
- determines distribution, 133
- empirical
  - measure, 139
- examples, 134, 163
- muscle flexing, 137
- Poisson process, 134
- Laplace transform, 37, 53, 79, 239, 272
- least squares, 106
- $\mathbb{L}\mathbb{E}\mathbb{B}$ , 41
- Lévy
  - measure, 214, 219, 249, 279, 280
    - definition, 146
  - process, 146, 171, 214, 280
    - and Poisson process, 146
    - characteristic function, 151, 155
    - compound Poisson, 147
    - construction, 146, 150
    - independent increments, 151
    - Itô representation, 150, 216
    - path properties, 155
    - properties, 150
    - stable Lévy motion, 154
    - stationary increments, 152
    - stochastic continuity, 152
    - subordinators, 153
    - totally skewed, 147
    - variance calculations, 148
    - weak convergence, 214
  - stable motion, 218
- limit
  - function, 167
    - continuity, 210
  - measure, 173, 179, 251, 308, 310, 314, 328, 352
    - general representation, 196
- Lindley queues, 272, 273, 275, 276, 279
- linear process, 341
- local uniform convergence, 214, 216
- log-gamma, 68
- long-range dependence, 4, 6, 123, 253, 254
  - and heavy tails, 125, 126, 130
  - and religion, 126
  - definition, 126
  - detection, 127
  - example, 127
  - Internet traffic, 123
  - packet counts per time, 124
- $m$ -dependence, 210
- $M_p(\mathbb{E})$ , 50, 360
- $M_+(\mathbb{E})$ , 49, 360
- $M/G/\infty$  input model, 125
- marking
  - location dependent, 144
- martingale, 283
- max-infinite divisibility, 161
- maximal inequality, 283
- maximum-likelihood estimation, 74
- mean measure, 119
- metric
  - Hausdorff, 116
  - Skorohod, 46, 214
  - space, 360
    - càdlàg functions, 40, 46
    - closed sets, 116
    - continuous functions, 40, 45
    - Euclidean, 44
    - examples, 44
    - point measures, 40, 48
    - Radon measures, 40, 48
    - sequences, 45
    - uniform, 45, 214
    - vague, 49
- Mittag–Leffler distribution, 272, 277, 278
- mixtures, 330
- modulus of continuity, 46, 55
- moment estimator, 90, 93, 369
- MSFT, 113
- multivariate
  - heavy tails, 304, 322
  - regular variation, 167, 179, 212, 231, 236, 308, 331, 353
    - asymptotic
      - full dependence, 195
      - independence, 191
    - Cauchy, 198
    - densities, 199
    - examples, 191, 198, 200
    - functions, 167



- general construction, 197
  - independence, 191
  - limit function, 167
  - Poisson transform, 179
  - t-density, 200
  - tail probabilities, 172
- negative drift, 279–281
- networks
  - data, 3
- Neyman–Scott model, 165
- nice, 48, 360
- nodes, 254
- noncompliance, 322
- norm, 168
- normal dependence model, 209
- normalization, 324, 325
- $\omega_\delta(f)$ , 55
- on/off process, 3, 125
- one-point uncompactification, 62, 170–172
- order statistics, 99, 110, 114
  - conditional distribution, 115
  - Markov chain, 115
  - property, 162
  - Rényi representation, 115
- Pareto, 74, 101, 174, 203, 250, 307, 310, 315, 330, 331, 349, 353, 366
- parfit, 10
- partial sum, 214, 247
- peaks over threshold, 75, 77
  - multivariate, 183, 310
- $\Pi$ , 207, 250
  - variation, 207
    - and regular variation, 37
    - auxiliary function, 37
    - composition, 38
    - definition, 37
- Pickands
  - estimator, 90, 93, 350, 368
  - asymptotic normality, 94
  - consistent, 94
  - location/scale invariant, 94
  - properties, 93
- plot, 94
  - Danish data, 105
  - exponential variates, 96
  - Internet response data, 104
- plots
  - altHill, 317, 364
  - Hill, 4, 317, 319, 364
  - parfit, 366
  - Pickands, 94, 368
  - PP, 102
  - pppareto, 366
  - QQ, 4, 10, 97, 317, 319, 366
  - qqest, 367
  - qqHill, 368
  - smooHill, 364, 365
  - Stărică, 314, 315, 317, 318, 372, 374
  - tail plot, 104
  - time series, 8
- point measure, 50
- Poisson
  - process, 63, 119, 167, 211
    - and extremal processes, 160
    - and Lévy processes, 146
  - augmentation, 122, 130, 144
  - cluster, 164
  - construction, 143, 163
  - convergence to, 194
  - homogeneous, 120, 122
  - Internet model, 125
  - Laplace functional, 134
  - marking, 122
  - nonhomogeneous, 120
  - order statistics property, 162
  - rate, 120
  - thinning, 162
  - transform points, 120, 121
    - examples, 122
  - random measure, 119, 360
  - transform, 138, 167, 179, 210
    - and  $m$ -dependence, 210
- polar coordinates, 168, 169, 172, 177, 194, 197, 238, 313, 324, 335, 337, 339
- Portmanteau theorem
  - probability measures, 40
  - Radon measures, 52

- POT, 74, 75, 77, 101  
 Potter bounds, 32, 110, 285  
   variant, 36  
 price process, 6  
 PRM, 119, 194, 215, 360  
   construction, 163  
   Laplace functional, 135  
 probability integral transform, 295  
 product spaces, 57  
 products, 231, 236, 250, 355  
 Prohorov theorem, 43
- QQ  
   estimator, 90, 97, 106, 367  
   consistency, 108  
   use least squares, 106  
 plot, 10, 97, 307, 317, 319  
   BU data, 4  
   Danish data, 105  
   heavy tails, 101  
   Internet response data, 102, 103  
   location-scale families, 100  
   looks bad, 102  
   method, 98  
   philosophy, 97  
   practice, 108  
   related plot  
     PP, 102  
     tail plot, 104  
   S&P 500, 10
- quantile  
   function, 22, 62, 78, 80, 247, 254, 361  
   sample, 98  
   theoretical, 98
- queuing models, 272
- Radon, 49, 173, 210, 331, 360
- random  
   closed sets, 116  
   measure, 119  
   walk, 272, 280, 281
- ranks, 310, 312, 313, 315, 316, 318, 332, 335, 371, 374
- rate, 316
- ratio, 241
- record, 213
- rectangles, 359
- regular variation, 211  
   and products, 250  
   at the origin, 207  
   composition, 32  
   definition, 20  
   differentiation, 30  
   equivalences, 232  
   extremes converge, 211  
   examples, 21, 35  
   exponent, 20  
   global, 204, 248, 312, 342, 345  
   hidden, 322–325, 327, 328, 330, 333, 337, 351  
   integration, 25  
   inversion, 32
- Karamata  
   representation, 29  
   theorem, 25
- marginal, 204, 311, 312
- measures, 172
- multivariate, 322
- nonstandard, 203, 204, 236, 309  
   and products, 236  
   and sums, 248
- $\Pi$ -variation, 37
- Potter bounds, 32
- properties, 20, 32
- sequential form, 22
- slow variation, 20
- smooth version, 33
- standard, 203, 204, 307, 308, 311, 313, 314, 371
- standard case, 174, 204
- transformations, 226
- uniform convergence, 24
- vague convergence, 61
- von Mises condition, 30
- reinsurance, 13
- relative stability  
   slow variation, 37  
   sums, 37
- relatively compact, 43, 324
- vaguely, 51

- renewal
  - epochs, 265
  - function, 245, 265
  - process, 245, 273
- Rényi representation, 110, 114
- response, 316, 317
- restriction, 142, 176, 183, 206
- returns, 5–8, 305–307, 319, 320
- reversed martingales, 283
- sample
  - autocorrelation, 341
  - variance, 249
- scaling
  - argument, 57, 83, 338
  - property, 314
- second converging together theorem, 56, 84, 217, 233, 243, 282, 298
- second-order regular variation, 67, 94, 292, 302, 304
  - examples, 67
  - inversion, 67
- self-similarity, 124, 154
- sessions, 127
- The Simpsons*, 310
- Skorohod
  - convergence
    - when impossible, 69
  - metric, 214, 216, 226
  - theorem, 41
    - continuous mapping, 43
  - topology, 46, 69, 360
- slow
  - growth, 255
  - variation, 20
    - relative stability, 37
- Slutsky's theorem, 55, 181, 347
- software, 363
- sources, 254
- spacings, 114
- stable
  - Lévy motion, 126, 154, 171, 214, 219, 220, 247, 253, 257, 272
    - form of Lévy measure, 154
    - self-similarity, 154
    - symmetric, 154
    - weak convergence to, 218
  - law, 21, 348, 349
  - random variable, 346–348
  - subordinator, 247, 347
- Standard & Poors 500, 7
- Stărică plot, 314, 315, 318, 372, 374
- stochastic
  - continuity, 152
  - differential equation, 232
- stylized facts, 5, 8
- subordinator, 153
  - characteristic function, 153
- stable, 247, 347
- subsequence principle, 76
- supremum map, 69
- t-density, 200
- tail
  - empirical
    - measure, 78, 291, 292, 296
    - process, 291
  - equivalent, 174, 205, 221, 328, 332, 351, 352
  - index, 73
  - plot, 104
- thinning, 162
- threshold, 74
  - selection, 314
- throughput, 238, 316
- tightness, 43
- time change, 47, 57, 294
- time-series models, 340, 341
- topology, 170, 324
  - destiny, 324
  - locally uniform, 45
  - Skorohod, 46, 69
  - uniform, 46
  - vague, 51
- total heaviness,  $v$
- totally skewed
  - to the left, 147
  - to the right, 147, 280
- traffic, 4, 125, 253
  - bursty, 253

- cumulative, 253
- intensity, 273, 275
- transformation
  - addition, 226, 228, 230
  - augmentation, 122, 130, 241
  - binding, 210, 228
  - idpolar, 237
  - Laplace, 239
  - linear combination, 226
  - of Poisson process, 120
  - point, 120
  - Poisson, 179
  - polar coordinate, 168, 169, 313, 339
  - power, 371
  - prodid, 238
  - product, 231, 232, 236
  - rank, 316, 318, 332, 335, 371, 372, 374
  - ratio, 241–243
  - scaling, 64, 83
  - standard, 314, 370
  - thinning, 162
- transition function
  - and augmentation, 144
- transmission rate, 125, 254, 317
- uncompactification, 170
- uncorrelated, 6, 9
- uniform
  - convergence, 17
  - metric, 214
  - topology, 360
- unit sphere, 169
- Urysohn lemma, 52
- vague metric, 49, 51
  - continuity with respect to, 64
- convergence, 49
- value-at-risk, 7, 9
- VaR, 7, 9
- vector notation, 211, 359
- version, 155
- Vervaat’s lemma, 59, 292, 293, 297, 302
- von Mises condition, 30, 300, 303
- waiting time, 273, 274, 279
- weak convergence, 39, 137, 211–213, 218
  - converging together, 55
  - criterion, 137
  - Donsker’s theorem, 54
  - extremes, 212, 213
  - inversion, 58
  - joint, 83
  - methods of proof, 53
    - characteristic function, 53
    - Cramér–Wold device, 53
    - Laplace transforms, 53
  - multivariate extremes, 211
  - Portmanteau theorem, 40
  - preservation under mappings, 141
  - PRMs, 163
  - product spaces, 57
  - properties, 40
  - relatively compact, 43
  - second converging together theorem, 56
  - Skorohod theorem, 41
  - Slutsky theorem, 55
  - stable Lévy motion, 218
  - sums, 221
  - tightness, 43
  - Vervaat lemma, 59
- Yiddish haiku, 314