

Index

A

Acquired immunity; *see also* Adaptive immunity; *specific topics*
features of, 28
measurement of, 28–29
stress as suppressing, 28–33
sympathetic nervous system (SNS)
output/response and, 26, 30–32, 43–44
Acute-phase response (APR), 33–34
Acute stress; *see also* Stress; *specific topics*
animal model of, 28
defined, 9
and potentiated innate immunity, 42
Adaptive immunity; *see also* Acquired immunity; *specific topics*
stress-induced effects on, 165
Adhesion molecules, 16
Adiol, 113
Adrenal steroids, 11
Adrenals: *see* Hypothalamic-pituitary-adrenal (HPA) axis
 β_2 -Adrenergic receptor stimulation and adaptive immune cell activity, 88–93
Adrenergic receptors on adaptive immune cells, receptors for, 86–88
Adrenocorticotrophic hormone (ACTH), 13, 249, 259
Allergic encephalomyelitis: *see* Experimental allergic encephalomyelitis
Allostasis, 242
Allostatic load, 242

Androstenediol (AED), 166
Anthrax lethal toxin (LeTx), 62–65
repression of glucocorticoid receptor, 66–68
Antidepressants, 247
Arginine-vasopressin (AVP), 259, 260
Aromatase inhibitors, 111–112
Asthma bronchiale
differential effects of maternal deprivation (MD) and postnatal handling (HA) stimulation and, 248–249
disease model of experimentally induced, 248
Autoimmune disease, 259; *see also* Experimental allergic encephalomyelitis; Multiple sclerosis
Autonomic nervous system (ANS): *see under* HIV pathogenesis

B

B-cells: *see under* Lymphocytes
Bacterial challenge, subcutaneous
as measure of innate immunity, 34–35
stress as facilitating recovery from, 35, 41–42
Bicalutamide, 107–108
Blood leukocyte numbers, stress-induced changes in, 7–10, 18–19
acute, 14–15
hormones mediating, 10–12
representing redistribution vs. destruction/net loss of leukocytes, 12–13

Blood leukocytes, 131–132
 stress-induced redistribution of, 7–8, 18–19
 functional consequences of, 16–18
 molecular mechanisms of, 16
 target organs of, 13–14

C

Cardiac function, sex hormones and alterations in, 105–106
 Catecholamines, 10, 11, 179, 183
 Cell-mediated immune response to influenza, 154–155
 Cell mediated immunity (CMI), 17–18
 Cellular immunity, 134–136
 Central nervous system (CNS), pathways of communication with immune system, 81, 82
 Chronic stress, defined, 9
 Corticotropin releasing hormone (CRH), 58, 259, 260, 265
 CXCR4, 180–181
 Cytotoxic T lymphocytes (CTLs), 128–129, 134–135, 139–140, 195–196

D

Danger theory, 39–40
 Dehydroepiandrosterone (DHEA), 112–113
 Demyelination, virus-induced; *see also* Theiler's virus-induced demyelination
 animal models of, 217–218
 5 α -Dihydrotestosterone (5 α -DHT), 104, 105, 108–111
 Disease susceptibility, 241
 early environment and maternal behavior in rodents and, 242–244
 early life stress and adult, 251–252
 modulation of, by early experiences
 ligature-induced periodontitis, 246–247
 maternal deprivation (MD) and postnatal handling (HA) stimulation, 244–245
 stress, adaptation, and, 241–242

E

eHsp72, 41–42
 immunostimulatory effect of, 39
 toll-like receptors binding, 40–41
 eHsp72 release
 and the danger theory, 39–40
 necrosis- vs. exocytosis-mediated, 37–38
 norepinephrine, α_1 ADRs, and, 38–39
 stress-induced sympathetic nervous system output as stimulating, 37–39
 EM-800, 108
 Encephalomyelitis: *see* Experimental allergic encephalomyelitis; Theiler's murine encephalomyelitis virus
 Endothelium, reactive, 153
Escherichia coli (*E. coli*) subcutaneous challenge
 as measure of innate immunity, 34–35
 stress as facilitating recovery from, 35, 41–42
 Estrogen receptors (ERs), 107, 108
 Experimental allergic encephalomyelitis (EAE), 262–263
 clinical course, 250
 disease model, 250
 imipramine as sufficient treatment of MD-induced aggravation of, 250–251

F

Finasteride, 111
 Flutamide, 107–108

G

Glucocorticoid hormones, 10–14
 Glucocorticoid receptor (GR)
 anthrax lethal toxin repression of, 66–68
 therapeutic implications, 68
 p38 MAPKK and, 67–68
 Glucocorticoid receptor (GR) response, diminished
 in disease, 60–62

Glucocorticoid resistance (GR),
 166–168, 226
 chronic stress and, 263–264
 social stress, immunity, and, 221–222
 sources of, 263–264
 Glucocorticoid response, protective
 features of intact, 59
 Glucocorticoid response elements
 (GREs), 58
 Glucocorticoids (GCs), 200, 202–203
 Granulocytes, 14

H

Handling, postnatal, 244–245, 248–249
 Heat shock proteins (Hsp), 36
 extracellular, 36–37
 Hsp72, 36; *see also* eHsp72
 intracellular, 36
 Hemagglutinin, 156
 Hepatocellular function, sex hormones
 and alterations in, 106
 Herpes simplex virus (HSV), 125–126
 Herpes simplex virus (HSV) infection,
 125, 126, 141–142
 immunity to, 126, 141–142
 innate and adaptive immunity,
 127–128
 memory cytotoxic T lymphocytes,
 128–129
 psychological stress and, 129–130
 stress and adaptive immune response
 to
 cellular immunity, 134–136
 humoral immunity, 133–134
 stress and innate immune response
 to
 cells of innate immune system,
 132–133
 inflammatory response, 130–131
 leukocyte trafficking and
 recruitment, 131–132
 stress and memory immune response
 to, 139–140
 stress and pathogenesis of, 136
 stress and HSV reactivation and
 recurrent infection, 138–139
 stress and primary HSV infection,
 136–137
 stress and preventing, 140–141

HIV pathogenesis, autonomic nervous
 system influences on, 176–178,
 185
 neuroanatomic basis of, 183–184
 HIV-1 replication
 catecholamine acceleration of, 179
 virologic mechanisms, 179–183
 Hydroxysteroid dehydrogenase (HSD),
 109
 Hypothalamic-pituitary-adrenal (HPA)
 axis, vii, 14, 15, 160–161,
 163–164, 242
 diminished HPA axis response in
 disease, 60–62
 disease susceptibility and, 246
 glucocorticoid hormones and, 57–62
 multiple sclerosis, stress, and,
 258–261
 protective features of intact, 59

I

ICI, 108, 112
 IFN-stimulated response element
 (ISRE), 152
 Imipramine, 247
 Inflammation; *see also* Multiple
 sclerosis
 stress effects on, 162–164
 Inflammatory response, 130–131,
 152–154
 Influenza vaccines, 156–157
 Influenza viral infection, 150–151, 168
 immune response to, 151
 cell-mediated, 154–155
 innate, 152–154, 162–165
 LPS challenge and, 167
 memory B-cell response, 156–157
 memory T-cell response, 157–160
 restraint stress suppresses, 162–168
 SDR and, 167
 stress and, 160–161, 166–168
 immunological memory to, 155–156
 Innate immune cell activation, 40–41
 Innate immune response to influenza,
 152–154, 162–165
 Innate immunity; *see also under*
 Herpes simplex virus (HSV)
 infection; *specific topics*
 acute stress and potentiated, 42

- Innate immunity (*cont.*)
 stress as facilitating, 33–34, 42–44
 subcutaneous bacterial challenge as
 measure of, 34–35
- Interferon (IFN)
 IFN- α , 152, 162, 163, 196
 IFN- β , 152, 162, 163
 IFN- γ , 88–89, 266, 267
 influenza and, 152
 Theiler's virus infection and, 193,
 195
 type 1, 152
- Interleukins (ILs), 88–89, 91
 IL-6 and mediation of effects of
 social stress, 226–228
- K**
- Keyhole limpet hemocyanin (aKLH
 Ig), 28–33
 stress-induced
 cellular mechanisms of, 29–30
 spleen as site for, 29
in vivo generation of, as measure of
 acquired immunity, 28–29
- L**
- Lactate dehydrogenase (LDH), 12
- Leukocytes, 131–132; *see also* Blood
 leukocytes
- Lipopolysaccharide (LPS), 167
- Lymphocytes
 B-cells, 154–156
 restraint stress and B-cell responses,
 166
 restraint stress and T-cell response,
 165–166
 T-cells, 154–160, 178, 195–196
 central memory (T_{CM}) and
 effector memory (T_{EM}),
 158–159
- M**
- Macrophages, 132
- Mast cells, 264–265
- Maternal deprivation (MD), 244–245,
 248–251
- Memory cytotoxic T lymphocytes
 (CTLm), 128–129, 139–140
- Metoclopramide (MCP), 113
- Mitogen activation protein kinase
 kinases (MAPKKs), 57, 64, 65
- Multiple sclerosis (MS), 191, 216–217
 inflammation in, 256–257, 259–265
 mechanisms by which stress leads to
 exacerbation, 261–262
 glucocorticoid resistance
 hypothesis, 263–264
 mast cell hypothesis, 264–265
 stress resolution hypothesis,
 262–263
 pathology and pathogenesis, 255–257
 psychosocial factors and
 exacerbation of, 265–266
 psychosocial mediators, 266
 psychosocial moderators, 266–267
 social stress and glucocorticoid
 resistance in, 222
 stress and, 191–192, 218–219, 231–232
 immune responses to acute
 psychological stressors, 260
 laboratory studies of acute stress
 responses, 258–260
 stressful life events and exacerbation
 of, 257–258, 267–268
- Theiler's virus-induced
 demyelination as model for,
 192–194
- Theiler's virus infection as model
 for, 219–220
 viral etiology, 192, 217–218
- Myelin basic protein (MBP), 206–207
- Myelin oligodendrocyte glycoprotein
 (MOG), 206–207
- N**
- Natural killer (NK) cell activity, stress
 effects on, 164–165, 205
- Natural killer (NK) cells, 15, 132, 154,
 193, 195
- Neuraminidase, 156
- Nitric oxide (NO), 34, 35, 41, 42
- Norepinephrine (NE), 30–31
 and adaptive immune cell activity,
 81, 88–93
 eHsp72 release, α_1 ADRs, and, 38–39
 and HIV-1 replication in T cells, 178
 increases HIV-1 infectivity and gene
 expression, 180

- inhibits secretion of antiviral cytokines, 181–183
 as regulating adaptive immune cell activity, 83–86, 93–94
- Norepinephrine (NE) release, sympathetic innervation of lymphoid tissue and, 81–83
- Norepinephrine (NE) splenic depletion, 31–33, 43–44
- O**
- Oligodendrocyte glycoprotein, myelin, 206–207
- P**
- Periodontitis
 animal model of, 246
 ligature-induced, individual differences in response to, 246–247
- Pituitary: *see* Hypothalamic-pituitary-adrenal (HPA) axis
- PKA, 178–181
- Postnatal handling (HA), 244–245, 248–249
- Progesterone receptor B (PR-B), 66
- Proteolipid protein (PLP), 206–207
- R**
- 5 α -Reductase, 111
- Restraint (RST) stress, suppressing immune response to influenza, 162–168
- S**
- Sepsis: *see* Trauma-hemorrhage
- Sex hormone receptor antagonist
 use of female, 108
 use of male, 107–108
- Sex hormone receptors, 107
- Sex hormones
 and alterations in cardiac function, 105–106
 and post-trauma organ functions, 113; *see also under* Trauma; Trauma-hemorrhage
- Sex steroid metabolites as therapeutic regimens after trauma-hemorrhage, 112–113
- Sex steroid synthesis, 108–111
 use of inhibitors of, 111–112
- Simian immunodeficiency virus (SIV), 183–185
- Social disruption (SDR), 166–167; *see also* Social stress, and immunity; Theiler's murine encephalomyelitis virus (TMEV) infection, social stress effects on
 influenza viral infection and, 168
 LPS challenge and, 167
- Social disruption (SDR) model, 221
- Social stress; *see also* Multiple sclerosis and immunity, 220–222
- Spleen, 29
- Splenic depletion, norepinephrine, 31–33, 43–44
- Steroids: *see* Adrenal steroids; Sex steroid synthesis
- Stress, 9; *see also* Acute stress; *specific topics*
 adaptation and, 241–242
 definitions of, 9
 early life: *see under* Disease susceptibility
 as facilitating innate immunity, 33–34, 42–44
 on host, causes of, 1
 and immune system, 190–191
 as modulating immune function, 27
 psychological, and immunity, 129–130
 suppresses acquired immunity, 28–33
 types of, 9
- Stress resolution hypothesis: *see under* Multiple sclerosis
- Sympathetic nervous system (SNS)
 output/response, 26
 excessive/stress-induced, 26
 as detrimental to health, 27
 as stimulating eHsp72 release, 37–38, 42–43
 as suppressing acquired immunity, 26, 30–32, 43–44
- T**
- T-cells: *see under* Lymphocytes
- Th1/Th2 cytokines, 196–197

- Theiler's murine encephalomyelitis virus (TMEV), 192, 207–208
strains, 192–193
- Theiler's murine encephalomyelitis virus (TMEV) infection
acute
 social stress, GC resistance, and, 226
 social stress during, 223–228
immune response in, 219–220
social stress and chronic, 228–230
social stress effects on, 223–226, 228, 231–232
 neonatal experience and, 230–231
 role of IL-6 in mediating, 226–227
- Theiler's virus-induced demyelination (TVID), 193, 220
disease course, 193, 194
mechanisms, 198–199
as model for multiple sclerosis, 192–193
restraint stress fails to render TVID-resistant mice susceptible to, 205–206
- Th1/Th2 responses in, 196–197
- Theiler's virus infection
interferon and NK cells in, 193, 195
restraint stress effects on early, 200–203
- role of CD8⁺ and CD4⁺ T cells in, 195–196
- stress effects on neuropathogenesis of, 199–207
restraint procedures and experimental design, 199–200
restraint stress alters chemokine/cytokine mRNA expression, 204–205
restraint stress during acute infection and later demyelinating disease, 206–207
restraint stress during chronic demyelinating disease, 207
- Toll-like receptors (TLRs), 151–153, 162, 163, 181
- Trauma
 sex hormones and immune response to, 103–105
 sex hormones and response to experimental, 103–106
- Trauma-hemorrhage
 gender-specific response to, 103–104
 sex hormones and mortality from subsequent sepsis, 106
- Trauma patients, gender dimorphism in, 101–103, 114