

Index

A

Actuators, 370, 372
Adaptive binding, 143, 344
Adders, 7, 63, 357, 359, 360–364, 369
Adenosine, 12, 15, 30, 58, 66, 67, 70, 81, 85,
143, 162, 164–174, 229, 279–283,
305, 331–333, 335, 345–347
Adenosine deaminase (ADA), 331–333,
345–347,
Adenine riboswitch, 25–27, 32
Affinity
 chromatography, 6, 48–55, 118, 272–274,
276, 279, 292, 313
 PCR, 266
 separation, 4, 6, 255–268, 271–285
 tags, 276–278, 284
Aggregation, 157, 159, 164, 170–172, 191,
200, 201, 220–222, 241
Alkaline phosphatase (ALP), 208–210, 212,
345, 346
Alkane thiol, 189
 Allosteric NAER, 133, 144, 146, 147, 150
 ribozymes, 145, 146, 343, 344, 347–350
 selection, 145, 348
Alternating current voltammetry, 184
Amino acids, 4, 36, 52, 58, 60, 65, 67, 271,
281, 352
Aminoglycoside antibiotic, 64
AMP, 52, 67, 70, 186, 187, 189, 279, 345, 346
Amplicons, 290, 292
Amplification, 6, 15, 51, 71, 75, 136–138,
140, 145, 150, 174, 182, 202–204,
211, 212, 223, 225, 230, 234,
236–238, 241, 242, 246, 258, 259,
266–268, 288–293, 295, 305, 344,
373, 382–386
AND logic, 363
ANDANDNOT logic, 359, 366

ANDNOT logic, 358, 359, 361
Antisense, 146–148, 344–346, 373
Antisense sequestration, 146–148
Aptamer displacement, 345
Aptamer-inhibited ribozyme, 349
Aptasensor, 180, 181, 183–186, 188,
191–193, 272
Aptazyme, 4, 5, 83–86, 156, 162, 174, 305,
344, 348, 349, 352, 372
ATP-dependent hammerhead ribozyme, 348
ATP detection, 327
Automata, 7, 149, 364–370
Automated selection of aptamers,
291–293
Automaton, 364–369
Autonomous, 7, 239, 240, 357, 368, 373,
378–382
Autonomous molecular devices, 357
Autoradiography, 132
Avidin, 51, 207, 208, 210–212, 224, 233,
235–237, 239, 297, 310, 312, 318,
319, 327

B

Bacteria, 13, 25, 30, 31, 111, 156, 168, 200,
275, 276, 350–352
Binding constant, 6, 51, 55, 58–61, 64, 65, 67,
68, 261, 264, 265
Binding stoichiometry, 263
Bioanalysis, 326, 377
BioArray Software Environment (BASE),
303, 304
Biomarker, 112–119, 123, 125, 128, 300
Biomimetic, 382
Biopolymers, 12, 272–278
Biosensing, 4, 6, 140, 150, 229, 241, 246, 247,
310, 311, 334, 336

- Biosensor, 132, 139, 140, 142, 143, 155–174, 180, 187, 199, 200, 202, 204–218, 293, 309, 310, 320, 323, 337
- Biotin, 52, 58, 66, 69, 72, 173, 208, 210–212, 219, 230, 231, 233, 235–237, 272, 277–279, 282, 292, 293, 295, 297–299, 310, 312, 326, 327, 335, 372
- Biotin ligase, 293
- Blood serum, 5, 173, 174, 182, 189, 190, 192, 193
- Boolean logic, 356
- C**
- Cancer cells, 112–119, 125, 168
- Capillary electrophoresis, 6, 54, 255–258, 263, 266–268, 290, 291
- Cascade amplification, 385, 386
- Catalytic DNA, 82, 156, 191, 310, 316
- Catalytic core, 18, 34, 85, 147, 162, 359, 361, 378, 380, 382, 384
- Catalytic enlargement of Au nanoparticles, 219
- Catalytic molecular beacon, 148–150, 316, 320, 383
- CdS nanoparticle, 236, 245
- Cell based SELEX, 113–119
- Cellular metabolite, 12, 22, 25
- Capillary electrophoresis-SELEX (CE-SELEX), 257, 258, 268, 291
- Chiral, 281–284
- Chemical probing, 63, 77
- Chemiluminescence, 200, 204, 212, 214–216, 218, 240–242, 385
- Circuits, 7, 184, 356, 357, 359–364, 369–371, 373
- cis* cleavage, 351
- Cocaine, 67, 163–169, 173, 174, 189, 190, 192, 334
- Coenzyme B₁₂, 23, 24, 36
- Colorimetric, 5, 155–174, 181, 191, 192, 200, 241, 313, 334, 386
- Colorimetric detection, 170, 200, 241, 334
- Communication module, 83–86, 144–148, 316, 348
- Competition assay, 122, 181, 183
- Computation, 7, 65, 149, 150, 355–374, 377, 386
- Conductivity, 218, 219
- Conformational change, 26, 30, 33, 69, 120, 123, 180, 188, 189, 192, 262, 266, 278, 312, 315, 323, 324, 344, 348, 357
- Continuous evolution, 75
- Counterselection, 52, 113–115, 282
- Cytohesin, 345, 347
- D**
- Depolarization, 263, 344, 347
- DEC22-18, 137, 138, 143, 144
- DET22-18, 137, 138
- Diagnosis, 111–113, 119, 382
- Dicer, 351, 352
- dipstick, 5, 172, 334
- DNA
- detection, 172, 200, 212, 228, 233, 243, 247, 382–386
 - enzyme, 82, 83, 137, 158, 310, 311, 328–330, 378, 379
 - nanomechanical device, 378
 - nanomachine, 377–386
 - nanomotor, 378, 382
 - nanotechnology, 377, 378, 382, 386
 - nanotweezers, 378–380
 - peroxidase, 385, 386
 - track, 239
 - walker, 380–382, 386
- DNA-RNA chimera, 380–383
- DNAzyme, 3–5, 7, 82, 156, 158–164, 166, 174, 191, 212–217, 239–242
- 8-17 DNAzyme, 158, 159
- 10-23 DNAzyme, 379, 381–384
- Deoxyribozyme, 3–5, 48, 75, 81–83, 85, 86, 132–151, 156, 292, 310, 316, 324, 328, 356–362, 364–366, 368–370
- Deoxyribozyme logic, 361, 364, 365
- Diagnostic molecular device, 355
- Digital behavior, 360, 361, 363, 366, 369
- Direct fluorophore labeling, 5, 112, 128
- Dissociation constant (K_d), 27, 182, 185, 186, 188, 191, 193, 271, 279, 288, 289
- Downstream gates, 370–372
- Double-stranded DNA, 170, 171, 188, 201, 210, 2122, 228, 239, 245, 246, 288, 292, 379
- Doxorubicin, 212
- Drug discovery, 258
- Dynamic range, 150, 151, 164–166, 258, 259, 261, 266, 300, 318, 319, 321, 327
- E**
- E6 DNAzyme,
- E. coli*, 36, 320
- Effective molarity, 79
- Electrocatalyst, 181–183, 218

- Electrochemical DNA biosensor, 204–217
- Electrochemical aptamer-based sensors (E-AB sensors), 188, 190–192
- Electrode, 5, 180–189, 191, 192, 200–205, 207–212, 217–221, 224, 225, 227, 228, 231, 233–239, 243–246
- Electrophoretic mobility shift assay, 64, 278
- Electron transfer, 185, 188, 189, 190, 205, 208, 209, 211, 233, 234, 236, 237, 312
- Electron transfer resistance, 208, 209, 211, 233, 234, 236, 237
- Enantiomers, 66, 279–284
- Entrapment, 311, 312, 324–333, 337
- Enzymatic probing, 28, 68
- Enzyme-amplified biosensors, 204–217
- Equilibrium dialysis, 64
- Equilibrium filtration, 64
- Error-prone PCR, 53, 74, 139
- Evanescent wave, 317, 318
- Expression platform, 22, 23, 27, 28, 31, 36
- F**
- Faradaic current, 181, 188, 189, 191
- Faradaic impedance spectroscopy, 184, 208, 233, 235, 236
- Ferrocene, 190, 201, 208, 233, 234
- Ferrocyanide, 185
- Fiber-optic sensor, 312, 318
- Filter-binding assay, 64, 288
- Five-way junction, 139–140
- Flow cytometry, 64, 114, 115, 117, 118, 272
- Flavin mononucleotide (FMN), 27, 145, 146, 348
- Fluorescein, 133, 136, 141, 143, 144, 147, 149, 259, 261, 275, 327, 346, 361, 363, 369
- Fluorescence
- anisotropy, 5, 64, 112, 119–125, 128, 192, 314, 318, 322
 - assay, 313, 314, 336
 - dye, 383
 - polarization, 6, 262–264, 344, 345, 347, 350, 351
 - quencher, 383
 - quenching, 5, 112, 121, 128, 138, 345
- Fluorescence signaling, 5, 133, 135–144, 147, 149–151, 292, 313, 314–317, 328, 331, 334, 347
- Fluorescence resonance energy transfer, Förster resonance energy transfer (FRET), 5, 14, 17, 18, 19, 27, 32, 33, 112, 119, 120, 122–125, 128, 133, 134, 146, 149, 215, 217, 263, 264, 314, 320, 343–346, 349–352, 356, 360, 379
- Fluorescent aptamer probes, 115
- Fluorophore, 5, 64, 112, 114, 117, 119–123, 128, 132–135, 143, 156, 157, 167, 179, 192, 241, 243, 263, 264, 301, 310, 314–318, 320, 331, 345, 360, 361
- FMN-binding aptamer, 348
- FRD (fluorescence-signaling and RNA-cleaving deoxyribozyme), 136, 137, 140, 141, 143, 150
- Full adder, 7, 357, 359, 361–364, 369
- Functional DNA, 66, 155–157
- Functional nucleic acids, 3, 4, 7, 12, 47, 48, 66, 83, 86, 150, 156, 168, 174, 291, 297, 310, 311, 313–326, 336, 343, 344, 350, 352
- G**
- Gel electrophoresis, 14, 17, 19, 54, 63, 72, 132, 278, 290, 292, 360
- GlmS ribozyme, 14, 25, 33, 34, 36, 350, 351
- Glucosamine-6-phosphate (GlcN6P), 24, 25, 33–36, 350, 351
- Glucose oxidase, 208
- Glutathione-S-transferase (GST), 52, 294
- Glycine, 23, 260
- Gold, 48, 52, 54, 56, 157–166, 168–172, 189, 191, 200, 215, 216, 218–224, 228, 230–234, 241, 311–313, 320, 322, 334, 335
- Gold nanoparticle, 157, 158, 191, 221, 312, 313, 334, 335
- G-quadruplex, 171, 186, 188, 190, 214, 215, 241, 385
- Group I intron, 13, 47, 56, 71, 84
- Group II intron, 13, 277
- Guanine riboswitch, 22, 23, 25
- Guanidine hydrochloride, 186, 189
- H**
- Half adder, 357, 360–362
- Hammerhead ribozyme, 14–18, 77, 84, 145–147, 348–350
- Hairpin ribozyme, 18, 36, 132, 348, 350
- Hepatitis delta virus, 14, 21, 84
- High throughput selection, 288–294
- High throughput screening (HTS), 6, 330–334, 343, 346, 347, 351

- HIV-1-RT-dependent hammerhead ribozyme, 349
- Horseradish peroxidase, 181–183, 205, 212, 214, 215, 217, 218
- Hybridization, 147–149, 171, 172, 199–208, 210, 212, 214, 215, 218, 219, 221, 222–225, 227, 230, 231, 233–236, 238, 239, 241, 242, 294–297, 299, 305, 313–316, 320, 327, 383
- I**
- IgG, 117, 184, 259, 267, 291
- Immobilization, 6, 48, 85, 224, 231, 233, 279, 282, 294–297, 309–314, 319, 323–326, 330, 336
- Immobilized aptamers, 6, 279–284, 317, 318, 321–324
- Immobilized metal affinity chromatography (IMAC), 292
- Immunoprecipitation, 54, 64
- Impedance, 5, 180, 184–188, 191, 204, 208–211, 233, 235–238, 313
- Inputs, 7, 24, 52, 132, 148, 149, 356–359, 361–366, 369, 370, 372
- Interfacial resistance, 184–186
- Intramer, 62
- In vitro compartmentalization (IVC), 75
- In vitro selection, 3, 5, 33, 48–56, 70–81, 83–86, 120, 132, 136–141, 143, 144, 150, 156, 158, 191, 271, 282, 287–291, 293, 300, 310, 320, 333, 348, 373, 385
- Isocratic elution, 64
- Isothermal reaction, 385, 386
- J**
- Junction, 15, 18, 19, 25, 28, 30–32, 83, 123, 138, 139, 142, 147
- K**
- Kinetic genetic regulation, 25, 344
- Kink-turn (K-turn), 28, 36
- L**
- Laser-induced fluorescence, 256, 259, 261, 263
- Lateral flow, 172–174, 334, 335
- Lead ions, 189
- Lead, Pb, 316, 320, 321
- Leukemia, 60, 113, 115–119, 261
- Ligase, 71–73, 75, 79, 80, 83, 242, 293, 297, 305, 348, 350, 359–361, 370, 371, 386
- Light-switching excimers, 5, 112, 125–127
- Liposome, 66, 204, 233–239
- Liquid chromatography, 272, 274, 279, 281, 284, 285
- Locked nucleic acid (LNA), 296, 297, 301, 313
- Logic gate, 7, 24, 149, 356–361, 363–366, 368–373
- Loop-loop interaction, 16–19, 25, 27
- Lysine, 23, 25, 36, 293, 295, 351, 352
- Lysozyme, 124, 184, 185, 298, 300, 321
- M**
- M13 phage DNA, 208, 211, 215, 217, 239, 241
- Macugen, 62
- Magnetic beads, 54, 227, 229, 233, 272, 275
- Magnetic particles, 222–224, 226–228, 233, 291
- Maya, 364–370
- Maya II, 364, 366–370
- Metal
- nanoparticle, 217–223
 - sulfide, 225, 227, 228
- Methylene blue, 183, 188, 189–191, 221, 246
- Microarray, 6, 287–305, 310, 312, 319–322, 324, 326, 329, 334, 336, 337
- Microgravimetric DNA analysis, 223–231
- MicroRNAs (miRNAs), 21, 352
- Modified electrode, 180, 183, 200, 235, 236, 246
- Modular design, 150, 364
- Modular nature, 132
- Molecular beacon (MB), 119, 148, 149, 190, 220, 246, 310, 314–316, 318–321, 326, 383, 384
- Molecular beacon aptamer (MBA), 120–125
- Molecular circuits, 373
- Molecular computation, 150, 355, 356, 371, 373
- Molecular logic gates, 7, 356, 360, 370
- Molecular recognition element (MRE), 112, 128, 131, 132, 140, 336
- Molecular switch, 12
- MRE, *See* Molecular recognition element
- Multi-analyte sensing, 315
- Multiplex detection, 167–169
- Multiplexing, 315
- Mutagenic PCR, 74

N

NAE (Nucleic acid enzyme), 131, 132, 150, 151
NAER (RNA-cleaving nucleic acid enzyme), 133–136, 143, 144, 146–148, 150, 151
Nanoparticles, 5, 81, 156–174, 191, 200, 201, 203, 204, 215–234, 236, 241, 243–246, 312–314, 320, 334, 335, 382, 383, 385
Nanocomposites, 324
Nanoparticle aggregate, 160, 172–174, 313, 335
Noughts and crosses, 364
Negative selection, 52, 53, 58, 73, 81, 84, 145, 146, 156
Networks, 17, 80, 325, 356, 359, 365, 366, 369, 372, 373
Nitrocellulose filtration capture, 289
Nonhomologous random recombination, 77
Nuclear magnetic resonance (NMR), 17, 19, 30, 63, 68–70, 79
Nucleic acid enzyme, 4–6, 48, 53, 70, 71, 83–86, 131, 132, 134, 135, 143–150, 156, 305, 316, 317
Nucleic acid sensors, 343, 344, 352
Nucleotide analog interference mapping (NAIM), 20, 21, 34

O

OA DNazymes, 328, 329
Oligonucleotides, 7, 50, 54, 64, 71, 85, 86, 132–134, 148, 149, 188, 200, 221, 226, 227, 230, 231, 235, 241, 245, 272, 274, 279, 282, 284, 295, 296, 299, 301, 304, 319, 345, 348–350, 356, 357, 359–362, 364, 367, 369, 370, 382
Optical DNA analysis, 217–223
Output, 7, 24, 132, 149, 151, 356–363, 369, 370, 373, 384–386

P

Parasitic sequence, 73
PCR, 50–52, 66, 71, 72, 74, 75, 81, 114, 120, 137, 139, 202, 212, 223, 239, 247, 257, 258, 266, 267, 277, 288–290, 292, 293, 378, 382
PDGF. *See* Platelet-derived growth factor
Peptidyl transfer, 11, 12, 15, 37
pHDZ1 DNazymes (pH3DZ1, pH4DZ1, pH5DZ1, pH6DZ1, pH7DZ1), 141–143, 147, 148

Phosphodiesterase, 359, 360, 370–373
Phosphodiesterase cascades, 370–373
Photoaptamer, 304, 305, 314, 322
Photoelectrochemical DNA detection, 243–246
Piezoelectric crystal, 202, 223, 229, 230
Platelet derived growth factor (PDGF), 120, 122–127, 163, 164, 189–192, 268, 305
Polyacrylamide gel electrophoresis (PAGE), 63, 72, 81, 132, 136, 137, 278, 292, 299, 328, 329
Polylysine capture, 295
Polymerase chain reaction (PCR), 50–53, 66, 71, 72, 74, 75, 81, 114, 120, 137, 139, 202, 212, 223, 239, 257, 258, 266, 267, 277, 288, 289, 290, 292, 293, 378, 382
Polystyrene beads, 231, 233, 234
Potassium ions, 120, 163, 186
Pre-miRNAs, 352
Protein tyrosine kinase-7 (PTK7), 117, 119
Proteomics, 6, 60, 311, 334
Purification, 60, 125, 272, 274–278, 284, 289, 291–294

Q

Quantum dots, 5, 157, 169, 215, 217, 243, 314, 383
Quencher, 119–123, 133–135, 143, 147, 167, 168, 180, 192, 241, 243, 310, 314, 315–317, 320, 331, 343, 345, 346, 360, 361, 379, 383
Quenching, 5, 112, 121, 125, 128, 133, 138, 168, 314, 320, 321, 323, 329, 345, 346

R

Radioactive assay, 54, 383
Random pool, 50, 53, 65, 143
Random sequence libraries, 132
Reagentless, 5
Real-time, 5, 112, 120, 122, 126, 151, 157, 346
Redox mediator, 181, 182, 184–186, 207
Regeneration, 187, 192, 320
Replication, 48, 202, 208, 210, 211, 215, 217, 230, 239, 241, 242, 350
Reporter ribozymes, 344, 349, 350
Reselection, 53, 63, 74, 79, 85, 138, 139, 143
Retro-inhibition, 12
Rev-binding element (RBE), 349
Rev-responsive ribozyme, 349, 350

- RiboReporter, 348, 349
- Ribosome, 11, 15, 19, 25, 37, 75, 79, 261
- Riboswitch, 3, 4, 12, 13, 21–37, 56, 69, 84, 85, 156, 324, 343, 344, 350–352
- Ribozyme ligases, 350
- RNA
- structure, 24, 35, 65
 - transesterification, 12
 - world, 11, 12, 36, 37, 65, 79, 82
- RNA-cleaving, 5, 7, 75, 79, 81, 82, 83, 85, 132, 133–150, 162, 317, 379, 383
- RNA folding, 28, 36
- RNA-ligand interaction, 272, 336
- RNase P, 13–15, 278
- Robotic work station, 292, 293
- Rolling circle amplification, 241, 242, 295, 305, 334, 335, 385, 386
- RT-PCR, 66, 72
- S**
- S-adenosylmethionine (SAM), 23, 24, 28–30, 36, 58
- Sandwich assay, 181, 182, 185, 221, 295, 298, 301, 305
- Sauerbrey equation, 230
- Scanometry, 221–223
- Screening, 4, 6, 84, 118, 134, 145, 148, 150, 311, 315, 321, 334, 336, 337, 343–352
- SecinH3, 347
- Secondary structure, 13, 14, 18, 20, 22–24, 26, 28, 31, 34, 36, 51, 58, 63, 66, 76, 77–78, 80, 86, 112, 123, 137–140, 142, 144, 150, 156, 158, 256, 328, 352, 359
- SELEX. *See* Systematic evolution of ligands by exponential enrichment
- Self-assembled monolayer, 203
- Semiconductor, 157, 167, 215, 243–246, 370
- Sensor engineering, 138–140, 142, 143
- Separation, 4–6, 51, 54, 72, 73, 119, 132, 133, 149, 222–224, 228, 233, 239, 255, 256, 258–260, 262, 265–268, 272, 279–284, 290, 314–316, 333
- Sequence space, 50, 73, 74
- Serum, 5, 66, 122, 124, 173, 174, 182, 183, 189, 190, 192, 193, 259–261, 274, 299, 305, 322, 334, 346, 378
- Signaling aptamers, 315–317, 322, 324, 333, 334, 344, 346, 347
- Silica, 274, 279, 290, 311, 312, 318, 319, 325, 327–330, 332, 333
- Silicomimetic, 356–357
- Silicon, 355, 356, 369, 370
- Silver nanoparticle, 221, 228
- Single-stranded DNA, 51, 81, 114, 120, 136, 170, 171, 240, 245, 246, 265, 266, 288, 290, 291, 297, 304, 309, 310, 323, 380, 381, 385
- Soil, 191
- Sol-gel, 6, 311, 324–334, 337
- Solid-phase assay, 6, 324, 330, 334, 336
- Solid-phase synthesis, 50, 71
- Specificity, 25, 26, 30, 33, 81, 112, 114, 118, 123–125, 128, 150, 151, 156, 165, 182, 186, 261, 267, 271, 272, 274, 277, 279, 281, 283, 284, 296, 299, 300, 317, 344, 345, 379
- Spiegelmer, 66, 68, 282
- Stem loop, 19, 20, 26, 29, 31, 32, 63, 85, 147, 148, 188, 277, 356, 357, 359, 362, 364, 365, 370, 371, 383
- Strand-displacement, 190, 191, 380, 382
- Streptavidin, 51, 52, 60, 66, 172, 173, 230, 272, 274, 275, 277–280, 282, 292, 295–297, 299, 300, 318, 321, 326, 327, 334, 335, 372
- Stringency, 51, 289, 290, 322
- Structure-switching, 171, 305, 315, 316, 326, 327, 331, 333, 334, 346, 373
- Surface-immobilized, 181, 182, 188
- Surface plasmon resonance (SPR), 54, 64, 200, 290, 297, 313
- Switches, 7, 12, 22, 27, 36, 120, 122, 144, 164, 315, 316, 327, 334, 349, 369, 372, 373
- Systematic evolution of ligands by exponential enrichment (SELEX), 3, 12, 15, 27, 30, 33, 48–51, 53, 54, 62, 112–119, 123, 132, 214, 257, 258, 268, 271, 282, 284, 285, 288, 291, 344, 373, 385
- T**
- TAMRA (Tetramethyl-carboxyrhodamine), 147, 149, 241, 361, 363, 369
- Target binding-induced folding, 5, 188, 189, 192, 193
- Target DNA, 171, 200–202, 204, 206–209, 212, 214, 215, 218, 219, 221–224, 230, 234, 235, 237, 238, 241, 244, 326, 383–386
- Tay-Sachs, 212, 241, 242

- Theophylline-dependent hammerhead
ribozyme, 348
- Thiamine pyrophosphate (TPP), 23, 30–32, 352
- Three-way junction, 15, 19, 25, 31, 32, 138
- Thrombin, 52, 67, 69, 70, 120–124, 163, 167,
168, 182–186, 188–190, 192, 212,
213, 256, 259–262, 265, 266, 268,
274, 297, 317–319, 322–324, 350
- Tic tac toe, 149, 364, 368, 369
- Toggle SELEX, 53
- Transition-state analogue, 56, 74, 75
- Tripartite system, 144
- Truth table, 356–358, 360, 361, 363
- Tumor, 5, 62, 68, 116, 119, 277
- Turnover, 13, 74, 75, 148, 150, 162, 166, 204,
359, 371, 384
- U**
- Ultrasensitive assays, 247, 266
- Upstream, 33, 135, 370–373
- Uranyl detection, 134
- UV-Vis spectrophotometer, 386
- V**
- Varkud satellite (VS), 14, 15,
18–21
- Vitamins, 12, 55, 58, 69
- W**
- Waveguide, 221, 322, 334
- X**
- XOR logic, 361, 371
- X-ray crystallography, 68–70
- Z**
- Z'-factor, 346, 351, 352