

---

## References

- [1] U. Abresch, Isoparametric hypersurfaces with four or six distinct principal curvatures, *Math. Ann.*, **264** (1983), 283–302.
- [2] J. C. Álvarez Paiva, *Tautness Is Invariant Under Lie Sphere Transformations*, preprint, 2001; available online from <http://www.math.poly.edu/~alvarez/pdfs/invariance.pdf>.
- [3] V. I. Arnold, *Mathematical Methods of Classical Mechanics*, Springer-Verlag, Berlin, 1978.
- [4] E. Artin, *Geometric Algebra*, Wiley-Interscience, New York, 1957.
- [5] M. F. Atiyah, R. Bott, and A. Shapiro, Clifford modules, *Topology*, **3** (1964), 3–38.
- [6] T. Banchoff, The spherical two-piece property and tight surfaces in spheres, *J. Differential Geom.*, **4** (1970), 193–205.
- [7] T. Banchoff and W. Kühnel, Tight submanifolds, smooth and polyhedral, in T. Cecil and S.-S. Chern, eds., *Tight and Taut Submanifolds*, MSRI Publications, Vol. 32, Cambridge University Press, Cambridge, UK, 1997, 51–118.
- [8] J. Berndt, S. Console, and C. Olmos, *Submanifolds and Holonomy*, Chapman and Hall/CRC Research Notes in Mathematics, Vol. 434, Chapman and Hall, Boca Raton, FL, 2003.
- [9] D. Blair, *Contact Manifolds in Riemannian Geometry*, Lecture Notes in Mathematics, Vol. 509, Springer-Verlag, Berlin, 1976.
- [10] W. Blaschke, *Vorlesungen über Differentialgeometrie und geometrische Grundlagen von Einsteins Relativitätstheorie*, Vol. 3, Springer-Verlag, Berlin, 1929.
- [11] G. Bol, *Projektive Differentialgeometrie*, Vol. 3, Vandenhoeck and Ruprecht, Göttingen, Netherlands, 1967.
- [12] R. Bott and H. Samelson, Applications of the theory of Morse to symmetric spaces, *Amer. J. Math.*, **80** (1958), 964–1029; corrections, *Amer. J. Math.*, **83** (1961), 207–208.
- [13] S. Buyske, Lie sphere transformations and the focal sets of certain taut immersions, *Trans. Amer. Math. Soc.*, **311** (1989), 117–133.
- [14] M. Cahen and Y. Kerbrat, Domaines symétriques des quadriques projectives, *J. Math. Pures Appl.*, **62** (1983), 327–348.
- [15] E. Cartan, *Théorie des groupes finis et continus et la géométrie différentielle traitées par la méthode du repère mobile*, Gauthiers-Villars, Paris, 1937.
- [16] E. Cartan, Familles de surfaces isoparamétriques dans les espaces à courbure constante, *Ann. Mat.*, **17** (1938), 177–191.
- [17] E. Cartan, Sur des familles remarquables d’hypersurfaces isoparamétriques dans les espaces sphériques, *Math. Z.*, **45** (1939), 335–367.

- [18] E. Cartan, Sur quelque familles remarquables d'hypersurfaces, *C. R. Congrès Math. Liège*, (1939), 30–41.
- [19] E. Cartan, Sur des familles d'hypersurfaces isoparamétriques des espaces sphériques à 5 et à 9 dimensions, *Rev. Univ. Tucuman Ser. A*, **1** (1940), 5–22.
- [20] E. Cartan, *The Theory of Spinors*, Hermann, Paris, 1966; reprinted by Dover, New York, 1981.
- [21] S. Carter and A. West, Tight and taut immersions, *Proc. London Math. Soc.*, **25** (1972), 701–720.
- [22] S. Carter and A. West, Totally focal embeddings, *J. Differential Geom.*, **13** (1978), 251–261.
- [23] S. Carter and A. West, Totally focal embeddings: Special cases, *J. Differential Geom.*, **16** (1981), 685–697.
- [24] S. Carter and A. West, A characterisation of isoparametric hypersurfaces in spheres, *J. London Math. Soc.*, **26** (1982), 183–192.
- [25] S. Carter and A. West, Convexity and cylindrical two-piece properties, *Illinois J. Math.*, **29** (1985), 39–50.
- [26] S. Carter and A. West, Isoparametric systems and transnormality, *Proc. London Math. Soc.*, **51** (1985), 520–542.
- [27] S. Carter and A. West, Generalized Cartan polynomials, *J. London Math. Soc.*, **32** (1985), 305–316.
- [28] S. Carter and A. West, Isoparametric and totally focal submanifolds, *Proc. London Math. Soc.*, **60** (1990), 609–624.
- [29] A. Cayley, On the cyclide, *Quart. J. Pure Appl. Math.*, **12** (1873), 148–165; reprinted in *Collected Mathematical Papers*, Vol. 9, Cambridge University Press, Cambridge, UK, 1896, 64–78.
- [30] T. Cecil, A characterization of metric spheres in hyperbolic space by Morse theory, *Tôhoku Math. J.*, **26** (1974), 341–351.
- [31] T. Cecil, Taut immersions of non-compact surfaces into a Euclidean 3-space, *J. Differential Geom.*, **11** (1976), 451–459.
- [32] T. Cecil, Reducible Dupin submanifolds, *Geom. Dedicata*, **32** (1989), 281–300.
- [33] T. Cecil, On the Lie curvatures of Dupin hypersurfaces, *Kodai Math. J.*, **13** (1990), 143–153.
- [34] T. Cecil, Lie sphere geometry and Dupin submanifolds, in *Geometry and Topology of Submanifolds III*, World Scientific, River Edge, NJ, 1991, 90–107.
- [35] T. Cecil, Dupin submanifolds, in *Geometry and Topology of Submanifolds V*, World Scientific, River Edge, NJ, 1993, 77–102.
- [36] T. Cecil, Taut and Dupin submanifolds, in T. Cecil and S.-S. Chern, eds., *Tight and Taut Submanifolds*, MSRI Publications, Vol. 32, Cambridge University Press, Cambridge, UK, 1997, 135–180.
- [37] T. Cecil and S.-S. Chern, Tautness and Lie sphere geometry, *Math. Ann.*, **278** (1987), 381–399.
- [38] T. Cecil and S.-S. Chern, Dupin submanifolds in Lie sphere geometry, in *Differential Geometry and Topology: Proceedings, Tianjin*, 1986–87, Lecture Notes in Mathematics, Vol. 1369, Springer-Verlag, Berlin, New York, 1989, 1–48.
- [39] T. Cecil and S.-S. Chern, eds., *Tight and Taut Submanifolds*, MSRI Publications, Vol. 32, Cambridge University Press, Cambridge, UK, 1997.
- [40] T. Cecil, Q.-S. Chi, and G. Jensen, Isoparametric hypersurfaces with four principal curvatures, *Ann. Math.*, **166** (2007), 1–76.
- [41] T. Cecil, Q.-S. Chi, and G. Jensen, Dupin hypersurfaces with four principal curvatures II, *Geom. Dedicata*, to appear.

- [42] T. Cecil, Q.-S. Chi, and G. Jensen, *On Kuiper's Conjecture*, preprint, 2007, math/0512089.
- [43] T. Cecil and G. Jensen, Dupin hypersurfaces, *Geometry and Topology of Submanifolds VII*, World Scientific, River Edge, NJ, 1995, 100–105.
- [44] T. Cecil and G. Jensen, Dupin hypersurfaces with three principal curvatures, *Invent. Math.*, **132** (1998), 121–178.
- [45] T. Cecil and G. Jensen, Dupin hypersurfaces with four principal curvatures, *Geom. Dedicata*, **79** (2000), 1–49.
- [46] T. Cecil and P. Ryan, Focal sets of submanifolds, *Pacific J. Math.*, **78** (1978), 27–39.
- [47] T. Cecil and P. Ryan, Focal sets, taut embeddings and the cyclides of Dupin, *Math. Ann.*, **236** (1978), 177–190.
- [48] T. Cecil and P. Ryan, Distance functions and umbilical submanifolds of hyperbolic space, *Nagoya Math. J.*, **74** (1979), 67–75.
- [49] T. Cecil and P. Ryan, Tight and taut immersions into hyperbolic space, *J. London Math. Soc.*, **19** (1979), 561–572.
- [50] T. Cecil and P. Ryan, Conformal geometry and the cyclides of Dupin, *Canadian J. Math.*, **32** (1980), 767–782.
- [51] T. Cecil and P. Ryan, *Tight Spherical Embeddings*, Lecture Notes in Mathematics, Vol. 838, Springer-Verlag, Berlin, New York, 1981, 94–104.
- [52] T. Cecil and P. Ryan, *Tight and Taut Immersions of Manifolds*, Research Notes in Mathematics, Vol. 107, Pitman, London, 1985.
- [53] S.-S. Chern, An introduction to Dupin submanifolds, in *Differential Geometry*, Pitman Monographs Surveys in Pure and Applied Mathematics, Vol. 52, Longman Scientific and Technical, Harlow, UK, 1991, 95–102.
- [54] L. Conlon, *Differentiable Manifolds: A First Course*, 1st ed., Birkhäuser Boston, Cambridge, MA, 1993.
- [55] M. Dajczer, L. Florit, and R. Tojeiro, Reducibility of Dupin submanifolds, *Illinois J. Math.*, **49** (2005), 759–791.
- [56] G. Darboux, *Leçons sur la théorie générale des surfaces*, 2nd ed., Gauthiers-Villars, Paris, 1941.
- [57] W. Degen, Generalized cyclides for use in CAGD, in *Computer-Aided Surface Geometry and Design (Bath, 1990)*, Institute of Mathematics and Its Applications Conference Series, New Series, Vol. 48, Oxford University Press, New York, 1994, 349–363.
- [58] J. Dorfmeister and E. Neher, An algebraic approach to isoparametric hypersurfaces I, II, *Tôhoku Math. J.*, **35** (1983), 187–224, 225–247.
- [59] J. Dorfmeister and E. Neher, Isoparametric triple systems of algebra type, *Osaka J. Math.*, **20** (1983), 145–175.
- [60] J. Dorfmeister and E. Neher, Isoparametric triple systems of FKM-type I, *Abh. Math. Sem. Hamburg*, **53** (1983), 191–216.
- [61] J. Dorfmeister and E. Neher, Isoparametric triple systems of FKM-type II, *Manuscripta Math.*, **43** (1983), 13–44.
- [62] J. Dorfmeister and E. Neher, Isoparametric hypersurfaces, case  $g = 6, m = 1$ , *Comm. Algebra*, **13** (1985), 2299–2368.
- [63] J. Dorfmeister and E. Neher, Isoparametric triple systems with special Z-structure, *Algebras Groups Geom.*, **7** (1990), 21–94.
- [64] C. Dupin, *Applications de géométrie et de mécanique: À la marine, aux points et chausées, etc.*, Bachelier, Paris, 1822.
- [65] S. Eilenberg and N. Steenrod, *Foundations of Algebraic Topology*, Princeton University Press, Princeton, NJ, 1952.

- [66] L. Eisenhart, *A Treatise on the Differential Geometry of Curves and Surfaces*, Ginn, Boston, 1909.
- [67] F. Fang, *Multiplicities of Principal Curvatures of Isoparametric Hypersurfaces*, preprint, Max Planck Institut für Mathematik, Bonn, Germany, 1996.
- [68] F. Fang, On the topology of isoparametric hypersurfaces with four distinct principal curvatures, *Proc. Amer. Math. Soc.*, **127** (1999), 259–264.
- [69] F. Fang, Topology of Dupin hypersurfaces with six principal curvatures, *Math. Z.*, **231** (1999), 533–555.
- [70] E. V. Ferapontov, Dupin hypersurfaces and integrable hamiltonian systems of hydrodynamic type, which do not possess Riemann invariants, *Differential Geom. Appl.*, **5** (1995), 121–152.
- [71] E. V. Ferapontov, Isoparametric hypersurfaces in spheres, integrable nondiagonalizable systems of hydrodynamic type, and  $N$ -wave systems, *Differential Geom. Appl.*, **5** (1995), 335–369.
- [72] E. V. Ferapontov, Lie sphere geometry and integrable systems, *Tôhoku Math. J.*, **52** (2000), 199–233.
- [73] D. Ferus, H. Karcher, and H.-F. Münzner, Cliffordalgebren und neue isoparametrische Hyperflächen, *Math. Z.*, **177** (1981), 479–502.
- [74] J. Fillmore, The fifteen-parameter conformal group, *Internat. J. Theoret. Phys.*, **16** (1977), 937–963.
- [75] J. Fillmore, On Lie’s higher sphere geometry, *Enseign. Math.*, **25** (1979), 77–114.
- [76] J. Fillmore, Hermitean quadrics as contact manifolds, *Rocky Mountain J. Math.*, **14** (1984), 559–571.
- [77] K. Fladt and A. Baur, *Analytische Geometrie spezieller Flächen und Raumkurven*, Vieweg, Braunschweig, Germany, 1975.
- [78] P. Griffiths, On Cartan’s method of Lie groups and moving frames as applied to uniqueness and existence questions in differential geometry, *Duke Math. J.*, **41** (1974), 775–814.
- [79] K. Grove and S. Halperin, Dupin hypersurfaces, group actions, and the double mapping cylinder, *J. Differential Geom.*, **26** (1987), 429–459.
- [80] J. Hahn, Isoparametric hypersurfaces in the pseudo-Riemannian space forms, *Math. Z.*, **187** (1984), 195–208.
- [81] J. Hahn, Isotropy representations of semisimple symmetric spaces and homogeneous hypersurfaces, *J. Math. Soc. Japan*, **40** (1988), 271–288.
- [82] C. Harle, Isoparametric families of submanifolds, *Bol. Soc. Brasil Mat.*, **13** (1982), 35–48.
- [83] T. Hawkins, Line geometry, differential equations and the birth of Lie’s theory of groups, in *The History of Modern Mathematics*, Vol. I, Academic Press, San Diego, 1989, 275–327.
- [84] J. Hebda, Manifolds admitting taut hyperspheres, *Pacific J. Math.*, **97** (1981), 119–124.
- [85] J. Hebda, Some new tight embeddings which cannot be made taut, *Geom. Dedicata*, **17** (1984), 49–60.
- [86] J. Hebda, The possible cohomology of certain types of taut submanifolds, *Nagoya Math. J.*, **111** (1988), 85–97.
- [87] E. Heintze and X. Liu, Homogeneity of infinite dimensional isoparametric submanifolds, *Ann. Math.*, **149** (1999), 149–181.
- [88] E. Heintze, C. Olmos, and G. Thorbergsson, Submanifolds with constant principal curvatures and normal holonomy groups, *Internat. J. Math.*, **2** (1991), 167–175.

- [89] U. Hertrich-Jeromin, *Introduction to Möbius Differential Geometry*, London Mathematical Society Lecture Notes Series, Vol. 300, Cambridge University Press, Cambridge, UK, 2003.
- [90] D. Hilbert and S. Cohn-Vossen, *Geometry and the Imagination*, Chelsea, New York, 1952.
- [91] W.-Y. Hsiang, R. Palais, and C.-L. Terng, The topology of isoparametric submanifolds, *J. Differential Geom.*, **27** (1988), 423–460.
- [92] S. Immervoll, On the classification of isoparametric hypersurfaces with four distinct principal curvatures in spheres, *Ann. Math.*, to appear.
- [93] G. Jensen, *Higher Order Contact of Submanifolds of Homogeneous Spaces*, Lecture Notes in Mathematics, Vol. 610, Springer-Verlag, Berlin, 1977.
- [94] F. Klein, *Vorlesungen über höhere Geometrie*, Springer-Verlag, Berlin, 1926; reprinted by Chelsea, New York, 1957.
- [95] S. Kobayashi and K. Nomizu, *Foundations of Differential Geometry*, Vols. I and II, Wiley-Interscience, New York, 1963, 1969.
- [96] N. Kuiper, On convex maps, *Nieuw Arch. Wisk.*, **10** (1962), 147–164.
- [97] N. Kuiper, Minimal total absolute curvature for immersions, *Invent. Math.*, **10** (1970), 209–238.
- [98] N. Kuiper, Tight embeddings and maps: Submanifolds of geometrical class three in  $E^n$ , in *The Chern Symposium 1979 (Proceedings of the International Symposium, Berkeley, CA, 1979)*, Springer-Verlag, Berlin, New York, 1980, 97–145.
- [99] N. Kuiper, Taut sets in three space are very special, *Topology*, **23** (1984), 323–336.
- [100] E. P. Lane, *A Treatise on Projective Differential Geometry*, University of Chicago Press, Chicago, 1942.
- [101] T. Levi-Civita, Famiglie di superficie isoparametriche nell'ordinario spazio euclideo, *Atti. Accad. Naz. Lincei. Rend. Cl. Sci. Fis. Mat. Natur.*, **26** (1937), 355–362.
- [102] T. Z. Li, Laguerre geometry of hypersurfaces in  $\mathbf{R}^n$ , *Manuscripta Math.*, **122** (2007), 73–95.
- [103] T. Z. Li and C.-P. Wang, Laguerre geometry of surfaces in  $\mathbf{R}^3$ , *Acta Math. Sinica*, **21** (2005), 1525–1534.
- [104] S. Lie, Über Komplexe, insbesondere Linien- und Kugelkomplexe, mit Anwendung auf der Theorie der partieller Differentialgleichungen, *Math. Ann.*, **5** (1872), 145–208, 209–256 (Ges. Abh. 2, 1–121).
- [105] S. Lie and G. Scheffers, *Geometrie der Berührungstransformationen*, Teubner, Leipzig, 1896; reprinted by Chelsea, New York, 1977.
- [106] R. Lillienthal, Besondere Flächen, in *Encyklopädie der Mathematische Wissenschaften*, Vol. III, Teubner, Leipzig, 1902–1927, 269–354.
- [107] J. Liouville, Note au sujet de l'article précédent, *J. Math. Pure Appl.* (1), **12** (1847), 265–290.
- [108] M. Magid, Lorentzian isoparametric hypersurfaces, *Pacific J. Math.*, **118** (1985), 165–197.
- [109] J. C. Maxwell, On the cyclide, *Quart. J. Pure Appl. Math.*, **34** (1867); reprinted in *Collected Works*, Vol. 2, Dover, New York, 1952, 144–159.
- [110] J. Milnor, *Morse Theory*, Annals of Mathematics Studies, Vol. 51, Princeton University Press, Princeton, NJ, 1963.
- [111] R. Miyaoka, Compact Dupin hypersurfaces with three principal curvatures, *Math. Z.*, **187** (1984), 433–452.
- [112] R. Miyaoka, Taut embeddings and Dupin hypersurfaces, in *Differential Geometry of Submanifolds: Proceedings of the Conference in Kyoto, Japan, 1984*, Lecture Notes in Mathematics, Vol. 1090, Springer-Verlag, Berlin, New York, 1984, 15–23.

- [113] R. Miyaoka, Dupin hypersurfaces and a Lie invariant, *Kodai Math. J.*, **12** (1989), 228–256.
- [114] R. Miyaoka, Dupin hypersurfaces with six principal curvatures, *Kodai Math. J.*, **12** (1989), 308–315.
- [115] R. Miyaoka, Lie contact structures and normal Cartan connections, *Kodai Math. J.*, **14** (1991), 13–41.
- [116] R. Miyaoka, Lie contact structures and conformal structures, *Kodai Math. J.*, **14** (1991), 42–71.
- [117] R. Miyaoka, A note on Lie contact manifolds, in *Progress in Differential Geometry*, Advanced Studies in Pure Mathematics, Vol. 22, Mathematical Society of Japan, Tokyo, 1993, 169–187.
- [118] R. Miyaoka, The linear isotropy group of  $G_2/SO(4)$ , the Hopf fibering and isoparametric hypersurfaces, *Osaka J. Math.*, **30** (1993), 179–202.
- [119] R. Miyaoka, A new proof of the homogeneity of isoparametric hypersurfaces with  $(g, m) = (6, 1)$ , in *Geometry and Topology of Submanifolds X*, World Scientific, River Edge, NJ, 2000, 178–199.
- [120] R. Miyaoka, *The Dorfmeister–Neher Theorem on Isoparametric Hypersurfaces*, preprint, 2006, math.DG/0602519.
- [121] R. Miyaoka and T. Ozawa, Construction of taut embeddings and Cecil–Ryan conjecture, in K. Shiohama, ed., *Geometry of Manifolds*, Perspectives in Mathematics, Vol. 8, Academic Press, New York, 1989, 181–189.
- [122] M. Morse and S. Cairns, *Critical Point Theory in Global Analysis and Differential Topology*, Academic Press, New York, 1969.
- [123] H.-F. Münzner, Isoparametrische Hyperflächen in Sphären I, II, *Math. Ann.*, **251** (1980), 57–71, **256** (1981), 215–232.
- [124] E. Musso and L. Nicolodi, A variational problem for surfaces in Laguerre geometry, *Trans. Amer. Math. Soc.*, **348** (1996), 4321–4337.
- [125] E. Musso and L. Nicolodi, Laguerre geometry for surfaces with plane lines of curvature, *Abh. Math. Sem. Univ. Hamburg*, **69** (1999), 123–138.
- [126] R. Niebergall, Dupin hypersurfaces in  $\mathbf{R}^5$  I, *Geom. Dedicata*, **40** (1991), 1–22.
- [127] R. Niebergall, Dupin hypersurfaces in  $\mathbf{R}^5$  II, *Geom. Dedicata*, **41** (1992), 5–38.
- [128] R. Niebergall and P. Ryan, Isoparametric hypersurfaces: The affine case, in *Geometry and Topology of Submanifolds V*, World Scientific, River Edge, NJ, 1993, 201–214.
- [129] R. Niebergall and P. Ryan, Affine isoparametric hypersurfaces, *Math. Z.*, **217** (1994), 479–485.
- [130] R. Niebergall and P. Ryan, Focal sets in affine geometry, in *Geometry and Topology of Submanifolds VI*, World Scientific, River Edge, NJ, 1994, 155–164.
- [131] R. Niebergall and P. Ryan, Affine Dupin surfaces, *Trans. Amer. Math. Soc.*, **348** (1996), 1093–1117.
- [132] R. Niebergall and P. Ryan, Real hypersurfaces in complex space forms, in T. Cecil and S.-S. Chern, eds., *Tight and Taut Submanifolds*, MSRI Publications, Vol. 32, Cambridge University Press, Cambridge, UK, 1997, 233–305.
- [133] K. Nomizu, *Fundamentals of Linear Algebra*, McGraw–Hill, New York, 1966.
- [134] K. Nomizu, Characteristic roots and vectors of a differentiable family of symmetric matrices, *Linear Multilinear Algebra*, **2** (1973), 159–162.
- [135] K. Nomizu, Some results in E. Cartan’s theory of isoparametric families of hypersurfaces, *Bull. Amer. Math. Soc.*, **79** (1973), 1184–1188.
- [136] K. Nomizu, Élie Cartan’s work on isoparametric families of hypersurfaces, in S. S. Chern and R. Osserman, eds., *Differential Geometry*, Part 1, Proceedings of Symposia in Pure Mathematics, Vol. 27, American Mathematical Society, Providence, RI, 1975, 191–200.

- [137] K. Nomizu, On isoparametric hypersurfaces in Lorentzian space forms, *Japan. J. Math.*, **7** (1981), 217–226.
- [138] K. Nomizu and L. Rodriguez, Umbilical submanifolds and Morse functions, *Nagoya Math. J.*, **48** (1972), 197–201.
- [139] C. Olmos, Isoparametric submanifolds and their homogeneous structure, *J. Differential Geom.*, **38** (1993), 225–234.
- [140] C. Olmos, Homogeneous submanifolds of higher rank and parallel mean curvature, *J. Differential Geom.*, **39** (1994), 605–627.
- [141] B. O’Neill, *Semi-Riemannian Geometry*, Academic Press, New York, 1983.
- [142] T. Ozawa, On the critical sets of distance functions to a taut submanifold, *Math. Ann.*, **276** (1986), 91–96.
- [143] H. Ozeki and M. Takeuchi, On some types of isoparametric hypersurfaces in spheres I, II, *Tôhoku Math. J.*, **27** (1975), 515–559, **28** (1976), 7–55.
- [144] R. Palais and C.-L. Terng, A general theory of canonical forms, *Trans. Amer. Math. Soc.*, **300** (1987), 771–789.
- [145] R. Palais and C.-L. Terng, *Critical Point Theory and Submanifold Geometry*, Lecture Notes in Mathematics, Vol. 1353, Springer-Verlag, Berlin, New York, 1988.
- [146] U. Pinkall, *Dupin’sche Hyperflächen*, Dissertation, Universität Freiburg, Freiburg, Germany, 1981.
- [147] U. Pinkall,  $W$ -Kurven in der ebenen Lie-Geometrie, *Elemente Math.*, **39** (1984), 28–33, 67–78.
- [148] U. Pinkall, Letter to T. Cecil, December 5, 1984.
- [149] U. Pinkall, Dupin’sche Hyperflächen in  $E^4$ , *Manuscripta Math.*, **51** (1985), 89–119.
- [150] U. Pinkall, Dupin hypersurfaces, *Math. Ann.*, **270** (1985), 427–440.
- [151] U. Pinkall, Curvature properties of taut submanifolds, *Geom. Dedicata*, **20** (1986), 79–83.
- [152] U. Pinkall and G. Thorbergsson, Deformations of Dupin hypersurfaces, *Proc. Amer. Math. Soc.*, **107** (1989), 1037–1043.
- [153] U. Pinkall and G. Thorbergsson, Taut 3-manifolds, *Topology*, **28** (1989), 389–401.
- [154] U. Pinkall and G. Thorbergsson, Examples of infinite dimensional isoparametric submanifolds, *Math. Z.*, **205** (1990), 279–286.
- [155] M. J. Pratt, Cyclides in computer aided geometric design, *Comput. Aided Geom. Design*, **7** (1990), 221–242.
- [156] M. J. Pratt, Cyclides in computer aided geometric design II, *Comput. Aided Geom. Design*, **12** (1995), 131–152.
- [157] H. Reckziegel, Krümmungsflächen von isometrischen Immersionen in Räume konstanter Krümmung, *Math. Ann.*, **223** (1976), 169–181.
- [158] H. Reckziegel, On the eigenvalues of the shape operator of an isometric immersion into a space of constant curvature, *Math. Ann.*, **243** (1979), 71–82.
- [159] H. Reckziegel, Completeness of curvature surfaces of an isometric immersion, *J. Differential Geom.*, **14** (1979), 7–20.
- [160] C. M. Riveros and K. Tenenblat, On four dimensional Dupin hypersurfaces in Euclidean space, *An. Acad. Brasil Ciênc.*, **75** (2003), 1–7.
- [161] C. M. Riveros and K. Tenenblat, Dupin hypersurfaces in  $\mathbf{R}^5$ , *Canadian J. Math.*, **57** (2005), 1291–1313.
- [162] D. Rowe, The early geometrical works of Sophus Lie and Felix Klein, in *The History of Modern Mathematics*, Vol. I, Academic Press, San Diego, 1989, 209–273.
- [163] P. Ryan, Homogeneity and some curvature conditions for hypersurfaces, *Tôhoku Math. J.*, **21** (1969), 363–388.

- [164] P. Ryan, Hypersurfaces with parallel Ricci tensor, *Osaka J. Math.*, **8** (1971), 251–259.
- [165] P. Ryan, *Euclidean and Non-Euclidean Geometry*, Cambridge University Press, Cambridge, UK, 1986.
- [166] P. Samuel, *Projective Geometry*, Springer-Verlag, Berlin, 1988.
- [167] S. Sasaki and T. Suguri, On the problems of equivalence of plane curves in the Lie's higher circle geometry and minimal curves in the conformal geometry, *Tôhoku Math. J.*, **47** (1940), 77–86.
- [168] M. Schrott and B. Odehnal, Ortho-circles of Dupin cyclides, *J. Geom. Graph.*, **10** (2006), 73–98.
- [169] B. Segre, Famiglie di ipersuperficie isoparametriche negli spazi euclidei ad un qualunque numero di demesioni, *Atti. Accad. Naz. Lincei. Rend. Cl. Sci. Fis. Mat. Natur.*, **27** (1938), 203–207.
- [170] D. Singley, Smoothness theorems for the principal curvatures and principal vectors of a hypersurface, *Rocky Mountain J. Math.*, **5** (1975), 135–144.
- [171] M. Spivak, *A Comprehensive Introduction to Differential Geometry*, Vols. 1–5, Publish or Perish, Boston, 1970–1975.
- [172] Y. L. Srinivas and D. Dutta, Blending and joining using cyclides, *ASME Trans. J. Mechanical Design*, **116** (1994), 1034–1041.
- [173] Y. L. Srinivas and D. Dutta, An intuitive procedure for constructing complex objects using cyclides, *CAD*, **26** (1994), 327–335.
- [174] Y. L. Srinivas and D. Dutta, Cyclides in geometric modeling: Computational tools for an algorithmic infrastructure, *ASME Trans. J. Mechanical Design*, **117** (1995), 363–373.
- [175] Y. L. Srinivas and D. Dutta, Rational parametrization of parabolic cyclides, *Comput. Aided Geom. Design*, **12** (1995), 551–566.
- [176] S. Sternberg, *Lectures on Differential Geometry*, Prentice–Hall, Englewood Cliffs, 1964; 2nd ed., Chelsea, New York, 1983.
- [177] S. Stolz, Multiplicities of Dupin hypersurfaces, *Invent. Math.*, **138** (1999), 253–279.
- [178] W. Strübing, Isoparametric submanifolds, *Geom. Dedicata*, **20** (1986), 367–387.
- [179] R. Takagi, A class of hypersurfaces with constant principal curvatures in a sphere, *J. Differential Geom.*, **11** (1976), 225–233.
- [180] R. Takagi and T. Takahashi, On the principal curvatures of homogeneous hypersurfaces in a sphere, in *Differential Geometry: In Honor of K. Yano*, Kinokuniya, Tokyo, 1972, 469–481.
- [181] M. Takeuchi, Proper Dupin hypersurfaces generated by symmetric submanifolds, *Osaka Math. J.*, **28** (1991), 153–161.
- [182] M. Takeuchi and S. Kobayashi, Minimal imbeddings of  $R$ -spaces, *J. Differential Geom.*, **2** (1968), 203–215.
- [183] C.-L. Terng, Isoparametric submanifolds and their Coxeter groups, *J. Differential Geom.*, **21** (1985), 79–107.
- [184] C.-L. Terng, Convexity theorem for isoparametric submanifolds, *Invent. Math.*, **85** (1986), 487–492.
- [185] C.-L. Terng, Submanifolds with flat normal bundle, *Math. Ann.*, **277** (1987), 95–111.
- [186] C.-L. Terng, Proper Fredholm submanifolds of Hilbert space, *J. Differential Geom.*, **29** (1989), 9–47.
- [187] C.-L. Terng, *Recent Progress in Submanifold Geometry*, Part 1, Proceedings of Symposia in Pure Mathematics, Vol. 54, American Mathematical Society, Providence, RI, 1993, 439–484.
- [188] C.-L. Terng and G. Thorbergsson, Submanifold geometry in symmetric spaces, *J. Differential Geom.*, **42** (1995), 665–718.



- [189] C.-L. Terng and G. Thorbergsson, Taut immersions into complete Riemannian manifolds, in T. Cecil and S.-S. Chern, eds., *Tight and Taut Submanifolds*, MSRI Publications, Vol. 32, Cambridge University Press, Cambridge, UK, 1997, 181–228.
- [190] G. Thorbergsson, Dupin hypersurfaces, *Bull. London Math. Soc.*, **15** (1983), 493–498.
- [191] G. Thorbergsson, Isoparametric foliations and their buildings, *Ann. Math.*, **133** (1991), 429–446.
- [192] G. Thorbergsson, A survey on isoparametric hypersurfaces and their generalizations, in *Handbook of Differential Geometry*, Vol. I, North-Holland, Amsterdam, 2000, 963–995.
- [193] K. Voss, *Eine Verallgemeinerung der Dupinsche Zykliden*, Tagungsbericht 41/1981, Geometrie, Mathematisches Forschungsinstitut Oberwolfach, Oberwolfach, Germany, 1981.
- [194] C.-P. Wang, Surfaces in Möbius geometry, *Nagoya Math. J.*, **125** (1992), 53–72.
- [195] C.-P. Wang, Möbius geometry for hypersurfaces in  $S^4$ , *Nagoya Math. J.*, **139** (1995), 1–20.
- [196] C.-P. Wang, Möbius geometry of submanifolds in  $S^n$ , *Manuscripta Math.*, **96** (1998), 517–534.
- [197] Q.-M. Wang, Isoparametric functions on Riemannian manifolds I, *Math. Ann.*, **277** (1987), 639–646.
- [198] Q.-M. Wang, On the topology of Clifford isoparametric hypersurfaces, *J. Differential Geom.*, **27** (1988), 55–66.
- [199] A. West, Isoparametric systems, in *Geometry and Topology of Submanifolds I*, World Scientific, River Edge, NJ, 1989, 222–230.
- [200] A. West, Isoparametric systems on symmetric spaces, in *Geometry and Topology of Submanifolds V*, World Scientific, River Edge, NJ, 1993, 281–287.
- [201] B. Wu, Isoparametric submanifolds of hyperbolic spaces, *Trans. Amer. Math. Soc.*, **331** (1992), 609–626.
- [202] B. Wu, A finiteness theorem for isoparametric hypersurfaces, *Geom. Dedicata*, **50** (1994), 247–250.
- [203] Q. Zhao, Isoparametric submanifolds of hyperbolic spaces, *Chinese J. Contemp. Math.*, **14** (1993), 339–346.

---

# Index

- Abresch, 4
- affine
  - Laguerre transformation, 42–44, 47
  - space, 10
  - transformation, 41
- algebraically equivalent
  - Clifford systems, 101
- Alvarez Paiva, 6, 82, 83
- angle, 13–14, 19
- antipodal map, 36
- Artin, 30
- Atiyah–Bott–Shapiro, 97
- axis of revolution, 136, 153
  
- Banchoff, 82, 148
- Banchoff–Kühnel, 83
- Betti numbers, 82, 119
- bilinear form, 9
  - index, 9
  - nondegenerate, 9
  - rank, 9
  - signature, 9, 10, 21, 26, 28, 29, 49, 130–159, 188
- Blaschke, 1, 7, 28, 42, 51, 148
- Bol, 165
- Bott–Samelson, 4
- Buyske, 95
  
- Cahen–Kerbrat, 28, 30, 38
- Cartan, 3, 76, 113, 148, 181
- Cartan’s lemma, 161
- Cartan–Dieudonné theorem, 2, 25, 30–34
- Cartan–Münzner
  - differential equations, 96, 106
  - polynomial, 97
- Carter–West, 4, 82, 146
- Cayley, 148
  - numbers, 113, 122
- Čech homology, 93
  - continuity property of, 83, 94
- Cecil, 76, 80
- Cecil–Chern, 6, 49, 53, 66, 165, 168–188
- Cecil–Chi–Jensen, 4, 6, 79, 112, 123, 139, 143, 146, 159, 165, 168, 189
- Cecil–Jensen, 6, 79, 123, 145, 159, 168, 188, 189
  - conjecture, 190
- Cecil–Ryan, 4, 5, 68, 83, 113
- central dilatation, 43, 47, 159
- change of orientation transformation, 27, 36, 43, 44, 48, 158
- Clifford
  - algebra, 51, 97–101, 122
  - orthogonal, 108, 114
  - sphere, 102–105
  - system, 99–102
- Clifford–Stiefel manifold, 107–109, 114
- commutation relations, 167–168, 172–175
- cone
  - circular, 157
  - construction, 3, 125, 144
  - isotropy, 10, 38
  - light, 10, 38
- conformal, *see* Moebius
  - diffeomorphism, 14
  - geometry, 11
  - transformation, 2, 6

- transformation of Lie quadric, 28
- constructions
  - of Pinkall, 3, 125–148
- contact
  - condition, 58–59, 127–141
  - distribution, 52
  - element, 52, 64, 92
  - form, 52, 54, 56, 57
  - manifold, 51, 52, 56
  - structure, 2, 51–60
- coordinate neighborhood
  - normal, 61
- coordinate system
  - principal, 150
- coordinates
  - hexaspherical, 16
  - homogeneous, 10, 53, 58
  - Lie, 16
  - pentaspherical, 16
- covariant
  - derivative, 166, 167
  - differentiation, 165
- criterion for reducibility, 141–148
- cross-ratio, 75–78
- curvature
  - Lie, *see* Lie, curvatures
  - principal, *see* principal, curvature
  - sphere, 64–66, 73, 92, 129, 135, 138, 163
  - surface, 2, 69, 74, 115, 126, 135, 139
- curve theory in Lie sphere geometry, 7
- cyclide of Dupin, 5, 6, 63, 95, 113, 122, 125, 148–159, 180, 186, 188
  - Lie geometric classification of, 149
  - Möbius geometric classification of, 151
  - of characteristic  $(p, q)$ , 148
- cylinder, 126
  - circular, 155
  - construction, 3, 125, 133–136, 143
- Dajczer–Florit–Tojeiro, 145
- Darboux’s theorem, 57
- Degen, 148
- degree
  - of a representation, 98
- developable, 66
- dilatation, 43, 47, 159
- direct sum
  - of Clifford algebras, 97
  - of Clifford systems, 99, 102
- of representations of Clifford algebras, 98
- distance
  - Euclidean, 47, 131
  - from axis of revolution, 151
  - from focal submanifold, 186
  - function, 5, 6, 82, 88
    - spherical, 82
  - in hyperbolic space, 18
  - oriented, 64, 121
  - tangential, 39–43
- Dorfmeister–Neher, 4
- dot product, 11
- Dupin, 148
  - condition, 6, 70, 79, 115, 163, 170
  - cyclide, 5, 6, 63, 95, 113, 122, 125, 148–159, 180, 186, 188
  - hypersurface, 2, 3, 5–7, 51, 69, 80, 81, 96, 118, 125–190
    - compact, 3, 51, 79, 81, 95, 112–123
    - irreducible, 6, 145, 190
    - locally irreducible, 145
    - noncompact, 81
    - proper, 2, 3, 6, 70, 112–123, 125, 126, 143, 188, 189
    - reducible, 127–148, 186, 190
  - property, 70
  - relationship to tautness, 6, 120, 146
  - submanifold, 1, 6, 51, 69, 70, 74, 115, 125–190
- elliptic complex of spheres, 37
- embedding
  - substantial, *see* substantial embedding
  - taut, *see* taut, embedding
- envelope, 142, 143
- equivalence
  - of Clifford systems, 101
  - of representations, 98
- Erlangen Program, 18, 25, 46
- Euclidean
  - distance function, *see* distance, function
  - field of unit normals, 63, 127–141, 161
  - geometry, 46, 66, 131
  - parallel transformation, *see* parallel, transformation
  - projection, 63, 127, 133, 146, 151–159, 161
    - not an immersion, 63, 151
  - reflection, 35

- translation, *see* translation
- Ferapontov, 7
- Ferus–Karcher–Münzner, *see* FKM construction
- Fillmore, 7
- FKM construction, 4, 51, 95–112
- flat normal bundle, 4, 145
- focal
  - conics, 154
  - ellipse, 155
  - hyperbola, 155
  - parabola, 155
  - point, 64, 121
  - set, 148
    - of cyclide of Dupin, 154
  - submanifold, 78, 96, 148–151
- fundamental theorem of Lie sphere geometry, 1, 25–30
- generalized flag manifolds, 4
- geometrically equivalent
  - Clifford systems, 101
- great sphere map, 58, 63
- Griffiths, 53
- group
  - extended Laguerre, *see* Laguerre, extended group
  - Laguerre, *see* Laguerre, group
  - Lie sphere, *see* Lie, sphere group
  - Moebius, *see* Moebius, group
  - orthogonal, *see* orthogonal, group
  - restricted Laguerre, *see* Laguerre, restricted group
- Grove–Halperin, 5, 123
- Hahn, 5
- half-invariant
  - derivative, 166, 167, 172
  - differentiation, 165, 171
  - of weight  $m$ , 166
- Harle, 4
- harmonic set, 78
- Hawkins, 7
- Hebda, 120
- height function, 82, 83, 118–120
- Heintze–Liu, 4
- Heintze–Olmos–Thorbergsson, 5
- Hertrich–Jeromin, 7, 51
- Hessian, 85
- hexaspherical coordinates, 16
- homogeneous
  - coordinates, 10, 53, 58
  - manifold, 4, 96, 112
  - polynomial, 96
- Hopf fibration, 117–123
- horn cyclide, 157
- Hsiang–Palais–Terng, 4
- hyperbolic
  - complex of spheres, 37
  - distance, 18
  - field of unit normals, 63
  - geometry, 46, 48
  - parallel transformation, 49
  - projection, 63
  - space, 2
    - stereographic projection, 18
- hyperboloid, 14
- hyperplane, 17, 22, 35, 46, 115
  - at infinity, 10, 148
  - family of, 143
  - in  $\mathbf{R}^n$ , 15
  - in a parabolic pencil, 20, 22, 62
  - map, 127, 133, 136
  - nondegenerate, 30
  - oriented, 15, 20, 37, 39
  - polar, 11–13, 17, 18, 21, 34–36
  - reflection in, 32
  - tangent, 148
  - through the origin, 144
- hypersphere, *see* sphere
- hypersurface
  - Dupin, *see* Dupin, hypersurface
  - isoparametric, *see* isoparametric, hypersurface
  - taut, *see* taut, hypersurface
- immersion
  - condition, 58–59, 127–141
  - substantial, *see* substantial embedding
  - tight, *see* tight immersion
- Immervoll, 4, 112
- improper point, 12, 13, 16, 17, 37, 41, 46, 127, 133, 134, 136, 144, 153
- index of a bilinear form, 9
- injectivity condition on homology, 83
- integrable Hamiltonian systems, 7
- integral submanifold, 2, 57

- inverse limit, 94
- inversion
  - generate Lie sphere group, 25, 30, 34
  - generate Möbius group, 25, 34
  - in a sphere, 34
  - Lie, 34, 36
  - Möbius, 34
  - with a spacelike pole, 34
  - with a timelike pole, 35
- irreducible
  - Clifford system, 99, 101
  - Dupin submanifold, 79, 139, 145–147, 189, 190
  - representation, 98, 101, 111
- irreducibility
  - implies local irreducibility, 145
- isoparametric
  - hypersurface, 3, 51, 76, 77, 132, 148
  - in  $S^4$ , 181
  - in Lorentz space, 5
  - of Cartan, 180, 186
  - of FKM-type, 96–113
  - restriction on number of principal curvatures, 112
  - with four principal curvatures, 4, 95
  - with six principal curvatures, 4, 78
  - with three principal curvatures, 189
  - submanifold, 4
    - in hyperbolic space, 5
- isotropic vector, 10
- isotropy
  - cone, 10, 38
  - plane, 39
  - projection, 38
  - representation of symmetric space, 4
- Jensen, 53
- Klein, 7, 18, 25, 46
- Kobayashi–Nomizu, 7, 61
- Kuiper, 83, 95
- Laguerre
  - affine transformation, 42–44, 47
  - extended group, 42
  - geometry, 2, 25, 37–46
  - group, 37, 42, 47
  - inversion, 44
  - linear transformation, 42–45
  - restricted group, 42
  - transformation, 37, 41, 46
  - translation, 43
- Laplace invariants, 7
- Legendre
  - conditions, 58, 59, 127–141, 149
  - lift, 93, 94
  - map, 60–64
  - submanifold, 2, 46, 51, 58
    - induced by a hypersurface, 60, 65
    - induced by a submanifold, 61
    - induced by an isoparametric hypersurface, 81
- Levi–Civita, 3, 76
- Li, 7, 42, 51
- Li–Wang, 7, 51
- Lie
  - coordinates, 16
  - curvatures, 5, 51, 75, 78, 114–117
    - constant, 79, 80
    - of an isoparametric hypersurface, 78
  - equivalent, 2, 51, 66, 81, 95, 126, 141, 143, 145, 149, 168, 180, 181, 188
    - to an isoparametric hypersurface, 51, 76, 77, 79–81, 95, 112–123, 181–190
  - frame, 53, 159–165, 169
  - geometric hypersurface, 59
  - invariance of tautness, 82–95
  - invariants, 72, 168
  - inversion, 34, 36
  - metric, 15, 53
  - principal frame, 162
  - quadric, 1, 15, 16, 21, 28–30, 51, 58, 60, 72, 92, 127, 155, 169
  - scalar product, 15
  - sphere, 1, 16, 25
  - sphere geometry, 1, 14–16, 25, 46–49
    - history of, 7
  - sphere group, 27, 30, 36, 53
  - sphere transformation, 1, 25, 30, 49
  - taut, 92, 94
- light cone, 10, 38
- lightlike
  - line, 30, 39
  - subspace, 20, 31–33
  - vector, 10
- Lilienthal, 148
- limit
  - horn cyclide, 155

- inverse, 94
- parabolic horn cyclide, 155
- spindle cyclide, 155
- torus, 155
- line
  - of curvature, 2, 69, 126
  - on Lie quadric, 19–23, 28, 51–53, 59–60, 72, 127
  - preserving diffeomorphism, 25–30
  - projective, 19–23
- line-sphere transformation, 7
- linear
  - complex of spheres, 37
  - height function, 82, 83, 118–120
  - Laguerre transformation, 42–45
- Liouville, 148
- Lorentz
  - metric, 10, 12, 13, 15, 18, 39, 62
  - space, 29, 62
- Magid, 5
- manifold
  - Clifford–Stiefel, 107–109, 114
  - of lines on Lie quadric, 51–53, 59–60, 63, 92, 127
- Maurer–Cartan
  - equations, 54, 55, 160, 184
  - forms, 53, 56, 160, 169
  - of  $SO(3)$ , 184
- Maxwell, 148
- metric, 9
  - Lie, *see* Lie, metric
  - Lorentz, *see* Lorentz, metric
  - Poincaré, 18
  - spherical, *see* spherical, metric
- Miyaoka, 4, 6, 7, 75, 79, 95, 113, 117, 120, 122
- Miyaoka–Ozawa, 5, 51, 113, 117–122
- Moebius, *see* conformal
  - classification of cyclides, 151–159
  - curvature, 76, 114
  - differential geometry, 7
  - equivalent, 82, 151–159
  - geometry, 2, 11–14, 25, 46
  - group, 2, 27, 28, 30, 36, 46, 75
  - invariance of tautness, 82
  - inversion, 34
  - projection, 58
  - space, 12, 22, 185
  - sphere, 12, 15, 17, 35
  - transformation, 2, 6, 14, 27, 46, 49, 75, 151–159
- Morse
  - function, 82
  - inequalities, 5, 82
- Morse–Cairns, 83
- moving frames
  - in Lie sphere geometry, 53, 159–165
  - method of, 52, 125, 168
- Muenzner, 3–5, 7, 76, 77, 96, 107, 112–114, 147
- multiplicities of principal curvatures
  - of a compact Dupin hypersurface, 5, 123, 189
  - of an isoparametric hypersurface, 4, 79, 112
  - of FKM-hypersurfaces, 111
- multiplicity
  - of a curvature sphere, 66
  - of a focal point, 64, 96
- Musso–Nicolodi, 7, 51
- Niebergall, 6, 165, 168, 190
- Niebergall–Ryan, 5
- Nomizu, 3, 5, 68
- nondegenerate
  - bilinear form, 9
  - function, 82
  - hyperplane, 30
- normal
  - bundle, 61–63, 73, 80, 88–90, 93, 95, 109, 114, 115, 120, 128, 131–133
  - flat, 4, 145
  - connection, 61, 74, 90, 128
  - coordinate neighborhood, 61
  - exponential map, 88
  - geodesic, 64, 97, 121, 186
  - inward, 15
  - line, 148
  - outward, 15, 129
  - space, 69, 85, 86
  - unit, *see* unit normal bundle
- Olmos, 4
- orbit
  - of isotropy representation, 4
- orientation, 15
- oriented

- contact, 1, 19, 22, 25, 38, 41
- distance, 64, 121
- hyperplane, 20, 37, 39
- hypersphere in  $S^n$ , 17
- hypersphere in hyperbolic space, 18
- plane, 1, 14–15
- sphere, 1, 14–15, 138, 186
- orthogonal
  - complement, 10, 21–23
  - direct sum, 10
  - group, 25–34, 46–49, 53, 138, 183
  - planes, 13
  - spheres, 13
  - transformation, 25, 37, 46–49, 66, 139, 142
  - transformation of Lorentz space, 14
- orthonormal basis, 10
- Ozawa, 6, 120
- Ozeki–Takeuchi, 3, 4, 112
- Palais–Terng, 5
- parabolic
  - complex of spheres, 37
  - horn cyclide, 157
  - pencil, 1, 6, 19–23, 39, 53, 61, 82, 83, 92, 138, 139
  - of planes, 23
  - ring cyclide, 153
- parallel
  - hypersurface, 64–72, 96, 159
  - planes, 44
  - submanifold, 64–72
  - transformation, 43–49, 68, 77, 82
    - hyperbolic, *see* hyperbolic, parallel transformation
    - spherical, *see* spherical, parallel transformation
- pentaspherical coordinates, 16
- Pinkall, 1, 3, 6, 7, 21, 25, 28, 59, 67, 74, 79, 93, 95, 120, 125, 147, 149, 165, 168, 176, 188
- Pinkall–Thorbergsson, 5, 51, 96, 113
- plane, *see* hyperplane
- Poincaré metric, 18
- point sphere, 1, 17, 22
  - map, 58, 63, 81, 127–141
- polar hyperplane, 11–13, 17, 18, 21, 34–36
- pole
  - of a hyperplane, 11
  - of stereographic projection, 11, 18
- Pratt, 148
- principal
  - coordinate system, 150
  - curvature, 2, 64, 72–82, 112–123, 162
    - of a tube, 69
    - of Clifford–Stiefel manifold, 109–112
  - foliation, 2, 169, 186
  - Lie frame, 162
  - orbit, 4
  - space, 2, 66
  - vector, 64, 66, 162
- product of spheres, 3, 76, 122, 147, 148
- profile submanifold, 136, 151–159
- projection
  - Euclidean, 63, 127, 133, 146, 151–159, 161
    - not an immersion, 63
  - hyperbolic, 63
  - isotropy, 38
  - Möbius, 58
  - spherical, 58, 63, 67, 70, 72, 75, 82, 186
  - stereographic, 11, 17, 18, 133, 147
- projective
  - geometry, 10
  - group, 25
  - line, 19–23
  - space, 10
  - transformation, 25, 34
- proper
  - Dupin hypersurface, 2, 6, 118, 126
  - Dupin submanifold, 70, 120, 125, 168–190
    - are algebraic, 143
    - compact, 112–123
      - with four curvature spheres, 189
      - with three curvature spheres, 188
  - point, 12, 16, 20, 22, 23
- pseudo-Riemannian metric, 28, 29
- Pythagorean theorem, 13
- quadric
  - Lie, 15, 16, 21, 28–30, 51, 58, 60, 72, 92, 127, 155, 169
  - standard projective, 28
- quaternions, 97, 117–123
- radius
  - constant, 78, 145
  - hyperbolic, 18

- negative, 15, 159
- of a curvature sphere, 144, 186
- of a tube, 3, 81, 111, 128, 131, 132, 147, 189
- of profile sphere, 151
- positive, 15
- signed, 15–18, 20, 23, 65, 67, 129, 138, 153, 186
- spherical, 17, 18, 77, 84, 114
- unsigned, 15
- zero, 16, 77
- rank
  - constant, 63, 73, 128–136
  - nonconstant, 63
  - of a bilinear form, 9
  - of a Euclidean projection, 63, 127–148, 151–159
  - of a hyperbolic projection, 63
  - of a map, 63, 121
  - of a spherical projection, 63
- Reckziegel, 2, 68, 74, 115, 162
- reducible
  - Dupin hypersurface, 3, 127–148, 186–188, 190
  - Dupin submanifold, 126–148, 186–188
  - representation of a Clifford algebra, 98
- Reeb form, 166, 171
- reflection, 30, 32–34
- regularity condition, 160, 169
- renormalization, 165, 167, 169, 179, 187
- representation
  - equivalent, 98
  - irreducible, 101, 111
  - isotropy, 4
  - of a Clifford algebra, 4, 97–99, 113
  - of degree  $q$ , 98
  - reducible, 98
- Richtungswechsel, *see* change of orientation transformation
- ring cyclide, 153
- Riveros–Tenenblat, 7
- rotation, 136–141
- Rowe, 7
- ruled surface, 66
- Ryan, 3, 68, 69, 76
- Sard's theorem, 88–91
- Sasaki–Suguri, 7
- scalar product, 9–11
  - conditions, 58–60, 127–141
  - indefinite, 26
- Schrott–Odehnal, 148
- second fundamental form, 86
  - of a focal submanifold, 112
  - of a Legendre submanifold, 161
- second order frame, 169
- Segre, 3, 76
- shape operator, 62, 64, 161
  - of a Clifford–Stiefel manifold, 109–112
- signature
  - of a bilinear form, 1, 9, 10, 21, 26, 28, 29, 49, 130–159, 188
- similarity transformation, 47, 159
- Singley, 68, 162
- skew-symmetric
  - matrix, 160
  - transformations, 98
- skew-symmetry
  - relations, 54–56, 170
- space of leaves, 73, 169, 182
- spacelike
  - point, 12–14, 21, 34–36
  - pole of an inversion, 34, 36
  - vector, 10, 12, 14, 26, 27, 30, 35, 37, 40, 157
  - vector space, 152, 153, 183
- sphere
  - curvature, 64–66, 73, 92, 129, 135, 138, 163
  - great, 58, 63
  - in  $S^n$ , 16
  - Lie, 1, 16, 25
  - oriented, 1, 14–15, 138, 186
  - orthogonal, 13
  - point, 1, 17, 22, 58, 63, 81, 127–141
  - unoriented, 11, 83–95
- spherical
  - distance function, 82
  - field of unit normals, 58, 63, 72, 75
  - geometry, 46, 48
  - metric, 23, 132, 145
  - parallel transformation, 48, 67
  - projection, 58, 63, 67, 70, 72, 75, 186
  - radius, 77, 84, 114
- spindle
  - cyclide, 157
  - torus, 157
- Spivak, 53



- Srinivas–Dutta, 148  
 standard embedding  
   of a projective plane, 3, 113, 189  
   of an  $R$ -space, 4  
 standard projective quadric, 28  
 star-transformation, 165  
 stereographic projection, 11, 17, 82, 133, 147  
   hyperbolic, 18  
 Stiefel manifold (Clifford), 107–109, 114  
 Stolz, 4, 5, 79, 112, 123, 190  
 Strübing, 4  
 structure equations of  $SO(3)$ , 183  
 subgeometries of Lie sphere geometry, 46  
 sublevel set, 83  
 submanifold  
   Dupin, *see* Dupin, submanifold  
   focal, *see* focal, submanifold  
   isoparametric, *see* isoparametric,  
     submanifold  
   profile, *see* profile submanifold  
   taut, *see* taut, submanifold  
   totally focal, 6  
 substantial embedding, 132, 147, 182  
 surface of revolution, 3, 125, 142  
   construction, 136–141, 153  
 symmetric  
   Clifford system, 99–102  
   matrices, 99  
 Takagi, 4, 112  
 Takagi–Takahashi, 3  
 Takeuchi, 132  
 Takeuchi–Kobayashi, 4  
 tangent  
   bundle, 23, *see* unit tangent bundle  
   hyperplane, 148  
   spheres, *see* oriented, contact  
   submanifolds, 84  
 tangential distance, 39–43  
 taut  
   embedding, 5, 82  
   hypersurface, 118  
   immersion, 82  
   implies embedded, 82, 146  
   Lie invariance of, 51, 82–95  
   relationship to Dupin, 6, 146  
   submanifold, 113, 120  
 Terng, 4, 5  
 Terng–Thorbergsson, 5, 82  
 Thorbergsson, 4–6, 76, 79, 95, 112, 120,  
   123, 146, 189  
 tight immersion, 82  
 timelike  
   line, 76, 77, 181, 183  
   plane, 28  
   point, 22, 35, 76, 183  
   pole of an inversion, 36  
   vector, 10, 21, 26, 30, 37, 40, 49, 140,  
     141, 152, 153, 186  
 torus  
   of revolution, 2, 69, 70, 126, 148, 153  
   tube over, 69, 70  
 totally focal submanifold, 6  
 totally geodesic, 147, 149  
 translation, 44, 143, 153  
   Laguerre, 43  
 tube  
   construction, 3, 80, 125, 127–133, 143  
   over a cyclide of Dupin, 188  
   over a focal submanifold, 78  
   over a torus, 69, 70, 131  
   over a Veronese surface, 132  
 umbilic  
   hypersurface, 113  
   submanifold, 141, 168  
 unit normal bundle, 2, 6, 61, 62, 73, 80,  
   88–90, 93, 95, 114, 115, 120, 128,  
   131–133  
 unit tangent bundle  
   to  $\mathbf{R}^n$ , 23  
   to  $S^n$ , 23, 52  
 unoriented sphere, 11, 83–95  
 Veronese  
   surface, 132, 180–186  
   spherical, 113, 182, 186  
 Voss, 151  
 Wang, C.-P., 51  
 Wang, Q.-M., 96  
 weakly reducible, 145  
 weight of half-invariant, 166  
 West, 5  
 Witt's theorem, 31  
 Wu, 5  
 Zhao, 5