

# Index

- Abdomen
  - access to, 1–7
    - Hasson cannula, 1, 5–7
    - Veress needle, 1, 2–4
  - stab wound to, 19–30
    - DPL, 21, 26, 27
    - FAST, 26
    - laparoscopy, 20–24
    - laparotomy, 24–27
- Abscesses
  - appendiceal, 326, 331, 332, 333, 334
  - intraabdominal, 327, 328
  - periappendicular, 333, 334, 335, 336
- ACC. *See* Adrenocortical carcinoma
- Achalasia, 163–173, 522, 532, 545
  - laparoscopic esophagomyotomy, 165–168, 177–185
    - with Dor fundoplication, 181–183, 184
    - with Toupet fundoplication, 178–180, 184
  - thoroscopic-assisted esophagomyotomy, 168–172
- Acid reflux. *See* Gastroesophageal reflux disease
- ACTH stimulation testing. *See* Adrenocorticotrophic hormone stimulation testing
- Acute respiratory distress syndrome (ARDS), 527
- Adenocarcinoma, esophageal. *See also* Esophageal carcinoma
  - BE and, 124, 143
- Adenocarcinoma, gastric, 231–240
  - gastrectomy for, 235–238
  - Billroth II, 238
  - laparoscopic, 237, 238, 239, 240
  - laparoscopic staging, 233–235, 238
  - lymph nodes
    - cluster around named arteries, 236, 237
    - removal of regional, 236, 237
- Adenocarcinoma, pancreatic, 417–430
  - laparoscopic staging, 418–421
  - prognosis for, 428
  - ultrasound for staging, 421–428, 429–430
- Adenomas
  - adrenocortical, 448
  - classification, 581
  - rectal villous, 571–582
    - conventional transanal excision, 580, 581
    - EUS and, 574
    - transanal endoscopic microsurgery, 572–579, 581
  - tubular, 581. *See also* Sessile colon polyps
  - tubulovillous, 581
- Adrenalectomy
  - laparoscopic, 451, 452–454
    - for ACC, 470–472
    - adrenal incidentalomas, 465–466
    - partial, 484
    - pheochromocytomas and, 479–481
  - open
    - adrenal incidentalomas, 464–465
    - pheochromocytomas and, 481–482

- Adrenal incidentalomas, 447–458  
 CT scan and, 449, 450, 456  
 etiology and relative frequency, 456  
 FNA and, 450, 451, 453, 457, 469–470  
 imaging features, 468  
 laparoscopic adrenalectomy, 451, 452–454  
 malignancies, evaluating for, 457–458, 467  
 MRI and, 449, 450, 456, 457  
 observation, 448–451  
 PET and, 457  
 size of, 449, 456, 467–468  
 with suspicious features, 461–472  
 algorithm for management, 471  
 CT scan, 462  
 FNAB and, 469–470  
 history of previous malignancies, 469  
 laparoscopic adrenalectomy, 465–466  
 MRI scan, 463  
 open adrenalectomy, 464–465  
 size, 464, 467–468  
 tumor function, 469
- Adrenal tumors  
 cortical, 456  
 medullary, 456  
 other types, 456  
 pheochromocytomas, 451, 475–485
- Adrenocortical adenomas, 448
- Adrenocortical carcinoma (ACC), 448, 452, 453, 461, 464–465, 469  
 laparoscopic adrenalectomy for, 470–472  
 size and, 453, 468
- Adrenocorticotropic hormone (ACTH)  
 stimulation testing, 484
- Alcoholism, acute pancreatitis from, 49, 50, 55
- Aldosteronism, 450, 451, 455, 458
- Aldosteronomas, 450, 451, 452, 469, 475
- Algorithms  
 abdominal stab wounds, 23, 27, 28–29  
 for adrenal incidentalomas, 471  
 choledocholithiasis, 69, 91  
 gallstone pancreatitis, 70
- Aluminum chloride, topical, 585, 586
- Anaphylaxis, IOC and, 38
- Antacids, 115, 122, 124
- Anticholinergics, 586
- APC. *See* Argon plasma coagulation
- Appendectomy  
 interval, 329, 331, 332, 335, 336  
 laparoscopic, 12–17  
 advantages, 328  
 cost-effectiveness, 327–328  
 perforated appendicitis, 326–329  
 possible appendicitis, 303–306  
 during pregnancy, 12–14  
 retrocecal appendicitis, 315–321  
 women and, 307–308
- open  
 perforated appendicitis, 326–329  
 during pregnancy, 14  
 retrocecal appendicitis, 312–315
- Appendiceal abscesses, 326, 331, 332, 333, 334
- Appendicitis, 299–308  
 CT scan and, 300–303  
 contrast in, 302–303  
 laparoscopic appendectomy, 303–306  
 women in, 307–308  
 perforated, 325–336  
 IA and, 329, 331, 332, 335, 336  
 laparoscopic v. open  
 appendectomy, 326–329  
 nonoperative management, 328, 331, 332, 333, 334  
 percutaneous drainage, 331, 332, 333, 334  
 during pregnancy, 11–17  
 retrocecal, 311–323  
 CAT scans and, 313

- laparoscopic appendectomy, 315–321
  - open appendectomy, 312–315
  - ultrasound and, 313
- Appendix
  - inflamed, 302
  - normal, 301
- ARDS. *See* Acute respiratory distress syndrome
- Argon plasma coagulation (APC), 144, 145, 149
- Bariatric surgery, 269–278
  - incidental gallstones in, 281–289
    - with cholecystectomy, 285–287
    - without cholecystectomy, 282–285
  - LAGB, 270–272, 277–278
  - laparoscopic RYGBP, 273–277
    - LAGB v., 277–278
  - malabsorptive, 274
  - restrictive, 274
- Barium
  - enema, 342, 557, 558
  - swallow, 129, 178, 187, 193, 206
- Barrett's esophagus (BE), 115, 121, 122, 123, 124. *See also* Esophageal adenocarcinoma
  - esophageal adenocarcinoma, 124, 143
  - with HGD, 141–152
    - endoscopic mucosal ablation, 149–150
    - intensive medical management and surveillance, 150–151, 152
    - PPI therapy, 144
    - surgical management, 142–149
- BE. *See* Barrett's esophagus
- Beta-blockade, 454, 458, 477, 526, 527, 528
- Bikini mesh repair. *See* Transabdominal preperitoneal patch repair
- Bile duct, common. *See also* Intraoperative cholangiograms;
  - Laparoscopic common bile duct exploration
  - choledocholithiasis, 39, 40, 43, 44
    - with posterior shadowing, 41
  - injuries, 37, 110, 111, 112. *See also* Cystic duct stump leak, after cholecystectomy
  - open approach to exploration, 89, 90, 91
  - stricture, 88, 90, 92
  - ultrasound of, 39–42
- Bile leaks, 105, 106, 107, 108, 109.
  - See also* Cystic duct stump leak, after cholecystectomy
- biliary endoprosthesis and drainage of, 109
  - endoscopic drainage of, 108
  - ERCP and percutaneous drainage of, 106–110, 111, 112
  - nasobiliary tube and drainage of, 109
- Biliary calculus. *See* Gallstones
- Biliary carcinoma, 78
- Biliary endoprosthesis, bile leak drainage and, 109
- Biliary pancreatitis. *See* Gallstones
- Biliary stones. *See* Gallstones
- Biliopancreatic diversion (BPD), 274
- Billroth II, 238
- Biloma. *See* Bile leaks
- Bird's beak deformity, of esophagus, 164–165
- Bleeding, after laparoscopic cholecystectomy, 95–102
- BMI. *See* Body mass index
- Body mass index (BMI), 273
- Botox injections. *See* Botulinum toxin injections
- Botulinum toxin (Botox) injections, 165, 168, 172, 178, 179, 585, 586
- Bowel obstructions
  - large, from rectal carcinoma, 339–347
  - small, 291–297
    - CT and, 294

- Bowel obstructions (*Continued*)  
 laparoscopic exploration,  
 293–296  
 laparotomy, 292–293
- Bowel preparation, virtual  
 colonoscopy and, 552–553
- Bowel tattooing, endoscopic, 372,  
 557, 564, 566, 577, 578
- BPD. *See* Biliopancreatic diversion
- Bronchoesophageal fistula, 527
- Buess, Gerhardt, 575
- CAD system. *See* Computer-aided  
 polyp detection system
- Calcium channel blockers, 122,  
 177, 458
- Cancer. *See* Carcinoma
- Carbon dioxide insufflation, 483, 498,  
 553, 577, 587
- Carcinoma  
 adrenocortical, 448, 452, 453, 461,  
 464–465, 468, 469  
 laparoscopic adrenalectomy for,  
 470–472  
 size and, 453, 468  
 biliary, 78  
 of cecum, 349–358  
 LAC, 350–355  
 OCR, 355–357, 358  
 colon, 556–557  
 colonoscopy for, 557–558  
 LAC and, 350–355  
 rectal villous adenoma and, 571  
 colorectal, 357, 358, 550, 556, 557  
 colonoscopy for, 550–551  
 deaths from, 382  
 laparoscopy for, 383–385  
 surgical/oncological principles  
 and, 357  
 esophageal, 205–228. *See also*  
 Esophageal carcinoma  
 BE and, 124, 143  
 staging, 187–201  
 gastric, 231–240  
 gastrectomy for, 235–238  
 laparoscopic staging, 233–235,  
 238  
 pancreatic, 417–430  
 laparoscopic staging, 418–421  
 prognosis for, 428  
 ultrasound for staging, 421–428,  
 429–430
- rectal  
 large bowel obstruction from,  
 339–347  
 below peritoneal reflection,  
 376–383  
 sigmoid colon, 361–373  
 laparoscopically assisted colon  
 resection, 362–368  
 medial-to-lateral approach, 372  
 staging goals, 419
- Case studies  
 abdominal access, 1–7  
 achalasia, 163–173  
 laparoscopic management,  
 177–185  
 adrenal incidentalomas, 447–458  
 with suspicious features,  
 461–472  
 appendicitis  
 perforated, 325–336  
 during pregnancy, 11–17  
 retrocecal, 311–313  
 bariatric surgery, 269–278  
 with incidental gallstones,  
 281–289  
 LAGB, 270–272  
 laparoscopic RYGBP, 273–277  
 BE, with high-grade dysplasia,  
 141–152  
 cholecystectomy, laparoscopic,  
 33–45  
 postoperative bleeding, 95–102  
 cholelithiasis with  
 choledocholithiasis, 63–79  
 colonoscopy, 549–559  
 colon polyps, sessile, 561–567  
 cystic duct stump leak, after  
 cholecystectomy, 105–113

- donor nephrectomy, 433–444  
 esophageal carcinoma, 205–228  
   staging, 187–201  
 esophageal variceal bleeding,  
   519–528  
 feeding tube placement, 243–251  
   gastrostomy, 244–246  
   jejunostomy, 246–250  
   laparoscopic, 260–263  
   percutaneous endoscopic,  
     255–259  
 gallstone pancreatitis, 49–59  
 gastric adenocarcinoma, 231–240  
 GERD  
   endoscopic management, 531–545  
   in morbidly obese, 155–160  
   partial or complete  
     fundoplication, 129–137  
 inguinal hernias, 487–493  
   bilateral, 495–504  
 insulinoma of tail of pancreas,  
   405–416  
 LBCDE, 83–92  
 pancreatic adenocarcinoma, 417–430  
 pheochromocytomas, 475–485  
 rectal cancer below peritoneal  
   reflection, 375–385  
 rectal villous adenoma, 571–582  
 sigmoid colon carcinoma, 361–373  
 small bowel obstruction, 291–297  
 splenectomy, for massive  
   splenomegaly, 387–402  
 stab wound to abdomen, 19–30  
 thoroscopic sympathectomy,  
   585–589  
 Catecholamines, 448, 451, 452, 454,  
   457, 477, 483, 484  
 CAT scans. *See* Computed axial  
   tomography scans  
 CBDS. *See* Gallstones  
 Cecectomy, 315  
 Cecum  
   carcinoma of, 349–358  
     LAC, 350–355  
     OCR, 355–357, 358  
   sessile polyps, 561–567  
     laparoscopic right colon  
       resection, 565–567  
     serial colonoscopic polypectomies,  
       562–565, 582  
 Cervical anastomosis, laparoscopy  
   and, 211–215  
 Chemoradiotherapy (CRT), 196, 197  
 Child-Pugh class, 523  
 Cholangiograms. *See* Intraoperative  
   cholangiograms  
 Cholangiopancreatography,  
   endoscopic retrograde  
   with cholecystectomy, gallstone  
     pancreatitis treatment, 50–51  
   complications, 56  
   cystic duct stump leak and,  
     percutaneous drainage,  
       106–110  
   with ES, 53, 56  
     cholecystectomy and, 67–70  
   intraoperative, 53  
     cholecystectomy and, 67–70  
   IOC and, 35, 37–38  
   LCBDE *v.*, 52–53  
     comparison studies, 76–79  
   postoperative, 53  
   preoperative, 53, 55–56, 59  
 Cholangiopancreatography, magnetic  
   resonance, 59, 70, 74, 75,  
   76, 107, 461, 464. *See also*  
   Endoscopic retrograde  
   cholangiopancreatography  
   gallstone pancreatitis and, 69, 70  
 Cholecystectomy, laparoscopic,  
   33–45. *See also* Intraoperative  
   cholangiograms; Ultrasound,  
   of bile duct  
   bariatric surgery with, 285–287  
   bariatric surgery without, 282–285  
   bleeding after, 95–102  
   open exploration, 96–99  
   repeat laparoscopy, with  
     preparation for conversion  
     to laparotomy, 99–100

- Cholecystectomy, laparoscopic  
(*Continued*)
- cholelithiasis with
    - choledocholithiasis, 63–79
    - ERCP before, 70–76
    - intraoperative ERCP, 67–70
    - with LCBDE, 64–67
  - complications, 100–102
  - cystic duct stump leak after, 105–113
  - ERCP with, gallstone pancreatitis treatment, 50–51
  - with IOC and LCBDE, 51–55
  - obesity as contraindication for, 286, 288
- Choledocholithiasis, 39, 40, 43, 44
- algorithms for, 69, 91
  - cholelithiasis with, 63–79
    - cholecystectomy with
      - intraoperative ERCP, 67–70
    - cholecystectomy with LCBDE, 64–67
  - ERCP followed by
    - cholecystectomy, 70–76
- ERCP
- potential complications, 75
  - selection criteria for, 74–75
  - technique and interventions, 71–74
- management strategy, 71, 75–76, 85, 91
- with posterior shadowing, 41
  - treatment options, 52–53
    - LCBDE, 51–55, 56
- Choledochoscope, 86, 87, 91
- Choledochotomy, LCBDE via, 54, 67, 89–91
- transcystic approach *v.*, 88
- Cholelithiasis, 51, 55
- with choledocholithiasis, 63–79
    - cholecystectomy with
      - intraoperative ERCP, 67–70
    - cholecystectomy with LCBDE, 64–67
  - ERCP followed by
    - cholecystectomy, 70–76
- Cirrhosis, 519, 523, 526, 528
- Clinical Outcomes of Surgical Therapy Study Group of the Laparoscopic Colectomy (COST study), 350, 351, 352, 353, 354, 358, 371
- Clipping, of thoracic sympathetic chain, 588, 589
- Closed technique. *See* Veress needle
- Colectomy
- LAC, 350–355
    - mini-incision open, 355–357, 358
    - laparoscopic colectomy *v.*, 357
  - OCR, 355–357, 358
- Colon carcinoma, 556–557
- colonoscopy for, 557–558
  - LAC and, 350–355
  - rectal villous adenoma and, 571
- Colonic stenting, endoscopic
- endoluminal, 341–344, 345–346
- Colonoscopy, 549–559
- colorectal carcinoma and, 550–551
  - conventional, 550–551
  - virtual, 551–556, 557, 558, 559
    - benefits, 552
    - bowel preparation, 552–553
    - CAD system, 555–556
    - data interpretation, 553–556
    - scanning protocols, 553
    - 3D technology, 554–556, 558, 559
    - 2D technology, 553–554, 557–558
- Colon polyps, sessile, 561–567
- laparoscopic right colon resection, 565–567
  - serial colonoscopic polypectomies, 562–565, 582
- Colorectal carcinoma, 357, 358, 550, 556, 557
- colonoscopy for, 550–551
  - deaths from, 382
  - laparoscopy for, 383–385
  - surgical/oncological principles and, 357

- Colostomy, laparoscopic, 344–345
- Common bile duct. *See also*  
 Intraoperative  
 cholangiograms;  
 Laparoscopic common bile  
 duct exploration  
 choledocholithiasis, 39, 40, 43, 44  
 with posterior shadowing, 41  
 injury, 37  
 open approach to exploration, 89,  
 90, 91  
 stones. *See* Choledocholithiasis  
 stricture, 88, 90, 92  
 ultrasound of, 39–42
- Compensatory sweating, 589
- Complete fundoplication. *See*  
 Fundoplication
- Computed axial tomography (CAT)  
 scans, 313
- Computed tomography (CT)  
 adrenal incidentaloma and, 449,  
 450, 456  
 with suspicious features, 462  
 appendicitis and, 300–303  
 contrast in, 302–303  
 esophageal carcinoma and, 187–201  
 SBO and, 294  
 triple-contrast, 29–30
- Computer-aided polyp detection  
 (CAD) system, 555–556. *See also*  
 Virtual colonoscopy
- COST study. *See* Clinical Outcomes  
 of Surgical Therapy Study  
 Group of the Laparoscopic  
 Colectomy
- Courvoisier, Ludwig, 89
- CRT. *See* Chemoradiotherapy
- Cryoablation, 149
- Cryotherapy, 341
- CT. *See* Computed tomography
- CT colonoscopy. *See* Virtual  
 colonoscopy
- Cushing's syndrome, 451, 452,  
 455, 457
- Cyanoacrylate, 523
- Cystic duct stump leak, after  
 cholecystectomy, 105–113  
 bile duct injuries and, 110, 111, 112  
 duct of Luschka injuries and, 110,  
 111, 112  
 ERCP with percutaneous drainage of  
 biloma, 106–110, 111, 112  
 repeat laparoscopy, 110–111, 112  
 advantage of, 110  
 points for success, 110–111
- Deep venous thrombosis (DVT)  
 prophylaxis, 421
- Dehydroepiandrosterone sulfate, 448,  
 450, 456
- Dexamethasone suppression test, 450
- Diagnostic peritoneal lavage (DPL),  
 21, 26, 27, 421. *See also*  
 Focused abdominal  
 sonography for trauma;  
 Stab wound, to abdomen
- Diaphragmatic injuries, stab wounds  
 and, 24
- Dilation, 341
- Donor nephrectomy, 433–444  
 hand-assisted laparoscopic,  
 437–442, 443, 444  
 left side, 439  
 right side, 440–442  
 mini-incision technique, 434–437,  
 442, 443  
 patient position for, 435  
 pure laparoscopic, 433, 438, 442,  
 443, 444  
 surgical options for, 442  
 comparison studies, 442–444
- Dor fundoplication, 129  
 laparoscopic esophagomyotomy  
 with, 181–183, 184
- Dormia wire basket, 72, 73, 86
- DPL. *See* Diagnostic peritoneal  
 lavage
- Drainage, percutaneous  
 of bile leak, 106–110  
 biliary endoprosthesis, 109

- Drainage, percutaneous (*Continued*)  
 endoscopic, 108  
 nasobiliary tube, 109  
 in perforated appendix, 331, 332,  
 333, 334
- Duct of Luschka injuries, 110,  
 111, 112. *See also* Cystic  
 duct stump leak, after  
 cholecystectomy
- DVT prophylaxis. *See* Deep venous  
 thrombosis prophylaxis
- Dysplasia  
 high-grade  
 BE with, 141–152  
 diagnosis, 143  
 low-grade, 143, 146, 147, 148  
 medical management of, 150–151,  
 152  
 surveillance of, 150–151, 152
- EAES study. *See* European  
 Association of Endoscopic  
 Surgery study
- EBL. *See* Endoscopic variceal band  
 ligation
- EGD. *See* Esophagogastro-  
 duodenoscopy
- Electrocoagulation, 341
- EMR. *See* Endoscopic mucosal  
 resection
- EndoCinch Suturing System, 536,  
 537, 543
- Endoloops, 317, 319, 320
- Endoluminal therapies, for  
 GERD, 536
- Endoscope, TEM, 576, 577
- Endoscopic bowel tattooing, 372,  
 557, 564, 566, 577, 578
- Endoscopic drainage, of bile leak, 108
- Endoscopic endoluminal colonic  
 stenting, 341–344, 345–346
- Endoscopic mucosal ablation, BE  
 with HGD and, 149–150
- Endoscopic mucosal resection  
 (EMR), 144, 145, 149, 221
- Endoscopic retrograde cholangio-  
 pancreatography (ERCP)  
 with cholecystectomy, gallstone  
 pancreatitis treatment,  
 50–51  
 complications, 56  
 cystic duct stump leak and,  
 percutaneous drainage,  
 106–110, 111, 112  
 with ES, 53, 56  
 cholecystectomy and, 67–70  
 intraoperative, 53  
 cholecystectomy and, 67–70  
 IOC and, 35, 37–38  
 LCBDE v., 52–53  
 comparison studies, 76–79  
 postoperative, 53  
 preoperative, 53, 55–56, 59
- Endoscopic sclerotherapy (ES), 519,  
 521–523, 527
- Endoscopic sphincterotomy (ES)  
 ERCP with, 53, 56  
 cholecystectomy and, 67–70  
 LAS, 89, 91
- Endoscopic staplers, 317
- Endoscopic Suturing Device (ESD),  
 536, 537
- Endoscopic suturing, GERD and,  
 535–538
- Endoscopic ultrasound (EUS)  
 esophageal carcinoma and, 189,  
 190, 191  
 FNA, 193, 194, 199  
 laparoscopic staging, 200–201  
 gallstone pancreatitis and, 59  
 pancreatic cancer and, 422  
 rectal villous adenoma and, 574
- Endoscopic variceal band ligation  
 (EBL), 523–526, 527–528
- Enema, barium, 342, 557, 558
- Enteryx procedure, 534, 536, 537,  
 543, 544
- Entos LAP L9–5 probe, 423
- Enucleation, insulinoma of tail of  
 pancreas and, 406–407



- Epinephrine, 422, 484, 566, 577, 580
- ERCP. *See* Endoscopic retrograde cholangiopancreatography
- ES. *See* Endoscopic sclerotherapy; Endoscopic sphincterotomy
- ESD. *See* Endoscopic Suturing Device
- Esophageal adenocarcinoma, BE and, 124, 143
- Esophageal carcinoma  
 CT and, 187–201  
 EUS and, 189, 190, 191  
 FNA-EUS and, 193, 194, 199  
 laparoscopic staging, 187, 199–200  
 EUS and, 200–201  
 laparoscopic/thoracoscopic staging, 187, 189, 190, 193, 197, 198–199  
 liver metastases assessment in, 192  
 lymph node metastases assessment in, 189–191  
 mediastinoscope-assisted THE and, 220–227, 228  
 indications/contraindication, 221  
 technical considerations, 221–227
- MIE and, 206–217  
 Ivor Lewis technique, 215–217, 227  
 laparoscopy and cervical anastomosis, 211–215  
 technical considerations, 208–209  
 thoracoscopy, 209–211
- MRI and, 187, 190, 198
- nonsurgical staging of, 193–197  
 M stage, 196  
 N stage, 195  
 restaging, 196–197  
 T stage, 194–195
- peritoneal spread assessment in, 191
- PET and, 187–201
- robotic surgery and, 205, 228
- video-assisted esophagectomy, 217–220
- Esophageal hiatus, closing of, 118–119
- Esophageal variceal bleeding, 519–528  
 EBL for, 523–526  
 ES for, 521–523
- Esophagectomy, 143, 144, 145, 146, 148, 149, 150, 151, 152  
 Ivor Lewis, 215–217, 227  
 minimally invasive, 206–217  
 Ivor Lewis technique, 215–217, 227  
 laparoscopy and cervical anastomosis, 211–215  
 technical considerations, 208–209  
 thoracoscopy, 209–211  
 robotic surgery, 205, 228  
 transhiatal, 220  
 mediastinoscope-assisted, 220–227, 228  
 video-assisted, 217–220
- Esophagitis, 121, 122, 123, 124, 125
- Esophagogastroduodenoscopy (EGD), 209, 526
- Esophagomyotomy  
 laparoscopic, 165–168, 173, 177–185  
 with Dor fundoplication, 181–183, 184  
 with Toupet fundoplication, 178–180, 184  
 thoracoscopic-assisted, 168–172, 173
- Esophagus  
 Barrett's, 115, 121, 122, 123, 124  
 bird's beak deformity of, 164–165  
 retraction of, in laparoscopic fundoplication, 117–118  
 strictures of, 121, 122, 124
- Ethanolamine oleate, 522
- European Association of Endoscopic Surgery (EAES) study, 77–78
- European Union Hernia Trialists Group, 490–491, 496

EUS. *See* Endoscopic ultrasound

Exploration

laparoscopic. *See also*

Laparoscopic common bile duct exploration

cholecystectomy with postoperative bleeding, 99–102

small bowel obstruction, 293–296

stab wound to abdomen, 20–24

laparotomy, bleeding after cholecystectomy, 99–100

open

cholecystectomy with postoperative bleeding, 96–99

common bile duct, 89, 90, 91

Exploratory laparotomy. *See* Laparotomy

FAST. *See* Focused abdominal sonography for trauma

Feeding tube placement, 243–251

gastrostomy, 244–246

jejunostomy, 246–250

laparoscopic, 260–263

percutaneous endoscopic, 255–259

Fetal acidosis, 13, 15, 17

Fine-needle aspiration (FNA)

adrenal incidentaloma and, 450, 451, 453, 457, 469–470

esophageal carcinoma and, 193, 194, 199

Fine-needle aspiration biopsy

(FNAB), adrenal incidentaloma and, 469–470

Fluorocholangiography, 34, 40, 85, 92. *See also* Intraoperative cholangiograms

FNA. *See* Fine-needle aspiration

FNAB. *See* Fine-needle aspiration biopsy

Focused abdominal sonography for trauma (FAST), 26

Foregut reconstruction, 70

Fundoplication, 125. *See also*

Gastroesophageal reflux disease

complete- 360 degree wrap, 117–121, 130–132

drawbacks, 133

Toupet *v.*, 135–137

Dor, 129

laparoscopic esophagomyotomy with, 181–183, 184

laparoscopic, 116–121, 125

closing of esophageal hiatus in, 118–119

completed, 120

esophagus retracted in, 117–118

GERD with morbid obesity, 156–158, 159, 160

life-threatening complications, 120

Nissen, 117, 125, 129, 130

laparoscopic, 532–535, 544–545

Toupet, 129, 132–134

complete *v.*, 135–137

laparoscopic esophagomyotomy with, 178–180, 184

Gallstone pancreatitis, 49–59

algorithm, 70

EUS and, 59

MRCP and, 69, 70

treatment

cholecystectomy with IOC and LCBDE, 51–55

ERCP with cholecystectomy, 50–51

Gallstones, 49, 50, 55. *See also*

Cholelithiasis;

Cholelithiasis

acute pancreatitis from, 49, 50, 55

bariatric surgery with incidental, 281–289

Ganglioneuroma, 456

Gastrectomy, 235–238

Billroth II, 238

laparoscopic, 237, 238, 239, 240

- Gastric adenocarcinoma, 231–240  
 gastrectomy for, 235–238  
   Billroth II, 238  
   laparoscopic, 237, 238, 239, 240  
 laparoscopic staging, 233–235, 238  
 lymph nodes  
   cluster around named arteries,  
     236, 237  
   removal of regional, 236, 237
- Gastric tube, creation of, 214
- Gastroesophageal reflux disease (GERD)  
 antacids for, 115, 122, 124  
 Barrett's esophagus and, 115, 121,  
   122, 123, 124  
   HGD, 141–152  
   LGD, 143, 146, 147, 148  
 behavior modification and, 133  
 diagnosing, 125  
 diet modification and, 122, 132  
 endoluminal therapies for, 536  
 endoscopic suturing, 535–538  
 esophageal stricture and, 121,  
   122, 124  
 esophagitis and, 121, 122, 123,  
   124, 125  
 fundoplication for  
   complete, 130–132  
   partial, 132–134  
 H<sub>2</sub> blockers for, 121, 123, 125  
   PPIs *v.*, 124, 125–126  
 lifestyle modifications and, 122,  
   132, 133  
 medical management, 121–124  
   classes of, 122–123  
 medications for, 124  
 morbid obesity and, 155–160  
   laparoscopic fundoplication,  
     156–158, 159, 160  
   RYGBP, 158–159, 160  
 motility agents for, 123, 124  
 Nissen fundoplication, 117, 125,  
   129, 130  
   laparoscopic, 532–535, 544  
 PPIs for, 115, 116, 121  
   H<sub>2</sub> blockers *v.*, 124, 125–126  
   long-term consequences, 123  
 Stretta procedure, 538–542, 543,  
   544, 545  
   contraindications, 544  
   ideal candidates, 540  
 surgical management  
   fundoplication, 125  
   indications for, 121, 126  
   laparoscopic fundoplication,  
     116–121, 125  
   www.GERDSurgery.info, 117
- Gastrointestinal anastomosis (GIA), 315
- Gastrostomies  
 feeding tube placement, 244–246  
 Janeway, 261, 262  
 laparoscopic, 260–263, 266, 267  
   complications, 267  
 percutaneous endoscopic, 245,  
   246, 250, 251, 255, 257,  
   264, 265  
 Stamm, 260, 261, 266
- Gatekeeper Reflux Repair System,  
 536, 537
- GERD. *See* Gastroesophageal reflux disease
- GIA. *See* Gastrointestinal anastomosis
- Glasgow Coma Scale, 447
- Glucocorticoid overproduction, 448,  
 449, 450, 451, 457, 458
- Gustatory sweating, 589
- H<sub>2</sub> blockers, 121, 123, 125  
 PPIs *v.*, 124, 125–126
- Hand-assisted laparoscopic surgery (HALS), 369–371  
 disadvantages/advantages,  
 369–370, 372  
 donor nephrectomy, 437–442,  
 443, 444  
 laparoscopic sigmoid colon  
 resection *v.*, 369–371  
 for massive splenomegaly, 390,  
 401–402

- Harmonic scalpel, 317
- Hasson cannula (open technique), 1, 5–7  
indications for, 4  
pregnancy and, 13, 15, 17  
Veress needle *v.*, 7
- Hasson, H. M., 5
- Heartburn. *See* Gastroesophageal reflux disease
- Helium insufflation, 483. *See also* Carbon dioxide insufflation
- Heller, Ernest, 165
- Heller myotomy, 165–168  
robotic-assisted, 169
- Hemorrhage. *See* Bleeding, after laparoscopic cholecystectomy
- Hepatobiliary iminodiacetic acid (HIDA) scan, 106, 107, 110, 111
- Hernia, inguinal, 487–493  
bilateral, 495–504  
laparoscopic repair, 488–489  
open *v.*, 491–492  
TAPP approach, 488, 491, 492, 493, 496–499, 503–504  
TEP approach, 488, 489, 491–492, 493, 499–503, 504  
open repair, 490–491  
laparoscopic *v.*, 491–492  
TFR and, 490, 491
- Herniorrhaphy, laparoscopic, 490, 491, 500
- HGD. *See* High-grade dysplasia
- HIDA scan. *See* Hepatobiliary iminodiacetic acid scan
- High-grade dysplasia (HGD), 143  
BE with, 141–152  
endoscopic mucosal ablation, 149–150  
intensive medical management and surveillance, 150–151, 152  
PPI therapy, 144  
surgical management, 142–149  
diagnosis, 143
- Horner syndrome, 588
- Hyperaldosteronism, 450, 451, 455, 458
- Hypercortisolism, 452, 454, 455, 457, 458
- Hyperhidrosis  
thoroscopic sympathectomy for, 585–589  
treatment options, 586
- Hypertension, portal, 519, 520, 523, 524, 526, 528. *See also* Esophageal variceal bleeding
- Hypokalemia, 452, 455
- IA. *See* Interval appendectomy
- IAA. *See* Intraabdominal abscess
- IERCPC. *See* Endoscopic retrograde cholangiopancreatography
- Ileocectomy, 564, 566
- Incidental gallstones, in bariatric surgery, 281–289  
with cholecystectomy, 285–287  
without cholecystectomy, 282–285
- Incidentalomas, adrenal, 447–458  
CT scan and, 449, 450, 456  
etiology and relative frequency, 456  
imaging features, 468  
laparoscopic adrenalectomy, 452–454  
malignancies, evaluating for, 457–458, 467  
MRI and, 449, 450, 456, 457  
observation, 448–451  
PET and, 457  
size of, 449, 456, 466–467, 470  
with suspicious features, 461–472  
algorithm for management, 470  
CT scan, 462  
FNAB and, 469–470  
history of previous malignancies, 469  
laparoscopic adrenalectomy, 465–466  
MRI scan, 463  
open adrenalectomy, 464–465  
size, 464, 466–467  
tumor function, 468

- Infantile hypertrophic pyloric stenosis, 507–517  
   laparoscopic pyloromyotomy, 510–515, 516  
     developing myotomy, 514  
     grasping pylorus, 512  
     spreading myotomy, 513  
     trocar placement for, 511  
   open pyloromyotomy, 508–510, 515, 516  
     detailed steps, 509–510
- Inguinal hernia, 487–493  
   bilateral, 495–504  
   laparoscopic repair, 488–489  
     open *v.*, 491–492  
     TAPP approach, 488, 491, 492, 493, 496–499, 503–504  
     TEP approach, 488, 489, 491–492, 493, 499–503, 504  
   open repair, 490–491  
     laparoscopic *v.*, 491–492  
   TFR and, 490, 491
- Insufflation. *See also*  
   Pneumoperitoneum  
   carbon dioxide, 483, 498, 553, 577, 587  
   helium, 483
- Insulinoma, of tail of pancreas, 405–415  
   enucleation and, 406–407  
   laparoscopic distal pancreatectomy, with spleen preservation, 406–415  
     distal to proximal approach, 414, 415  
     proximal to distal approach, 414  
     surgical technique, 407–409, 411–413  
   open distal pancreatectomy and, 406  
   splenectomy and, 407
- Interval appendectomy (IA), 329, 331, 332, 335, 336
- Intraabdominal abscess (IAA), 327, 328
- Intraoperative cholangiograms (IOCs)  
   ERCP and, 35, 37–38, 56  
   evidence against, 58–59  
   and methods for clearing gallstones, 56–58  
   routine, 34–35, 39–40  
     advantages of, 34–35  
     anaphylaxis and, 38  
     common duct injury and, 37  
   selective, 35–39, 40  
     indications for, 38–39  
   ultrasound of bile duct *v.*, 39–42, 45  
     comparison studies, 44–45
- Intraoperative ultrasound (IOUS)  
   bariatric surgery, gallstones, and, 283, 284, 289  
   of bile duct, 39–42  
     advantages, 40–42, 45  
     disadvantages/limitations, 42, 45  
     IOC *v.*, 39–42, 44–45  
   pancreatic adenocarcinoma and, 419, 429, 430
- IOCs. *See* Intraoperative cholangiograms
- Iontophoresis, 586
- IOUS. *See* Intraoperative ultrasound
- Ivor Lewis esophagectomy, 215–217, 227
- Janeway gastrostomies, 261, 262
- Japanese Research Society for the Study of Gastric Cancer, 237
- Jejunioleal bypass (JIB), 274, 275
- Jejunostomy  
   feeding tube placement, 246–250  
   laparoscopic, 263, 264, 266  
   complications, 267  
   percutaneous endoscopic, 245, 264
- JIB. *See* Jejunioleal bypass
- Kidney removal/donation. *See* Donor nephrectomy

- LAC. *See* Laparoscopic-assisted colectomy
- LAGB. *See* Laparoscopic adjustable gastric banding
- Lagniappe, 585. *See also* Thoracoscopic sympathectomy
- Laparoscopic adjustable gastric banding (LAGB), 270–272, 274, 276, 278  
 advantages, 271–272  
 complications, 270  
 RYGBP *v.*, 277–278
- Laparoscopic adrenalectomy, 451, 452–454  
 adrenal incidentalomas, 465–466  
 partial, 484  
 pheochromocytomas and, 479–481
- Laparoscopic antegrade sphincterotomy (LAS), 89, 91. *See also* Sphincterotomy, endoscopic
- Laparoscopic appendectomy, 12–17  
 advantages, 328, 329  
 cost-effectiveness, 327–328  
 possible appendicitis, 303–306  
 during pregnancy, 11–17  
 retrocecal appendicitis, 315–321  
 completion of, 321  
 endoloops on appendix, 317, 319, 320  
 operative technique, 317–321  
 patient/surgeon position and equipment setup, 317, 318  
 port positions, 317, 318, 319  
 skeletonize appendix, 318, 319, 320  
 women and, 307–308
- Laparoscopic-assisted colectomy (LAC), 350–355
- Laparoscopic Coagulating Shears (LCS), 225
- Laparoscopic colon resections (LCRs), 357, 358
- Laparoscopic colostomy, 344–345
- Laparoscopic common bile duct exploration (LCBDE), 51–55  
 cholecystectomy and cholelithiasis with choledocholithiasis, 64–67  
 IOC and, 51–55  
 choledocholithiasis and, 51–55, 56  
 ERCP *v.*, 52–53  
 comparison studies, 76–79  
 via choledochotomy, 54, 67, 89–91  
 transcystic approach *v.*, 88  
 via transcystic duct approach, 54, 57, 66–67, 84–88  
 choledochotomy approach *v.*, 88  
 equipment for, 86
- Laparoscopic exploration  
 cholecystectomy with postoperative bleeding, 99–102  
 small bowel obstruction, 293–296  
 stab wound to abdomen, 20–24  
 anterior stomach, 24  
 contraindications, 22  
 diaphragmatic injuries, 24  
 disadvantages, 22, 28  
 liver/spleen injuries, 23–24  
 retroperitoneum area, 24  
 small bowel injury, 23
- Laparoscopic feeding tube placement, 260–263
- Laparoscopic gastrectomy, 237, 238, 239, 240
- Laparoscopic gastrostomies, 260–263, 266, 267  
 complications, 267
- Laparoscopic herniorrhaphy (LIH), 490, 491, 500
- Laparoscopic jejunostomy, 263, 264
- Laparoscopic staging  
 esophageal carcinoma, 187, 199–200  
 EUS and, 200–201  
 laparoscopic/thoracoscopic, 187, 189, 190, 193, 197, 198–199

- gastric adenocarcinoma, 233–235, 238
- Laparoscopy, of esophageal carcinoma  
 cervical anastomosis and, 211–215  
 staging, 187, 199–200  
 EUS and, 200–201  
 laparoscopic/thoracoscopic, 187, 189, 190, 193, 197, 198–199
- Laparotomy  
 bleeding after cholecystectomy and, 99–100  
 small bowel obstruction and, 292–293  
 stab wounds to abdomen and, 24–27
- Lap-Band device, 274, 276, 278.  
*See also* Laparoscopic adjustable gastric banding
- Large bowel obstruction, from rectal carcinoma, 339–347  
 CT scan, 340, 341  
 endoscopic endoluminal stenting, 341–344, 345–346  
 laparoscopic colostomy, 344–345  
 non surgical modalities for decompression, 341  
 PDT and, 341
- LAS. *See* Laparoscopic antegrade sphincterotomy
- Lateral-to-medial approach, colon resection, 363, 372
- LC. *See* Cholecystectomy, laparoscopic
- LCBDE. *See* Laparoscopic common bile duct exploration
- LCRs. *See* Laparoscopic colon resections
- LCS. *See* Laparoscopic Coagulating Shears
- LES. *See* Lower esophageal sphincter
- LGD. *See* Low-grade dysplasia
- LIH. *See* Laparoscopic herniorrhaphy
- Lithotripsy, 72, 74
- Liver function tests (LFTs), 68, 69, 70, 74, 77
- Liver injuries, stab wounds and, 23–24
- Liver metastases, esophageal carcinoma and, 192
- Liver transplantation, 399, 519, 523
- Liver, ultrasound of, 423, 424
- Low anterior resection for rectal cancer  
 laparoscopically assisted, 376–380  
 surgical procedure, 377–380  
 open, 380–382
- Lower esophageal sphincter (LES), 165, 166, 168, 169, 170, 178, 183
- Low-grade dysplasia (LGD), 143, 146, 147, 148
- Lymph nodes  
 gastric adenocarcinoma cluster around named arteries, 236, 237  
 removal of regional, 236, 237  
 metastases, esophageal carcinoma and, 189–191  
 N1, 237  
 N2, 237  
 standardized terminology, 237
- Magnesium citrate, 552
- Magnetic resonance angiography (MRA), 434
- Magnetic resonance  
 cholangiopancreatography (MRCP), 59, 70, 74, 75, 76, 107, 461, 464. *See also* Endoscopic retrograde cholangiopancreatography  
 gallstone pancreatitis and, 69, 70
- Magnetic resonance imaging (MRI), 187, 434  
 adrenal incidentaloma and, 449, 450, 456, 457  
 with suspicious features, 463  
 esophageal carcinoma and, 187, 190, 198  
 of pheochromocytomas, 477, 478

- Magnetic resonance urography, 434
- Malignancies, adrenal incidentalomas and, 457–458, 467
- Management algorithms. *See* Algorithms
- MAS. *See* Minimal-access open splenectomy
- MDCT. *See* Multidetector computed tomography
- Medial-to-lateral approach, colon resection, 371
- Mediastinal pleura, dividing of, 587, 588
- Mediastinitis, 527
- Mediastinoscope, 221, 222, 223  
THE and, 220–227, 228  
indications/contraindication, 221  
technical considerations, 221–227  
views  
azygos arch, 224  
left recurrent laryngeal nerve, 226  
lower esophageal dissection, 225  
right bronchial artery, 224  
thoracic duct, 224
- Metabolites, 451, 454
- Metaiodobenzylguanidine (MIBG)  
scintiscan, 480
- Metanephrine, 450, 452, 463, 476, 485
- MIBG scintiscan. *See*  
Metaiodobenzylguanidine  
scintiscan
- MIE. *See* Minimally invasive esophagectomy
- Mini-incision  
donor nephrectomy, 434–437, 442, 443  
open colectomy, 355–357, 358
- Minimal-access open splenectomy (MAS), 392–399  
discussion, 395–399  
nondominant hand's role in, 394–395, 398  
pearls, 394–395  
pitfalls, 395
- Minimally invasive esophagectomy (MIE), 206–217  
esophageal carcinoma and  
Ivor Lewis technique, 215–217, 227  
laparoscopy and cervical anastomosis, 211–215  
technical considerations, 208–209  
thoracoscopy, 209–211
- Morbid obesity. *See* Obesity, morbid
- Motility agents, 123, 124
- MPEC. *See* Multipolar electrocoagulation
- MRA. *See* Magnetic resonance angiography
- MRCP. *See* Magnetic resonance cholangiopancreatography
- MRI. *See* Magnetic resonance imaging
- M stage, esophageal carcinoma, 196
- Mucosal ablation, endoscopic, BE with HGD and, 149–150
- Multidetector computed tomography (MDCT), 301, 302, 303
- Multipolar electrocoagulation (MPEC), 149
- Myelolipoma, 456
- N1 lymph nodes, 237
- N2 lymph nodes, 237
- Nadolol, 526
- Nasobiliary tube, bile leak drainage and, 109
- National Comprehensive Cancer Network, 208
- National Institutes of Health Consensus Conference (NIHCC), 274
- Natural orifice surgery, 571
- NDO Plicator, 536, 538
- Nd:YAG. *See* Neodymium: yttrium-aluminum-garnet
- Neodymium: yttrium-aluminum-garnet (Nd:YAG), 341
- Nephrectomy. *See* Donor nephrectomy



- NIHCC. *See* National Institutes of Health Consensus Conference
- Nissen fundoplication, 117, 125, 129, 130  
 laparoscopic, 532–535, 544  
 advantages, 544–545  
 modifications, 130
- Nissen, Rudolph, 125, 130, 532
- Norepinephrine, 484. *See also* Epinephrine
- Normetanephrine, 448, 450, 455, 463, 476
- N stage, esophageal carcinoma, 195
- Obesity, morbid  
 bariatric surgery for, 269–278  
 incidental gallstones in, 281–289  
 LAGB, 270–272, 277–278  
 laparoscopic RYGBP, 273–277  
 malabsorptive, 274  
 restrictive, 274  
 cholecystectomy and  
 contraindication in, 286, 288  
 defined, 273  
 GERD and, 155–160  
 laparoscopic fundoplication, 156–158, 159, 160  
 RYGBP, 158–159, 160  
 health risks, 282
- OCR. *See* Open colon resection
- Octreotide, 407, 520, 523, 524
- Omeprazole, 123
- Open colon resection (OCR), 355–357, 358
- Open distal pancreatectomy, 406
- Open technique. *See* Hasson cannula
- Optical access trocars, 1, 5. *See also* Hasson cannula; Veress needle  
 indications for, 4  
 Optiview, 5  
 Visiport, 5
- Optical colonoscopy. *See* Virtual colonoscopy
- Optiview, 5
- PAC/PRA. *See* Plasma aldosterone concentration/plasma renin activity
- PA-IgG. *See* Platelet-associated immunoglobulin G
- Pancreas protocol, 421–422
- Pancreatectomy, open distal, 406
- Pancreatic adenocarcinoma, 417–430  
 EUS and, 422  
 laparoscopic staging, 418–421  
 prognosis for, 428  
 ultrasound for staging, 421–428, 429–430
- Pancreatitis, acute, 49, 55. *See also* Gallstone pancreatitis  
 causes of  
 alcoholism, 49, 50, 55  
 gallstones, 49, 50, 55
- Partial fundoplication. *See* Dor fundoplication; Toupet fundoplication
- PDT. *See* Photodynamic therapy
- Pedunculated polyps, 565, 567
- PEG/J. *See* Percutaneous endoscopic gastrostomy/jejunostomy tube
- PEJ. *See* Percutaneous endoscopic jejunostomy
- Percutaneous drainage  
 of bile leak, 106–110  
 biliary endoprosthesis, 109  
 endoscopic, 108  
 nasobiliary tube, 109  
 in perforated appendix, 331, 332, 333, 334
- Percutaneous endoscopic gastrostomies (PEGs), 245, 246, 250, 251, 255, 257, 264, 265
- Percutaneous endoscopic gastrostomy/jejunostomy tube (PEG/J), 255–259, 267

- Percutaneous endoscopic jejunostomy (PEJ), 245, 264
- Percutaneous endoscopic placement of feeding tubes, 255–260
- Periappendicular abscesses, 333, 334, 335, 336
- Peritoneal lavage, diagnostic, 21, 26, 27, 421. *See also* Focused abdominal sonography for trauma; Stab wound, to abdomen
- Peritoneal reflection, carcinoma below. *See* Rectal carcinoma
- Peritoneal spread, esophageal carcinoma and, 191
- Pfannenstiel incision, 371
- Phenoxybenzamine, 454, 477
- Phentolamine, 458, 477
- Pheochromocytomas, 451, 456, 475–485
- laparoscopic bilateral adrenalectomy, 479–481
  - MRI of, 477, 478
  - open bilateral adrenalectomy, 481–482
  - key technical points, 482
- Phlegmons, 328, 332, 334. *See also* Abscesses
- Phospho-Soda, 552
- Photodynamic therapy (PDT), 144, 145, 149–150
- large bowel obstruction and, 341
- Plasma aldosterone concentration/plasma renin activity (PAC/PRA), 450
- Platelet-associated immunoglobulin G (PA-IgG), 400
- Pleural effusion, 527
- Plicator, NDO, 536, 538
- PMMA (polymethylmethacrylate)
- Plexiglas Submucosal Injection, 536, 537
- Pneumatic dilatation, 177, 178, 179, 181, 183
- Pneumoperitoneum, 1
- complications, 7
  - Hasson cannula, 1, 5–7
  - indications for, 4
  - pregnancy and, 13, 15, 17
  - injuries during, 101
  - pregnancy and, 12, 13, 15, 17
  - Veress needle, 1, 2–4
  - steps for insertion, 3–4
  - vascular injuries and, 6
- Pneumothorax, 588
- Polyethylene glycol, 552
- Polymethylmethacrylate. *See* PMMA
- Polyp detection, computer-aided, 555–556. *See also* Virtual colonoscopy
- Polypectomies, serial colonoscopic, 562–565, 582
- Polyps, pedunculated, 565, 567
- Polyps, sessile colon, 561–567
- laparoscopic right colon resection, 565–567
  - serial colonoscopic polypectomies, 562–565, 582
- Polyvinyl alcohol (PVA), 400
- Portal hypertension, 519, 520, 523, 524, 526, 528. *See also* Esophageal variceal bleeding
- Positron emission tomography (PET)
- adrenal incidentalomas and, 457
  - esophageal carcinoma and, 187–201
- PPIs. *See* Proton-pump inhibitors
- Pratt speculum, 580
- Pregnancy
- laparoscopic appendectomy during, 12–14
  - open appendectomy during, 14
  - pneumoperitoneum during, 12, 13, 15
  - fetal acidosis, 13, 15, 17
  - Hasson cannula, 13, 15, 17
- Preoperative splenic artery embolization (PSAE), 399–400, 401

- Promotility agents, 123, 124
- Propranolol, 519, 523, 526
- Proton-pump inhibitors (PPIs), 115, 116, 121  
 for BE with HGD, 144  
 $H_2$  blockers *v.*, 124, 125–126  
 long-term consequences, 123
- PSAE. *See* Preoperative splenic artery embolization
- Pseudoadrenal masses, 456
- PVA. *See* Polyvinyl alcohol
- Pyloric stenosis, infantile  
 hypertrophic, 507–517  
 laparoscopic pyloromyotomy, 510–515, 516  
 developing myotomy, 514  
 grasping pylorus, 512  
 spreading myotomy, 513  
 trocar placement for, 511  
 open pyloromyotomy, 508–510, 515, 516  
 detailed steps, 509–510
- Pyloromyotomy  
 laparoscopic, 510–515  
 open, 508–510  
 Ramstedt, 507, 508–510, 512, 515
- Pyloroplasty, closure of, 213
- Radiofrequency ablation, 144, 145, 149
- Radionuclide scan, 39, 468
- Ramstedt pyloromyotomy, 507, 508–510, 512, 515
- Rebound sweating, 588
- Rectal carcinoma  
 large bowel obstruction from, 339–347  
 endoscopic endoluminal stenting, 341–344, 345–346  
 laparoscopic colostomy, 344–345  
 below peritoneal reflection  
 cure rates, 382  
 laparoscopically assisted low anterior resection, 376–380  
 open low anterior resection, 380–382  
 prognosis factors, 383  
 risk factors, 383
- Rectal villous adenoma, 571–582  
 conventional transanal excision, 580, 581  
 EUS and, 574  
 transanal endoscopic microsurgery, 572–579, 581
- Renal removal/donation. *See* Donor nephrectomy
- Retrocecal appendicitis, 311–323  
 CAT scans and, 313  
 laparoscopic appendectomy, 315–321  
 open appendectomy, 312–315  
 ultrasound and, 313
- Retroperitoneum area, stab wounds and, 24
- Robotic surgery  
 esophagectomy, 205, 228  
 esophagomyotomy, 169–170  
 laparoscopic sigmoid colon resection, 370
- Roux-en-Y gastric bypass (RYGBP), 158–159, 160  
 bariatric surgery and, 273–277  
 LAGB *v.*, 277–278
- RYGBP. *See* Roux-en-Y gastric bypass
- SALTS. *See* Swiss Association for Laparoscopic Surgery
- Savary-Miller criteria, 129, 540
- Sawyer hemicircumferential retractor, 580
- SBO. *See* Small bowel obstruction
- Sclerosing agents, 522
- Sclerotherapy, endoscopic (ES), 519, 521–523, 527
- SEER database. *See* Surveillance, Epidemiology, and End Results database

- Segura wire basket, 86. *See also*  
Dormia wire basket
- Self-expanding metal stents (SEMS),  
342, 343
- Semm, Kurt, 315, 326
- SEMS. *See* Self-expanding metal  
stents
- Serial colonoscopic polypectomies,  
562–565, 582
- Sessile colon polyps, 561–567  
laparoscopic right colon resection,  
565–567  
serial colonoscopic polypectomies,  
562–565, 582  
size, 562–563
- Sew-Right Device, 536, 537
- Sigmoid colon, carcinoma of,  
361–373  
laparoscopically assisted colon  
resection, 362–368  
anvil and purse-string suture  
secured, 367  
bowel returned to abdomen, 368  
HALS v., 369–371  
lateral-to-medial approach,  
363, 372  
linear stapler used to transect  
bowel, 365–366  
mobilization of colon, 363–364  
robotic surgery, 370  
window made in mesentery,  
364–365  
medial-to-lateral approach, 372
- SIM. *See* Specialized intestinal  
metaplasia
- Size  
adrenal incidentaloma, 449, 456,  
464, 466–467, 470  
adrenocortical carcinoma, 453, 468  
sessile colon polyp, 562–563
- SLD measurement. *See* Spleen length  
diameter measurement
- Small bowel injury, stab wounds  
and, 23
- Small bowel obstruction (SBO),  
291–297  
CT and, 294  
laparoscopic exploration, 293–296  
laparotomy, 292–293
- Sodium morrhuate, 522
- Sodium tetradecyl sulfate, 522
- Specialized intestinal metaplasia  
(SIM), 150
- Sphincterotomy, endoscopic (ES)  
ERCP with, 53, 56  
cholecystectomy and, 67–70  
LAS, 89, 91
- Spleen  
injuries, stab wounds and, 23–24  
preservation, laparoscopic distal  
pancreatectomy with,  
406–415
- Spleen length diameter (SLD)  
measurement, 396
- Splenectomy  
insulinoma of tail of pancreas  
and, 407  
for massive splenomegaly, 387–402  
laparoscopic, 389–392  
complications, 392  
hand-assisted, 390, 401–402  
operative approach, 391–392  
preoperative evaluation,  
390–391  
minimal-access open, 392–399  
discussion, 395–399  
nondominant hand's role in,  
394–395, 398  
pearls, 394–395  
pitfalls, 395  
PSAE, 399–400, 401
- Splenomegaly, 390. *See also*  
Splenectomy  
massive, 387, 390  
simple, 390
- Stab wound, to abdomen, 19–30  
algorithms, 23, 27, 28–29  
DPL, 21, 26, 27

- FAST, 26
- laparoscopy, 20–24  
 anterior stomach, 24  
 contraindications, 22  
 diaphragmatic injuries, 24  
 disadvantages, 22, 28  
 liver/spleen injuries, 23–24  
 retroperitoneum area, 24  
 small bowel injury, 23
- laparotomy, 24–27
- Staging  
 carcinoma, 419  
 esophageal carcinoma, 187–201  
 laparoscopic, 187, 199–201  
 laparoscopic/thoracoscopic, 187,  
 189, 190, 193, 197, 198–199  
 M stage, 196  
 nonsurgical, 193–197  
 N stage, 195  
 T stage, 194–195
- gastric adenocarcinoma,  
 laparoscopic, 233–235, 238
- tumor, node, metastasis, 189, 198,  
 200, 201, 234, 238
- Stamm gastrostomy, 260, 261, 266
- Stenting, endoscopic endoluminal  
 colonic, 341–344, 345–346
- Stents, self-expanding metal, 342, 343
- Stomach. *See also* Gastric  
 adenocarcinoma  
 injuries, stab wounds and, 24  
 lesion, upper gastrointestinal series  
 and, 232
- Stone extraction balloon catheters, 72
- Stretta balloon catheter device, 539
- Stretta procedure, 538–542, 543,  
 544, 545. *See also*  
 Gastroesophageal reflux  
 disease  
 contraindications, 544  
 ideal candidates for, 540
- Strictures  
 common bile duct, 88, 90, 92  
 esophageal, 121, 122, 124
- Surveillance, Epidemiology, and End  
 Results (SEER) database,  
 467
- Swallow, barium, 129, 178, 187,  
 193, 206
- Sweating  
 compensatory, 589  
 gustatory, 589  
 hyperhidrosis, 585–589  
 thoracoscopic sympathectomy  
 for, 585–589  
 rebound, 588
- Swiss Association for Laparoscopic  
 Surgery (SALTS), 101
- Sympathectomy, thoracoscopic,  
 585–589  
 complications, 588–589, 589  
 nerve ablation, 587–588  
 port sites used for, 587  
 sympathetic chain, dissection of,  
 587, 588
- Sympathetic chain, thoracic, 586,  
 587, 588  
 anatomy of, 586  
 clipping, 588, 589  
 dissection of, 587, 588
- Tail of pancreas, insulinoma of,  
 405–415  
 enucleation and, 406–407  
 laparoscopic distal pancreatectomy,  
 with spleen preservation,  
 406–415  
 distal to proximal approach,  
 414, 415  
 proximal to distal approach, 414  
 surgical technique, 407–409,  
 411–413  
 open distal pancreatectomy and, 406  
 splenectomy and, 407
- TAPP repair. *See* Transabdominal  
 preperitoneal patch repair
- Tattooing, bowel, 372, 557, 564, 566,  
 577, 578

- TEM. *See* Transanal endoscopic microsurgery
- Tension-free repair (TFR), 490, 491
- TEP repair. *See* Totally extraperitoneal repair
- TFR. *See* Tension-free repair
- THE. *See* Transhiatal esophagectomy
- Thompson retractor, 435
- Thoracic sympathetic chain, 586, 587, 588  
 anatomy of, 586  
 clipping, 588, 589  
 dissection of, 587, 588
- Thoracoscopic-assisted esophagomyotomy, 168–172, 173
- Thoracoscopic/laparoscopic staging, of esophageal carcinoma, 187, 189, 190, 193, 197, 198–199
- Thoracoscopic sympathectomy, 585–590  
 complications, 588–589  
 mediastinal pleura, dividing of, 587, 588  
 nerve ablation, 587–588  
 port sites used for, 587  
 sympathetic chain, dissection of, 587, 588
- Thoracoscopy, MIE and, 209–211  
 mobilization of thoracic esophagus, 211  
 placement of ports, 210
- 3D technology, virtual colonoscopy, 554–556, 558, 559
- 360-degree wrap, 117–121, 129, 130–132, 133, 135, 180.  
*See also* Fundoplication  
 drawbacks, 133  
 Toupet v., 135–137
- TIPS. *See* Transjugular intrahepatic portosystemic shunt
- TME. *See* Total mesorectal excision
- TNM staging. *See* Tumor, node, metastasis staging
- Tocolytics, 14, 16
- Totally extraperitoneal (TEP) repair, 488, 489, 491–492, 493, 499–503, 504  
 complications, 502  
 indications for, 500
- Total mesorectal excision (TME), 381, 382, 385
- Toupet fundoplication, 129, 132–134  
 complete v., 135–137  
 laparoscopic esophagomyotomy with, 178–180, 184
- Transabdominal preperitoneal patch (TAPP) repair, 488, 491, 492, 493, 496–499, 503–504
- Transanal endoscopic microsurgery (TEM), 572–579, 581  
 advantages/disadvantages, 582  
 bowel habits, 574  
 fecal continence status, 574  
 operating endoscope, 576, 577  
 physical exam, 573–574  
 postoperative actions, 579  
 resection of lesion, 577–579  
 specimen on cork, 576  
 treatment options, 574–575, 577  
 anteriorly based polyps, 574–575  
 posterior lesions, 575, 577
- Transanal surgery, conventional, 580, 581  
 advantages/disadvantages, 582
- Transcystic duct approach, LCBDE via, 54, 57, 66–67, 84–88  
 choledochotomy approach v., 88  
 equipment for, 86
- Transhiatal esophagectomy (THE), 220  
 mediastinoscope-assisted, 220–227, 228  
 indications/contraindication, 221  
 technical considerations, 221–227
- Transjugular intrahepatic portosystemic shunt (TIPS), 519
- Trendelenburg position, 13, 22, 317, 354, 363, 378, 411, 423

- Triple-contrast CT, 29–30
- T stage, esophageal carcinoma, 194–195
- Tubular adenomas, 581
- Tubulovillous adenomas, 581
- Tumor, node, metastasis (TNM) staging, 189, 198, 200, 201, 234, 238
- 2D technology, virtual colonoscopy, 553–554, 557–558
- UICC. *See* Union Internationale Contre le Cancer
- Ultrasound
- bariatric surgery, gallstones, and, 283, 284, 289
  - of bile duct, 39–42
    - advantages, 40–42, 45
    - disadvantages/limitations, 42, 45
    - IOC v., 39–42, 44–45
  - endoscopic, 59
    - esophageal carcinoma and, 187–201
  - FAST, 26
  - of liver, 423, 424
  - retrocecal appendicitis and, 313
  - for staging pancreatic adenocarcinoma, 421–428, 429–430
- Union Internationale Contre le Cancer (UICC), 188, 190, 234
- United Network for Organ Sharing (UNOS) database, 437
- UNOS database. *See* United Network for Organ Sharing database
- Upper gastrointestinal series, lesion in distal stomach and, 232
- Ureteroscope, 86, 87. *See also* Choledochoscope
- Urography, 434
  - magnetic resonance, 434
- Ursodeoxycholic acid, 74, 286, 288, 289
- Ursodiol therapy, 283, 284, 285
- Vanillylmandelic acid, 484
- Variceal band ligation, endoscopic, 523–526, 527–528
- Variceal bleeding, esophageal, 519–528
  - EBL for, 523–526
  - ES for, 521–523
- Variceal injection sclerotherapy, 519, 521–523, 527
- Vasoactive therapy, 484, 524
- VATS thoracic sympathectomy, 585–589
  - complications, 588–589
  - nerve ablation, 587–588
  - port sites used for, 587
- VBG. *See* Vertical band gastroplasty
- Veress, Janos, 5
- Veress needle (closed technique), 1, 2–4
  - Hasson cannula v., 7
  - steps for peritoneal access, 3–4
  - vascular injuries and, 6
- Vertical band gastroplasty (VBG), 274
- Villous adenoma, rectal, 571–582
  - conventional transanal excision, 580, 581
  - EUS and, 574
  - transanal endoscopic microsurgery, 572–579, 581
- Virtual colonoscopy, 551–556, 557, 558, 559
  - benefits, 552
  - bowel preparation, 552–553
  - CAD system, 555–556
  - data interpretation, 553–556
    - 2D technology, 553–554, 557–558
    - 3D technology, 554–556, 558, 559
  - scanning protocols, 553
- Visiport optical trocar, 5
- Von Hippel-Lindau disease, 482
- Warm ischemia time, 437, 438, 439, 441, 443
- Willis, Thomas, 165
- Women, laparoscopy, appendectomy and, 307–308