

NOTE: The letters “f” and “t” followed by locators refer to figures and tables respectively.

A

- ACC, *see* Anterior cervical corpectomy (ACC)
- ACD, *see* Anterior cervical discectomy (ACD)
- Achilles tendon, 64, 66
- Adult degenerative scoliosis/multilevel disease, minimally invasive techniques, 121
 - case 1, 123–124
 - AP and lateral X-ray of patient, 123f, 124f
 - case 2, 124
 - intraoperative AP X-ray of patient with five-level XLIF, 125f
 - intraoperative lateral X-ray of patient with five-level XLIF, 125f
 - postoperative lateral X-ray, 125f
 - preoperative MRI of patient, 124f
 - clinical presentation
 - diagnostic evaluation, *see* Diagnostic evaluation, adult degenerative scoliosis
 - therapeutic intervention, 122–123
 - lateral transposas approach
 - XLIF technique, 123
 - lumbar spine deformity, result of, 121
 - paracoccygeal transsacral access to lumbosacral junction, 123
 - percutaneous pedicle screw placement, benefits, 123
- Adult degenerative scoliosis, therapeutic intervention, 122–123
 - nonoperative management
 - epidural blocks/nerve blocks, use of, 122
 - spine bracing and corsets, use of, 122
 - operative management
 - surgical treatment, goals of, 122
 - treatment approach, variations in, 122
- ALIF, *see* Anterior Lumbar Interbody Fusion (ALIF)
- Allogenic/artificial bone graft substitute, 81
- Alpha tricalcium phosphite (α (alpha)-TCP), 171
- Annular fenestration, 108
- Annular infiltration, 108
- Annulectomy, 110
- Anterior and posterior autologous iliac crest bone grafts (A/PICG), 159
- Anterior cervical corpectomy (ACC), 159
- Anterior cervical discectomy (ACD), 159
- Anterior cervical foraminotomy, 27–28, 30f
 - C6 transverse tubercle, 24
 - original technique, 25
 - preoperative symptoms, 30
 - skin incision site, 24, 31
 - spondylotic bone spur formation, 27
 - surgical indications and preparation, 24
 - bone removal, 24, 25
 - cervical retractor system, 24
 - curette system, 24
 - surgical risks/complications, 31
 - surgical technique, 24
 - description of, 24–25
 - positioning, 24
 - postoperative management, 29–30
 - results, grading in, 30
 - surgilogic evolution of, 25–28
- Anterior discectomy, 24, 31, 78
- Anterior foraminoplasty, 31
- Anterior hemiepiphysiodesis, 78
- Anterior iliac crest harvest, 159–160, 161f
 - anterior cervical plating, use of, 159–160
 - technique, 160–162
 - complications, short-term/long-term, 160, 162
 - dissection down to fascial layer, 160f
 - tricortical bone graft harvest, 161f
- Anterior lumbar interbody fusion (ALIF)
 - intraoperative/postoperative complications, 143
 - mini-open extraperitoneal approach, 144
 - procedures, types, 143
 - technique
 - approach of L5-S1, 145–147, 148f
 - complete discectomy, 147
 - discectomy technique, 147
 - endplate preparation, 147–148
 - fluoroscopy, 148
 - patient positioning, 144–145, 145f
 - preoperative planning, 144
 - surgical approach, 145
 - vascular injuries, 144
- Anterior lumbar interbody fusion (ALIF), 161
- Anterior lumbar interbody fusion (XLIF and DLIF), lateral approach for
 - materials and methods
 - patient selection and surgical indications, 135
 - minimally invasive procedures, risks/problems, 135
 - open surgical approach, advantages, 140
 - surgical technique
 - closure, 139–140
 - distance from nerve and EMG response, dependence, 137
 - discectomy and interbody implant placement, 139, 139f
 - disc exposure, 138

- Anterior lumbar interbody fusion (*cont.*)
 finger dissection, 138*f*
 L2-3 degenerative disc disease, MRI/CT/X-ray, 136*f*
 patient positioning and targeting, 137*f*
 results, 140
 retroperitoneal access, 136
 transpoas access, 137–138
- Anterior spinal fixation, 64, 65*f*
- Anterior superior iliac spine (ASIS), 160, 160*f*, 161*f*
- Anterior thoracolumbar surgery, 18–19
 clinically relevant accuracy, 18
- Anteroposterior (AP) fluoroscopy, 20, 47, 53, 81,
 150*t*, 151*f*
- Antifog agent, 50
- Antifog solution, 36
- Antiinflammatory medications, 56
- Apatite cements, 172
- A/PICG, *see* Anterior and posterior autologous iliac crest bone
 grafts (A/PICG)
- Areolar tissue, 80, 87
- Arthroplasty, 23, 30, 135, 144, 147
- Articulating joint, 94
- ASIS, *see* Anterior superior iliac spine (ASIS)
- Atavi system (Endius), 129
- Atlantoaxial anatomy, 15, 16
- Atlantoaxial joint, 100
- Atlanto-occipital joint, 100
- Autologous bone graft, 159, 164
 advantages, 164
 donor site morbidity, risk of, 159
- Autologous tricortical AICBGs, 159, 160
- Axial discography, 88
- Axon (Synthes), 44
- B**
- Bacitracin antibiotics, 56
- Balloon kyphoplasty, 173
- Biopex[®], 170*t*, 173
- Biplanar fluoroscope/fluoroscopy, 88, 155
- Bipolar electrocautery, 106, 138
- Bisphenol-A-ethoxy mimethacrylate (Bis-EMA), 174
- Bisphenol-A-glycidyl dimethacrylate (Bis-GMA), 174
- Bone
 grafting, 43, 43*f*, 44*f*, 79, 81, 82*f*, 83, 159, 162
 mill, 79
 morphogenic proteins, 175
 tumor, 69
- Bone filler devices (BFD), 73, 74
- “Bone-like” cement, *see* Calciumphosphate cements (CPC)
- Bone void
 creation, methods, 72–73, 72*f*
 stabilization, 73
- Bovie electrocautery, 117, 131
- Bronchial blocker, 79
- Bronchoscope, 79
- Brushite, 170, 171, 172, 173
- Bull’s-eye technique, 153, 154*f*
- C**
- Calcibon[®], 170*t*, 173
- Calcium-deficient hydroxyapatite (CDHA), 171
- Calciumphosphate cements (CPC), 167, 168, 170, 171, 172, 173,
 174, 175
 leakage, 173
- Cancellous autologous bone, 52
- Cannulas, expandable, 49, 50*f*
- C-arm, 12, 13, 20, 21, 35, 36, 47, 69, 70, 88, 100, 103, 106, 108, 110,
 111, 144, 145, 150, 151*f*, 153
 fluoroscopy, 12, 13, 20, 21, 35, 47
- Carotid artery, 25
- Cartesian coordinates, 8
- Cartilage, 52, 78, 81, 81*f*, 90, 94
- CDHA, *see* Calcium-deficient hydroxyapatite (CDHA)
- Cement
 emboli, 167
 extravasation, 167, 169
 prevention, 174
 leakage into epidural/disc space, results, 167
 volume, 169
- Cephazolin/vancomycin, 47
- Cerebrospinal fluid (CSF), 31, 40, 56, 67, 120, 132
 leak, 40, 56, 120, 132
- Cervical corpectomy, 19
- Cervical degenerative spine disease, 33
- Cervical foraminotomy/laminectomy, closure and postoperative
 care, 39–40
 CMEF/D or CMEDS incision after closure, 40*f*
 nonsteroidal antiinflammatory agents, use of, 40
See also Posterior cervical foraminotomy and laminectomy
- Cervical microendoscopic decompression of stenosis (CMEDS),
 34, 39
- Cervical pedicle screws, 52
- Cervical radiculopathy, 23, 24, 30, 33, 46
- Cervical retractor system, 24, 25
- CerviFix[®]/StarLock[®], 53
- Chromato-discography, 108
- Chronic myelopathy, 40*f*
- Chylous effusion, 83
- Clinical applications, image-guided spinal navigation
 anterior thoracolumbar surgery, 18–19
 clinically relevant accuracy, 18
- C1-2 transarticular screw fixation, 14–16, 16*f*
 atlantoaxial anatomy, 15
 disadvantages, 15
 risks involved, 14
 wire and bone graft stabilization procedure, 15
- pedicle fixation, 11–13
 drill guide, 11, 12
 infrared camera detector, 11
 L3 pedicle screw navigation, 12*f*
 L5-S1 disc excision, 14*f*
 pilot holes, 11
 sagittal/axial/coronal reconstruction views, 11
 segmental registration, 12
 suboptimal screw placement, 11
 T8 pedicle screw navigation, 13*f*
- segmental C1-2 screw fixation, 16–17
 screw placement into lateral mass of C1 and pedicle of C2, 17*f*
- spinal surgery, minimally invasive, 13
 advantage and disadvantage of, 13
 C-arm fluoroscopy, 13
 procedure for, 13
 transoral surgery, 17–18
 nasal septum and anterior tubercle of C1 (registration
 point), 18
- Clinically relevant accuracy, 18
- Clot formation, 173
- CMAP, *see* Compound muscle action potentials (CMAP)
- CMEDS, *see* Cervical microendoscopic decompression of stenosis
 (CMEDS)

- CMEF/D, *see* Microendoscopic cervical foraminotomy/discectomy (CMEF/D)
- CMEF/D technique, 36–39
 endoscopic drill with TDQ bit, 39*f*
- C5-6 minimally invasive foraminotomy, 49
- Cobb angles, 121
- Cobb dissector, 139
- CO₂ insufflation, 140
- Compound muscle action potentials (CMAP), 156
- Compressing pathology, 25, 27
- Computerized tomogram (CT), 7, 8, 9, 10, 11, 12, 15, 16, 18, 19, 21, 22, 24, 34, 39, 40*f*, 52, 56, 57, 61, 64, 68, 69, 70, 88, 108, 118, 120*f*, 122, 136*f*, 153, 155, 156
- Congenital deformity, 78
 anterior hemiepiphysiodesis, 78
 endoscopic techniques, 78
- Conventional anterior discectomy (patient positioning), 24, 31
- Conventional fluoroscopy, 21
- Cortoss[®] (Orthovita)
 “mix-on-demand” system, 174
 salient features, 174
 vs. PMMA, 175
- Coseal (synthetic sealant), 40
- CPC, *see* Calciumphosphate cements (CPC)
- Crankshaft deformity prevention, 78
- C1-2 screw fixation
 transarticular vs. segmental, 14–17
- CSF, *see* Cerebrospinal fluid (CSF)
- CT myelogram, 122
- C1-2 transarticular screw fixation, 14–16, 16*f*
 atlantoaxial anatomy, 15
 disadvantages, 15
 risks involved, 14
 wire and bone graft stabilization procedure, 15
- C6 transverse tubercle, 24, 25
- Curette/rongeur, 1, 24, 25, 27, 35, 36, 38*f*, 39, 60*f*, 61, 62*f*, 74, 79, 81, 139, 147, 163
- Curing
 of cement, 171
 temperature, 170
 time, 170
- Cylindrical plastic friction couple, 36, 38*f*
- D**
- Dead reckoning, 7
- “Dead space”, 120
- Degenerating spinal disc and flat tire, analogy between, 4*f*
- Degrees of freedom, 44
- DermaBond-type closure, 53, 56
- Diagnostic evaluation, adult degenerative scoliosis, 122
 discograms and facet blocks, 122
 advantage of, 122
 MRI and CT myelography, 122
 plain radiography, 122
- Diarthrodial synovial joint, 94
- Dilating tubes, 2*f*
- Direct lateral incision, 137*f*
- Discectomy and laminectomy
 complications, 119–120
 CSF leak/extensive bleeding, 120
 indications
 minimally invasive posterolateral approach, 115
 system components, description of, 115
 operative technique
 dilating tube targeting, 116*f*
 discectomy through retractor, 118*f*
 incision planning, 116*f*
 inferior edge of lamina, curettage of, 118*f*
 preparation and positioning, 115–116, 116*f*
 retractor placement, 117*f*
 surgical procedure, 116–119
- Disc herniation, 23, 24, 27, 30, 31, 34, 39, 59, 63*f*, 64, 66, 94, 105, 106, 108, 109*f*, 112, 113
- Dorsal bony/ligamentous compression, 34
- Dorsal rami, 94, 95, 99
- Drill guide, 8*f*, 11, 12, 15, 16
- Dry gelfoam/bone wax (hemostatic agent), 160, 163
- E**
- Ease-of-use factor, 19
- Elastic modulus, 174
- Electrocautery, 79, 83, 106, 117, 131, 138, 145, 160, 163
- Electromyography (EMG), 34, 35, 47, 126, 137, 138, 141, 156
- Endius device, 155
- Endoscopic discectomy technique
 anesthetic technique, 106
 composition, 106
 LDH, 106, 109*f*
 nerve injury, reduced risk of, 106
 roentgenographic landmarks, 106, 106*f*
 benefits of, 113
 cannula insertion, 108
 indications/contraindications, 105
 needle insertion, 108
 Chromato-discography, 108
 Kambin’s triangle, 108
 surgical landmarks determination, 106–108, 107*f*
- Endoscopic METRx system, 34
- Endoscopic spinal instruments, 35
- Endoscopic surgery, 25
- Epidural space, 19, 20*f*, 69, 102, 103, 104, 104*f*, 105, 106*f*, 109, 110, 167
- Epidural steroid injections
 anatomy, 102
 indications, 102
 technique, 102–104
See also Techniques in epidural steroid injections
- Exothermic reaction, 67, 169, 172, 173, 174
- Extreme Lateral Interbody Fusion (XLIF), 123, 124, 125*f*, 126, 135–142
- “Eye of the Scotty dog”, 102
- F**
- Facet Compression Device[®], 55
- Facet joint anatomy, 94
 biomechanics, 94
 clinical studies using rabbit model, 94
 facet joint as pain generator, 94
 innervation, 94
 complications, 96
 denervation technique, 94–96, 95
 goal of, 94
 patient preparation, 95
 percutaneous radiofrequency electrodes, treatment for, 95
 indications, 93–94
 inflammatory cytokines, levels of, 94
 injections, 99
 cervical facet joint innervation, 99
 complications, 102, 104

- Facet joint anatomy (*cont.*)
 facet/zygopophyseal joints, definition, 99
 indications, 99
 intraarticular facet injections, 100–101
 lumbar facet joint innervation, 99
 medial branch blocks, 101–102
 thoracic facet joint innervation, 99
 and innervation, 95*f*
 mechanical low back pain, treatment for, 94
 role of facets, 94
- Facet rhizotomy needle, 95*f*
- Facet syndrome, 93
- Facet-wiring technique, 43, 44*f*
- “Failed back syndrome”, 149
- Fan retractor/lung clamp, 60*f*, 61
- Fascial sleeves, 160, 161*f*, 163
- Fiberoptic intubation, 35
- Finger palpation, 24, 25
- Flat-panel detector technology, 21
- Fluoroscopic navigational system, workstation of, 21*f*
- Fluoroscopy, 7, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 35, 36, 47, 50, 52, 53, 54, 55, 60, 61, 70, 73, 81, 99, 101, 102, 103, 111, 115, 116, 117, 130, 136, 138, 141, 147, 148, 153, 154*f*, 172
See also specific types
- Foraminoplasty, 24, 27, 28, 30*f*, 31, 107, 110
- Foraminotomy, 23–31, 33–41, 46, 48, 49, 50, 115, 118, 120, 131, 132
- Forensic autopsy, 169
- Formaminotomy, 115, 129
- Fracture acuity, 68
- Functional spine surgery, 23, 31
- G**
- Gelfoam[®]/Surgifoam[®], 40, 52, 56
- Glass fillers, 174
- Gun barreling, 101
- H**
- Hangman’s-type fractures, 55
- Harmony system, 49
- Harrington rods, 77
- Head fixation devices, 34, 35, 53
- Hemangioma, 169
- Hemostasis, 39, 56, 80, 81, 139, 160, 163
- Herniated disc fragments, removal, 63*f*
- High-speed drill, 25, 35, 51, 52
- Holmium yttrium-aluminum-garnet (YAG) laser, 110, 111*f*
- Horner’s syndrome, 30, 31
- Hyaline cartilage, 94
- Hydrophilicity, 171
- Hydroxyapatite cement, 171
- I**
- Iliac crest bone graft harvest and fusion techniques
 anterior iliac crest harvest, 159–162
 PICBG, 162–164
- Iliac vessels, 88, 145, 146*f*, 147*f*
- Iliolumbar vein ligation, 144
- Image-guided spinal navigation
 clinical applications
 anterior thoracolumbar surgery, 18–19
 C1-2 transarticular screw fixation, 14–16
 pedicle fixation, 11–13
 segmental C1-2 screw fixation, 16–17
 spinal surgery, minimally invasive, 13
 transoral surgery, 17–18
See also Clinical applications, image-guided spinal navigation
 definition, 7
 fluoroscopic navigation, 19–22
 advantages, 20
 disadvantages, 21
 L2 metastasis navigation, removal, 20*f*
 L3 pedicle screw demonstration, 12*f*
 pitfalls of, 19
 principles, 8–10
 application of, 8–9
 radiographic techniques, disadvantage of, 7
 registration process, 8
 paired-point registration, 9
 purpose of, 9–10
 surface matching, 9
 time length, impact on, 9
 systems, components of, 8
 T12 pedicle screws insertion, paired-point registration plan for the, 9*f*
 workstation with infrared camera localizer system, 8*f*
- Image intensifier, 69, 70, 79, 81, 88
- Indirect distraction procedures, technologies used in
 CPC, 170*t*
 chemistry, 170–171
 clinical findings, CPC vs. PMMA, 173–174
 drawbacks, 170, 172
 handling and setting, 171–172
 injectability and cohesion, features of, 171
 nonload-bearing applications in US, 170
 osteoconductivity and resorbability, 170
 resorption and remodeling, 173
 strength and biomechanical properties, 172–173
 future technologies, 174–175
 PMMA cement, 167–168
- Inflatable bone tamp, 167
- Infrared camera detector, 11
- Interleukin-1beta and -6 and tumor necrosis factor-alpha (TNF-alpha), 94
- Interspinous wiring technique, 43, 43*f*
- Intervertebral disc, 2, 13, 23, 25, 27, 28*f*, 30, 31, 93, 107, 111, 121, 122, 145
- Intraarticular facet injections, 100–101, 100*f*
 cervical
 cardiorespiratory arrest, 100
 cerebellar-basilar infarcts, 100
 lateral/posterior approach, 100
 lumbar, 101, 101*f*
 thoracic, 101
- Intraoperative fluoroscopy, 2*f*, 7, 16, 17, 19, 35, 52, 141
- Intraoperative real-time imaging, 47
- Intraoperative roentgenogram (X-ray), 25
- Ioban, 36
- Ipsilateral lung, 60, 78
- Isocentric fluoroscopy, 21
- Isthmic spondylolisthesis, 112
- J**
- Jamshidi needle, 69, 70, 71*f*, 72*f*, 150, 151*f*, 155
- Japanese Orthopedic Association, 34
- Joints, *see specific joints*
- Jugular venous drainage/airway patency, 36

K

- Kambin's triangle, 106, 108
- Kerrison punch, 36
- Kirschner wire (K-wire), 36, 37, 41, 47, 49, 53, 54, 55, 81, 90, 150, 151, 152, 153, 154, 155, 156
- Kyphoplasty (KP), 67–74, 150, 167, 169, 172, 173, 174
- Kyphosis, 34, 56, 77, 78, 82, 83, 116, 122, 167, 174
- Kyphotic deformity, 34

L

- Laminectomy/laminoplasty, 23, 33–41, 43, 78, 115–120, 123, 131, 132
- Laminoplasty technique, 119*f*
- Laparoscopy
 - advantages, 59
 - instruments, 2*f*
- Lateral extrapedicular approach, 71
 - effective pedicle, 71*f*
 - vs. transpedicular approach, 71
- Lateral mass screw fixation technique, 45*f*, 53*f*
 - tubular approach, 54*f*
- Lenke curve, 83–84, 84*f*
- Ligamentum flavum (LF), 34, 36, 38*f*, 39, 41, 102, 103, 110, 111, 118, 131
- Lower cervical spine surgery, 25
- Lower-vertebral transcorporeal approach, 25–27, 26*f*, 31
 - cephalad-directed surgical trajectory, 25
 - C3–4 operation, used in, 25
- L3 pedicle screw navigation, 12*f*
- Lumbar decompression, 115, 129
- Lumbar disc herniation (LDH), 106, 109*f*, 110, 112, 113
- Lumbar disectomy, discography and endoscopic
 - after surgery, 111*f*
 - common reasons for reoperations, 110
 - endoscopic decompression, 110
 - clinical outcomes, 112–113
 - Mac-Nab criteria, 113
 - endoscopic technique
 - anesthetic technique, 106
 - cannula insertion, 108
 - indications/contraindications, 105
 - needle insertion, 108
 - surgical landmarks determination, 106–108
 - epidural bleeding, control of, 110
 - lumbar radiculopathy, treatment for, 105
 - pearls and pitfalls, 110–112
 - “red, white, and blue sign”, 109*f*
 - working cavity, 109*f*, 110
- Lumbar drainage, 56
- Lumbar fixation screw, 20*f*
- Lytic neoplastic lesions, treatment of, 68–69
 - contraindications, 69

M

- Magnetic resonance imaging (MRI), 9, 11, 34, 40, 61, 66, 67, 68, 69, 70, 88, 122, 124, 136, 143
- Mamillo-accessory ligament, 96*f*
- MaXcess (nontubular minimally invasive system), 115, 129, 141
- Mayfield three-point head fixation, 34–35, 35*f*
- MCPM, *see* Monocalcium phosphate-monohydrate (MCPM)
- Mean neck disability index, 33
- Medial branch blocks
 - cervical, 100*f*, 101
 - lumbar, 101*f*, 102
 - thoracic, 101, 102*f*

- Methylprednisolone, 39
- Metrix system, 115, 129
- METRx[®] tubular access system, 49
- METRx tubular retractor, 38*f*
- Microendoscopic cervical foraminotomy/discectomy (CMEF/D), 33
 - isolated cervical radiculopathy, treatment of, 33
- Minimally invasive techniques, *see* Endoscopic discectomy technique
- Mini-open extraperitoneal approach, 144
- MI-PCF procedure, 47
 - cephazolin/vancomycin, 47
 - electromyographic recordings, 47
 - endotracheal anesthesia, use of, 47
 - feasibility, 56
 - incision, 54*f*
 - intermediate semisitting position, 47
 - intraoperative real-time imaging, 47
 - intraoperative SSEP monitoring, 47
- Monocalcium phosphate-monohydrate (MCPM), 170*t*, 171
- Monomer-to-polymer ratio, 168
- Monopolar cautery/pituitary rongeurs, 36, 52
- Multisegmental posterior fixation of spine (Cotrel and Dubousset), 77
- Muscle dilation, 36, 37*f*
- Muscle-splitting tubular retractor system, 33
- Myerding retractor, 25

N

- Navigation probe and drill guide, 8*f*
- Neoplastic disorders, 68
- Neural foramen, 24, 27, 28, 30*f*, 31, 71, 102, 103
- Neuromuscular paralytics, 47
- NeuroVision System, 137
- Nonsteroidal antiinflammatory agents, 40
- Nucleus, blue-stained, 109
- Nurick Scale, 33–34

O

- Obenchain, 59, 135
- OPLL, *see* Ossification of the posterior longitudinal ligament (OPLL)
- Optical localizer, 8
- Oral narcotic analgesics, 29
- Oral Valium, 100
- Orthobiologics, 174, 175
- Ossification of the posterior longitudinal ligament (OPLL), 24, 34
- Osteoconductivity, 170
- Osteopal[®], 168, 168*t*, 169
- Osteoporosis, 121, 167, 169
- Osteoporotic fractures, 67–68
 - acute/chronic fractures, MRI of, 68*f*
 - bone scan for fracture acuity, 68*f*
 - cementing techniques, effect on, 67
 - treatment of, 67–68
 - kyphoplasty, contraindications to, 68
- Osteotome, 161, 163, 164
- Oswestry Disability Index, 113, 140, 153
- O-Vicryl[®], 53

P

- Paired-point registration, 9, 11, 12, 19
 - vs. surface mapping, 9
- Palacos[®], 168

- Paracoccygeal transsacral access to lumbosacral junction, 87–92, 123
 evolution of technique, 88
 axial discography, 88
 instruments used, 88
 potential complications, 91
 presacral anatomy, 87–88, 87*f*
 S1S2 interspace, coronal safe zone, 88
 technique, 88–91
 access and trajectory planning, 89
 axial rod implantation, 91, 91*f*
 bone graft application, 90
 centerline trajectory, 89–90
 operating room setup, 88
 patient preparation, 88
 preoperative planning, 88, 88*f*
 preparing to implant the axial rod, 90, 90*f*
 primary L5-S1 lumbar fusion, 92*f*
 scoliosis fusion, extension of, 92*f*
 working cannula and disc space preparation, 90, 90*f*
See also Surgical technique, paracoccygeal presacral anatomy
- Paralytic patients, 35
- Paraspinal neoplasms, 19
- Passive reflectors, 8, 10
- Pedicle fixation, 11–13
 drill guide, 11, 12
 infrared camera detector, 11
 L3 pedicle screw navigation, 12*f*
 L5-S1 disc excision, 14*f*
 pilot holes, 11
 sagittal/axial/coronal reconstruction views, 11
 segmental registration, 12
 suboptimal screw placement, 11
 T8 pedicle screw navigation, 13*f*
- Pedicle, “6 o’clock” position, 104
- Pedicle screw instrumentation, 78
- PEEK interbody devices, 62, 63*f*
- Percutaneous inline fixation technique, 55*f*
- Percutaneous pedicle screw instrumentation, 131
- Percutaneous radiofrequency electrodes, 95
- Peritoneum, 126, 136, 141
- Pig tail connector, 103
- Pilot holes, 12
- Pituitary rongeur, 36, 39, 42, 60*f*, 61, 64*f*, 139
- Platysma, 24, 25
- Pleura, 61, 79, 80, 83*f*
- PMMA, *see* Polymethylmethacrylate (PMMA)
- PMMA cement
 cemented arthroplasties, use in, 168
 handling and setting characteristics, 168–169
 forensic autopsy, 169
 polymerization of methacrylate monomer, effect on, 168
 setting time and viscosity, effect on, 168
 VP vs. KP, 169
 ideal characteristics of, 169
 mechanical and biomechanical performance, 169
ex vivo cadaver spine bipedicular VP biomechanical model, study on (Belkoff), 169
 vertebroplasty PMMA cements, 168*t*
in vivo behavior, 169–170
 high-polymerization isotherm, 169
 lack of reactivity for bone formation, 169
 toxicity of monomer, 169
- Polymethylmethacrylate (PMMA), 69, 74, 167, 168*t*, 169, 170, 171, 172, 173, 174, 175
- Porcine model (Derby and Lee), 96
- Porosity, 171, 172
- Positioning, surgical technique, 24
 neck positioning, precaution, 24
- Posterior Cervical Foraminotomy and Laminectomy
 complications, 40–41
 CSF leak, 40
 potential neurological complications, 40
 spinal cord injury, 40
 vertebral artery injury, 40
 equipment used, 34–35
 feasibility test in cadaver models, 33
 operative indications, 34
 contraindications, 34
 root symptoms, 34
 pearls and pitfalls, 41
 preoperative evaluation, 34
 CT, 34
 MRI, 34
 EMG, 34
 root symptoms, 34
 setup, 35–36
 positioning of patient in Mayfield head fixation for CMEF/D or CMEDS, 35*f*
 precordial Doppler, 35
 sitting position, advantages, 35
 SSEP, 35
 technique description
 bilateral procedures, 36
 closure and postoperative care, 39–40
 CMEDS technique, 39
 CMEF/D technique, 36–39
- Posterior cervical instrumentation and fusion
 clinical experience, 56–57
 closure, 56
 facet-wiring technique, 43, 44*f*
 instrumentation, 50–55
 flexible retractor arm, 51*f*
 transfacet screws, 53–55
 interspinous wiring technique, 43, 43*f*
 lateral mass screw fixation technique, 45*f*, 53*f*
 minimally invasive approach, rationale and indications, 45–47
 microendoscopic foraminotomy, 46*f*
 posterior cervical laminoforaminotomy, 46*f*
 traditional open procedures, limitations, 45
 pearls and pitfalls, 56
 positioning and setup, 47
 MI-PCF procedure, 47
 tubular dilation and exposure, 47–50
- Posterior cervical laminoforaminotomy, 46*f*
- Posterior iliac crest bone grafting (PICBG), 162–164
 complications, short-term/long-term, 162, 164
 technique, 162–164
 cadaveric specimen showing incision over PSIS, 162*f*
 cancellous bone harvest, 163*f*
 closed minimally invasive incision, 164*f*
 cortical cap removed, 163*f*
 PSIS, 162
 PSIS exposed with curved osteotome, 163*f*
- Posterior longitudinal ligament (PLL), 24, 25–26, 28, 63, 81
 venous bleeding, effect on, 25
- Posterior longitudinal ligament resection, 63*f*
- Posterior lumbar interbody fusion (PLIF), 115, 120, 129, 140
- Posterior spinal instrumentation
 advantages, 77
 vs. VATS, 77

- Posterior superior iliac spine (PSIS), 162, 163*f*
 Posterolateral approach, 71
 Posterolateral incision, 137*f*
 Postlaminectomy kyphosis, 34
 Postoperative management, 29–30
 oral narcotic analgesics, 29
 See also Anterior cervical foraminotomy
 Postoperative sagittal plane deformity, 33
 Powder-to-liquid ratio, 168, 171
 Precordial Doppler, 35
 Preoperative planning, ALIF, 144
 incision sites for anterior lumbar exposure, 144*f*, 146*f*
 steps involved, 144
 Presacral space, 87, 88, 89
 Psoas muscle, 126, 136, 137, 138, 139, 141
 Pulmonary arterial pressure, 174
 Pulmonary embolism, 169, 173, 174
- Q**
 Quadrant[®] system, 49, 50*f*
- R**
 Radiopacifiers, 168
 Radiopaque
 instrument, 136, 150
 marker, 67, 72
 Reference markers/fiducials, 8, 18
 Reference points (tip of spinous/facet joint/osteophyte), 8–9
 Registration, 8
 accuracy, 10, 11, 12, 19
 error, 11
 Renal cell carcinoma, 69
 Resorbability, 170, 175
 Respiration, 10
 Rhizotomy, 93, 94, 95, 96, 97
 Rib allograft/autograft, 64, 65*f*
- S**
 “Safe triangle,” 104
 Saw bones model, 63*f*
 Scheuermann’s kyphosis, 78
 Scoliosis, 77
 Segmental C1-2 screw fixation, 16–17
 screw placement into lateral mass of C1 and pedicle
 of C2, 17*f*
 Segmental registration method, 12
 Simplex[®] P, 168
 “Snap set” behavior, 168
 S4 OCT (Aesculap), 44
 Soft disc herniation/stenosis, 24, 25
 Somatosensory evoked potentials (SSEP), 24, 35, 47, 52, 156
 Spinal cord
 compression, 30
 injury, 40
 Spinal instability, 31
 Spinal instrumentation, percutaneous pedicle screw
 placement for
 bull’s-eye targeting of the pedicle screws, 153, 154*f*
 instruments and equipment requirements for, 150*f*
 intraoperative pedicle screw stimulation, 157
 minimally invasive instrumentation
 categorization of pedicle location, 155*t*
 electrophysiological monitoring, 156
 goals of, 153
 radiographic confirmation of pedicle screw placement,
 156–157
 vs. open pedicle screw instrumentation, 153
 pedicle access using a lateral-to-medial trajectory,
 150–153
 patient positioning, 151*f*
 static/dynamic phases, 156
 transmuscular insertion approach, 155
 Spinal navigation, registration techniques
 paired-point registration, 9
 CT/MRI data, registration point selection from, 9
 purpose of, 9–10
 surface matching, 9
 time length of, impact, 9
 Spinal tracking device, 10
 disadvantage of, 10
 Spinous process, reference frame attached to, 10*f*
 Spondylotic bone spur formation, 27
 Spondylotic stenosis, 23, 24, 30, 34, 40*f*
 SSEP, *see* Somatosensory evoked potentials (SSEP)
 StaXX[®]FX (Spinewave), 174
 Steinman pin/K-wire, 36
 muscle dilation process, 37*f*
 Stereotaxy, 7
 Sternocleidomastoid (SCM) muscle, 24
 shorttau inversion recovery (STIR), 67
 Summit[®], 44, 53
 Surface mapping, 9, 10, 11, 13, 19
 Surgery, definition, 23
 Surgical approach, ALIF, 145
 blunt dissection
 behind rectus abdominus muscle, 145*f*
 into retroperitoneal space, 146*f*
 incision of
 oblique abdominal musculature, 146*f*
 rectus fascia, 145*f*
 Surgical technique, paracoccygeal presacral anatomy, 88–91
 access and trajectory planning, 89
 blunt guide pin, intraoperative fluoroscopic image of, 89*f*
 paracoccygeal incision, 89*f*
 axial rod implantation, 91, 91*f*
 bone graft application, 90
 centerline trajectory, 89–90
 bevel-tip K-wire, 90*f*
 extension of previous long scoliosis fusion, 92*f*
 operating room setup, 88
 C-arms, 89*f*
 surgical site, isolation of, 89*f*
 patient preparation, 88
 bowel preparation, 88
 occlusive dressing, 88
 preoperative planning, 88, 88*f*
 radiographs/MRI images for planning trajectory, 88
 preparing to implant axial rod, 90, 90*f*
 primary L5-S1 lumbar fusion, 92*f*
 working cannula and disc space preparation, 90, 90*f*
 instruments to evacuate disc space and prepare endplates for
 fusion, 90*f*
 Surgicel, 81
 Surgiologic evolution, anterior cervical foraminotomy, 25–28
 anterior cervical foraminoplasty, 27–28
 lower-vertebral transcorporeal approach, 25–27
 transuncal approach, 27
 upper-vertebral transcorporeal approach, 27
 Surgiology, definition, 23

T

TDR, *see* Total disc replacement (TDR)

Techniques in epidural steroid injections

caudal, 104, 104*f*

cervical

interlaminar approach, 103

transforaminal approach, 103

lumbar

interlaminar approach, 103

transforaminal approach, 103–104

Technique used in thoracoscopic discectomy, 59–66

case 1, 63–65

adherent calcified disc at T10-T11, release of, 64*f*

calcified thoracic disc herniation, patient with, 64*f*

pituitary rongeur is to excise the disc, 64*f*

case 2, 66

T12-L1 thoracic disc herniation, 66

TEGMA, *see* Triethylene glycol dimethacrylate (TEGMA)

Telescope, 60

Tetra-calcium phosphate (TTCP), 170, 171

Thecal sac, 34, 64, 102, 118, 131

Thoracic and lumbar kyphoplasty

clinical criteria for performing, 67

complications, 73–74

equipment used, 69

indications

lytic neoplastic lesions, treatment of, 68–69

osteoporotic fractures, treatment of, 67–68

pearls and pitfalls, 74

difficult reductions, 74

directing reduction, 74

vertebral body breakthrough, 74

postoperative care, 73

setup

anesthesia, 69

positioning, 69–70

technique description

bone void creation, methods, 72–73, 72*f*

bone void stabilization: cement delivery, 73

vertebral body cannulation, 70–71

Thoracic disc, 59, 62*f*, 64, 66

Thoracic hyperkyphosis deformities, 78

anterior discectomy, 78

pedicle screw instrumentation, 78

Thoracolumbosacral orthoses (TLSO), 83

Thoracoport, 81

Thoracoscopic deformity correction

complications, 83

contradictions

in smaller (under 20 kg) and larger patients, 78

illustrative case, 83–84

postoperative radiographic views, 85*f*

preoperative/posteroanterior (PA) radiograph of 14-year-old

female, 84*f*

indications

congenital deformity, 78

crankshaft deformity prevention, 78

scoliosis, 77

thoracic hyperkyphosis deformities, 78

postoperative management, 83

thoracolumbosacral orthoses (TLSO), 83

techniques, 79–82

anterior instrumentation, 81–82

anterior release, 80–81

pleural closure, 82

port location, 79

positioning of patient, 79

preoperative planning, 79

spine exposure, 79–80

surgical equipment, 79

See also Thoracoscopic techniques

T4-T12 vertebral levels, 77

Thoracoscopic discectomy

technique, 59–66

case 1, 63–65

case 2, 63–66

curettes/kerrisons/pituitary rongeurs, 60*f*, 61, 62*f*

double-lumen endotracheal tube, 59

intraoperative localization, 61, 61*f*

positioning, 59–60

rib head and proximal rib resection, 61*f*

Saw bones model, 63*f*

Thoracoscopic techniques, 79–82

anterior instrumentation, 81–82, 82*f*

bone graft, 82*f*

fluoroscopy, 81

interbody device/cortical allograft, use of, 82

vertebral body screw insertion, 82*f*

anterior release, 80–81

allogenic/artificial bone graft substitute, 81

cancellous bone grafting, 81

discectomy and deep excision of the disc, 81*f*

pleural closure, 82

advantages, 82

chest cavity, irrigation of, 83

EndoStitch device, use of, 83

postoperative atelectasis, reduced risk of, 82

port location, 79–82

placement of anterior ports for thoracoscopic release

procedure, 80*f*

retraction of lung, pathway to visualization

of spine, 79

sponge packing, 80, 81*f*

positioning of patient, 79

preoperative planning, 79

spine exposure, 79–80

surgical equipment, 79

Thoracoscopy, 59, 77, 78, 79

TLIF, *see* Transforaminal interbody lumbar fusion (TLIF)

TLSO, *see* Thoracolumbosacral orthoses (TLSO)

Total disc replacement (TDR), 105

T8 pedicle screw navigation, 13*f*

Tracheo-esophageal structure, 25

Traditional surgical exposure, 1*f*, 3*f*

Trajectory

angle, 24

insertional depth of, 10

length, 13

line and cursor, 11–12, 21

“stopping points”, 71*f*

Transforaminal interbody lumbar fusion (TLIF), 115, 118, 120,

129–132, 140, 153

complications, 132

indications

incision planning, 130*f*

system components, description of, 129

operative technique

access driver secured, 131*f*

interbody graft placement, 131*f*

preparation and positioning, 130, 130*f*

surgical procedure, 130–132

Transoral decompression, 17, 18, 18*f*

- Transoral surgery, 17–18
nasal septum and anterior tubercle of C1 (registration point), 18
- Transpedicular approach, 70–71
en face view of position of needle, 70
vs. extrapedicular approach, 71
- Transuncal approach, 27, 28*f*, 31
C4-5 or C5-6 operations, used in, 27
- Trendelenburg position, 60, 61
- Triethylene glycol dimethacrylate (TEGMA), 174
- Triradiate cartilage, 78
- Tubular retractor system, 1, 34, 115
- U**
- Ulnar neuropathy, 35
- Uncovertebral juncture, 23, 24, 25
- Upper cervical spine surgery, 25
- Upper-vertebral transcorporeal approach, 27, 29*f*, 31
C6-7 or C7-T1 surgery, used in, 27
- V**
- VATS, *see* Video-assisted thoracoscopic surgery (VATS)
- VCFs, *see* Vertebral compression fractures (VCFs)
- Vertebral artery, 14, 16, 18, 23, 25, 26, 27, 28, 29, 30, 31, 40, 50, 52, 100, 103, 104
injury, 31, 40
- Vertebral body cannulation: placement of Jamshidi needle
lateral extrapedicular approach, 71
effective pedicle, 71*f*
posterolateral approach, 71
transpedicular approach, 70–71
en face view of position of needle, 70
- Vertebral compression fractures (VCFs), 67, 167, 172, 175
- Vertebroectomy, 56, 61
- Vertebroplasty (VP), 67, 150, 167, 168, 170, 172, 173
- Vertex[®] system, 44, 53
- Vicodin/percocet, 140
- Video-assisted thoracoscopic surgery (VATS), 59, 60, 64, 66, 77, 78, 79
applications, 77, 78
intercostal neuralgia/atelectasis, complications associated, 59
vs. posterior spinal instrumentation, 77
setup for, 60*f*
- Visual Analog Scale (VAS), 33, 34, 112, 122, 140, 153
- W**
- Wilson frame, 115–116
- Wire and bone graft stabilization procedure, 15
- X**
- X-rays, 56, 60, 65*f*, 124, 136*f*, 140*f*, 144, 155*f*
- Z**
- Zygopophyseal joint (Z-joints), 99, 101