

References

- Abrevaya, J. (2003). Pairwise-Difference Rank Estimation of the Transformation Model, *Journal of Business and Economic Statistics*, **21**, 437–447.
- Abrevaya, J. and J. Huang (2005). On the Bootstrap of the Maximum Score Estimator, *Econometrica*, **73**, 1175–1204.
- Ai, C. (1997). A Semiparametric Maximum Likelihood Estimator, *Econometrica*, **65**, 933–963.
- Ai, C. and X. Chen (2003). Efficient Estimation of Models with Conditional Moment Restrictions Containing Unknown Functions, *Econometrica*, **71**, 1795–1843.
- Amemiya, T. (1985). *Advanced Econometrics*, Cambridge, MA: Harvard University Press.
- Amemiya, T. and J. L. Powell (1981). A Comparison of the Box-Cox Maximum Likelihood Estimator and the Non-Linear Two-Stage Least Squares Estimator, *Journal of Econometrics*, **17**, 351–381.
- Andersen, P. K. and R. D. Gill (1982). Cox's Regression Model for Counting Processes: A Large Sample Study, *Annals of Statistics*, **10**, 1100–1120.
- Andrews, D. W. K. (1991). Asymptotic Normality of Series Estimators for Nonparametric and Semiparametric Regression Models, *Econometrica*, **59**, 307–345.
- Bennett, S. (1983a). Analysis of Survival Data by the Proportional Odds Model, *Statistics in Medicine*, **2**, 273–277.
- Bennett, S. (1983b). Log-Logistic Regression Models for Survival Data, *Applied Statistics*, **32**, 165–171.
- Beran, R. (1988). Prepivoting Test Statistics: A Bootstrap View of Asymptotic Refinements, *Journal of the American Statistical Association*, **83**, 687–697.
- Bhattacharya, P. K. and A. K. Gangopadhyay (1990). Kernel and Nearest-Neighbor Estimation of a Conditional Quantile, *Annals of Statistics*, **18**, 1400–1415.
- Bickel, P. J. and K. A. Doksum (1981). An Analysis of Transformations Revisited, *Journal of the American Statistical Association*, **76**, 296–311.
- Bickel, P. J., C. A. J. Klaassen, Y. Ritov, and J. A. Wellner (1993). *Efficient and Adaptive Estimation for Semiparametric Models*, Baltimore: The Johns Hopkins University Press.
- Bierens, H. J. (1987). Kernel Estimators of Regression Functions, in *Advances in Econometrics: 5th World Congress*, Vol. 1, T. F. Bewley, ed., Cambridge: Cambridge University Press.
- Bierens, H. J. and J. Hartog (1988). Non-Linear Regression with Discrete Explanatory Variables, with an Application to the Earnings Function, *Journal of Econometrics*, **38**, 269–299.
- Billingsley, P. (1968). *Convergence of Probability Measures*, New York: John Wiley & Sons.
- Blundell, R., X. Chen, and D. Kristensen (2007). Semi-Nonparametric IV Estimation of Shape-Invariant Engel Curves, *Econometrica*, **75**, 1613–1669.
- Box, G. E. P. and D. R. Cox (1964). An Analysis of Transformations, *Journal of the Royal Statistical Society, Series B*, **26**, 211–252.
- Breiman, L. and J. H. Friedman (1985). Estimating Optimal Transformations for Multiple Regression and Correlation, *Journal of the American Statistical Association*, **80**, 580–598.

- Buja, A., T. J. Hastie, and R. J. Tibshirani (1989). Linear Smoothers and Additive Models, *Annals of Statistics*, **17**, 453–555.
- Butucea, C. (2004). Deconvolution of Supersmooth Densities with Smooth Noise, *Canadian Journal of Statistics*, **32**, 181–182.
- Butucea, C. and A. B. Tsybakov (2008). Sharp Optimality in Density Deconvolution with Dominating Bias, I, *Theory of Probability and Its Applications*, **52**, 24–39.
- Carroll, R. J. (1982). Adapting for Heteroscedasticity in Linear Models, *Annals of Statistics*, **10**, 1224–1233.
- Carroll, R. J. and P. Hall (1988). Optimal Rates of Convergence for Deconvolving a Density, *Journal of the American Statistical Association*, **83**, 1184–1186.
- Carroll, R. J., J. Fan, I. Gijbels, and M. P. Wand (1997). Generalized Partially Linear Single-Index Models, *Journal of the American Statistical Association*, **92**, 477–489.
- Cavanagh, C. L. (1987). *Limiting Behavior of Estimators Defined by Optimization*, unpublished manuscript, Department of Economics, Harvard University, Cambridge, MA.
- Cavanagh, C. and R. P. Sherman (1998). Rank Estimators for Monotonic Index Models, *Journal of Econometrics*, **84**, 351–381.
- Chamberlain, G. (1986). Asymptotic Efficiency in Semiparametric Models with Censoring, *Journal of Econometrics*, **32**, 189–218.
- Chamberlain, G. (1987). Asymptotic Efficiency in Estimation with Conditional Moment Restrictions, *Journal of Econometrics*, **34**, 305–334.
- Charlier, E. (1994). *A Smoothed Maximum Score Estimator for the Binary Choice Panel Data Model with Individual Fixed Effects and Application to Labour Force Participation*, discussion paper no. 9481, CentER for Economic Research, Tilburg University, Tilburg, The Netherlands.
- Charlier, E., B. Melenberg, and A. van Soest (1995). A Smoothed Maximum Score Estimator for the Binary Choice Panel Data Model with an Application to Labour Force Participation, *Statistica Neerlandica*, **49**, 324–342.
- Chaudhuri, P. (1991a). Nonparametric Estimates of Regression Quantiles and Their Local Bahadur Representation, *Annals of Statistics*, **19**, 760–777.
- Chaudhuri, P. (1991b). Global Nonparametric Estimation of Conditional Quantile Functions and Their Derivatives, *Journal of Multivariate Analysis*, **39**, 246–269.
- Chaudhuri, P., K. Doksum, and A. Samarov (1997). On Average Derivative Quantile Regression, *Annals of Statistics*, **25**, 715–744.
- Chen, S. (2002). Rank Estimation of Transformation Models, *Econometrica*, **70**, 1683–1697.
- Chen, S. and S. Khan (2003). Rates of Convergence for Estimating Regression Coefficients in Heteroskedastic Discrete Response Models, *Journal of Econometrics*, **117**, 245–278.
- Chen, X., O. Linton, and I. Van Keilegom (2003). Estimation of Semiparametric Models when the Criterion Function is Not Smooth, *Econometrica*, **71**, 1591–1608.
- Chen, X. and D. Pouzo (2008). *Estimation of Nonparametric Conditional Moment Models with Possibly Nonsmooth Moments*, working paper, Department of Economics, New York University, New York.
- Chen, X. and M. Reiss (2007). On Rate Optimality for Ill-Posed Inverse Problems in Econometrics, working paper CWP 20/07, Centre for Microdata Methods and Practice, Department of Economics, University College London.
- Chen, S. and L. Zhou (2007). Local Partial Likelihood Estimation in Proportional Hazards Models, *Annals of Statistics*, **35**, 888–916.
- Cheng, S. C., L. J. Wei, and Z. Ying (1995). Analysis of Transformation Models with Censored Data, *Biometrika*, **82**, 835–845.
- Cheng, S. C., L. J. Wei, and Z. Ying (1997). Predicting Survival Probabilities with Semiparametric Transformation Models, *Journal of the American Statistical Association*, **92**, 227–235.
- Chernozhukov, V. and C. Hansen (2005). An IV Model of Quantile Treatment Effects, *Econometrica*, **73**, 245–261.
- Clayton, D. and Cuzick, J. (1985). Multivariate Generalizations of the Proportional Hazards Model, *Journal of the Royal Statistical Society, Series A*, **148**, 82–117.

- Cosslett, S. R. (1981). Efficient Estimation of Discrete-Choice Models, in *Structural Analysis of Discrete Data with Econometric Applications*, D. F. Manski and D. McFadden, eds., Cambridge, MA: MIT Press.
- Cosslett, S. R. (1987). Efficiency Bounds for Distribution-Free Estimators of the Binary Choice and Censored Regression Models, *Econometrica*, **55** 559–586.
- Cox, D. R. (1972). Regression Models and Life tables, *Journal of the Royal Statistical Society, Series B*, **34**, 187–220.
- Darolles, S., J.-P. Florens, and E. Renault (2006). *Nonparametric Instrumental Regression*, working paper, University of Toulouse, Toulouse, France.
- Davidson, R. and J. G. MacKinnon (1993). *Estimation and Inference in Econometrics*, New York: Oxford University Press.
- De Gooijer, J.G. and D. Zerom (2003). On Additive Conditional Quantiles with High Dimensional Covariates, *Journal of the American Statistical Association*, **98**, 135–146.
- de Jong, R. and T. Woutersen (2007). *Dynamic Time Series Binary Choice*, working paper, Department of Economics, Johns Hopkins University, Baltimore, MD.
- Delgado, M. A., J. M. Rodríguez-Póo, and M. Wolf (2001). Subsampling Inference in Cube Root Asymptotics with an Application to Manski's Maximum Score Estimator, *Economics Letters*, **73**, 241–250.
- Dempster, A. P., N. M. Laird, and D. R. Rubin (1977). Maximum Likelihood Estimation from Incomplete Data Via the EM Algorithm, *Journal of the Royal Statistical Society, Series B*, **39**, 1–38.
- Doksum, K. and J.-Y. Koo (2000). On Spline Estimators and Prediction Intervals in Nonparametric Regression, *Computational Statistics and Data Analysis*, **35**, 76–82.
- Elbers, C. and G. Ridder (1982). True and Spurious Duration Dependence: The Identifiability of the Proportional Hazard Model, *Review of Economic Studies*, **49**, 403–409.
- Engle, R. F., C. W. J. Granger, J. Rice, and A. Weiss (1986). Semiparametric Estimates of the Relation between Weather and Electricity Sales, *Journal of the American Statistical Association*, **81**, 310–320.
- Fan, J. (1991a). On the Optimal Rates of Convergence for Nonparametric Deconvolution Problems, *Annals of Statistics*, **19**, 1257–1272.
- Fan, J. (1991b). Asymptotic Normality for Deconvolution Kernel Density Estimators, *Sankhya, Series A, Part I*, **53**, 97–110.
- Fan, J. (1992). Design-Adaptive Nonparametric Regression, *Journal of the American Statistical Association*, **87**, 998–1004.
- Fan, J. and I. Gijbels (1996). *Local Polynomial Modelling and Its Applications*, London: Chapman & Hall.
- Fan, J. I. Gijbels, and M. King (1997). Local Likelihood and Local Partial Likelihood in Hazard Regression, *Annals of Statistics*, **25**, 1661–1690.
- Fan, J., T.-C. Hu, and Y. K. Truong (1994). Robust Nonparametric Function Estimation, *Scandinavian Journal of Statistics*, **21**, 433–446.
- Fan, J., E. Mammen, and W. Härdle (1998). Direct Estimation of Low Dimensional Components in Additive Models, *Annals of Statistics*, **26**, 943–971.
- Fischer, G. W. and D. Nagin (1981). Random Versus Fixed Coefficient Quantal Choice Models, in *Structural Analysis of Discrete Data with Econometric Applications*, D. F. Manski and D. McFadden, eds., Cambridge, MA: MIT Press.
- Florios, K. and S. Skouras (2008). Exact Computation of Max Weighted Score Estimates, *Journal of Econometrics*, **146**, 86–91.
- Foster, A. M., L. Tian, and L. J. Wei (2001). Estimation for the Box-Cox Transformation Model without Assuming Parametric Error Distribution, *Journal of the American Statistical Association*, **96**, 1097–1101.
- Gallant, A. R. (1987). *Nonlinear Statistical Models*, New York: John Wiley & Sons.
- Gasser, T., H.-G. Müller, and V. Mammitzsch (1985). Kernels for Nonparametric Curve Estimation, *Journal of the Royal Statistical Society, Series B*, **47**, 238–252.

- Gørgens, T. and J. L. Horowitz (1999). Semiparametric Estimation of a Censored Regression Model with an Unknown Transformation of the Dependent Variable, *Journal of Econometrics*, **90**, 155–191.
- Gronau, R. (1974). Wage Comparisons – A Selectivity Bias,” *Journal of Political Economy*, **82**, 1119–1143.
- Härdle, W. (1986). A Note on Jackknifing Kernel Regression Function Estimators, *IEEE Transactions of Information Theory*, **32**, 298–300.
- Härdle, W. (1990). *Applied Nonparametric Regression*, Cambridge: Cambridge University Press.
- Härdle, W., P. Hall, and H. Ichimura (1993). Optimal Smoothing in Single-Index Models, *Annals of Statistics*, **21**, 157–178.
- Härdle, W., H. Liang, and J. Gao (2000). *Partially Linear Models*, New York: Springer.
- Härdle, W. and O. Linton (1994). Applied Nonparametric Methods, in *Handbook of Econometrics*, Vol. 4, R. F. Engle and D. F. McFadden, eds., Amsterdam: Elsevier, Ch. 38.
- Härdle, W. and T. M. Stoker (1989). Investigating Smooth Multiple Regression by the Method of Average Derivatives, *Journal of the American Statistical Association*, **84**, 986–995.
- Härdle, W. and A. B. Tsybakov (1993). How Sensitive Are Average Derivatives? *Journal of Econometrics*, **58**, 31–48.
- Hall, P. (1986). On the Bootstrap and Confidence Intervals, *Annals of Statistics*, **14**, 1431–1452.
- Hall, P. (1992). *The Bootstrap and Edgeworth Expansion*, New York: Springer-Verlag.
- Hall, P. and S. N. Lahiri (2008). Estimation of Distributions, Moments, and Quantiles in Deconvolution Problems, *Annals of Statistics*, **36**, 2110–2134.
- Hall, P. and J. L. Horowitz. (2005). Nonparametric Methods for Inference in the Presence of Instrumental Variables, *Annals of Statistics*, **33**, 2904–2929.
- Hall, P. and J. L. Horowitz (2007). Methodology and Convergence Rates for Functional Linear Regression, *Annals of Statistics*, **35**, 70–91.
- Hall, P. and H. Ichimura (1991). *Optimal Semi-Parametric Estimation in Single-Index Models*, working paper no. CMA-SR5–91, Centre for Mathematics and Its Applications, Australian National University, Canberra, Australia.
- Han, A. (1987). Non-Parametric Analysis of a Generalized Regression Model, *Journal of Econometrics*, **35**, 303–316.
- Hansen, L. P. (1982). Large Sample Properties of Generalized Method of Moments Estimators, *Econometrica*, **50**, 1029–1054.
- Hastie, T. J. and R. J. Tibshirani (1990). *Generalized Additive Models*, London: Chapman and Hall.
- Hausman, J. A. and D. A. Wise (1978). A Conditional Probit Model for Qualitative Choice: Discrete Decisions Recognizing Interdependence and Heterogeneous Preferences, *Econometrica*, **46**, 403–426.
- He, X. and S. Portnoy (2000). Some Asymptotic Results on Bivariate Quantile Splines, *Journal of Statistical Planning and Inference*, **91**, 341–349.
- He, X. and P. Shi (1994). Convergence Rate of B-Spline Estimators of Nonparametric Conditional Quantile Functions, *Journal of Nonparametric Statistics*, **3**, 299–308.
- He, X. and P. Shi (1996). Bivariate Tensor-Product B-Splines in a Partly Linear Model, *Journal of Multivariate Analysis*, **58**, 162–181.
- Heckman, J. J. (1974). Shadow Prices, Market Wages, and Labor Supply, *Econometrica*, **42**, 679–693.
- Heckman, J. J. (1981a). Statistical Models for Discrete Panel Data, in *Structural Analysis of Discrete Data with Econometric Applications*, D. F. Manski and D. McFadden, eds., Cambridge, MA: MIT Press.
- Heckman, J. J. (1981b). The Incidental Parameters Problem and the Problem of Initial Conditions in Estimating a Discrete Time-Discrete Data Stochastic Process, in *Structural Analysis of Discrete Data with Econometric Applications*, D. F. Manski and D. McFadden, eds., Cambridge, MA: MIT Press.

- Heckman, J. and B. Singer (1984a). The Identifiability of the Proportional Hazard Model, *Review of Economics Studies*, **51**, 231–243.
- Heckman, J. and B. Singer (1984b). A Method for Minimizing the Impact of Distributional Assumptions in Econometric Models for Duration Data, *Econometrica*, **52**, 271–320.
- Hengartner, N. W. and S. Sperlich (2005). Rate Optimal Estimation with the Integration Method in the Presence of Many Covariates, *Journal of Multivariate Analysis*, **95**, 246–272.
- Honoré, B. E. (1990). Simple Estimation of a Duration Model with Unobserved Heterogeneity, *Econometrica*, **58**, 453–473.
- Horowitz, J. L. (1992). A Smoothed Maximum Score Estimator for the Binary Response Model, *Econometrica*, **60**, 505–531.
- Horowitz, J. L. (1993a). Semiparametric Estimation of a Work-Trip Mode Choice Model, *Journal of Econometrics*, **58**, 49–70.
- Horowitz, J. L. (1993b). Semiparametric and Nonparametric Estimation of Quantal Response Models, in *Handbook of Statistics*, Vol. 11, G. S. Maddala, C. R. Rao, and H. D. Vinod, eds., Amsterdam: North-Holland Publishing Company.
- Horowitz, J. L. (1993c). Optimal Rates of Convergence of Parameter Estimators in the Binary Response Model with Weak Distributional Assumptions, *Econometric Theory*, **9**, 1–18.
- Horowitz (1996). Semiparametric Estimation of a Regression Model with an Unknown Transformation of the Dependent Variable, *Econometrica*, **64**, 103–137.
- Horowitz, J. L. (1997). Bootstrap Methods in Econometrics: Theory and Numerical Performance, in *Advances in Economics and Econometrics: Theory and Applications*, Vol. III, D. M. Kreps and K. F. Wallis, eds., Cambridge: Cambridge University Press, Ch. 7.
- Horowitz, J. L. (1998). *Semiparametric Methods in Econometrics*, New York: Springer-Verlag.
- Horowitz, J. L. (1999). Semiparametric Estimation of a Proportional Hazard Model with Unobserved Heterogeneity, *Econometrica*, **67**, 1001–1028.
- Horowitz, J. L. (2001a). Nonparametric Estimation of a Generalized Additive Model with an Unknown Link Function, *Econometrica*, **69**, 499–513.
- Horowitz, J. L. (2001b). The Bootstrap, in *Handbook of Econometrics*, Vol. 5, J.J. Heckman and E. Leamer, eds., Amsterdam: Elsevier, pp. 3159–3228.
- Horowitz, J. L. (2002). Bootstrap Critical Values for Tests Based on the Smoothed Maximum Score Estimator, *Journal of Econometrics*, **111**, 141–167.
- Horowitz, J.L. (2007). Asymptotic Normality of a Nonparametric Instrumental Variables Estimator, *International Economic Review*, **48**, 1329–1349.
- Horowitz, J. L. and Härdle, W. (1996). Direct Semiparametric Estimation of Single-Index Models with Discrete Covariates, *Journal of the American Statistical Association*, **91**, 1632–1640.
- Horowitz, J. L. and S. Lee (2005). Nonparametric Estimation of an Additive Quantile Regression Model, *Journal of the American Statistical Association*, **100**, 1238–1249.
- Horowitz, J. L. and S. Lee (2007). Nonparametric Instrumental Variables Estimation of a Quantile Regression Model, *Econometrica*, **75**, 1191–1208.
- Horowitz, J. L. and E. Mammen (2004). Nonparametric Estimation of an Additive Model with a Link Function, *Annals of Statistics*, **32**, 2412–2443.
- Horowitz, J. L. and E. Mammen (2007). Rate-Optimal Estimation for a General Class of Nonparametric Regression Models with Unknown Link Functions, *Annals of Statistics*, **35**, 2589–2619.
- Horowitz, J. L. and M. Markatou (1996). Semiparametric Estimation of Regression Models for Panel Data, *Review of Economic Studies*, **63**, 145–168.
- Hougaard, P. (1984). Life Table Methods for Heterogeneous Populations: Distributions Describing the Heterogeneity, *Biometrika*, **61**, 75–83.
- Hougaard, P. (1986). Survival Models for Heterogeneous Populations Derived from Stable Distributions, *Biometrika*, **73**, 387–396.
- Hristache, M., A. Juditsky, J. Polzehl, and V. Spokoiny (2001). Structure Adaptive Approach for Dimension Reduction, *Annals of Statistics*, **29**, 1537–1566.

- Hristache, M., A. Juditsky, and V. Spokoiny (2001). Direct Estimation of the Index Coefficient in a Single-Index Model, *Annals of Statistics*, **29**, 595–623.
- Hsiao, C. (1986). *Analysis of Panel Data*, Cambridge, Cambridge University Press.
- Hsieh, D., C. F. Manski, and D. McFadden (1985). Estimation of Response Probabilities from Augmented Retrospective Observations, *Journal of the American Statistical Association*, **80**, 651–662.
- Huang, J. (2003). Local Asymptotics for Polynomial Spline Regression, *Annals of Statistics*, **31**, 1600–1635.
- Huber, P. J. (1985). Projection Pursuit, *Annals of Statistics*, **13**, 435–475.
- Ibragimov, I. A. and R. Z. Has'minskii (1981). *Statistical Estimation: Asymptotic Theory*, New York: Springer-Verlag.
- Ichimura, H. (1993). Semiparametric Least Squares (SLS) and Weighted SLS Estimation of Single-Index Models, *Journal of Econometrics*, **58**, 71–120.
- Ichimura, H. and L.-F. Lee (1991). Semiparametric Least Squares Estimation of Multiple Index Models: Single Equation Estimation, in *Nonparametric and Semiparametric Methods in Econometrics and Statistics*, W. A. Barnett, J. Powell, and G. Tauchen, eds., Cambridge: Cambridge University Press, Ch. 1.
- Imbens, G. (1992). An Efficient Method of Moments Estimator for Discrete Choice Models with Choice-Based Sampling, *Econometrica*, **60**, 1187–1214.
- Ishwaran, H. (1996). Identifiability and Rates of Estimation for Scale Parameters in Location Mixture Models, *Annals of Statistics*, **24**, 1560–1571.
- Jennrich, R. I. (1969). Asymptotic Properties of Non-Linear Least Squares Estimators, *Annals of Mathematical Statistics*, **40**, 633–643.
- John, J. A. and N. R. Draper (1980). An Alternative Family of Transformations, *Applied Statistics*, **29**, 190–197.
- Johnson, N. L. (1949). Systems of Frequency Curves Generated by Methods of Translation, *Biometrika*, **36**, 149–176.
- Jones, M. C., J. S. Marron, and S. J. Sheather (1996). A Brief Survey of Bandwidth Selection for Density Estimation, *Journal of the American Statistical Association*, **91**, 401–407.
- Kennan, J. (1985). The Duration of Contract Strikes in U.S. Manufacturing, *Journal of Econometrics*, **28**, 5–28.
- Khan, S. (2001). Two-Stage Rank Estimation of Quantile Index Models, *Journal of Econometrics*, **100**, 319–355.
- Kiefer, J. and J. Wolfowitz (1956). Consistency of the Maximum Likelihood Estimator in the Presence of Infinitely Many Incidental Parameters, *Annals of Mathematical Statistics*, **27**, 887–906.
- Kim, J. and D. Pollard (1990). Cube Root Asymptotics, *Annals of Statistics*, **18**, 191–219.
- Kim, W., O. B. Linton, and N. W. Hengartner (1999). A Computationally Efficient Oracle Estimator for Additive Nonparametric Regression with Bootstrap Confidence Intervals, *Journal of Computational and Graphical Statistics*, **8**, 278–297.
- Klein, R. W. and R. H. Spady (1993). An Efficient Semiparametric Estimator for Binary Response Models, *Econometrica*, **61**, 387–421.
- Koenker, R. and G. S. Bassett (1978). Regression Quantiles, *Econometrica*, **46**, 33–50.
- Kooreman, P. and B. Melenberg (1989). *Maximum Score Estimation in the Ordered Response Model*, discussion paper no. 8948, CentER for Economic Research, Tilburg University, Tilburg, The Netherlands.
- Kress, R. (1999). *Linear Integral Equations*, 2nd edition, New York: Springer-Verlag.
- Lam, K. F. and A. Y. C. Kuk (1997). A Marginal Likelihood Approach to Estimation in Frailty Models, *Journal of the American Statistical Association*, **92**, 985–990.
- Lancaster, T. (1979). Econometric Methods for the Duration of Unemployment, *Econometrica*, **47**, 939–956.
- Lee, M.-J. (1992). Median Regression for Ordered Discrete Response, *Journal of Econometrics*, **51**, 59–77.

- Lee, S. (2003). Efficient Semiparametric Estimation of a Partially Linear Quantile Regression Model, *Econometric Theory*, **19**, 1–31.
- Lewbel, A. (2000). Semiparametric Qualitative Response Model Estimation with Unknown Heteroscedasticity or Instrumental Variables, *Journal of Econometrics*, **97**, 145–177.
- Li, K.-C. (1987). Asymptotic Optimality for C_p , C_L , Cross-Validation and Generalized Cross-Validation: Discrete Index Set, *Annals of Statistics*, **15**, 958–975.
- Li, K.-C. (1991). Sliced Inverse Regression for Dimension Reduction, *Journal of the American Statistical Association*, **86**, 316–342.
- Li, Q. and J. S. Racine (2007). *Nonparametric Econometrics: Theory and Practice*, Princeton: Princeton University Press.
- Linton, O. B. (1997). Efficient Estimation of Additive Nonparametric Regression Models, *Biometrika*, **84**, 469–473.
- Linton, O. B., R. Chen, N. Wang, and W. Härdle (1997). An Analysis of Transformations for Additive Nonparametric Regression, *Journal of the American Statistical Association*, **92**, 1512–1521.
- Linton, O. B. and W. Härdle (1996). Estimating Additive Regression Models with Known Links, *Biometrika*, **83**, 529–540.
- Linton, O. B. and J. B. Nielsen (1995). A Kernel Method of Estimating Structured Nonparametric Regression Based on Marginal Integration, *Biometrika*, **82**, 93–100.
- Linton, O. B., S. Sperlich, and I. Van Keilegom (2008). Estimation of a Semiparametric Transformation Model, *Annals of Statistics*, **36**, 686–718.
- Liusternik, L. A. and V. J. Sobolev (1961). *Elements of Functional Analysis*, New York: Ungar Publishing Company.
- MacKinnon, J. G. and L. Magee (1990). Transforming the Dependent Variable in Regression Models, *International Economic Review*, **31**, 315–339.
- Mammen, E., O. Linton, and J. Nielsen (1999). The Existence and Asymptotic Properties of a Backfitting Projection Algorithm under Weak Conditions, *Annals of Statistics*, **27**, 1443–1490.
- Mammen, E. and B.U. Park (2006). A Simple Smooth Backfitting Method for Additive Models, *Annals of Statistics*, **34**, 2252–2271.
- Manski, C. F. (1975). Maximum Score Estimation of the Stochastic Utility Model of Choice, *Journal of Econometrics*, **3**, 205–228.
- Manski, C. F. (1985). Semiparametric Analysis of Discrete Response: Asymptotic Properties of the Maximum Score Estimator, *Journal of Econometrics*, **27**, 313–334.
- Manski, C. F. (1986). Semiparametric Analysis of Binary Response from Response-Based Samples, *Journal of Econometrics*, **31**, 31–40.
- Manski, C. F. (1987). Semiparametric Analysis of Random Effects Linear Models from Binary Panel Data, *Econometrica*, **55**, 357–362.
- Manski, C. F. (1988). Identification of Binary Response Models, *Journal of the American Statistical Association*, **83**, 729–738.
- Manski, C. F. (1994). The Selection Problem, in *Advances in Econometrics: Sixth World Congress*, Vol. 1, C. A. Sims, ed., Cambridge: Cambridge University Press, Ch. 4.
- Manski, C. F. (1995). *Identification Problems in the Social Sciences*, Cambridge, MA: Harvard University Press.
- Manski, C. F. and S. Lerman (1977). The Estimation of Choice Probabilities from Choice-Based Samples, *Econometrica*, **45**, 1977–1988.
- Manski, C. F. and D. McFadden (1981). Alternative Estimators and Sample Designs for Discrete Choice Analysis, in *Structural Analysis of Discrete Data with Econometric Applications*, D. F. Manski and D. McFadden, eds., Cambridge, MA: MIT Press.
- Manski, C. F. and T. S. Thomson (1986). Operational Characteristics of Maximum Score Estimation, *Journal of Econometrics*, **32**, 65–108.
- Matzkin, R. L. (1992). Nonparametric and Distribution-Free Estimation of the Binary Threshold Crossing and the Binary Choice Models, *Econometrica*, **60**, 239–270.

- Matzkin, R. L. (1994). Restrictions of Economic Theory in Nonparametric Methods, in *Handbook of Econometrics*, Vol. 4, R. F. Engle and D. F. McFadden, eds., Amsterdam: Elsevier, Ch. 42.
- Melenberg, B. and A. H. O. van Soest (1996). Measuring the Costs of Children: Parametric and Semiparametric Estimators, *Statistica Neerlandica*, **50**, 171–192.
- Meyer, B. D. (1990). Unemployment Insurance and Unemployment Spells, *Econometrica*, **58**, 757–782.
- Müller, H.-G. (1984). Smooth Optimum Kernel Estimators of Densities, Regression Curves and Modes, *Annals of Statistics*, **12**, 766–774.
- Murphy, S. A. (1994). Consistency in a Proportional Hazards Model Incorporating a Random Effect, *Annals of Statistics*, **22**, 712–731.
- Murphy, S. A. (1995). Asymptotic Theory for the Frailty Model, *Annals of Statistics*, **23**, 182–198.
- Murphy, S. A., A. J. Rossini, and A. W. Van der Vaart (1997). Maximum Likelihood Estimation in the Proportional Odds Model, *Journal of the American Statistical Association*, **92**, 968–976.
- Nadaraya, E. A. (1964). On Estimating Regression, *Theory of Probability and Its Applications*, **10**, 186–190.
- Newey, W. K. (1990). Efficient Instrumental Variables Estimation of Nonlinear Models, *Econometrica*, **58**, 809–837.
- Newey, W. K. (1993). Efficient Estimation of Models with Conditional Moment Restrictions, in *Handbook of Statistics*, Vol. 11, G. S. Maddala, C. R. Rao, and H. D. Vinod, eds., Amsterdam: North-Holland Publishing Company.
- Newey, W. K. (1997). Convergence Rates and Asymptotic Normality for Series Estimators, *Journal of Econometrics*, **79**, 147–168.
- Newey, W. K. and D. McFadden (1994). Large Sample Estimation and Hypothesis Testing, in *Handbook of Econometrics*, Vol. 4, R. F. Engle and D. L. McFadden, eds., Amsterdam: Elsevier, pp. 2111–2245.
- Newey, W. K. and J. L. Powell (2003). Instrumental Variable Estimation of Nonparametric Models, *Econometrica*, **71**, 1565–1578.
- Newey, W. K., J. L. Powell, and F. Vella (1999). Nonparametric Estimation of Triangular Simultaneous Equations Models, *Econometrica*, **67**, 565–603.
- Newey, W. K. and T. M. Stoker (1993). Efficiency of Weighted Average Derivative Estimators and Index Models, *Econometrica*, **61**, 1199–1223.
- Nielsen, G. G., R. D. Gill, P. K. Andersen, and T. I. A. Sørensen (1992). A Counting Process Approach to Maximum Likelihood Estimation in Frailty Models, *Scandinavian Journal of Statistics*, **19**, 25–43, 1992.
- Opsomer, J. D. (2000). Asymptotic Properties of Backfitting Estimators, *Journal of Multivariate Analysis*, **73**, 166–179.
- Opsomer, J. D. and D. Ruppert (1997). Fitting a Bivariate Additive Model by Local Polynomial Regression, *Annals of Statistics*, **25**, 186–211.
- Pagan, A. and A. Ullah (1999). *Nonparametric Econometrics*, Cambridge: Cambridge University Press.
- Pakes, A. and D. Pollard (1989). Simulation and the Asymptotics of Optimization Estimators, *Econometrica*, **57**, 1027–1057.
- Parner, E. (1997a). *Consistency in the Correlated Gamma-Frailty Model*, unpublished working paper, Department of Theoretical Statistics, University of Aarhus, Aarhus, Denmark.
- Parner, E. (1997b). *Asymptotic Normality in the Correlated Gamma-Frailty Model*, unpublished working paper, Department of Theoretical Statistics, University of Aarhus, Aarhus, Denmark.
- Petersen, J. H., P. K. Andersen, and R. D. Gill (1996). Variance Components Models for Survival Data, *Statistica Neerlandica*, **50**, 193–211.
- Pettit, A. N. (1982). Inference for the Linear Model Using a Likelihood Based on Ranks, *Journal of the Royal Statistical Society*, **44**, 234–243.
- Politis, D. N. and J. P. Romano (1994). Large Sample Confidence Regions Based on Subsamples under Minimal Assumptions, *Annals of Statistics*, **22**, 2031–2050.
- Politis, D. N., J. P. Romano, and M. Wolf (1999). *Subsampling*, New York: Springer.

- Pollard, D. (1984). *Convergence of Stochastic Processes*, New York: Springer-Verlag.
- Portnoy, S. (1997). Local Asymptotics for Quantile Smoothing Splines, *Annals of Statistics*, **25**, 414–434.
- Powell, J. L. (1994). Estimation of Semiparametric Models, in *Handbook of Econometrics*, Vol. 4, R. F. Engle and D. F. McFadden, eds., Amsterdam: Elsevier, Ch. 41.
- Powell, J. L., J. H. Stock, and T. M. Stoker (1989). Semiparametric Estimation of Index Coefficients, *Econometrica*, **51**, 1403–1430.
- Powell, J. L. and T. M. Stoker (1996). Optimal Bandwidth Choice for Density Weighted Averages, *Journal of Econometrics*, **75**, 291–316.
- Powell, M. J. D. (1981). *Approximation Theory and Methods*, Cambridge, UK: Cambridge University Press.
- Prentice, R. and L. Gloeckler (1978). Regression Analysis of Grouped Survival Data with Application to Breast Cancer data, *Biometrics*, **34**, 57–67.
- Ramsey, J. B. (1969). Tests for Specification Errors in Classical Linear Least-Squares Analysis, *Journal of the Royal Statistical Society, Series B*, **71**, 350–371.
- Rao, C. R. (1973). *Linear Statistical Inference and Its Applications*, New York: John Wiley & Sons.
- Ridder, G. (1990). The Non-Parametric Identification of Generalized Accelerated Failure-Time Models, *Review of Economic Studies*, **57**, 167–182.
- Ridder, G. and T. M. Woutersen (2003). The Singularity of the Information Matrix of the Mixed Proportional Hazard Model, *Econometrica*, **71**, 1579–1589.
- Robinson, P. M. (1987). Asymptotically Efficient Estimation in the Presence of Heteroskedasticity of Unknown Form, *Econometrica*, **55**, 875–891.
- Robinson, P. M. (1988). Root-N-Consistent Semiparametric Regression, *Econometrica*, **56**, 931–954.
- Robinson, P. M. (1991). Best Nonlinear Three Stage Least Squares Estimation of Certain Econometric Models, *Econometrica*, **59**, 755–786.
- Schmalensee, R. and T. M. Stoker (1999). Household Gasoline Demand in the United States, *Econometrica*, **67**, 645–662.
- Schucany, W. R. and J. P. Sommers (1977). Improvement of Kernel Type Density Estimators, *Journal of the American Statistical Association*, **72**, 420–423.
- Serfling, R. J. (1980). *Approximation Theorems of Mathematical Statistics*, New York: John Wiley & Sons.
- Sherman, R. P. (1993). The Limiting Distribution of the Maximum Rank Correlation Estimator, *Econometrica*, **61**, 123–137.
- Silverman, B. W. (1978). Weak and Strong Uniform Consistency of the Kernel Estimate of a Density and Its Derivatives, *Annals of Statistics*, **6**, 177–184.
- Silverman, B. W. (1986). *Density Estimation for Statistics and Data Analysis*, London: Chapman & Hall.
- Stefanski, L. and R. J. Carroll (1990). Deconvoluting Kernel Density Estimators, *Statistics*, **2**, 169–184.
- Stefanski, L. and R. J. Carroll (1991). Deconvolution-Based Score Tests in Measurement Error Models, *The Annals of Statistics*, **19**, 249–259.
- Stoker, T. M. (1986). Consistent Estimation of Scaled Coefficients, *Econometrica*, **54**, 1461–1481.
- Stoker, T. M. (1991a). Equivalence of Direct, Indirect and Slope Estimators of Average Derivatives, in *Nonparametric and Semiparametric Methods in Economics and Statistics*, W. A. Barnett, J. Powell, and G. Tauchen, eds., New York: Cambridge University Press.
- Stoker, T. M. (1991b). *Lectures on Semiparametric Econometrics*, Louvain-la-Neuve, Belgium: CORE Foundation.
- Stone, C. J. (1980). Optimal Rates of Convergence for Nonparametric Estimators, *Annals of Statistics*, **8**, 1348–1360.
- Stone, C. J. (1982). Optimal Global Rates of Convergence for Nonparametric Regression, *Annals of Statistics*, **10**, 1040–1053.

- Stone, C. J. (1985). Additive Regression and Other Nonparametric Models, *Annals of Statistics*, **13**, 689–705.
- Stuart, A. and J. K. Ord (1987). *Kendall's Advanced Theory of Statistics*, Vol. 1, New York: Oxford University Press.
- Subbotin, V. (2008). *Essays on the Econometric Theory of Rank Regressions*, Ph.D. dissertation, Department of Economics, Northwestern University, Evanston, IL.
- Tjøstheim, D. and B. H. Auestad (1994). Nonparametric Identification of Nonlinear Time Series: Projections, *Journal of the American Statistical Association*, **89**, 1398–1409.
- Tsiatis, A. A. (1981). A Large Sample Study of Cox's Regression Model, *Annals of Statistics*, **9**, 93–108.
- Watson, G. S. (1964). Smooth Regression Analysis, *Sankhya*, Series A, **26**, 359–372.
- White, H. (1982). Maximum Likelihood Estimation of Misspecified Models, *Econometrica*, **50**, 1–25.
- Xia, Y. (2006). Asymptotic Distributions for Two Estimators of the Single-Index Model, *Econometric Theory*, **22**, 1112–1137.
- Xia, Y., H. Tong, W. K. Li, and L.-X. Zhu (2002). An Adaptive Estimation of Dimension Reduction Space, *Journal of the Royal Statistical Society*, Series B, **64**, 363–410.
- Ye, J. and N. Duan (1997). Nonparametric $h^{-1/2}$ -Consistent Estimation of the General Transformation Model, *Annals of Statistics*, **25**, 2682–2717.
- Yu, K. and M. C. Jones (1998). Local Linear Quantile Regression, *Journal of the American Statistical Association*, **93**, 228–237.
- Yu, K., B. U. Park, and E. Mammen (2008). Smooth Backfitting in Generalized Additive Models, *Annals of Statistics*, **36**, 228–260.
- Zhou, S., X. Shen, and D.A. Wolfe (1998). Local Asymptotics for Regression Splines and Confidence Regions, *Annals of Statistics*, **26**, 1760–1782.

Index

A

Additive model

- backfitting estimator, 63–64
- bandwidth selection for two-step oracle efficient estimator, 75–77
- for conditional quantile function, 81–83
- estimation with nonidentity link function, 63–64, 70–77
- estimation with unknown link function, 77–80
- marginal integration estimator, 57–61
- two-step, oracle-efficient estimation, 64–70

Asymptotic efficiency, 25–29, 44, 193–194

- one-step asymptotically efficient estimators for single-index models, 42–44
- of semiparametric maximum likelihood estimators for single-index models, 26–29
- of semiparametric WNLS estimator, 25
- in transformation models, 193–194, 213, 223

Average derivative

- asymptotic normality of estimators, 32, 37
- density-weighted estimator, 32
- direct estimation with discrete covariates, 37–42
- estimator for conditional quantile function, 50
- iterated estimator, 35

B

Backfitting, 55, 63–64, 79, 81

Bandwidth selection

- for additive models, 75–77
- for average derivative estimator, 44
- for kernel nonparametric mean regression, 240–242
- for local-linear regression, 244

- for nonparametric density estimation, 235–237, 239
- for semiparametric WNLS estimator, 44
- for smoothed maximum score estimator, 118
- for two-step oracle-efficient estimator of nonparametric additive model, 75–76

Baseline hazard function, 223

- estimation of, 209
- integrated, 201, 203–204, 231

Basis, 177–180, 183, 185

- for estimation of additive model, 65, 68, 71, 82
- in nonparametric instrumental variables estimation, 177–180, 183, 185
- orthonormal, 179–180

Bias, 11–12, 34, 35

- in additive models, 59, 61, 67–68
- of conditional quantile estimator, 251, 253
- of deconvolution estimators, 141–142, 152–154, 155–156
- of estimator of a derivative of a density, 240–241
- of local-linear estimator (appendix, p. 12), 244
- of local polynomial estimator, 244–245
- of Nadaraya–Watson regression estimator, 242–245
- of nonparametric density estimator, 235, 240
- in nonparametric instrumental variables estimation, 165, 171, 173–174, 175
- of smoothed maximum score estimator, 113–115, 123, 128, 132

Bootstrap

- for estimation of asymptotic distributions of rank estimators, 30
- inconsistency with maximum score estimator, 108

- Bootstrap (*cont.*)
 in nonparametric instrumental variables estimation, 177, 188
 with partially linear model of a conditional quantile function, 91
 in proportional hazards model with unobserved heterogeneity, 228
 with smoothed maximum score estimator, 116–118
 Boundary kernel, 173
 Box–Cox regression model, 194–196
 Box–Cox transformation, 190, 192
 B-spline, 79, 188, 247, 249
- C**
- Characteristic function, 137–138, 140–141, 144, 147–149, 153, 198, 228–229
 empirical, 137, 228
 Choice-based samples, 119–123
 maximum score estimation with, 119–121
 smoothed maximum score estimation with, 121–123
 Complete basis, 246–247, 253
 Conditional hazard function, 196–197, 203–204
 Conditional quantile function, 3, 4, 5
 additive model of, 81–83
 asymptotic normality of average derivative estimator, 49
 asymptotic normality of rank estimator, 51
 average derivative estimator of, 48
 nonparametric estimation of, 233, 250–255
 partially linear model of, 90–91
 rank estimator of, 50
 single-index model of, 48–51
 See also Nonparametric quantile regression
 Control function, 186–187
 Cross-validation
 bandwidth selection for density estimation, 237
 bandwidth selection for Nadaraya–Watson estimator, 242
 Curse of dimensionality, 5, 204, 238, 242, 244, 253
 in additive models, 58–63, 64, 66, 69, 70, 71, 74, 75, 78, 80, 81, 83, 88
 in multiple-index models, 11
 in single-index models, 8, 35, 50, 51
- D**
- Deconvolution, 135
 Deconvolution estimators
 asymptotic normality, 143–144, 150–151
 bias reduction for, 152–154
 of a density function, 137–145
 with models for panel data, 135–136, 145–154
 rates of convergence, 138–142, 150
 in semiparametric proportional hazard model with unobserved heterogeneity, 198–200
 for Weibull hazard model, 198
 Density-weighted average derivative asymptotic normality estimator, 33
 bandwidth selection for, 44–45
 Dimension reduction, 3–6
 Discrete covariates
 in additive models, 54–55, 67
 in binary response models, 99, 101–103, 120
 in partially linear models, 53–55, 91
 in single-index models, 13–17, 31, 37–42, 43, 46, 50, 51
- E**
- Efficiency bound, 25–26, 28, 29
 Eigenfunction, 158, 167, 178
 Eigenvalue, 67, 82–83, 156, 158, 160, 165, 175, 178, 182–183, 248, 254
 EM algorithm, 206–207
 Endogenous variable, 136, 174
 Engel curve, 187–188
 Extrapolation, 5, 8, 16–17
- F**
- First-passage time, 145, 151–152
 estimation of, 151–152
 Fredholm equation, 135
- G**
- Generalized method of moments (GMM), 192–194, 198
 GMM, *see* Generalized method of moments
- H**
- Heteroskedasticity, 95–96, 98, 108, 131–132
 Higher-order kernel, 34, 37, 41, 44, 46, 88, 210, 217, 220–221, 227, 236, 244
 order s kernel, 113, 236, 238, 239–241
 Hilbert space, 157, 245–248
- I**
- Identification, 9–10
 in additive models, 56, 78, 80
 in binary response models, 95–103, 104–105, 125, 131
 in deconvolution, 150
 in nonparametric instrumental variables estimation, 159–160

- in partially linear models, 85–86, 90
 - in single-index models, 12–17, 31, 37–38, 48
 - in transformation and hazard models, 198, 201, 205, 208, 215, 226
- Identified bounds
 - on unidentified parameters of binary-response models, 100–103
 - on unidentified parameters of single-index models, 15–17
- Ill-posed inverse problem, 160–164, 169, 182, 185–186
- Inner product, 157, 245, 246
- Instrumental variable, for transformation model, 192
 - See also* Nonparametric instrumental variables
- Integrated baseline hazard, *see* Baseline hazard function
- Iterated average derivative estimator, 35–37
- K**
- Kernel estimate
 - with additive models, 56–57, 60–61, 62, 64–66, 68–70, 71, 73, 77
 - of conditional mean function, 240–242
 - of conditional quantile function, 250–251
 - in deconvolution, 138, 148, 151–152, 153, 155
 - of density function, 233–239
 - of derivative of density, 239–240
 - in nonparametric instrumental variables estimation, 171–172, 177–178
 - with partially linear models, 85, 87
 - with single-index models, 17–19, 20–22, 26, 29, 32–34, 36, 37, 42, 44, 46
 - with transformation and hazard models, 194, 209–210, 217–218, 221, 225
- Kernel nonparametric regression, 3
- Kernel smoothing, *see* Kernel estimate
- L**
- $L_2[0, 1]$, 157–160, 172, 178–181, 246, 248, 253
- Least-absolute deviations, 105, 108
- Link function, 53–54, 55, 59, 63–64, 70–71, 73, 75, 77, 80, 81
- Local constant estimator, 66, 71, 242, 244
- Local-linear estimate, 36
 - with additive models, 64–66, 68–70, 71–72, 81–82, 85
 - of conditional mean function, 242–245
 - of conditional quantile function, 251–253
- Local-linear mean regression estimator, 242–245
 - asymptotic normality, 244
 - boundary behavior, 244
- Local polynomial estimator, 49, 51, 233, 244–245
 - of conditional quantile function, 90, 253
- Location normalization
 - in additive models, 56, 61, 78, 81
 - in binary response models, 97, 98, 104, 130
 - in single-index models, 13, 14, 16
 - in transformation and hazard models, 201, 215–216, 223
- Logit model, 7, 54, 97
- M**
- Marginal integration
 - asymptotic distributional properties of estimator, 55–57
 - modified, oracle-efficient estimator, 58–60
 - modified estimator that avoids curse of dimensionality, 60–63
- Matrix norm, 66, 254
- Maximum likelihood, 1–2, 42–43, 95, 113, 129, 132, 189, 198–199, 205–209, 213
 - nonparametric, 199
 - semiparametric, 27–29, 30, 44
- Maximum rank correlation, 30
- Maximum score estimator, 105–108
 - with choice-based samples, 119–121
 - consistency, 107
 - inconsistency of bootstrap, 108
 - limiting distribution, 107
 - with ordered-response models, 128–130
 - with panel data, 123–125
 - rate of convergence, 107
 - subsampling and, 108
- Median independence, 98
- N**
- Nadaraya–Watson kernel estimator, 240–242
 - asymptotic normality, 241–242
 - bandwidth selection, 241–242
 - estimating derivatives, 242
 - estimation with multidimensional X , 233
- Newton step, 42–43, 71, 72, 74
- Nonlinear least squares, 20–25, 26, 71, 191–192
- Nonparametric density estimation, 233–240
 - asymptotic normality, 235
 - bandwidth selection, 235–237
 - bias reduction, 235
 - estimating derivatives of a density, 239–240

- Nonparametric density estimation (*cont.*)
 estimation when X is multidimensional, 237–239
 uniform consistency, 234
- Nonparametric instrumental variables
 asymptotic normality, 174–177
 computation of estimators, 177–178, 184–185
 control function approach, 186–187
 estimation problem defined, 136
 Fredholm equation and, 135
 ill-posed inverse problem and, 160–164, 169, 182, 185
 Kernel estimation and, 171–172, 177–178
 quantile nonparametric IV, 185–186
 rate of convergence of estimator, 165–176, 182–186
 regularization by series truncation, 169–171, 178–185
 series estimation and, 169–170, 178–185, 187
 Tikhonov regularization, 165–169, 171–178, 186
- Nonparametric mean regression
 local-linear mean estimator, 242–244
 local polynomial estimator, 244
 Nadaraya–Watson kernel estimator, 240–242
 series estimation, 248–249
- Nonparametric model, 1
- Nonparametric quantile regression, 250–255
 in additive models, 81, 91
 asymptotic normality of kernel estimator, 250–251
 asymptotic normality of local-linear estimator, 252
 kernel-type estimator, 250–251
 local-linear estimator, 251–253
 local polynomial estimator, 49, 51, 253
 rate of convergence of series estimator, 249
 series estimator, 253–255
- Norm, 157, 246
 matrix, 66–67, 248, 254
- O**
- Oracle efficiency, 54, 55, 58–60, 62–64, 66, 69–71, 74–75, 81, 83
- Oracle efficient, *see* Oracle efficiency
- Ordered-response model, 128–131
 maximum score estimation with, 128–130
 smoothed maximum score estimation with, 130–131
- Ordinary least squares, 1, 6, 11–12, 64–65, 71, 86–87, 92, 194, 198
- Orthonormal basis, 179–180, 246–247
- P**
- Panel data
 deconvolution and, 135–136, 145–156
 maximum score estimation with, 123–125
 smoothed maximum score estimation with, 125–128
- Parametric model, 3, 5, 6, 7–8, 11, 54, 85, 92–93, 108, 124, 156, 188, 197, 208–209, 229
- Partial likelihood estimator, 202–204, 213
 asymptotic normality of, 202–203
- Partial likelihood function, 202–204
- Partially linear model
 asymptotic distributional properties of estimator, 88
 asymptotic efficiency and, 88–89
 for conditional quantiles, 90–91
 estimation, 86–90
 identification, 85–86, 90
- Penalized least squares (PLS), 78
- Picard's theorem, 160
- PLS, *see* Penalized least squares
- Probit model, 2, 7, 47, 54, 132–133
- Proportional hazards, 189, 198, 201–204, 213, 231–232
 model with discrete observations of, 208–209
 model with discrete observations of Y , 208–209
 model with unobserved heterogeneity, 204–208, 223–229
 partial likelihood estimator, 202–204, 213
- Proportional odds model, 213
- Q**
- Quantile estimation, *see* Conditional quantile function
- R**
- Random coefficients, 95–96, 131–132
- Rank estimator, of single-index models of conditional quantile functions, 50
- Reduced form, 162
- Refined Minimum Average Conditional Variance Estimation, *see* rMAVE
- Regularization
 in deconvolution, 138, 148, 160
 by series truncation, 169–171, 178–185
 Tikhonov, 165–169, 171–178, 186
- Resampling

- for bandwidth selection in single-index model, 45
 - for minimum distance estimator of Box–Cox regression model, 194–195
 - See also* Bootstrap
- rMAVE (Refined Minimum Average Conditional Variance Estimation), 31
- S**
- Scale normalization
 - in additive models, 78
 - in binary response models, 96–97, 98–99, 102, 103, 119, 130, 132
 - in single-index models, 13, 14, 16, 18, 21, 31, 32, 36, 47
 - in transformation and hazard models, 215–216, 219
- Semiparametric maximum likelihood, 27–29
- Semiparametric model, 2
- Semiparametric weighted nonlinear least squares (semiparametric WNLS)
 - asymptotic normality of, 20–21
 - consistency of, 20–21
- Series approximation
 - for additive models, 64, 65, 68, 71, 81
 - in nonparametric instrumental variables estimation, 158, 162, 164, 172, 177–179, 182–184
- Series estimation of conditional mean function, 245–249
 - asymptotic normality, 249
 - rate of convergence of estimator, 249
- Series nonparametric regression, 6
 - in additive model, 64–69, 71, 73, 81, 85
 - of conditional mean function, 245–249
 - of conditional quantile function, 253–255
- Series representation, *see* Series approximation
- Sieve, 6, 183, 186
- Single-index model
 - average derivative estimators, 31–37
 - average-derivative estimators with discrete covariates, 31–35
 - bandwidth selection for, 44–46
 - conditional quantile functions, 48–51
 - definition of, 7–10
 - identification, 12–17
 - one-step asymptotically efficient estimators, 42–44
 - semiparametric maximum likelihood estimator, 27–29
 - semiparametric rank estimators, 29–30
 - semiparametric WNLS estimator, 21–27
- Singular value, 182–184
- Smoothed maximum score estimator, 108–118
 - asymptotic normality, 114
 - bandwidth selection, 118
 - bias reduction, 114
 - bootstrap and, 116–118
 - with choice-based samples, 121–123
 - consistency of, 109
 - with ordered-response models, 130–131
 - with panel data, 125–128
 - rate of convergence, 113
- Specification error, 4–5, 54
- Specification search, 4, 85
- Specification testing, 3, 133
- Spline, 68, 79, 182, 188, 247, 249
- Structural model, 8, 10
- T**
- Time series, 3
- Tobit model, 7
- Transition probability, 145, 156
- Trimming, 27, 29
- U**
- Unobserved heterogeneity
 - proportional hazards model with, 204–208, 223–229
 - Weibull hazard model with, 196–200
- W**
- Weibull hazard model
 - deconvolution and, 198
 - methods for estimating, 196–199
 - with unobserved heterogeneity, 196–200
- WNLS, *see* Semiparametric weighted nonlinear least squares (semiparametric WNLS)