

# INDEX

*Note:* Page numbers followed by *f* refer to figures; page numbers followed by *t* refer to tables.

- A**
- Acebutolol, prophylactic  
clinical trials of, 97*t*, 101–102  
hospital stay and, 89
- Aconitine induced focal atrial tachycardia,  
12–13
- Age  
atrial fibrillation and, 20*f*, 21*t*, 26, 53–55, 54*f*, 143–144  
hospital stay and, 82
- Amiodarone, prophylactic, 110*t*, 113–114  
hospital stay and, 89, 90*f*  
after noncardiac surgery, 159
- Anesthetic agents, atrial fibrillation and,  
148–149
- Animal models  
of atrial fibrillation, 13–14, 14*f*  
of atrial flutter, 4–12. *See also* Atrial  
flutter, animal models of  
of atrial tachycardia, 12–13
- Anticoagulants, postoperative, 90–91
- Antithrombotic therapy, 133–138  
after congenital heart disease surgery,  
136–137  
after coronary artery bypass grafting,  
134–135, 137*t*  
after valvular surgery, 135–136, 138*t*
- Aortic cross-clamp time, 68
- Aortic valve replacement  
age related atrial changes and, 26  
anti-thrombotic therapy after, 136, 138*t*  
atrial fibrillation after, 21, 24*f*  
Aspirin. *See* Antithrombotic therapy
- Atenolol, prophylactic, clinical trials of, 97*t*,  
102–103
- Atrial fibrillation. *See also* Atrial  
tachyarrhythmias  
age and, 20*f*, 21*t*, 26, 53–55, 54*f*, 143–144  
autonomic factors in, 28–29, 57–59,  
149–150  
clinical pathophysiologic factors in, 26–30  
electrolyte abnormalities in, 29  
electrophysiologic characteristics of, 3–4,  
23–24, 25  
gender and, 55, 149  
ischemia and, 27  
pericarditis and, 30, 151–152  
physiologic basis of, 3–4, 23–25  
preoperative, 52–53  
preoperative testing for, 59–63, 59*f*, 60*f*  
prevalence of, 19, 20*f*  
prevention of. *See* specific drugs and  
procedures  
risk factors for, 19–23, 21*t*, 23*t*, 24*f*,  
51–77, 76*t*–77*t*. *See also* specific risk  
factors  
intraoperative, 64–72, 71*f*  
postoperative, 72–75  
preoperative, 52–64, 59*f*, 60*f*  
timing of, 30–31, 42–43, 43*t*  
treatment of, 133–138, 137*f*
- Atrial flutter  
animal models of, 4–12  
canine inter-caval crush, 4

- canine right atrial crush-injury, 6–10, 7f, 8f, 9f
  - canine right atrial enlargement, 11–12, 12f
  - canine right atrial tricuspid ring, 4–6, 5f, 6f
  - canine sterile pericarditis, 10–11, 11f
  - electrophysiologic characteristics of, 2–3, 24
  - Atrial overdrive pacing, prophylactic, 121–122, 122t
  - Atrial septal defect, treatment of, atrial fibrillation after, 22
  - Atrial tachyarrhythmias, 37–47. *See also* Atrial fibrillation; Atrial flutter; Atrial tachycardia
    - complications of, 44–46, 45f, 46f
    - after coronary artery bypass grafting, 39–41, 39t–40t, 42–43, 43f
    - incidence of, 38–42, 39t–40t, 42t
    - risk factors for, 38
    - timing of, 42–43, 43t
    - after valvular heart surgery, 41–42, 42t, 43
  - Atrial tachycardia
    - electrophysiologic characteristics of, 3
    - focal, 3
    - aconitine induced, 12–13
  - Atrium (atria)
    - ischemia of, 27
    - left, enlargement of, 25, 61
    - thinning of, 25
    - vs. ventricles, 24–25
  - Autonomic nervous system, atrial fibrillation and, 28–29, 57–59, 149–150
- B**
- Bachmann's bundle pacing, prophylactic, 122t, 124
  - Beta-blockers. *See also* specific drugs
    - postoperative withdrawal of, 58–59
    - preoperative, 58
    - prophylactic, 28–29, 90–91, 95–106
      - clinical trials of, 95–101, 97t
      - meta-analyses for, 103–104, 104t
      - after non-coronary cardiac surgery, 105–106
    - pacing with, 124
    - recommendations for, 104–105
  - Bicaval cannulation, in cardiopulmonary bypass, 67
  - Blood loss, atrial fibrillation and, 148
- C**
- Calcium channel blockers, prophylactic, 110t, 111
  - Canine atrial fibrillation, 13
  - Canine inter-caval crush model, of atrial flutter, 4
  - Canine right atrial crush-injury model, of atrial flutter, 6–10, 7f, 8f, 9f
  - Canine right atrial enlargement model, of atrial flutter, 11–12, 12f
  - Canine right atrial tricuspid ring model, of atrial flutter, 4–6, 5f, 6f
  - Canine sterile pericarditis model, of atrial flutter, 10–11, 11f
  - Cardiomegaly, preoperative, 62
  - Cardioplegia, 69–72
    - administration route for, 70
    - cold, 27, 70–71, 71f
    - solution for, 72
    - topical ice slush for, 71
  - Cardiopulmonary bypass. *See also* Coronary artery bypass grafting
    - aortic cross-clamp time in, 68
    - left ventricular venting techniques in, 68–69
    - techniques of, 66–69
    - time on, 67
    - venous cannulation for, 67
  - Cardiothoracic ratio, preoperative, 62
  - Cardioversion, electrical, prophylactic, 124–127, 126f, 127f
  - Catecholamines, atrial fibrillation and, 28, 150
  - Central venous pressure, atrial fibrillation and, 152
  - Cerebrovascular accident, postoperative, 133–134, 137t
    - atrial tachyarrhythmia and, 44, 45f
    - prevention of, 133–138, 137t, 138t
  - Chemotherapy, atrial fibrillation and, 149
  - Chronic obstructive pulmonary disease, preoperative, atrial fibrillation and, 57
  - Congenital heart disease, treatment of
    - anti-thrombotic therapy after, 136–137
    - atrial fibrillation after, 22
  - Congestive heart failure
    - atrial fibrillation and, 45, 45f, 55–56, 147
    - atrial thinning in, 25
  - Coronary artery bypass grafting
    - atrial fibrillation after, 22–23, 39–41, 39t–40t
    - prophylactic therapy for, 39–40, 39t–40t. *See also* specific drugs and procedures

risk of, 20–21, 24*f*  
 cardiopulmonary bypass techniques in,  
 66–69  
 cerebrovascular accident after, 134–135,  
 137*t*  
 hospital stay for, 82–86, 84*f*  
 internal mammary artery conduits in, 65  
 minimally invasive, 65–66  
 multiple grafts in, 65  
 pericarditis after, 30  
 Coronary artery disease  
 preoperative extent of, 63–64  
 right, 27, 64  
 selective, 64  
 Cyclopropane, atrial fibrillation and, 149

**D**

Digoxin, prophylactic, 110*t*, 111  
 clinical trials of, 97*t*, 100  
 hospital stay and, 89  
 after thoracic noncardiac surgery, 155*t*,  
 156–157  
 Dog. *See at* Canine

**E**

Electrical cardioversion, prophylactic,  
 124–127, 126*f*, 127*f*  
 Electrocardiography, preoperative, 59–61,  
 59*f*, 60*f*, 147  
 Electrolyte abnormalities, atrial fibrillation  
 and, 29, 72–73

**F**

Flecainide, prophylactic, after noncardiac  
 surgery, 155*t*, 159  
 Fontan procedure, atrial fibrillation after, 22

**G**

Gender, atrial fibrillation and, 55, 149  
 Goat, atrial fibrillation in, 13–14, 14*f*

**H**

Heart rate, variability in, 61  
 Heart transplantation, atrial fibrillation  
 after, 22

Hospital stay, 81–91  
 age and, 82  
 atrial fibrillation and, 46, 46*f*, 82–86, 84*f*,  
 155  
 cost implications of, 88–89, 88*f*  
 duration of, 86, 87*f*  
 mechanisms for, 87–88  
 in intensive care unit, 85–86  
 reduction of, 89–91, 90*f*  
 Hypertension, preoperative, atrial fibrillation  
 and, 56, 147  
 Hypomagnesemia  
 atrial fibrillation and, 29, 31, 73  
 after coronary artery bypass grafting, 21  
 prevention of, 110*t*, 111–112  
 Hypotension, intraoperative, atrial  
 fibrillation and, 148  
 Hypothermia, 67–68. *See also* Cardioplegia  
 Hypoxia, atrial fibrillation and, 151

**I**

Implantable cardioverter-defibrillator, atrial  
 fibrillation with, 30  
 Infection, atrial fibrillation and, 147–148,  
 150  
 Inferior vena cava, cannulation of, in  
 cardiopulmonary bypass, 67  
 Inflammation, atrial fibrillation and, 147–148  
 Inotropic agents, postoperative, 74  
 Intensive care unit, length of stay in, 85–86  
 Internal mammary artery, grafts for, 65  
 Ischemia-reperfusion injury, after coronary  
 artery bypass grafting, 21

**L**

Left atrium isolation procedure, 128  
 Left ventricular ejection fraction,  
 preoperative, 61–62  
 Left ventricular end-diastolic pressure,  
 preoperative, 63  
 Lungs  
 cancer of, atrial fibrillation and, 146–147  
 chronic disease of, atrial fibrillation and,  
 57  
 resection of, atrial fibrillation and,  
 144–145, 145*f*, 146, 150–151  
 Lymph nodes, resection of, atrial fibrillation  
 and, 145

**M****Magnesium**

- abnormalities of, in atrial fibrillation, 29
- postoperative, 73
- prophylactic, 110*t*, 111–112
  - after noncardiac surgery, 155*t*, 158

Mammary artery, internal, grafts for, 65

MAZE procedure, 128*f*, 129

Metoprolol, prophylactic, 150

- clinical trials of, 97*t*, 103
- after noncardiac surgery, 155*t*, 157–158

Mitral valve surgery

- anti-thrombotic therapy after, 135–136, 138*t*
- atrial fibrillation after, 22, 24*f*, 66

Mortality, operative, atrial tachyarrhythmia and, 45, 45*f*, 154–155

Myocardial infarction

- atrial fibrillation and, 31, 45, 45*f*, 74–75, 147

**N**

Nadolol, prophylactic, clinical trials of, 97*t*, 102

Noncardiac surgery

- nonthoracic, atrial fibrillation after, 19–20, 23*t*, 24*f*, 159–161
- thoracic, atrial fibrillation after, 19–20, 23*t*, 24*f*, 141–159
  - age and, 143–144
  - hospital stay and, 155
  - incidence of, 141–143, 142*t*
  - mechanisms of, 149–152
  - mortality and, 154–155
  - postoperative complications and, 154–155
  - prevention of, 105–106, 155–159, 155*t*
  - recurrence of, 155
  - risk factors for, 143–149, 145*f*
  - surgical factors in, 144–146, 145*f*
  - time course of, 152–153, 153*f*, 153*t*

Norepinephrine, atrial fibrillation and, 28, 57–58

**P**

Pacemaker

- implantation of, atrial tachyarrhythmia after, 45
- prophylactic, 120–124, 122*t*
  - Bachmann's bundle, 122*t*, 124

with beta-blocker therapy, 124

- biatrial, 122*t*, 123–124
- dual-site, 122–123, 122*t*

Pericarditis

- atrial fibrillation and, 30, 151–152
- postoperative, 75

Pericardium, incision into, atrial fibrillation and, 145–146

Potassium, postoperative, 73

Premature ventricular beats, atrial fibrillation and, 147

Pressor agents, postoperative, 73–74

Procainamide, prophylactic, 110*t*, 112

Procaine, prophylactic, after noncardiac surgery, 158

Propranolol, prophylactic, clinical trials of, 95–101, 97*t*

P wave, duration of, 25, 60–61, 60*f*

**Q**

Quinidine, prophylactic, after noncardiac surgery, 155*t*, 158–159

**R**

Reentry circuit, 1–2

- in atrial fibrillation, 3–4, 23–24
- in atrial flutter, 2–3, 24
- in atrial tachycardia, 3

Renal failure, postoperative, 75

Respiratory failure, postoperative, 75

Right ventricular afterload, atrial fibrillation and, 152

**S**

Scar tachycardia, 3

- canine crush-injury model of, 10

Sheep, atrial fibrillation in, 14

Sinoatrial nodal artery, stenosis of, 64

Sotalol, prophylactic, 110*t*, 112–113

**T**

Thoracic lymph nodes, resection of, atrial fibrillation and, 145

Thoracoscopy, atrial fibrillation and, 146

Thyrotoxicosis, atrial fibrillation and, 149

Timolol, prophylactic, clinical trials of, 97*t*, 101

Triiodothyronine supplement, after  
coronary artery bypass grafting, 21

**V**

Vagal stimulation, in atrial fibrillation, 28

Valvular heart surgery. *See also* Aortic  
valve replacement; Mitral valve  
surgery  
anti-thrombotic therapy after, 135–136,  
138t  
atrial tachyarrhythmias after, 41–42, 42t,  
43, 66

Vena cava, inferior, cannulation of, 67

Ventricle  
age related changes in, 26

left  
assessment of, 61–63  
venting of, 68–69

Ventricular fibrillation, postoperative atrial  
tachyarrhythmia and, 45, 45f

Ventricular tachycardia, postoperative atrial  
tachyarrhythmia and, 45, 45f

Verapamil, prophylactic, 110t, 111  
after noncardiac surgery, 155t, 157

Volume loading, atrial effects of, 25, 31

Volume overload, atrial fibrillation and, 148,  
152

**W**

Warfarin. *See* Antithrombotic therapy