

Bibliography

- [1] O. M. Aamo and M. Krstic, *Flow Control by Feedback: Stabilization and Mixing*, Springer, Berlin, 2002.
- [2] O. M. Aamo and M. Krstic, “Global stabilization of a nonlinear Ginzburg-Landau model of vortex shedding,” *Eur. J. Cont.*, vol. 10, pp. 105–116, 2004.
- [3] O. M. Aamo, A. Smyshlyaev, and M. Krstic, “Boundary control of the linearized Ginzburg-Landau model of vortex shedding,” *SIAM J. Cont. Optim.*, vol. 43, pp. 1953–1971, 2005.
- [4] M.-R. Alam, W.-J. Liu, and G. Haller, “Closed-loop separation control: An analytic approach,” *Phys. Fluids*, vol. 18, 043601, 2006.
- [5] A. Aliseda, K. Ariyur, O. Sarrazin, J. C. Lasheras, and M. Krstic, “Tailored fuel injection for pulsed detonation engines via feedback control,” *AIAA J. Propul. Power*, vol. 19, pp. 917–921, 2003.
- [6] A. Armaou and P. D. Christofides, “Dynamic optimization of dissipative PDE systems using nonlinear order reduction,” *Chem. Eng. Sci.*, vol. 57, pp. 5083–5114, 2002.
- [7] J. Baker, A. Armaou, and P. D. Christofides, “Nonlinear control of incompressible fluid flow: Application to Burgers’ equation and 2D channel flow,” *J. Math. Anal. Appl.*, vol. 252, pp. 230–255, 2000.
- [8] J. Baker, A. Armaou, and P. D. Christofides, “Drag reduction in incompressible channel flow using electromagnetic forcing,” *Proc. 2000 ACC*, Chicago, pp. 4269–4273, 2000.
- [9] J. Baker and P. D. Christofides, “Finite-dimensional approximation and control of non-linear parabolic systems,” *Int. J. Cont.*, vol. 73(5), pp. 439–456, 2000.
- [10] A. Balogh, W.-J. Liu, and M. Krstic, “Stability enhancement by boundary control in 2D channel flow,” *IEEE Trans. Aut. Cont.*, vol. 46, pp. 1696–1711, 2001.

- [11] A. Balogh and M. Krstic, "Infinite dimensional backstepping for nonlinear parabolic PDEs," in *Sixty Open Problems in the Mathematics of Systems and Control* (V. Blondel and A. Megretski, Eds.), Princeton University Press, Princeton, NJ, 2003.
- [12] B. Bamieh, F. Paganini, and M. A. Dahleh, "Distributed control of spatially-invariant systems," *IEEE Trans. Aut. Cont.*, vol. 45, pp. 1091–1107, 2000.
- [13] V. Barbu, "Feedback stabilization of Navier–Stokes equations," *ESAIM: Cont., Optim. Cal. Var.*, vol. 9, pp. 197–205, 2003.
- [14] V. Barbu, C. Popa, T. Havarneanu, and S. S. Sritharan, "Exact controllability of magneto-hydrodynamic equations," *Comm. Pure Appl. Math.*, vol. 56(6), pp. 732–783, 2003.
- [15] V. Barbu, "Stabilization of a plane channel flow by wall normal controllers," preprint, 2006.
- [16] V. Barbu and R. Triggiani, "Internal stabilization of Navier–Stokes equations with finite-dimensional controllers," *Ind. Univ. Math. J.*, vol. 53, pp. 1443–1494, 2004.
- [17] V. Barbu, I. Lasiecka, and R. Triggiani, "Tangential boundary stabilization of Navier–Stokes equations," *Mem. AMS*, vol. 181(852), 2006.
- [18] G. K. Batchelor, *An Introduction to Fluid Mechanics*, Cambridge University Press, London, 1967.
- [19] K. Beauchard, "Local controllability of a 1-D Schrödinger equation," *J. Math Pures Appl. (9)*, vol. 84(7), pp. 851–956, 2005.
- [20] T. W. Berger, J. Kim, C. Lee, and J. Lim, "Turbulent boundary layer control utilizing the Lorentz force," *Phys. Fluids*, vol. 12, p. 631, 2000.
- [21] T. R. Bewley, "Flow control: New challenges for a new Renaissance," *Prog. Aerospace Sci.*, vol. 37, pp. 21–58, 2001.
- [22] T. R. Bewley and B. Protas, "Skin friction and pressure: The 'footprints' of turbulence," *Phys. D*, vol. 196, pp. 28–44, 2004.
- [23] K. S. Breuer and J. Park, "Actuation and control of a turbulent channel flow using Lorentz forces," *Phys. Fluids*, vol. 16(4), p. 897, 2004.
- [24] D. Boskovic and M. Krstic, "Nonlinear stabilization of a thermal convection loop by state feedback," *Automatica*, vol. 37, pp. 2033–2040, 2001.
- [25] D. Boskovic and M. Krstic, "Backstepping control of chemical tubular reactors," *Comp. Chem. Eng.*, vol. 26, pp. 1077–1085, 2002.

- [26] D. Boskovic and M. Krstic, “Stabilization of a solid propellant rocket instability by state feedback,” *Int. J. Robust Nonlinear Cont.*, vol. 13, pp. 483–495, 2003.
- [27] R. Bracewell, *The Fourier Transform and Its Applications*, 3rd ed., McGraw-Hill, New York, 1999.
- [28] H. Brezis, *Analyse Fonctionnelle, Théorie et Applications*, Collection Mathématiques Appliquées pour la Maîtrise, Masson, Paris, 1983.
- [29] J. W. Brown and R. V. Churchill, *Fourier Series and Boundary Value Problems*, 6th ed., McGraw-Hill, New York, 2001.
- [30] J. A. Burns, B. B. King, and D. Rubio, “Feedback control of a thermal fluid using state estimation,” *Int. J. Comp. Fluid Dynamics*, vol. 11, pp. 93–112, 1998.
- [31] H. Chen and L. Rodino, “General theory of PDE and Gevrey classes,” in *General Theory of Partial Differential Equations and Microlocal Analysis*, Pitman Res. Notes Math. Ser., vol. 349, pp. 6–81, Longman, Harlow, Essex, 1996.
- [32] M. Chevalier, J. Hoepffner, T. R. Bewley, and D. S. Henningson, “State estimation in wall-bounded flow systems. Part 2. Turbulent flows,” *J. Fluid Mech.*, to appear, 2006.
- [33] J. Cochran, R. Vazquez, and M. Krstic, “Backstepping boundary control of Navier–Stokes channel flow: A 3D extension,” *Proc. 2006 ACC*, Minneapolis, 2006.
- [34] J. B. Conway, *A Course in Functional Analysis*, 4th ed., Springer, New York, 1994.
- [35] J.-M. Coron, “On the controllability of the 2D incompressible Navier–Stokes equations with the Navier slip boundary conditions,” *ESAIM: Cont., Optim. Calc. Var.*, vol. 1, pp. 35–75, 1996.
- [36] J. M. Coron, “Local controllability of a 1-D tank containing a fluid modeled by the shallow water equations,” *ESAIM: Contr., Optim. Calc. Var.*, vol. 8, pp. 513–554, 2002.
- [37] J. M. Coron and E. Trelat, “Global steady-state controllability of 1-D semilinear heat equation,” *SIAM J. Cont. Opt.*, vol. 43(2), pp. 549–569, 2004.
- [38] J. M. Coron and E. Trelat, “Global steady-state stabilization and controllability of 1-D semilinear wave equation,” *Comm. Contemp. Math.*, vol. 8(4), pp. 1–33, 2006.

- [39] K. Beauchard and J. M. Coron, “Controllability of a quantum particle in a moving potential well,” *J. Functional Analysis*, vol. 232, pp. 328–389, 2006.
- [40] D. Colton, “The solution of initial-boundary value problems for parabolic equations by the method of integral operators,” *J. Differential Equations*, vol. 26, pp. 181–190, 1977.
- [41] K. Debbagh, P. Cathalifaud, and C. Airiau, “Optimal and robust control of small disturbances in a channel flow with a normal magnetic field,” *Phys. Fluids*, vol. 19(1), pp. 014103–014114, 2007.
- [42] P. G. Drazin, *Introduction to Hydrodynamic Stability*, Cambridge University Press, Cambridge, 2002.
- [43] L. C. Evans, *Partial Differential Equations*, American Mathematical Society, Providence, RI, 1998.
- [44] C. Fabre, “Uniqueness results for Stokes equations and their consequences in linear and nonlinear control problems,” *ESAIM: Cont., Optim. Cal. Var.*, vol. 1, pp. 267–302, 1996.
- [45] H. Fattorini and D. L. Russell, “Exact controllability theorems for linear parabolic equations in one space dimension,” *Arch. Rat. Mech. Anal.*, vol. 43, pp. 272–292, 1971.
- [46] C. Fefferman, “Existence and smoothness of the Navier–Stokes equation,” *The Clay Mathematics Institute*, http://www.claymath.org/millennium/Navier-Stokes_Equations/navierstokes.pdf, 2000.
- [47] E. Fernandez-Cara, S. Guerrero, O. Y. Imanuvilov, and J. P. Puel, “On the controllability of the n -dimensional Navier–Stokes and Boussinesq systems with $n-1$ scalar controls,” *Comptes Rendus Math.*, vol. 340, pp. 275–280, 2005.
- [48] A. V. Fursikov, “Stabilization of two-dimensional Navier–Stokes equations with help of a boundary feedback control,” *J. Math. Fluid Mech.*, vol. 3(3), pp. 259–301, 2001.
- [49] A. V. Fursikov, “Stabilization for the 3-D Navier–Stokes system by feedback boundary control,” *Discrete Contin. Dyn. Syst.*, vol. 10, pp. 289–314, 2004.
- [50] A. V. Fursikov and M. D. Gunzburger, “Boundary value problems and optimal boundary control for the Navier–Stokes system: The two-dimensional case,” *SIAM J. Cont. Optim.*, vol. 36(3), pp. 852–894, 1998.
- [51] J. Guckenheimer and P. Holmes, *Nonlinear Oscillations, Dynamical Systems, and Bifurcations of Vector Fields*, 3rd ed., Springer-Verlag, New York, 1997.

- [52] M. D. Gunzburger and S. Manservigi, “The velocity tracking problem for Navier–Stokes flows with boundary control,” *SIAM J. Cont. Optim.*, vol. 39(2), pp. 594–634, 2000.
- [53] M. Gevrey, “La nature analytique des solutions des équations aux dérivées partielles,” *Ann. Sc. Ecole Norm. Sup.*, vol. 25, pp. 129–190, 1918.
- [54] R. Haberman, *Elementary Applied Partial Differential Equations*, Prentice-Hall, Englewood Cliffs, NJ, 1987.
- [55] J. Hartmann, “Theory of the laminar flow of an electrically conductive liquid in a homogeneous magnetic field,” *Det Kgl. Danske Videnskabernes Selskab. Matematisk-fysiske Meddelelser*, XV(6), pp. 1–27.
- [56] D. Henry, *Geometric Theory of Semilinear Parabolic Equations*, Springer, New York, 1993.
- [57] H. Hochstadt, *Integral Equations*, Wiley, New York, 1973.
- [58] J. Hoepffner, M. Chevalier, T. R. Bewley, and D. S. Henningson, “State estimation in wall-bounded flow systems. Part 1. Perturbed laminar flows,” *J. Fluid Mech.*, vol. 534, pp. 263–294, 2005.
- [59] M. Hogberg, T. R. Bewley, and D. S. Henningson, “Linear feedback control and estimation of transition in plane channel flow,” *J. Fluid Mech.*, vol. 481, pp. 149–175, 2003.
- [60] O. Y. Imanuvilov, “On exact controllability for the Navier–Stokes equations,” *ESAIM: Cont., Optim. Cal. Var.*, vol. 3, pp. 97–131, 1998.
- [61] M. R. Jovanovic and B. Bamieh, “Componentwise energy amplification in channel flows,” *J. Fluid Mech.*, vol. 543, pp. 145–183, 2005.
- [62] M. R. Jovanovic, “Turbulence suppression in channel flows by small amplitude transverse wall oscillations,” *Proc. 2006 ACC*, Minneapolis, 2006.
- [63] Y. Kannai, “Nonexistence for a boundary value problem arising in parabolic theory,” *Israel J. Math.*, vol. 71, pp. 349–351, 1990.
- [64] C. H. Von Kerczek, “The instability of oscillatory plane Poiseuille flow,” *J. Fluid Mech.*, vol. 116, pp. 91–114, 1982.
- [65] H. K. Khalil, *Nonlinear Systems*, 3rd ed., Prentice-Hall, Englewood Cliffs, NJ, 2002.
- [66] P. V. Kokotovic, H. K. Khalil, and J. O’Reilly, *Singular Perturbation Methods in Control*, SIAM Classics in Applied Mathematics, Philadelphia, 1999.

- [67] M. Krstic, I. Kanellakopoulos, and P. V. Kokotovic, *Nonlinear and Adaptive Control Design*, Wiley, New York, 1995.
- [68] M. Krstic, "On global stabilization of Burgers' equation by boundary control," *Syst. Cont. Lett.*, vol. 37, pp. 123–141, 1999.
- [69] M. Krstic, "Lyapunov adaptive stabilization of parabolic PDEs: Part I—A benchmark for boundary control," *Proc. 2005 CDC*, Sevilla, Spain, 2005.
- [70] M. Krstic, A. Smyshlyayev, and A. Siranosian, "Backstepping boundary controllers and observers for the slender Timoshenko beam: Part I Design," *Proc. 2006 ACC*, Minneapolis, 2006.
- [71] B. Laroche, P. Martin, and P. Rouchon, "Motion planning for the heat equation," *Int. J. Robust Nonlinear Cont.*, vol. 10, pp. 629–643, 2000.
- [72] E. Lauga and T. R. Bewley, "The decay of stabilizability with Reynolds number in a linear model of spatially developing flows," *Proc. Roy. Soc. Lond. A*, vol. 459, pp. 2077–2095, 2003.
- [73] E. Lauga and T. R. Bewley, "Modern control of linear global instability in a cylinder wake model," *Int. J. Heat Fluid Flow*, vol. 23, pp. 671–677, 2002.
- [74] D. Lee and H. Choi, "Magnetohydrodynamic turbulent flow in a channel at low magnetic Reynolds number," *J. Fluid Mech.*, vol. 439, pp. 367–394, 2001.
- [75] W. J. Liu, "Boundary feedback stabilization of an unstable heat equation," *SIAM J. Cont. Optim.*, vol. 42(3), pp. 1033–1043, 2003.
- [76] E. N. Lorenz, "Deterministic non-periodic flow," *J. Atmos. Sci.*, vol. 20, pp. 130–141, 1963.
- [77] U. Muller and L. Buhler, *Magneto-fluid Dynamics in Channels and Containers*, Springer, Berlin, 2001.
- [78] J. Pang and K.-S. Choi, "Turbulent drag reduction by Lorentz force oscillation," *Phys. Fluids*, vol. 16(5), p. L35, 2004.
- [79] B. Protas and A. Styczek, "Optimal control of the cylinder wake in the laminar regime," *Phys. Fluids*, vol. 14(7), pp. 2073–2087, 2002.
- [80] J.-P. Raymond, "Feedback boundary stabilization of the two dimensional Navier-Stokes equations," *SIAM J. Cont. Optim.*, vol. 45, pp. 790–828, 2006.
- [81] S. C. Reddy, P. J. Schmid, and D. S. Henningson, "Pseudospectra of the Orr–Sommerfeld operator," *SIAM J. Appl. Math.*, vol. 53(1), pp. 15–47, 1993.

- [82] W. Rudin, *Real and Complex Analysis*, 3rd ed., McGraw-Hill, New York, 1986.
- [83] M. Samimy, M. Debiasi, E. Caraballo, A. Serrani, X. Yuan, J. Little, and J. H. Myatt, “Feedback control of subsonic cavity flows using reduced-order models,” *J. Fluid Mech.*, vol. 579, pp. 315–346, 2007.
- [84] E. Schuster and M. Krstic, “Inverse optimal boundary control for mixing in magnetohydrodynamic channel flows,” *Proc. 2003 CDC*, Maui, HI, 2003.
- [85] P. J. Schmid and D. S. Henningson, *Stability and Transition in Shear Flows*, Springer, Berlin, 2001.
- [86] M. Schmidt and E. Trélat, “Controllability of Couette–Taylor flows by rotating cylinders,” *Comm. Pure Appl. Anal.*, vol. 5(1), pp. 201–211, 2006.
- [87] T. I. Seidman, “Two results on exact boundary control of parabolic equations,” *Appl. Math. Opt.*, vol. 11, pp. 145–152, 1984.
- [88] M. Sermange and R. Temam, “Some mathematical questions related to the MHD equations,” *Comm. Pure Appl. Math.*, vol. 36, pp. 635–664, 1983.
- [89] G. F. Simmons, *Differential Equations with Applications and Historical Notes*, McGraw-Hill, New York, 1991.
- [90] A. Smyshlyaev and M. Krstic, “Closed form boundary state feedbacks for a class of partial integro-differential equations,” *IEEE Trans. Auto. Cont.*, vol. 49, pp. 2185–2202, 2004.
- [91] A. Smyshlyaev and M. Krstic, “Backstepping observers for parabolic PDEs,” *Syst. Cont. Lett.*, vol. 54, pp. 1953–1971, 2005.
- [92] A. Smyshlyaev and M. Krstic, “On control design for PDEs with space-dependent diffusivity or time-dependent reactivity,” *Automatica*, vol. 41, pp. 1601–1608, 2005.
- [93] A. Smyshlyaev and M. Krstic, “Passive identifiers for boundary adaptive control of 3D reaction-advection-diffusion PDEs,” *Proc. 2005 CDC*, Sevilla, Spain, 2005.
- [94] A. Smyshlyaev and M. Krstic, “Output-feedback adaptive control for parabolic PDEs with spatially varying coefficients,” *Proc. 2006 CDC*, San Diego, 2006.
- [95] S. S. Sritharan, “Stochastic Navier–Stokes equations: Solvability, control and filtering,” in *Stochastic Partial Differential Equations and Applications VII* (G. Da Prato and L. Tubaro, Eds.), pp. 273–280, Chapman & Hall/CRC, New York, 2006.

- [96] S. S. Sritharan, “On the acceleration of viscous fluid through an unbounded channel,” *J. Math. Anal. Appl.*, vol. 168(1), pp. 255–283, 1992.
- [97] S. S. Sritharan, V. Barbu, T. Havarneanu, and C. Popa, “Local controllability for the magnetohydrodynamic equations revisited,” *Adv. Diff. Equations*, vol. 10(5), pp. 481–504, 2005.
- [98] M. E. Taylor, *Partial Differential Equations: Basic Theory*, 2nd ed., Springer, New York, 1999.
- [99] R. Temam, *Navier–Stokes Equations and Nonlinear Functional Analysis*, 2nd ed., SIAM, Philadelphia, 1995.
- [100] R. Temam, *Navier–Stokes Equations, Studies in Mathematics and Its Applications*, vol. 2, North-Holland, Amsterdam, 1984.
- [101] J.-P. Thibault and L. Rossi, “Electromagnetic flow control: Characteristic numbers and flow regimes of a wall-normal actuator,” *J. Phys. D: Appl. Phys.*, vol. 36, pp. 2559–2568, 2003.
- [102] R. Triggiani, “Stability enhancement of a 2D linear Navier–Stokes channel flow by a 2D, wall-normal boundary controller,” *Discrete and Continuous Dynamical Systems—Series B*, vol. 8(2), 2007.
- [103] R. Vazquez and M. Krstic, “Volterra boundary control laws for a class of nonlinear parabolic partial differential equations,” *Proc. NOLCOS 2004*, Stuttgart, Germany, 2004.
- [104] R. Vazquez and M. Krstic, “Explicit integral operator feedback for local stabilization of nonlinear thermal convection loop PDEs,” *Syst. Cont. Lett.*, vol. 55, pp. 624–632, 2006.
- [105] R. Vazquez and M. Krstic, “A closed-form feedback controller for stabilization of linearized Navier–Stokes equations: The 2D Poiseuille flow,” *Proc. 2005 CDC*, Sevilla, Spain, 2005.
- [106] R. Vazquez and M. Krstic, “A closed-form observer for the channel flow Navier–Stokes system,” *Proc. 2005 CDC*, Sevilla, Spain, 2005.
- [107] R. Vazquez and M. Krstic, “Higher order stability properties of a 2D Navier–Stokes system with an explicit boundary controller,” *Proc. 2006 ACC*, Minneapolis, 2006.
- [108] R. Vazquez, E. Trélat, and J.-M. Coron, “Stable Poiseuille flow transfer for a Navier–Stokes system,” *Proc. 2006 ACC*, Minneapolis, 2006.
- [109] R. Vazquez, E. Schuster, and M. Krstic, “A closed-form observer for the 3D inductionless MHD and Navier–Stokes channel flow,” *Proc. 2006 CDC*, San Diego, 2006.

-
- [110] R. Vazquez and M. Krstic, “Control of 1-D parabolic PDEs with Volterra nonlinearities—Part I: Design,” under consideration, 2006.
 - [111] R. Vazquez and M. Krstic, “Control of 1-D parabolic PDEs with Volterra nonlinearities—Part II: Analysis,” under consideration, 2006.
 - [112] R. Vazquez and M. Krstic, “Explicit output feedback stabilization of a thermal convection loop by continuous backstepping and singular perturbations,” *Proc. 2007 ACC*, New York, 2007.
 - [113] R. Vazquez, E. Schuster, and M. Krstic, “A closed-form feedback controller for stabilization of magnetohydrodynamic channel flow,” *Proc. 2007 ECC*, Kos, Greece, 2007.
 - [114] V. Volterra, *Theory of Functionals and of Integral and Integro-Differential Equations*, Dover, New York, 1959.
 - [115] J. A. Walker, *Dynamical Systems and Evolution Equations*, Plenum, New York, 1980.
 - [116] E. Zuazua, “Propagation, observation, control and numerical approximation of waves,” *SIAM Rev.*, vol. 47, pp. 197–243, 2005.

Index

- anticollocated setup, 30
- backstepping, 23
 - control law, 24, 45, 60, 86, 125
 - inverse transformation, 27, 46, 84, 124, 162, 177
 - observer design, 30, 61, 110, 146
 - output-injection gain, 31, 62
 - target system, 24, 42, 59, 62, 84, 110, 124, 146, 177
 - transformation, 24, 43, 59, 62, 84, 110, 124, 146, 162, 177
- boundary conditions, 23
- boundary control, 23
- boundary-layer model, 20
- Cauchy–Schwartz’s inequality, 7
- certainty equivalence principle, 32
- channel flow, 71
- closed-form solution, *see* explicit solutions
- closed-loop stability, 51, 80, 132, 167
- collocated system, 32, 61
- compatibility conditions, 77, 80
- continuity equation, 72, 116
- convection loop model, 39
- convolution theorem, 15, 19
- decay rate, 8
- dynamic controller, 77, 83, 131, 166
- electric current equations, 117
- electric potential equation, 117
- electromagnetic controller, 122
- explicit control laws, 75
- explicit solutions, 11, 29, 77
- exponential stability, 8
- fast solution, 46
- fast variable, 20
- fluctuation variables, 73, 107, 118, 157
- Fourier
 - coefficients, 17
 - complex coefficients, 17
 - domain, 14, 81
 - inverse transform, 14
 - series, 17, 158
 - transform, 14, 16
- function spaces, 3
 - H^1 , 6
 - H^2 , 6
 - L^∞ , 4
 - L^p , 4
 - ℓ^p , 5
 - complex, 4
 - Sobolev, 6
- Gevrey class, 182
- Hartmann equilibrium profile, 117
- Hartmann flow, *see* MHD channel flow
- Hartmann number, 118
- inductionless approximation, 116
- inequalities, *see* norm, inequalities
- infinite domains, 12, 14
- infinite sequences, 5
- inner product, 4, 6
- inverse transformation, *see* backstepping, inverse transformation

- kernel
 approximate, 44, 52
 decay, 81
 equation
 hyperbolic, 25, 43, 60, 62, 84, 110, 125, 146
 integral, 26, 44
 ultra-hyperbolic, 43
 unsteady, 166, 177, 182
 inverse, 28, 80, 86
 recursive definition, 27, 76, 105
 shape, 77, 106
- Lyapunov function, 9, 10, 49, 70, 88, 93, 96, 126, 128
- mean turbulent profile, 112, 151
 measurements, 60, 104, 136
 MHD channel flow, 115
 MHD equations, 116
- Navier–Stokes equations, 72
- norm, 3
 H^1 , 6, 57, 159
 H^2 , 6, 159
 L^2 , 14, 57, 158
 L^∞ , 4
 L^p , 4
 \hat{H}^1 , 16
 \hat{H}^2 , 16
 \hat{L}^2 , 15
 equivalent, 66, 95, 161, 163
 inequalities, 7
- normal velocity controller, 75, 83, 166
 numerical simulations, 51, 65
- observer
 convergence, 63, 111
 equations, 30, 60, 104, 136
 error equations, 30, 61, 107, 138
 linear, 136
 nonlinear, 104, 149
- observer convergence, 148
 Orr–Sommerfeld equation, 74, 132
- output-feedback control laws, 32, 64, 113
- Parseval’s formula, 15, 18
 periodic domains, 13, 18
 periodic function spaces, 158
 periodicity assumption, 158
 perturbation variables, *see* fluctuation variables
- Plancherel’s theorem, 14
 Poincaré’s inequality, 7, 48, 159
 Poiseuille
 equilibrium profile, 72
 family of equilibria, 153
 flow, *see* channel flow
- Prandtl number, 40
 pressure equation, 72, 109, 120, 140, 169
- QSS, *see* quasi-steady state
 quasi-steady state, 20, 42, 58, 61
- Rayleigh number, 40
 reduced model, 20, 42, 59, 62
 Reynolds number, 72, 116
 magnetic, 116
- singular perturbation analysis, 20, 46, 63
 spatial invariance, 12, 81
 streamwise velocity controller, 75, 86, 121, 166
- strict-feedback form, 23, 42, 83, 121, 142, 175
- Stuart number, 116
- target system, *see* backstepping, target system
 temperature controller, 45
 trajectory path, 154
 truncating function, 76, 120
- upper-triangular form, 33, 61
- velocity modes

-
- controlled, 175
 - uncontrolled, 169
 - wave number, 14, 16
 - controlled, 82, 90, 94, 120
 - observed, 108, 140
 - space, *see* Fourier, domain
 - uncontrolled, 88, 91, 95, 127
 - unobserved, 111, 147
 - well-posedness, 80, 97, 179
 - zero net flux, 81, 167