

References

1. King RE, Scianna JM, Petruzzelli GJ (2004) Mandible fracture patterns: A suburban trauma center experience. *Am J Otolaryngol* 25(5):301–307
2. Ogundare BO, Bonnicksen A, Bayley N (2003) Pattern of mandibular fractures in an urban major trauma center. *J Oral Maxillofac Surg* 61(6):713–718
3. Zahl C, Muller D, Felder S, Gerlach KL (2003) Cost of miniplate osteosynthesis for treatment of mandibular fractures: a prospective evaluation. *Gesundheitswesen* 65(10):561–565
4. Pashley DH, Borke JL, Yu JC (2002) Biomechanics and craniofacial morphogenesis. In: Lin KY, Ogle RC, Jane JA (eds) *Craniofacial surgery—science and surgical technique*. Saunders, Philadelphia
5. Kurihara T (2001) The fourth dimension in simulation surgery for craniofacial surgical procedures. *Keio J Med* 50(2):155–165
6. Nakajima H, Kaneko T, Kurihara T, Fujino T (2001) Craniofacial surgical simulation in the 3-dimensional CT SurgiPlan system. *Keio J Med* 50(2):95–102
7. Siessegger M, Schneider BT, Mischkowski RA, Lazar F, Krug B, Klesper B, Zoller JE (2001) Use of an image-guided navigation system in dental implant surgery in anatomically complex operation sites. *J Craniomaxillofac Surg* 29(5):276–281
8. Eldeeb H, Boubekri N, Asfour S, Khalil T, Finnieston A (2001) Design of thoracolumbosacral orthosis (TLSO) braces using CT/MR. *J Comput Assist Tomogr* 25(6):963–970
9. Bechtold JE, Powless SH (1993) The application of computer graphics in foot and ankle surgical planning and reconstruction. *Clin Podiatr Med Surg* 10:551–562
10. Sutherland CJ, Bresina SJ, Gayou DE (1994) Use of general purpose mechanical computer assisted engineering software in orthopaedic surgical planning: advantages and limitations. *Comput Med Imaging Graph* 18:435–442
11. Chao EYS, Sim FH (1995) Computer-aided preoperative planning in knee osteotomy. *Iowa Orthop J* 15:4–18
12. Byrd HS, Hobar PC (1993) Rhinoplasty: a practical guide for surgical planning. *Plast Reconstr Surg* 91:642–654
13. Ayoub AF, Wray D, Moos KF, Siebert P, Jin J, Nibbet TB, Urquhart C, Mowforth P (1996) Three-dimensional modeling for modern diagnosis and planning in maxillofacial surgery. *Int J Adult Orthodon Orthognath Surg* 11(3):225–233
14. Gerbo LR, Poulton DR, Covell DA, Russell CA (1997) A comparison of a computer-based orthognathic surgery prediction system to postsurgical results. *Int J Adult Orthodon Orthognath Surg* 12(1):55–63
15. Hassfeld S, Zoller J, Albert FK, Wirtz CR, Knauth M, Muhling J (1998) Preoperative planning and intraoperative navigation in skull base surgery. *J Craniomaxillofac Surg* 26(4):220–225
16. Patel VV, Vannier MW, Marsh JL, Lo LJ (1996) Assessing craniofacial surgical simulation. *IEEE Comput Graph Appl* 16(1):46–54

17. Verstreken K, Van Cleynenbreugel J, Marchal G, Naert I, Suetens P, van Steenberghe D (1996) Computer-assisted planning of oral implant surgery: A three-dimensional approach. *Int J Oral Maxillofac Implants* 11(6):806–810
18. Hilger KB, Larsen R, Wrobel MC (2003) Growth modeling of human mandibles using non-Euclidean metrics. *Med Image Anal* 7(4):425–433
19. Cevidanes LHS, Styner M, Phillips C, Oliveira AEF, Tulloch JFC (2007) 3D morphometric changes 1 year after jaw surgery. In: *Proc fourth IEEE symp biomedical imaging (ISBI)*, pp 1332–1335
20. Enciso R, Memon A, Neumann U, Mah J (2003) The virtual cranio-facial patient project: 3D modelling and animation. In: Westwood JD, Hoffman HM, Mogel GT, Phillips R, Robb RA, Stredney D (eds) *Proc eleventh medicine meets virtual reality conf*, pp 65–72
21. Mollemans W, Schutyser F, Nadjmi N, Suetens P (2005) Very fast soft tissue predictions with mass tensor model for maxillofacial surgery planning systems. In: *Proc ninth annual conf intl soc for comput aided surg*, pp 491–496
22. Mandible Reconstruction Project, Imaging Technology Group, University of Illinois, Urbana-Champaign, IL. URL: <http://www.itg.uiuc.edu/technology/reconstruction>
23. Virtual Reality Surgical Planning for Mandibular Reconstruction, National Biocomputation Center, Stanford University Medical Center, Palo Alto, CA. URL: <http://biocomp.stanford.edu/projects/>
24. Ahmed MT, Eid AH, Farag AA (2001) 3D reconstruction of the human jaw: a new approach and improvements. In: *Proc medical image computing and computer assisted intervention*, pp 1007–1014
25. Joskowicz L, Milgrom C, Simkin A, Tockus L, Yaniv Z (1998) FRACAS: a system for computer-aided image-guided long bone fracture surgery. *Comput Aided Surg* 3(6):271–288
26. Mack MJ (2001) Minimally invasive and robotic surgery. *JAMA* 285(5):568–572
27. Peters TM (2006) Image-guidance for surgical procedures. *Phys Med Biol* 51:R505–R540
28. Dimairo SP et al (2006) Image-guided neurosurgery at Brigham and Women’s Hospital—the integration of imaging navigation and interventional devices. *IEEE Eng Med Biol Mag* 25(5):67–73
29. Vosburgh KJ, Jolesz FA (2003) The concept of image-guided therapy. *Acad Radiol* 10:176–179
30. Sholmowitz E, Amaral JG, Chait PG (2006) Image-guided therapy and minimally invasive surgery in children: a merging future. *Pediatr Radiol* 36:398–404
31. Papadimitriou CH, Steiglitz K, *Combinatorial optimization: algorithms and complexity*, Prentice Hall, India, 1982
32. Bollobás B. (1998) *Modern graph theory*. Springer, New York
33. Christofides N (1975) *Graph theory: an algorithmic approach*. Academic Press, San Diego
34. Valiente G (2002) *Algorithms on trees and graphs*. Springer, Berlin–Heidelberg
35. Cormen TH, Leiserson CE, Rivest RL, Stein C (2001) *Introduction to algorithms*. MIT Press, Cambridge
36. Ford LR Jr, Fulkerson DR (1962) *Flows in networks*. Princeton University Press, Princeton
37. Miller I, Miller M (1999) *John E Freund’s mathematical statistics with applications*. Prentice Hall, New York
38. Bhattacharyya GK, Johnson RA (1977) *Statistical concepts and methods*. Wiley, New York
39. Gelman A, Carlin JB, Stern HS, Rubin DB (2000) *Bayesian data analysis*. Chapman & Hall/CRC, London
40. Li SZ (1995) *Markov random field modeling in computer vision*. Springer, London
41. Geman S, Geman D (1984) Stochastic relaxation, Gibbs distributions, and the Bayesian restoration of images. *IEEE Trans Pattern Anal Mach Intell* 6(6):721–741
42. Besag J (1974) Spatial interaction and the statistical analysis of lattice systems (with discussions). *J R Stat Soc Ser B* 36:192–236
43. Winkler G (2003) *Image analysis, random fields and Markov chain Monte Carlo methods*. Springer, Berlin–Heidelberg
44. Keeve E, Girod S, Girod B (1996) Craniofacial surgery simulation. In: *Proc fourth int conf on visualization in biomedical computing, Hamburg, Germany*, pp 541–546

45. Sarti A, Gori R, Marchetti C, Bianchi A, Lamberti C (2000) Maxillofacial virtual surgery from 3D CT images. In: Akay M, Marsh A (eds) VR in medicine. Springer, Berlin
46. Zachow S, Hedge HC, Deuffhard P (2006) Computer assisted planning in craniomaxillofacial surgery. *J Comput Inf Technol Sp Issue Comput-Based Craniofacial Model Reconstr* 14(1):53–64
47. Besl PJ, McKay ND (1992) A method for registration of 3-D shapes. *IEEE Trans Pattern Anal Mach Intell* 14(2):239–256
48. Maintz JBA, Viergever MA (1998) A survey of medical image registration. *Med Image Anal* 2(1):1–36
49. Granger S, Pennec X, Roche A (2001) Rigid point-surface registration using an EM variant of ICP for computer guided oral implantology. In: Proc int conf on medical image computing and computer assisted intervention (MICCAI), Utrecht, The Netherlands, pp 752–761
50. Chen CS (1999) RANSAC-based DARCES: A new approach to fast automatic registration of partially overlapping range images. *IEEE Trans Pattern Anal Mach Intell* 21(11):1229–1234
51. Rogers M, Graham J (2002) Robust active shape model search for medical image analysis. In: Proc int conf on medical image understanding and analysis, Portsmouth, UK, pp 1–4
52. Ourselin S, Roche A, Prima S, Ayache N (2000) Block matching: A general framework to improve robustness of rigid registration of medical images. In: Proc third int conf on medical robotics, imaging and computer assisted surgery, Pittsburgh, USA, pp 557–566
53. Bhandarkar SM, Chowdhury AS, Tang Y, Yu JC, Tollner EW (2004) Surface matching algorithms for computer aided reconstructive plastic surgery. In: Proc second IEEE int symp on biomedical imaging (ISBI), Arlington, VA, USA, pp 740–743
54. Bhandarkar SM, Chowdhury AS, Tang Y, Yu JC, Tollner EW (2007) Computer vision guided virtual craniofacial reconstruction. *Comput Med Imaging Graph* 31(6):418–427
55. Bhandarkar SM, Chowdhury AS, Tollner EW, Yu JC, Ritter EW, Konar A (2005) Surface reconstruction for computer vision-based craniofacial surgery. In: Proc seventh IEEE int workshop on applications of computer vision (WACV), Breckenridge, CO, USA, pp 257–262
56. Chowdhury AS, Bhandarkar SM, Robinson RW, Yu JC (2007) Novel graph theoretic enhancements to ICP-based virtual craniofacial reconstruction. In: Proc fourth IEEE int symp on biomedical imaging (ISBI), Arlington, VA, USA, pp 1136–1139
57. Chowdhury AS, Bhandarkar SM, Robinson RW, Yu JC (2009) Virtual craniofacial reconstruction using computer vision, graph theory and geometric constraints. *Pattern Recogn Lett* 30(10):931–938
58. Wang Y, Peterson B, Staib L (2000) Shape-based 3D surface correspondence using geodesics and local geometry. In: Proc first IEEE int conf on computer vision and pattern recognition (CVPR), Hilton Head Island, USA, pp 644–651
59. Pohl KM, Warfield SK, Kikinis R, Grimson WEL, Wells WM (2004) Coupling statistical segmentation and PCA shape modeling. In: Proc seventh int conf on medical image computing and computer assisted intervention (MICCAI), Saint Malot, France, pp 151–159
60. Chowdhury AS, Bhandarkar SM, Tollner EW, Zhang G, Yu JC, Ritter E (2005) A novel multifaceted virtual craniofacial surgery scheme using computer vision. In: Liu Y, Jiang T, Zhang C (eds) Proc computer vision for biomedical image applications: current techniques and future trends (CVBIA), an ICCV workshop, Beijing, China. LNCS, vol 3765, pp 146–159
61. Hounsfield GN (1980) Nobel award address: computed medical imaging. *Med Phys* 7(4):283–290
62. Sahoo PK, Soltani S, Wong KC, Chen YC (1988) A survey of thresholding techniques. *Comput Vis Graph Image Process* 41:233–260
63. Hamilton WR (1847) On quaternions. *Proc R Ir Acad, Sci* 3:1–16
64. Rangarajan A, Chui H, Mjolsness E, Pappu S, Davachi L, Goldman-Rakic PS, Duncan JS (1997) A robust point matching algorithm for autoradiograph alignment. *Med Image Anal* 1(4):379–398
65. Kim W, Kak AC (1991) 3-D object recognition using bipartite matching embedded in discrete relaxation. *IEEE Trans Pattern Anal Mach Intell* 13(3):224–251

66. Kuhn HW (1955) The Hungarian method for the assignment problem. *Nav Res Logist Q* 2:83–97
67. Yarger R, Quek F (2000) Surface parameterization in volumetric images for feature classification. In: *Proc first IEEE int symp bioinformatics and biomed engr*, Arlington, VA, USA, pp 297–304
68. Besl PJ (1986) Surfaces in early range image understanding. PhD dissertation, Dept of Computer Science, Michigan Univ, Ann Arbor, MI, USA
69. Haralick RM (1984) Digital step edges from zero crossing of second directional derivatives. *IEEE Trans Pattern Anal Mach Intell* 6(1):58–68
70. Faux ID, Pratt MJ (1979) *Computational geometry for design and manufacture*. Wiley, New York
71. Suk M, Bhandarkar SM (1992) *Three-dimensional object recognition from range images*. Springer, Berlin
72. Miyajima K, Ralescu A (1994) Spatial organization in 2D segmented images: Representation and recognition of primitive spatial relations. *Fuzzy Sets Syst* 65:225–236
73. Veltkamp RC, Latecki LJ (2006) Properties and performance of shape similarity measures. In: *Proc tenth IFCS int conf on data science and classification*, Ljubljana, Slovenia, pp 1–9
74. Huttenlocher DP, Klanderman GA, Rucklidge WJ (1993) Comparing images using the Hausdorff distance. *IEEE Trans Pattern Anal Mach Intell* 15(9):850–863
75. Zabrodsky H, Peleg S, Avnir D (1995) Symmetry as a continuous feature. *IEEE Trans Pattern Anal Mach Intell* 17(12):1154–1166
76. Sun C, Sherrah J (1997) 3D symmetry detection using the extended Gaussian image. *IEEE Trans Pattern Anal Mach Intell* 19(2):164–169
77. Tuzikov AV, Sheynin SA (2002) Symmetry measure computation for convex polyhedra. *J Math Imaging Vis* 16:41–56
78. Tuzikov A, Colliot O, Bloch I (2002) Brain symmetry plane computation in MR images using inertia axes and optimization. In: *Proc sixteenth int conf on pattern recognition (ICPR)*, Quebec, Canada, pp 10516–10519
79. Goldstein H (1982) *Classical mechanics*. Addison-Wesley, Reading
80. Press WH, Flannery BP, Teukolsky SA, Vetterling WT (1992) *Numerical recipes in C: the art of scientific computing*. Cambridge University Press, Cambridge
81. Prima S, Ourselin S, Ayache N (2002) Computation of the mid-sagittal plane in 3D brain images. *IEEE Trans Med Imaging* 21(2):122–138
82. Ardekani B, Kershaw J, Braun M, Kanno I (1997) Automatic detection of the mid-sagittal plane in 3-D brain images. *IEEE Trans Med Imaging* 16(6):947–952
83. Gefan S, Fan Y, Bertrand L, Nissanov J (2004) Symmetry-based 3D brain reconstruction. In: *Proc second IEEE int symp on biomedical imaging (ISBI)*, Arlington, VA, pp 744–747
84. Junck L, Moen JG, Hutchins GD, Brown MB, Kuhl DE (1990) Correlation methods for the centering, rotation and alignment of functional brain images. *J Nucl Med* 31(7):1220–1226
85. Shames IH (1964) *Mechanics of deformable solids*. Prentice-Hall, Englewood Cliffs
86. Wan FYM (1995) *Introduction to the calculus of variations and its applications*. Chapman & Hall, London
87. Wolfson H, Schonberg E, Kalvin A, Lamdan Y (1988) Solving jigsaw puzzles by computer. *Ann Oper Res* 12:51–64
88. Webster RW, LaFollette PS, Stafford RL (1991) Isthmus critical points for solving jigsaw puzzles in computer vision. *IEEE Trans Syst Man Cybern* 21(5):1271–1278
89. Da Gama Leitao HC, Stolfi J (2002) A multiscale method for the reassembly of two-dimensional fragmented objects. *IEEE Trans Pattern Anal Mach Intell* 24(9):1239–1251
90. Yao FH, Shao GF (2003) A shape and image merging technique to solve jigsaw puzzles. *Pattern Recognit Lett* 24(12):1819–1835
91. Goldberg D, Malon C, Bern M (2004) A global approach to automatic solution of jigsaw puzzles. *Comput Geom Theory Appl* 28(3):165–174
92. Makridis M, Papamarkos N (2006) A new technique for solving a jigsaw puzzle. In: *Proc thirteenth IEEE int conf on image processing (ICIP)*, Atlanta, GA, USA, pp 2001–2004

93. Barequet G, Sharir M (1997) Partial surface and volume matching in three dimensions. *IEEE Trans Pattern Anal Mach Intell* 19(9):929–948
94. Ucoluk G, Toroslu I (1999) Automatic reconstruction of broken 3D surface objects. *Comput Graph* 23:573–582
95. Papaionnou G, Karabassi E, Theoharis T (2002) Reconstruction of three-dimensional objects through matching of their parts. *IEEE Trans Pattern Anal Mach Intell* 24(1):114–124
96. Huang QX, Flory S, Gelfand N, Hofer M, Pottmann H (2006) Reassembling fractured objects by geometric matching. *ACM Trans Graph* 25(3):569–578
97. Kampel M, Sablantig R (2004) On 3D mosaicing of rotationally symmetric ceramic fragments. In: *Proc seventeenth int conf on pattern recognition (ICPR)*, Cambridge, UK, pp 265–268
98. Willis A, Cooper D (2004) Bayesian assembly of 3D axially symmetric shapes from fragments. In: *Proc sixth IEEE int conf on computer vision pattern recognition (CVPR)*, Washington DC, USA, pp 82–89
99. Chen WY, Hwang WL, Lin TC (2006) Planar-shape prototype generation using a tree-based random greedy algorithm. *IEEE Trans Syst Man Cybern (B)* 36(3):649–659
100. Carretero JA, Nahon MA (2005) Solving minimum distance problems with convex or concave bodies using combinatorial global optimization algorithms. *IEEE Trans Syst Man Cybern (B)* 35(6):1144–1155
101. Ruan S, Tu F, Pattipati KR, Patterson-Hine A (2004) On a multimode test sequencing problem. *IEEE Trans Syst Man Cybern (B)* 34(3):1490–1499
102. Boole JR, Holtel M, Amoroso P, Yore M (2001) 5196 mandible fractures among 4381 active duty army soldiers, 1980 to 1998. *Laryngoscope* 111(10):1691–1696
103. Clauser L, Galie M, Mandrioli S, Sarti E (2003) Severe panfacial fracture with facial explosion: Integrated and multistaged reconstructive procedures. *J Craniofac Surg* 14(6):893–898
104. Schettler D, Roosen K, Heesen J, Kalff R (1989) Timing and techniques of reconstruction and stabilization of combined craniofacial injuries. *Neurosurg Rev* 12(1):94–105
105. Chen CS, Hsieh WT, Chen JH (2004) Panoramic appearance-based recognition of video contents using matching graphs. *IEEE Trans Syst Man Cybern (B)* 34(1):179–199
106. Chowdhury AS, Bhandarkar SM, Robinson RW, Yu JC (2006) Virtual craniofacial reconstruction from computed tomography image sequences exhibiting multiple fractures. In: *Proc thirteenth IEEE int conf on image processing ICIP*, Atlanta, GA, USA, pp 1173–1176
107. Chowdhury AS, Bhandarkar SM, Robinson RW, Yu JC (2009) Virtual multi-fracture craniofacial reconstruction using computer vision and graph matching. *Comput Med Imaging Graph* 33(5):333–342
108. Schwartz JT, Sharir M (1987) Identification of partially obscured objects in two dimensions by matching of noisy characteristic curves. *Int J Robot Res* 6(2):29–44
109. Wolfson H (1990) On curve matching. *IEEE Trans Pattern Anal Mach Intell* 12(5):483–489
110. Costa LF, Cesar RM Jr (2000) *Shape analysis and classification, theory and practice*. CRC Press, Boca Raton
111. Burdea GC, Wolfson HJ (1989) Solving jigsaw puzzles by a robot. *IEEE Trans Robot Autom* 5(6):752–764
112. Veltkamp RC (2001) Shape matching: Similarity measures and algorithms. In: *Proc IEEE int conf on shape modeling & applications*, Genova, Italy, pp 188–197
113. Belongie S, Malik J, Puzicha J (2002) Shape matching and object recognition using shape contexts. *IEEE Trans Pattern Anal Mach Intell* 24(4):509–522
114. Mills EJ, Dean PM (1996) Three-dimensional hydrogen-bond geometry and probability information from a crystal survey. *J Comput Aided Mol Des* 10(6):607–622
115. Ozanian T, Phillips R (2000) Image analysis for computer-assisted surgery of hip fractures. *Med Image Anal* 4(2):137–159
116. Yap DWH, Chen Y, Leow WK, Howe TS, Png MA (2004) Detecting femur fractures by texture analysis of trabeculae. In: *Proc int conf on pattern recognition (ICPR)*, Cambridge, UK, pp 730–733

117. Syiam M, El-Aziem MA, El-Menshawhy M (2004) AdAgen: Adaptive interface agent for X-ray fracture detection. In: Proc IEEE int conf on electrical, electronic and computer engineering (ICEEC), Cairo, Egypt, pp 354–357
118. Lum V, Leow W, Chen Y, Howe Y, Png M (2005) Combining classifiers for bone fracture detection in X-ray images. In: Proc int conf on image processing (ICIP), Genoa, Italy, pp 1149–1152
119. Jia Y, Jiang Y (2006) Active contour model with shape constraints for bone fracture detection. In: Proc European conf on colour in graphics, imaging, and vision (CGIV), Leeds, UK, pp 90–95
120. He JC, Leow WK, Howe TS (2007) Hierarchical classifiers for detection of fractures in X-ray images. In: Kropatsch WG, Kampel M, Hanbury A (eds) Proc int conf on computer analysis of images and patterns (CAIP), Vienna, Austria. LNCS, vol 4673. Springer, Berlin, pp 962–969
121. Donnelley M, Knowles G, Hearn T (2008) A CAD system for long-bone segmentation and fracture detection. In: Elmoataz A et al (eds) Proc IAPR int conf on image and signal processing (ICISP), Cherbourg-Octeville, Normandy, France. LNCS, vol 5099. Springer, Berlin, pp 153–162
122. Welch G, Bishop G (2004) An introduction to the Kalman filter. Tech Report, No 95-041, UNC Chapel Hill
123. Meinhold RJ, Singpurwalla ND (1983) Understanding the Kalman filter. *Am Stat* 37(2):123–127
124. Chowdhury AS, Bhandarkar SM, Datta GS, Yu JC (2006) Automated detection of stable fracture points. In computed tomography image sequences. In: Proc IEEE int symp on biomedical imaging (ISBI), Arlington, VA, USA, pp 1320–1323
125. Jain R, Kasturi R, Schunck BG (1995) Machine vision. McGraw Hill, New York
126. Pena D, Gutman I (1988) Bayesian approach to robustifying the Kalman filter. In: Spall J (ed) Bayesian analysis of time series and dynamic models. Marcel Dekker, New York, pp 227–253
127. Ye JC, Bresler Y, Moulin P (2000) Asymptotic global confidence regions in parametric shape estimation problems. *IEEE Trans Inf Theory* 46(5):1881–1895
128. Subramanian KR, Brockway JP, Carruthers WB (2004) Interactive detection and visualization of breast lesions from dynamic contrast enhanced MRI volumes. *Comput Med Imaging Graph* 28(8):435–444
129. Simonson KM, Drescher SM Jr, Tanner FR (2007) A statistics-based approach to binary image registration with uncertainty analysis. *IEEE Trans Pattern Anal Mach Intell* 29(1):112–125
130. Gelman A, Carlin JB, Stern HS, Rubin DB (2004) Bayesian data analysis. Chapman & Hall/CRC, Boca Raton
131. Neter J, Kutner M, Wasserman W, Nachsteim C (2002) Applied linear statistical models. McGraw Hill, New York
132. Perez P, Vermaak J, Blake A (2004) Data fusion for visual tracking with particles. *Proc IEEE* 92(3):495–513
133. Berger JO (1985) Statistical decision theory and Bayesian analysis. Springer, New York
134. Harris CJ, Stephens M (1988) A combined corner and edge detector. In: Proc 4th Alvey vision conference, Manchester, UK, pp 147–151
135. Besag J (1986) On the statistical analysis of dirty pictures. *J R Stat Soc Ser B* 48(3):259–302
136. Lee SJ, Rangarajan A, Gindi G (1995) Bayesian image reconstruction in SPECT using higher order mechanical models as priors. *IEEE Trans Med Imaging* 14(4):669–680
137. Choi SM, Lee JE, Kim J, Kim MH (1997) Volumetric object reconstruction using the 3-D MRF model-based segmentation. *IEEE Trans Med Imaging* 16(6):887–892
138. Chan AK, Zheng L (2001) An artificial intelligent algorithm for tumor detection in screening mammogram. *IEEE Trans Med Imaging* 20(7):559–567
139. Salli E, Aronen HJ, Savolainen S, Korvenoja A, Visa A (2001) Contextual clustering for analysis of functional MRI data. *IEEE Trans Med Imaging* 20(5):403–414

140. Chen T, Metaxas DN (2004) Markov random field models. In: Yoo TS (ed) *Insight into images*. AK Peters, Wellesley
141. Richard FJP (2005) A comparative study of Markovian and variational image-matching techniques in application to mammograms. *Pattern Recognit Lett* 26(12):1819–1829
142. Popa C, Zdunek R (2005) Penalized least-squares image reconstruction for borehole tomography. In: *Proc algorithmy, Podbanske, Slovakia*, pp 260–269
143. Martin-Fernandez M, Alberola-Lopez C (2005) An approach for contour detection of human kidneys from ultrasound images using Markov random fields and active contours. *Med Image Anal* 9(1):1–23
144. Raj A, Singh G, Zabih R (2006) MRF's for MRI's: Bayesian reconstruction of MR images via graph cuts. In: *Proc IEEE int conf on computer vision pattern recognition (CVPR)*, New York, NY, USA, pp 1061–1068
145. Chowdhury AS, Bhattacharya A, Bhandarkar SM, Datta GS, Yu JC, Figueroa R (2007) Hair-line fracture detection using MRF and Gibbs sampling. In: *Proc eighth IEEE int workshop on applications of computer vision (WACV)*, Austin, TX, USA, p 56
146. Giannoudis PV, Dinopoulos H (2005) Current concepts of the inflammatory response after major trauma: an update. *Injury* 36(1):229–230
147. Vodovotz Y et al (2006) In silico models of acute inflammation in animals. *Shock* 26(3):235–244
148. Molina R (1994) On the hierarchical Bayesian approach to image restoration: Applications to astronomical images. *IEEE Trans Pattern Anal Mach Intell* 16(11):1122–1128
149. Boykov Y, Veksler O, Zabih R (2001) Fast approximate energy minimization via graph cuts. *IEEE Trans Pattern Anal Mach Intell* 23(11):1222–1239
150. Boykov Y, Jolly MP (2001) Interactive graph cuts for optimal boundary & region segmentation of objects in N-D images. In: *Proc IEEE int conf on computer vision (ICCV)*, Vancouver, Canada, pp 105–112
151. Xu N, Bansal R, Ahuja N (2003) Object segmentation using graph cuts based active contours. In: *Proc IEEE int conf on computer vision pattern recognition (CVPR)*, Madison, WI, USA, pp 46–53
152. Freedman D, Zhang T (2005) Interactive graph cut based segmentation with shape priors. In: *Proc IEEE int conf on computer vision pattern recognition (CVPR)*, San Diego, CA, USA, pp 755–762
153. Funka-Lea G, Boykov Y, Florin C, Jolly MP, Moreau-Gobard R, Ramaraj R, Rinck D (2006) Automatic heart isolation for CT coronary visualization using graph-cuts. In: *Proc IEEE int symp on biomedical imaging*, Arlington, VA, USA, pp 614–617
154. Song Z, Tustison N, Avants B, Gee J (2006) Adaptive graph cuts with tissue priors for brain MRI segmentation. In: *Proc IEEE int symp on biomedical imaging (ISBI)*, Arlington, VA, USA, pp 762–765
155. Boykov Y, Jolly MP (2006) Graph cuts and efficient N-D image segmentation. *Int J Comput Vis* 70(2):109–131
156. Boykov Y, Kolmogorov V (2004) Fast approximate energy minimization via graph cuts. *IEEE Trans Pattern Anal Mach Intell* 26(9):1124–1137
157. Rasband WS (1997–2008) *ImageJ*, US National Institutes of Health, Bethesda, Maryland, USA, <http://rsb.info.nih.gov/ij/>
158. Rogers Y, Sharp H, Preece J (2002) *Interaction design beyond human–computer interaction*. Wiley, New York
159. Müller H, Michoux N, Bandon D, Geissbuhler A (2004) A review of content-based image retrieval systems in medical applications-clinical benefits and future directions. *Int J Med Inform* 73(1):1–23
160. Lehmann TM, Güld MO, Thies C, Fischer B, Spitzer K, Keysers D, Ney H, Kohnen M, Schubert H, Wein BB (2004) Content-based image retrieval in medical applications. *Methods Inf Med* 43(4):354–361

Index

A

Alternating path, 18
Angular perturbation, 60
Augmenting path, 18
Automorphism group, 20
Axial edges, 143

B

Bayes' Theorem, 31
Bayesian Inference, 98
Bayesian prediction interval, 101
Biomechanical stability, 58
Bipartite graph, 16
Breadth first search, 141

C

Capacity function, 140
Central Limit Theorem, 30
Chebyshev Polynomials, 49
Clique, 34
Closest set, 45
Combinatorial, 81
Composite reconstruction metric, 60
Conditional autoregressive (CAR) model, 120
Conditional probability, 28
Confidence interval, 30
Contour Hausdorff Distance, 54
Corner detection, 96
Correlation coefficient, 117
Credible Sets, 31, 92
Curvature, 49
 contour curvature, 79
 Gaussian, 49
 mean, 49
 principal, 49
Cycle, 16
Cycle graph automorphs, 54

E

Edmonds–Karp algorithm, 23, 141
Emphysema, 117
Energy function, 34
Event, 28
Expectation, 28

F

Figure-of-merit, 101
Flow network, 23, 140
 2D flow network, 140
 3D flow network, 143
Ford–Fulkerson algorithm, 23, 141
Fracture, 7
 hairline/minor, 7, 112, 137
 well-displaced/major, 7, 92
Fragments, 81
 non-terminal, 81
 terminal, 81
Fundamental form
 first fundamental form, 49, 58
 second fundamental form, 49
Fuzzy sets, 50
 bulge, 50
 droop, 50

G

Gaussian noise, 120
Gibbs distribution, 120
Gibbs random field (GRF), 34
Gibbs sampling, 122
Graph, 16
 order, 16
 size, 16
Graph isomorphism, 20

H

Hammersley–Clifford Theorem, 34
 Hausdorff distance, 78
 Hierarchical Bayesian restoration, 120

K

Kalman Filter, 98

L

Likelihood, 31, 98

M

Markov random field (MRF), 34, 120
 Matching, 18
 Maximum Cardinality Matching, 18
 Maximum Cardinality Minimum Weight
 Matching, 45
 Maximum Weight Matching, 18, 82
 Max-flow Min-Cut Theorem, 23
 Maximum a posteriori (MAP), 34
 Maximum flow, 23, 141
 Mean squared error, 45
 Metric determinant, 58
 Minimum cut, 23, 141
 Mode, 28
 Moment of inertia, 56

N

Normal edges, 140
 Normalized cross-correlation, 56

P

Path, 16
 Plane of symmetry, 56, 116
 Point estimator, 30
 Population, 30
 Posterior, 31, 98
 Posterior predictive distribution, 31
 Posterior predictive mean, 101
 Posterior predictive variance, 101
 Prior, 31, 98
 Probability, 28

R

Random field, 34
 Random variable, 28
 continuous, 28
 discrete, 28
 Reward-penalty schemes, 51
 binary, 51
 penalty, 51

S

Sample, 30
 Sampling distribution, 30
 Score matrix, 77
 Shape monitoring, 84
 Soft tissue swelling, 117
 Spatial consistency, 101
 Spatial proximity, 78
 Standard deviation, 28
 Statistical inference, 30
 Stochastic degradation, 120
 Stochastic relaxation, 34
 Surface area, 58
 Surface irregularity, 47
 Surface matching algorithms
 DARCES, 45
 geometric, 54
 hybrid DARCES–ICP, 47
 hybrid Geometric–ICP, 54
 ICP, 45

T

Tangential edges, 140
 Tanimoto coefficient, 84
 Thresholding, 42
 entropy-based, 42
 simple, 42
 Type-0 constraint, 45
 Type-1 constraint, 54

V

Variance, 28

W

Walk, 16