

# Index

## A

- abuse 23
  - child abuse, midwife's statutory duty of disclosure 108
  - physical 101, 104–5
  - psychological 101
  - sexual 23, 101
  - see also* domestic violence
- adoption, relinquishment for 36–7
- AIMS 24
- anabolism, fetal 54, 55
- antenatal education classes 76
- arachidonic acid 105
- Association of Breastfeeding Mothers 79
- atopic disease, and feeding methods 71, 75
- authoritative knowledge 8–9, 10, 12

## B

- Baby Friendly Hospital Initiative 73, 132–3
- batterers, overcontrolled/undercontrolled 103
- behaviour change, model of 95
- biological changes 51–65
  - endocrine pancreas 56
  - fetal anabolism 54, 55
  - fetal metabolism 52–3, 55–6
  - labour and birth 57
  - maternal catabolism 54
  - neonatal metabolism 52–3
- nutrition, placental to mammary 57–8
- oxytocin 51–2, 57, 58
- practice check 59
- practitioners' assumed knowledge 53–4
- recommendations for clinical practice 59
- birth
  - cultural context 4–5, 7–8
  - as a rite of passage 6–8
  - technocratic model of 7
  - see also* medical model
- Birth Afterthoughts 24
- Birth Crisis Network 24
- bottle-feeding
  - gastroenteritis infection 70
  - making up feeds 76, 80
  - unsafe 66–7
- breastfeeding 66–82
  - attachment of baby 76
  - conflicting advice 79
  - frequency 77, 78
  - further reading 82
  - gastroenteritis infection 70
  - health benefits 66–72
  - and infant illness 68–71
  - influence of home environment 133

- information about 75–6
  - and mothers 72
  - not instinctive 76
  - practice check 80
  - practitioners' assumed knowledge 66
  - protection from infection 69–71, 75
  - recommendations for clinical practice 79–80
  - research criteria 67–9
  - Seven Point Plan for
    - community settings 73
    - and sexual activity 89, 96
  - staff training in
    - breastfeeding management 75
  - support groups 79
  - Ten Steps to Successful Breastfeeding (WHO/UNICEF) 73, 74–9
  - and time of discharge from hospital 132
- breast milk 71–2
  - adequacy of 77
  - v.* breast milk substitutes 71
  - hand-expressing 76–7
  - health benefits 71
  - milk banking 72
  - pump-expressing 77
- breast milk substitutes 71–2
  - v.* breast milk 71
  - International Code on the Marketing of Breastmilk Substitutes 73, 75

## C

- cancer
  - breastfeeding as protection from 72
  - cervical 90–1, 93
- care
  - expert advisor model 116–17
  - partner model 117
- catabolism, maternal 54
- catecholamines 57
- cervical cancer 90–1, 93
- cervical ectopy 93
- Cervical Screening Programme, NHS 90–1, 96
- CHANGE programme, Stirling University 104
- Changing Childbirth* 113–14, 123, 132
- chest infections, and feeding methods 75
- child abuse
  - midwife's statutory duty of disclosure 108
  - see also* domestic violence
- childbirth, *see* birth
- child protection, and domestic violence 108
- children, in abusive homes 108

- chlamydia 91
  - Chlamydia trachomatis* 91
  - colostrum 77, 78
  - communication
    - practice check 26
    - practitioners' assumed knowledge 19
    - recommendations for clinical practice 26
    - stories 11–12
    - women's need to talk 19–28
    - see also* listening to women
  - community-based postnatal care, *see* postnatal care in the community
  - condoms, female 93–4
  - 'confessional tales', in research 39
  - confidentiality, and domestic violence 108
  - congenital abnormalities, grieving after termination for 33
  - continuity of carer 23–4
  - contraception
    - 'belt and braces' method 93, 95
    - changing trends 85
    - clinical trials 93
    - clinics 83
    - condom use and trust in relationship 94
    - female-controlled 92–4
    - timing of information-giving 86
    - after weaning 89
    - see also* family planning
  - control 119–20
    - external 119
    - internal 119
    - see also* decision-making; empowerment
  - coping abilities, miscarriage and stillbirth 35
  - coping strategies, researchers 40–2
  - counselling, psychotherapeutic 35
  - culture, birth in context of 4–5, 7–8
  - cup feeding 78
- ## D
- debriefing 24–6
    - good and harm from interventions 25
  - decision-making 115–16
    - see also* control; empowerment
  - depression
    - following miscarriage 32
    - postpartum, loss of sexual interest as sign of 88
    - see also* postnatal depression
  - diaphragms 92–3

- discussion, women's need for 21-3, 23-4
- disease, postnatal screening for 90-5
- distress, psychological, after childbirth 20, 23, 26
- domestic abuse, *see* domestic violence
- domestic violence 100-12
- batterers, overcontrolled/ undercontrolled 103
  - categories of 100
  - and child protection 108
  - and confidentiality 108
  - disclosure of 106-7
  - effect on pregnancy 104-5
  - forums 108
  - further reading 112
  - and gender 102-3
  - homicide 101
  - indicators of abuse 105-6
  - interventions with violent and abusive men 103-4
  - local guidelines 107-8
  - midwives' safety 109
  - nature of 100-1
  - perpetrators of 101-3
  - personality types 103
  - physical abuse 101, 104-5
  - physiological theories 103
  - and postnatal depression 105
  - practice check 110
  - practitioners' assumed knowledge 100
  - prevalence 100-1
  - psychological abuse 101
  - psychopathological perspectives 103
  - questioning about 106-7
  - recognition of 105
  - recommendations for clinical practice 109-10
  - Royal College of Midwives guidelines 107
  - sexual abuse 101
  - social learning theories 103
  - sociostructural theories 103
  - and stress 105
  - support and information 108, 109-10
  - theories of 103
  - see also* child abuse
- DOMINO schemes 133
- dummies 74, 78
- dyspareunia 89-90, 96
- E**
- ear infections, and feeding methods 75
- education and training
- antenatal education classes 76
  - in communicating with abused women 107
  - HIV infection 83
  - midwives' training in family planning methods 86, 95
  - staff training in
- breastfeeding management 75
  - VOICES training 123
  - empowerment 113-28
    - criteria for 116
    - definitions 115, 116, 118
    - further reading 128
    - issues relating to concept of 114
    - key factors in 126
    - language of empowerment/ disempowerment 122
    - midwives' role in 113, 120-1
    - models of care 116-17
    - practice check 117
    - practitioners' assumed knowledge 114
    - recommendations for clinical practice 126
    - see also* control; decision-making
  - endocrine pancreas 56
  - ethics, social and personal 86-7
  - ethnic minorities 86-7
  - evaluation, *see* debriefing
  - expert advisor model of care 116-17
  - external control 119
- F**
- family planning
- choice of methods 85
  - ethnic minority groups 87
  - midwife's role in advice-giving 83, 86
  - postpartum advice 84-5, 86
  - see also* contraception
- Family Planning Association 95
- fat accumulation, during pregnancy 55
- fatigue, and postnatal sexual response 88, 89
- feeding, *see* bottle-feeding; breastfeeding; breast milk; breast milk substitutes; cup feeding
- First Class Delivery* (Audit Commission report) 79
- G**
- Gardnerella vaginalis* 91
- gastroenteritis, and feeding methods 70, 75
- gender
- domestic violence and 102-3
  - and perinatal grief 31-2
  - of researchers 38-9
- general practitioners
- initiation of miscarriage care 34
  - role in postnatal care 137
- glucagon, following birth 57, 58
- gluconeogenesis 53, 56
- glucoprivation 58
- glucose 53, 54, 55, 56
- during labour 57
  - glucose homeostasis 52-3
  - glycogen 55, 58
  - myometrial 57
  - glycogenesis 53
  - glycogenolysis 58
  - glycolysis 58
  - GPs, *see* general practitioners
  - grief 30
    - see also* perinatal grief
- H**
- health visitors
- co-operation with midwives 136-7
  - role in postnatal care 136-7
- HIV (human immunodeficiency virus infection 91-2, 96
- antenatal diagnosis rate 92
  - antenatal testing 91-2
  - awareness 92
  - education 83
  - homicide 101
  - hospital-based postnatal care, *see* postnatal care in hospital
  - human immunodeficiency virus, *see* HIV
- Human Milk Banking Association 72
- human papilloma virus 92
- hyperglycaemia 54, 58
- hypoglycaemia, in the neonate 77
- I**
- incorporation, rite of 7, 8
- information, women's need for 21-3
- insulin 53, 54, 56, 57, 58
- internal control 119
- International Code on the Marketing of Breastmilk Substitutes 73, 75
- interventions
- evaluation of 24-6
  - good and harm from 25
  - intrauterine death (IUD), grieving after 32-3
  - involvement, user involvement in maternity service planning and monitoring 122-4
- J**
- jaundice 77
- K**
- ketogenesis 54, 55-6
- ketones 55-6, 57
- knowledge
- authoritative 8-9, 10, 12
  - stories as source of 11-12
- L**
- labour
- at-risk concept *v.* normal 118
  - glucose requirements 57
  - lactogenesis 58

- La Leche League 79  
 language, *see* terminology  
 liminal period 7  
 lipogenesis 53, 55  
 lipolysis 54, 58  
 listening to women 10–11, 13, 14  
   discussion of birth experience 21–3, 23–4  
   recommendation for clinical practice 26  
 love 14  
   and grief 30  
 lying-in period 130
- M**  
 maternity services, user involvement in planning and monitoring 122–4  
 Maternity Services Liaison Committees (MSLCs) 122–4  
 practice check 124  
 maternity units, understaffing 79  
 medical model 3–4, 117–18  
 practice check 118–19  
*see also* authoritative knowledge  
 metabolism  
   fetal 52–3, 55–6  
   maternal 54  
   neonatal 52–3  
 midwifery  
   art or science? 120–1  
   current range of services 23–4  
   One-to-One midwifery care scheme 24  
   practice check 121  
   professionalisation of 10  
   services for women's discussion of birth experience 23–4  
   supervision 125  
   team midwifery 133  
 midwives  
   advice on postpartum morbidity 90  
   caring for grieving mothers 37–8, 42–4, 44–6  
   clarification of models of care 13–14, 15  
   co-operation with health visitors 136–7  
   duty of disclosure of suspected child abuse 108  
   pain of caring 43  
   risk of violence to 109  
   role in empowerment 113, 120–1  
   role in family planning advice-giving 83, 86  
   role in sexual health advice 94, 95  
   support for 42–4  
   training in family planning methods 86, 95  
   use of self 9  
 Midwives Act 1902 130
- Midwives Rules 134  
 milk banking 72  
 miscarriage  
   coping abilities 35  
   grief attached to 32  
   initiation of care by general practitioners 34  
 motherhood  
   childbirth as a rite of passage 6–8  
   experienced mothers as mentors 11  
   factors in process of 10  
   a fundamental change 2, 6, 9–10  
   loss of identity 6  
   public institution *v.* private experience 6, 8–9, 10  
 myometrial glycogen 57
- N**  
 National Breastfeeding Network 79  
 National Childbirth Trust (NCT) 24, 79  
 VOICES project 123  
 NCT, *see* National Childbirth Trust  
 necrotising enterocolitis, and feeding methods 71, 72, 75  
 neonatal death (NND), grieving after 32–3  
 NHS Cervical Screening Programme (NHSCSP) 90–1, 96  
 nipple confusion 78  
 nipple shields 78  
 normality 2  
 nutrients 54  
 nutrition 57–8  
   fetal 54
- O**  
 oestrogen 52  
 One-to-One midwifery care scheme 24  
 oxytocin 51–2, 57, 58
- P**  
 pacifiers, *see* dummies  
 papilloma virus 92  
 partner model of care 117  
 passivity, and terminology, practice check 121  
 perinatal grief 29–50  
   case study 44–6  
   culture influence 32  
   further reading 50  
   and gender 31–2  
   and intentionality 33  
   after intrauterine death (IUD) 32–3  
   after neonatal death (NND) 32–3  
   patterns of 31, 32  
   personal factors 31  
   practice check 47  
   practitioners' assumed knowledge 29–30
- reactions 31  
 recommendations for clinical practice 47  
 researching 31, 33–7  
 after termination for congenital abnormalities 33  
 perinatal symptoms 2  
 phosphoenolpyruvate carboxykinase 58  
 physical abuse 101, 104–5  
 postnatal care  
   aims 1  
   Asian women 5  
   in the community, *see* postnatal care in the community  
   content of care 135–6  
   continuity of carer 23–4  
   GP's role 137  
   health visitor's role 136–7  
   historical background to organisation of 130  
   in hospital, *see* postnatal care in hospital  
   maternal morbidity 137–8  
   organisation of 129–42  
   practice check 140  
   practitioners' assumed knowledge 3, 19, 129  
   recommendations for clinical practice 139–40  
   research into models of organisation of 138–9  
   research into provision of 13  
   role of other health professionals 136–7  
   routine 1–2  
   services for discussion of birth 23–4  
   time targets 130  
   two sides of 13  
   women's comments about 2  
*see also* postpartum morbidity  
 postnatal care in the community  
   duration of visits 135  
   organisation of 133–5  
   pattern of visits 134–5  
   selective visiting 134, 140  
   tasks performed by midwife 135  
   views about 134  
 postnatal care in hospital and breastfeeding 132  
 complaints about 133  
 early home transfer, potential difficulties 131  
 effect of hospital stay on maternal outcomes 131–3  
 lack of co-operation between hospital and group practice midwives 133  
 length of stay 131, 132, 140  
 organisation of 131  
 postnatal depression 5–6, 22–3

- and domestic violence 105  
and length of hospital stay 132
- postnatal period 12–13  
lack of domestic help 5  
Midwives Rules definition 134  
practice check 15–16  
recommendations for clinical practice 14–15
- postpartum depression 88  
postpartum morbidity 137–8  
midwives' advice on 90  
problems not spontaneously reported 137–8, 138, 140
- post-traumatic stress disorder (PTSD) 22–3, 26
- power 115  
*see also* empowerment
- pregnancy  
effect of domestic violence on 104–5  
information on first, affecting subsequent 22, 26  
medical view of 3  
termination of, and grief 33
- preterm infants, feeding 78
- progesterone 52
- prostaglandins 105
- psychological abuse 101
- psychological distress, after childbirth 20, 23, 26
- psychotherapeutic counselling 35
- PTSD (post-traumatic stress disorder) 22–3, 26
- puerperal fever, care based on risk of 1–2
- puerperal infection 130
- puerperium  
case for redefining length of 12–13  
time of role change 85
- pyruvate kinase 58
- R**
- randomised controlled trials (RCTs) 34–5
- Reading Post-delivery Stress Clinic 24
- reality of womanhood, deriving from motherhood 9–10
- relinquishment for adoption 36–7
- reproductive function, disorders affecting 89–90
- research  
further reading xii  
methods 36  
'Q sort' technique 35–6  
randomised controlled trials (RCTs) 34–5  
transcription in 39
- researchers  
'confessional tales' 39  
coping strategies 38, 40–2  
debriefing 40  
gender characteristics 38–9  
personal costs 37–40  
personal and emotional input 37  
support for 41, 42  
vulnerability of interviewer 39–40, 41–2
- rite of incorporation 7, 8
- rite of passage  
childbirth as a 6–8  
definition 7  
phases 7
- rite of separation 7
- rooming-in 77
- routine, in postnatal care 1–2
- Royal College of Midwives, domestic violence guidelines 107
- S**
- sadness, medicalisation of 5–6
- self, midwives' use of 9
- separation, rite of 7
- Seven Point Plan,  
breastfeeding in community settings 73
- sexual abuse 23, 101
- sexual behaviour 84–7  
postnatal changes and adjustments 85
- sexual function, disorders affecting 89–90
- sexual health 83–99  
advice to under-16s 96–7  
further reading 99  
practice check 96–7  
practitioners' assumed knowledge 84  
recommendations for clinical practice 95–6  
sensitivity in advice-giving 94–5  
WHO definition 84
- sexual intercourse 2, 4–5
- sexually transmitted infections, postnatal screening for 90–5
- sexual response, psychological factors inhibiting 88–9
- skin-to-skin contact 76
- sociocultural attitudes, *see* ethnic minorities
- soothers, *see* dummies
- spermicides 92–3
- sterilisation 85
- stillbirth  
coping abilities 35  
'meeting' the stillborn child 43
- stories as source of knowledge 11–12
- stress, after abuse 105
- suckling 52, 53, 58, 59
- supervision 125
- supervisors, self-reflection for 125
- support 15  
domestic 5  
emotional 10, 36  
for grieving mothers 36–7  
for midwives 42–4  
peer support for staff 43  
for researchers 41, 42  
social 11  
support groups 78–9
- T**
- team midwifery 133
- teats, artificial, *see* dummies
- technocratic model of birth 7
- Ten Steps to Successful Breastfeeding (WHO/UNICEF) 73, 74–9
- termination of pregnancy, and grief 33
- terminology  
of pregnancy and birth 122  
and passivity, practice check 121
- thermogenesis 57
- time targets, in postnatal care 130
- tiredness, and postnatal sexual response 88, 89
- training, *see* education and training
- transcription, in research 39
- U**
- urinary infection, and feeding methods 75
- V**
- vasectomy 85, 87
- Victim Support 101
- violence, *see* domestic violence
- VOICES project 123
- W**
- Winterton report 113, 117
- womanhood, deriving from motherhood 9–10
- Women's Aid Federation of England 101, 109
- Z**
- Zero Tolerance Campaign 103