

Index

- α_s -method, 139
- Acid site determination, 306
- Activation energy, 6, 213, 230, 231
- Active metal area, 228
- Active sites, 218, 219
- Adhesive force, 160
- Adsorbate, 5
 - surface interaction, 60, 68
- Adsorbed layer (film) thickness, 113, 131
- Adsorbent, 5
- Adsorption
 - activated, 216
 - apparatus, 243
 - chemical, 6, 213
 - dissociative, 214
 - energy, 7
 - epitaxial, 73
 - forces, 7
 - gas, *see* Adsorptive, adsorbate
 - heat of, 6, 70, 230, 231
 - heterolytic, 215
 - homolytic, 214
 - hysteresis, 43, 112
 - hysteresis loop scan, 121, 275
 - hysteresis types, 44
 - irreversible, 6, 295
 - isotherms, 11, 36
 - by continuous flow, 273
 - localized, 74
 - mechanism, 15
 - measurement, 234
 - mesopore, 11, 37
 - multilayer, 24, 37
 - non-activated, 216
 - peak, 261
 - physical, 6
 - potential, 11, 70
 - rate of, 221
 - supercritical, 10
- Adsorptive, 5, 78, 254, 292
- Advancing contact angle, 173
- Affinity coefficient, 300
- Alumina
 - hysteresis loop, 275
 - mercury porosimetry of, 167, 169, 186
- Alpha-s method, 139
- Ammonia TPD, 306
- Analyzer
 - calibration, 270
 - chemical compatibility, 288
 - chemisorption, 284, 298
 - dynamic flow, 266, 297
 - mercury porosimeter, 318
 - multistation, 256
 - pulse chemisorption, 300
 - static volumetric, 242, 284
 - valves, 286
 - vacuum, 287
- Argon
 - adsorption in mesoporous materials, 52, 123
 - micropore analysis, 255
 - phase behavior in mesopores, 51, 123
- BAM, 235
- Basic site determination, 307
- Barrett-Joyner-Halenda method (BJH), 43
- BDDT, 12
- BET
 - applicability of theory, 67
 - C constant, 21, 60, 28
 - and site occupancy, 61
 - and cross sectional area, 73
 - effect on isotherm shape, 69
 - equation, 23, 59
 - n-butane, 76
 - n-pentane, 75

- plot, 59
 - single point, 62, 280
 - theory, 18, 59
- Brunauer, Emmett, Teller, *see* BET
- Bottle-neck pore, *see* Ink-bottle pore
- Bracketing, 220
- Broeckhoff-de Boer method, 116
- Bulk density, 331
- Butane, 77, 78

- C value, *see* BET C constant
- Calorimetry, immersion, 85
- Capillarity, 162
- Carbon
 - activated, 27, 99
 - black, 206
 - microporous, 27
- Carbon dioxide,
 - basic site investigation, 307
 - micropore analysis, 255
- Carr's index, 331
- Catalyst characterization, 283, 297
- Cavitation, 48
- Ceria, 305
- Chemical adsorption, *see* Chemisorption
- Chemisorption
 - Chemisorption
- Chemical potential, 25
- Chemisorbed monolayer, 220
- Chemisorption, 6, 213, 283
 - active metal area by, 228
 - analyzer, 284, 298
 - crystallite size by, 229
 - dynamic, 297
 - gases for, 288, 290, 292, 294, 299
 - heat of, 213
 - isotherms, 292
 - temperature dependent models, 223
 - temperature programmed, 303
 - static methods, 283
 - flow methods, 297
 - titration, 301
 - volumetric, 283
- Clausius-Clapeyron equation, 248
- Clusters, 218
- Coefficient of thermal diffusion, 278
- Cohesive force, 160
- Cold zone, 245
- Compressibility, 210, 331
- Condensation, 37
- Conductivity bridge, 260
- Confinement effects, 53, 54
 - contact angle, 189
 - density, 34
- Contact angle, 160, 189, 313
 - advancing, 173
 - change, 173
 - condensed liquid, 40
 - dynamic, 314
 - mercury, table of, 315, 317
 - receding, 173
 - static, 316
- Continuous flow gas adsorption
 - apparatus, 261, 269
 - calibration, 270
 - data reduction, 279
 - isotherms by, 273
 - low surface area, 276
 - method, 235
 - sample cells, 270
 - scanning hysteresis loop, 111, 274
- Controlled-pore glass (CPG), 99, 125, 119
- Coolant level, 247
- Critical point, 249
 - shift, 51
- Critical temperature, 54
- Cross-sectional area, 71
 - Krypton, 29, 80
 - n-butane, 28, 76
 - n-pentane, 75
 - table, 78
- Crush strength, 324

- Cryogenic temperature,
 and adsorbent temperature, 234
 and thermal transpiration, 253
 diffusion problems at, 153
 non-ideality correction at, 245
- Crystallite size, 229
- Darcy's law, 88, 200
- Degassing, *see* Outgassing
- Density, fluid, 10, 34, 50
- Density, mercury, 334
- Density, solids
 apparent, 330, 336
 bulk, 331
 by helium pycnometry, 327
 by mercury porosimetry, 333
 cellular plastics (foams), 330
 effective, 333
 envelope (geometric), 332
 particle, 1
 real, 326
 skeletal, *see* true
 standard methods, 337
 tap, 331
 true, 205, 326
- Desorption
 peak in continuous flow, 261
 rate of, 221
 temperature-programmed,
 see TPD
- Desorption isotherm
 and fractal dimension, 96
 and mesopore size, 104
 by continuous flow, 273
 closure point, 122
 in automated instrumentation,
 257
 scan, 234, 274
- Density functional theory (DFT),
 28, 34
 local (LDFT), 33
 non-local (NLDFT), 33, 36
- Diffusion
 accelerated, 152, 255
 adsorption rate limiting, 6
 and large cavity emptying, 48
 and tortuosity, 202
 during gas purge, 291
 in micropores, 152, 253
 molecular flow, 88
 Fick's law, 212
 filament type, 266
 pump, 239
 restricted, 255
 thermal, 276
- Differential heats, 230
- Dilatometer, *see* Penetrometer
- Disordered materials, 48
- Dispersion (metal), 229
- Dispersion force, 7
- Dissociative adsorption, 214
- Dubinin-Astakhov (DA) equation,
 32
- Dubinin-Radushkevich (DR)
 equation, 31, 143
- Dubinin-Stoeckli approach, 32
- Dynamic (Continuous flow)
 methods, 235, 260, 297
- Effective cross-sectional area, 21
- Elutriation, 240
- Energy
 activation, 213, 230, 231
 of adsorption, 16
 chemisorption, 213
 interaction, 8, 24
 potential
- Enthalpy, *see* Heat
- Envelope density, 332
- Equation
 BET, 59
 carbon black, 132
 Clausius-Clapeyron, 248
 Dubinin-Astakhov (DA), 32
 Dubinin-Radushkevich (DR),
 31, 143
 de-Boer, 132
 Everett-Powl, 145

- Frenkel-Halsey-Hill, 96
 Freundlich, 220
 Horvath-Kawazoe (HK), 145
 Kelvin, 40
 Kissinger, 232
 Langmuir, 58
 Saito-Foley, 145
 Temkin, 223
 thermal transpiration correction,
 253
 Washburn, 164, 189
 Young – Laplace, 158
 Equilibrium vapor pressure, 40,
 101, 160
 saturated, 248
 Equipotential plane, 29
 Extrusion contact angle, 180
 Euclidean surface, 95
- Faujasite, 28, 145, 153
 Film thickness, 25, 37, 38
 Filler rod, 240
 Fick's law, 203
 Flow-technique, 260
 Forces,
 adhesive, 160
 adsorption, 7
 cohesive, 160
 dispersion, 7
 London, 7
 polarizing, 19
 van der Waals, 7
 Fractal analysis
 FHH method, 95, 98
 molecular tiling, 94
 thermodynamic method, 97
 Fractal dimension, 95, 197
 Free energy
 change with condensation, 41
 Gibbs, 7
 Helmholz, 34
 Frenkel-Halsey-Hill, 24, 95, 98
 Free space, *see* Void volume
 Freundlich
 equation, 227
 method, 226, 231
- Gas,
 analysis-, *see* Adsorptive,
 adsorbate
 displacement pycnometry, 326
 carrier, 262, 299
 reactive, 292, 299
 Gas density, 10
 Gas-liquid
 coexistence, 24, 34, 38, 101
 phase transition, 26, 46, 49, 118,
 121
 Gas sorption, 5
 comparison with mercury
 porosimetry, 184, 208
 GCMC, 114, 149
 Generalized adsorption isotherm
 (GAI), 36
 Gibbs'
 adsorption equation, 83
 free energy, 9
 Gravimetric method, 234
 Gurvich rule, 112
- H-ZSM5, 307
 Halsey equation, 130
 Harkins-Jura (HJ)
 absolute method, 85
 relative method, 82
 constant, 84
 Hausner ratio, 331
 Heat
 of adsorption, 70, 85, 230, 231
 of chemisorption, 213
 of condensation, 85
 of immersion, 85
 of liquification, 70
 Helium, 246
 adsorption, 154
 Helium pycnometry, 320
 Hess' law, 85
 Heterogeneous catalysts, 217

- Horvath-Kawazoe (HK), 28, 145
Hydraulic radius, 110, 142
Hysteresis, 39
 classification (IUPAC), 43
 critical point, 54
 critical temperature, 54
 intrusion-extrusion, 182
 loop, 27, 44, 53
 origin, 45
 tensile strength and, 121
 types, 43
Hydrogen adsorption, 214

IRRM, 235
IUPAC classifications
 hysteresis loops, 44
 isotherms, 12
IUPAC definitions
 dissociative adsorption, 214
Ideal gas correction, 245
Immersion calorimetry, 85
Independent pore model, 45
Ink-bottle pore, 47
Integral heat, 231
Interaction potential, 9
Interfacial tension, 161, 165
Interparticle voids, 166, 177, 189, 324
Intraparticle
 pores, 189
 volume, 324
Intrusion contact angle, 180
Intrusion-extrusion curves, 166, 70, 181, 319
Islands, 218
Isobar, 217
Isostatic crush strength, 324
Isotherm, 5
 adsorption, 11, 36
 by continuous flow, 273
 chemisorption, 292
 combined, 220, 293
 desorption, *see* Desorption
 isotherm
 extrapolation, 220
 irreversible, 220
 IUPAC Classification, 11
 Langmuir, 15
 shape, 69
 strong, 295
 subtraction, 227
 type I, 12, 15, 27, 58
 type II, 12
 type III, 12
 type IV, 13
 type V, 13
 type VI, 13
 weak, 295
Isosteric heat, 231

Jamming transition, 324

Kelvin equation, 40, 101
 modified, 42
Kelvin radius, 40, 102
Kinetic theory, 15
Kissinger equation, 232
Kozeny equation, 201
Krypton
 adsorption, 79
 cross sectional area, 81
 for low surface area, 123, 250, 278
 saturation pressure (P_0), 79

LGC, 235
Langmuir
 constant, 221
 equation, 58, 222
 isotherm, 15
 plot, 58
 theory, 221, 231
Latent heat of condensation, 85
Lateral interaction, 68
Laplace equation, 41
Lennard-Jones potential, 35
Linear flow velocity, 87
Liquid argon, 123, 255

- Liquid molar volume, 72, 112
- Liquid nitrogen, 255
- Loading (metal), 229
- Localized adsorption, 79
- London forces, 7
- Low surface area measurement, 79, 278, 123
- Macropore
 - definition, 11
- Manifold, 244, 285
- Manometry, 242
- Mass spectrometer, 308
- Mayer-Stowe method, 204
- Menger sponge, 199
- Metal
 - area, 228
 - clusters, 218
 - dispersion, 229
 - islands, 218
 - loading, 229
 - nanoparticles, 218
 - parameters, 309
- MCM-41 silica, 46, 52, 79, 100, 125, 150,
- MCM-48 silica, 52
- M41S-materials, 51
- Mean free path, 87, 253
- Mercury contact angle, 189
 - dynamic, 314
 - static, 316
 - table of, 315, 317
- Mercury porosimetry, 157, 189, 311
 - comparison with gas sorption, 184, 208
 - contact angle in, 160, 178, 189
 - crush strength, 324
 - curve, 166
 - data reduction, 324
 - entrapment in, 171, 322
 - extrusion, 160
 - high-pressure, 320
 - hysteresis in, 170, 177
 - intrusion, 160
 - isotherms, 186
 - low pressure, 318
 - PV work in, 171
 - pore length distribution from, 194
 - pore population from, 195
 - pore size distribution from, 190
 - porosimeter, 312
 - powders, 232
 - sample cell, *see* Penetrometer
 - safe working, 311
 - scanning, 321
 - stepwise, 322
 - surface area from, 196
 - theory of, 189
 - volume measurement, 313
 - volume distribution from, 190
 - volume \ln radius distribution from, 192
- Mesopore,
 - adsorption in, 37
 - analysis, 251
 - definition, 11
 - pore size, 101
- Metastable states, 45
- Metastable multilayer, 45
- Microbalances
- Micropore
 - analysis, 129, 251
 - definition, 11
 - filling, 26
 - volume, 143
- Micropore surface area
 - from gas adsorption, 132
 - from mercury porosimetry
- Modelless pore size analysis, 109
- Modified Kelvin equation, 42, 114
- Molecular dynamics, 28, 35, 149
- Molecular packing, 72
- Molecular probe method, 152
- Molecular sieves, 100
- Molecular tiling, 94
- Monolayer, 17

- adsorption, 58
 - capacity (chemisorbed), 220
 - coverage, 60, 220
 - volume, V_m , 220
- Monte Carlo simulation, 28, 35
- Micropore analysis, 129, 251
- MP method, 140
- Multipoint BET method, 59
 - comparison with single-point method, 63
- Multilayer adsorption, 19, 37

- NIST, 235
- Nanoparticles, 218, 229
- Nelson-Eggertsen flow method, 235, 260
- Nitrogen
 - adsorption
 - in cylindrical oxide pores, 149
 - in MCM-41, 115
 - on active carbon, 27
 - on faujasite, 153
 - as standard adsorptive, 78
 - cross-sectional area, 78
- Non-Local Density Functional Theory (NLDFT), 114, 149
- Network percolation effects
- Non-wetting liquid penetration, 157
- Non-ideality, 245
 - table of factors, 247
- Nonane preadsorption, 153
- NOVA concept, 257

- Outgassing, 238
 - cycling, 239
 - temperature, 239
 - vacuum, 239
- Overlapping potential, 12, 18, 31, 71
- Oxidation, temperature-programmed, *see* TPO
- Oxygen
 - adsorption, 305
 - desorption, 307

- P/P_0 , *see* Relative pressure
- P_0 , *see* Saturation vapor pressure
- Particle porosity, 324
- Particle size
 - from mercury porosimetry, 204
 - Mayer-Stowe approach, 204
 - Smith-Stermer approach, 206
- Penetrometer, 312, 323
- Pentane, 75
- Permeability, 200
- Permeametry, 86
- Phase transition
- Physisorption, 6
 - measurement, 234
- Point B, 12
- Poiseuille's law, 87, 200
- Polyani potential theory, 29, 179
- Polarization forces, 70
- Pore
 - area, 196
 - blocking, 47
 - condensation, 12, 37, 71
 - filling, 28, 71
 - length distribution, 194
 - number distribution, 194
 - network, 182
 - population, 195
 - potential, 179
 - shape, 42, 197
 - size, 11, 36, 112, 189
 - size distribution, 190
 - volume, 111
 - cumulative, 191
 - distribution, 190, 192
- Pore/throat ratio, *see* Throat/pore ratio
- Porogram, 166
- Porosimeter
 - scanning, 168
- Porosimetric work, 175
- Porosimetry, *see also* Mercury porosimetry

- curves, 170
- scanning, 321
- stepwise, 322
- Porosity, 2, 324, 330
- Potential
 - adsorption, 11, 70
 - chemical, 24
 - interaction, 8, 70
 - pore, 179
 - theory, 29
- Powder volume, 326, 332
- Powder compression, 323
- Pressure
 - hydrostatic, 189
 - measurement, 286
 - relative, *see* Relative pressure
 - saturation, *see* Saturation vapor pressure
- Pulse
 - injection, 300
 - titration, 301
- Pycnometer, 326
- Quasi-equilibrium, 234
- Receding contact angle, 173
- Reference materials, 235
- Relative pressure (P/P_0)
 - alpha-s reference, 139
 - continuous flow, 273
 - error in pore size, 249
 - external area, 112
 - hysteresis closure, 44, 121
 - mercury porosimetry, 185
 - micropore filling, 26, 123, 147, 152, 254
 - pore condensation, 42, 101
 - pumping system, 251
 - spinodal condensation, 118
 - sorption hysteresis, 47
 - tolerance, 257
 - total pore volume, 111
 - transducer range, 251
- Relative pressure range for
 - BET applicability, 67, 138, 251
 - DR method, 32, 144
 - FHH method, 26, 97
 - Harkins-Jura method, 82, 84
 - single point BET, 64, 66
 - t-plot, 132
- Repetitive cycling, 239
- Representative samples, 236
- Reverberi method, 322
- Riffler, 236
- Saito-Foley, 145, 149
- Sample cell, 250, 270, 287, 299
 - temperature, 248, 287, 293, 300, 304
- Sample preparation, 238, 289, 301
- Saturation vapor pressure, 248
- SBA-15 silica, 119, 125
- Scanning porosimetry, 321
- Shape factor, 230
- Silica
 - gel, 211, 221, 335
 - MCM-41, 46, 52, 100
 - MCM-48, 52
 - mesoporous, 99
 - SBA-15, 119, 125
- Single point method (BET), 62, 280
 - comparison with multipoint, 63
 - relative error, 64
- Single pore model, *see* Independent pore model
- Site occupancy, 61
- Slab approximation, 24
- Slit-shaped pores, 44, 147
- Smith-Stermer method, 206
- Sorption isotherm, 5
- Space velocity, 291
- Spillover, 227
- Spinodal, 45, 48
- Spreading pressure, 82
- Standard
 - conditions, *see* STP
 - reference material, 235

- adsorptive, 78
- density methods, 337
- Statistical thickness, 43, 102, 110, 113
- Stepwise porosimetry, 322
- Stoichiometry, 218
- Stokes' Law, 3
- STP, 244
- Supercritical adsorption, 10
- Supermicropore, 26
- Surface
 - coverage, 221
 - real, 1
 - titration, 227
- Surface area
 - distribution, 196
 - equivalent, 58, 71
 - external, 112
 - from α_s plot, 140
 - from BET equation, 59
 - from Harkins-Jura method, 82, 85
 - from Langmuir equation, 58
 - from mercury porosimetry, 196
 - from particle size, 3
 - from permeametry, 86
 - from V-t curves, 130
 - low, 79, 123, 276
 - specific, 58
 - total, 143
 - volume ratio, 1, 42
- Surface excess, 9
- Surface pressure, 82
- Surface tension, 157
- Surface titration, 227
- Swelling, 44

- t-plot method, 130
- Tap density, 331
- Thermal conductivity detector (TCD), 260, 267, 300
- Thermal diffusion, 276
- Thermal transpiration, 253
- Throat/pore ratio, 182

- Temkin
 - equation, 225
 - method, 223, 231
 - plot, 225
- Temperature control, 247, 303
- Temperature-programmed
 - Desorption (TPD), 306
 - Oxidation (TPO), 305
 - Reduction (TPR), 304
- Tensile strength, 121
- Titration, 227, 301
- Tortuosity, 202
- Triple Point, 249
 - temperature, 54
 - shift, 53, 123
- True density, 326

- Ultramicropore, 26, 152

- Vacuum outgassing, 239, 287
- van der Waals, 7
- Void volume, 242, 246, 252, 257, 285
- V-t curves, 129, 142
- Volumetric (Static) method, 234, 242
- Vycor[®], 119

- Warm zone, 245
- Washburn equation, 164, 189
- Wetting, 160

- Xerogel, 49
- Xenon, 49, 78

- Yardstick, 96
- Young - Laplace equation, 158

- Zeolites, 28, 147, 195
- Zinc oxide, 277
- ZSM-5, 150

PARTICLE TECHNOLOGY SERIES

FORMERLY POWDER TECHNOLOGY SERIES

1. H. Rumpf (Translated by F.A. Bull): *Particle Technology*. 1990
ISBN 0-412-35230-3
2. S. Lowell and Joan E. Shields: *Powder Surface Area and Porosity* (Third Edition).
1991 ISBN 0-412-39690-4
3. K. Heiskanen: *Particle Classification*. 1993 ISBN 0-412-49300-4
4. O. Molerus: *Principles of Flow in Disperse Systems*. 1993 ISBN 0-412-40630-6
5. I. Claus Bernhardt: *Particle Size Analysis. Classification and Sedimentation Meth-
ods*. 1994 ISBN 0-412-55880-7
6. Yasuo Arai: *Chemistry of Powder Production*. 1996 ISBN 0-412-39540-1
7. Terence Allen: *Particle Size Measurement* (Fifth Edition). 1996
Volume 1: Surface area and pore size determination. ISBN 0-412-72950-4
Volume 2: Powder sampling and particle size measurement.
ISBN 0-412-75330-8
Set of 2 vols., ISBN 0-412-75350-2
8. George E. Klinzing, Roy D. Marcus, Farid Rizk and L.S. Leung†: *Pneumatic
Conveying of Solids. A Theoretical and Practical Approach* (Second Edition). 1997
ISBN 0-412-72440-5
9. Jonathan P.K. Seville, Uğur Tüzün and Roland Clift: *Processing of Particulate
Solids*. 1997 ISBN 0-7514-0376-8
10. B. Kaye: *Powder Mixing*. 1997 ISBN 0-412-40340-4
11. O. Molerus and K.-E. Wirth: *Heat Transfer in Fluidized Beds*. 1997
ISBN 0-412-60800-6
12. R. Weinekötter and H. Gericke: *Mixing of Solids*. 2000 ISBN 0-7923-6229-2
13. R. Xu: *Particle Characterization: Light Scattering Methods*. 2000
ISBN 0-7923-6300-0
14. P.D. Christofides: *Model-Based Control of Particulate Processes*. 2002
ISBN 1-4020-0936-4
15. J. Litster and B. Ennis: *The Science and Engineering of Granulation Processes*.
2004 ISBN 1-4020-1877-0
16. S. Lowell, J.E. Shields, M.A. Thomas and M. Thommes: *Characterization of Porous
Solids and Powders: Surface Area, Pore Size and Density*. 2004
ISBN 1-4020-2302-2