

Index

A

Abutilon theophrasti, 38, 83, 148
Acacia sedillense, 47
Acalypha indica, 114
Acidovorax delafieldii, 148
Adenostoma fasciculatum, 55
Aeschynomene sp., 17
Ageratum conyzoides, 42, 92, 194, 195, 196, 197, 198, 203
Aggressiveness, 93, 94
Agrobacterium radiobacter, 63
Agrobacterium sp. 130
Alcaligenes piechaudii, 63
Allium cepa, 57
Alnus firmifolia, 51
Alternanthera philoxeroides, 111
Alternaria alternata, 111, 164
Alternaria alternata f sp. *lycopersici*, 112
Alternaria eichhorniae, 111
Alternaria kikuchiana, 178
Alternaria panax, 164, 165
Alternaria solani, 37, 53
Amaranthus hypochondriacus, 37, 46, 53
Amaranthus retroflexus, 43, 92
Amaranthus spp., 57
Amblyseius spp, 196
Ambrosia cumanensis, 38
Ammannia coccinea, 104
Anabaena sp, 110
antifungal, 165, 178, 200, 203
Aphanomyces euteiches, 183
Arabidopsis thaliana, 87, 160
Arachis hypogaea, 56, 92
Arthrobacter spp., 66
Ascochyta caulina, 83
Aspergillus flavus, 9
Aspergillus fumigatus, 9
Aspergillus niger, 9
Aspergillus parasiticus, 9
Aspergillus sp., 68
Avena fatua, 92
Avena sativa, 64, 86
Azadirachta indica, 21
Azolla nilotica, 108

B

Bacillus cereus, 66, 127
Bacillus mycoides, 61
Bacillus subtilis, 3, 66
Bacillus sp., 130
Belonolaimus longicaudatus, 65

Berula erecta, 51
Beta vulgaris, 83
Bievundimonas vesicularis, 63
biocontrol , 66, 110, 111, 118, 124, 128, 129, 130, 131, 132, 133, 134, 145, 146, 148, 149, 150, 169 , 170, 183, 187
bioherbicides, 148, 149, 150, 151
biological control, 25, 56, 70, 71, 111, 125, 131, 134, 143, 145, 146, 148, 151, 152, 182
biopesticide, 16, 15, 17
biotrophic, 80, 93, 94
biotrophs, 79
Botrytis cinerea, 3, 5, 7, 8, 9, 92, 130, 159, 164, 195
Botrytis sp., 3, 12
Brassica juncea, 42, 108
Brassica kaber, 50
Brassica napus, 87
Brassica rapa var. *pervidis*, 38
Brassica spp., 21
Bromus japonicus, 148
Bromus mollis, 92
Bromus tectorum, 147
Burkholderia cepacia, 66
Burkholderia pickettii, 63
Burkholderia sp., 20

C

Caenorhabditis elegans, 23
Callicarpa acuminata, 37
Calotropis gigantea, 106
Canavalia ensiformis, 17, 71
Capsella bursa-pastoris, 84, 152
Capsicum annuum, 42, 57
Capsicum frutescens, 9, 45
Cassia fasciculata, 17
Cassia obtusifolia, 57
Cassytha sp., 108
Centaurea solstitialis, 107
Ceratophyllum demersum, 108
Cercospora alternantherae, 111
Cercospora amboinicus, 114
Cercospora kaki, 183
Cercospora sp., 111
Chaetomella raphigera, 111
chemotaxis, 18
Chenopodium album, 43, 83, 149
Chondrilla juncea, 83
Cicer arietinum, 86
Cichorium intybus, 177
Cirsium maculosa, 45

Cirsium sp., 43
Cladosporium herbarum, 178
Cleistopholis acutatum, 12
Cleistopholis fragariae, 11
Cleistopholis patens, 9
Cleome viscosa, 114
Coleus amboinicus, 109, 114, 115, 116, 117
Colletotrichum acutatum, 3, 5, 7, 8, 9, 12
Colletotrichum coccodes, 83
Colletotrichum fragariae, 3, 5, 8, 9, 11
Colletotrichum gloeosporioides, 3, 5, 8, 9, 10
Colletotrichum sp., 3, 4, 8, 12
 commensal, 124, 125, 127, 128
 compatible, 57
 contamination, 143, 149
Cricanemella sp., 65
Crotalaria juncea, 17, 20, 57, 69, 70, 71
Crotalaria retusa, 71
Crotalaria spectabilis, 17, 70
Crotalaria sp., 16, 65, 67, 69, 71
Croton sparsiflorus, 114
Cucumis sativus cv. Wisconsin, 47
Cucumis sativus, 92
Cucurbita pepo, 47
Cuminum cyminum, 86
Curcuma longa, 114
Cyamopsis tetragonoloba, 52
Cylindrocarpon destructans, 164, 165, 169, 170
Cylindrocarpon sp., 170
Cynoches sp., 3
Cynodon dactylon, 107
Cyperus difformis, 104, 106, 117
Cyperus littoralis, 106
Cyperus rotundus, 106, 111

D

Dactylaria higginsii, 111
Dactylis glomerata, 88, 92
Daucus carota, 86
Delonix regia, 35
Digitaria decumbens, 35
Diospyros lotus, 183
Drechmeria coniospora, 69
Drechslera sp., 111

E

Echinochloa crus-galli, 37, 46, 104, 111
Echinochloa spp., 106
Eclipta alba, 114
Egeria densa, 111
Eichhornia crassipes, 108, 109, 114
 elicitors, 203
Empetrum hermaphroditum, 41
Enterobacter asburiae, 63
 epidemics, 88

Erwinia carotovora, 87, 126, 127
Erwinia sp., 130
Erysiphe cichoracearum, 92, 195
Eucalyptus globulus, 106
Eucalyptus sp., 106
Euphorbia esula, 147
Euphorbia hirta, 114
Exostema caribaeum, 47
Exserohilum monoceris, 111
 exudate, 19, 35, 40, 69, 87, 107, 124, 148, 160, 168, 170, 184, 199

F

Fagus sylvatica, 47
Festuca arundinacea, 91
 fungistasis, 84
 fungitoxic, 157, 158, 185
Fusarium graminearum, 111
Fusarium oxysporum f. sp. *cucumerinum*, 130
Fusarium oxysporum f. sp. *cumini*, 86
Fusarium oxysporum f. sp. *lycopersici*, 159
Fusarium oxysporum, 3, 5, 8, 9, 64, 66, 86, 164, 165, 187
Fusarium sambucinum, 183
Fusarium solani, 23, 164, 165, 183, 196, 197
Fusarium sp., 60, 61, 165, 170, 183

G

Gaeumannomyces graminis var. *tritici*, 60
Gaeumannomyces graminis, 158, 159
Gigaspora rosea, 186
Globodera pallida, 67
Globodera rostochiensis, 18
Glomus etunicatum, 185
Glomus fasciculatum, 183
Glomus intraradices, 68, 183, 186
Glomus mosseae, 68, 183, 186, 187
Glomus versiforme, 183
Glomus sp., 183
Glycine max, 56, 65, 66, 69, 83
Gnomonia comari, 7, 12
Gossypium spp., 56

H

Hebeloma crustuliniforme, 44
Helianthus annuus, 39, 57, 86
Helicobacter pylori, 49
Helicotylenchus dihystra, 64, 65
Helicotylenchus sp., 24, 65
Helminthosporium longirostratum, 37
Helminthosporium oryzae, 202
Heteranthera limosa, 104
Heterodera glycines, 24, 64, 65
Heterodera schachtii, 22, 62
Hintonia latiflora, 47

- Hippeastrum hybridum*, 48
Hordeum leporinum, 92
Hymenoscyphus ericae, 44
Hydrilla verticillata, 107, 108
- I**
- Imperata cylindrica*, 107
Indigofera hirsuta, 17, 70, 71
Indigofera nummularifolia, 71
Indigofera spicata, 71
Indigofera suffruticosa, 71
Indigofera tinctoria, 71
inoculum, 12, 63, 83, 111, 125, 145, 183, 187
Ipomoea batatas, 54
Ipomoea tricolor, 46
Ipomoea sp., 57
Iva axillaris, 38
- J**
- Juglans nigra*, 82
Juncus sp., 51
- K**
- Kocuria kristinae*, 63
Kocuria varians, 63
- L**
- Laccaria bicolor*, 184
Lactuca sativa, 37, 41, 83
Lactuca serriola, 89
Lantana camara, 47
Larrea tridentata, 41
Lemna leucocephala, 114
Lemna paucicostata, 108
Lemna perpusilla, 108
Leptinotarsa decemlineata, 37
Leptosphaeria maculans, 87
Leptosphaerulina trifolii, 85
Leucaena leucocephala, 35, 52, 106, 114
Leucaena sp., 53, 106
Leucas aspera, 114
Linum usitatissimum, 57
Lolium multiflorum, 92, 107
Lolium perenne, 84, 87
Lolium sp., 64
Lycopersicon esculentum, 47, 53, 70, 82, 108
Lythium salicaria, 107
- M**
- Macaranga monandra*, 9
Macrophomina sp., 183
Magnaporthe grisea, 202, 203
Manihot esculenta, 107
Medicago truncatula, 185
Meloidogyne arenaria, 18, 20, 24, 65
Meloidogyne hapla, 18
Meloidogyne incognita, 18, 20, 21, 23, 24, 25, 61, 63, 65, 66, 68, 69, 70
Meloidogyne javanica, 18, 20, 21, 22, 23, 68, 70
Meloidogyne spp., 19, 18, 24, 64, 65, 71
Microbacterium esteraromaticum, 63
Mucuna deeringiana, 17, 20, 62, 64, 66, 70
mycoherbicide, 111
Mycosphaerella sp., 111
Myriophyllum aquaticum, 111
Myriophyllum spicatum, 110
Myrothecium roridum, 111
Myrothecium sp., 68
- N**
- Najas graminea*, 108
necrotrophic, 182
necrotrophs, 79
nematophagous, 67, 69
Neochetina bruchii, 118
Neotyphodium coenophialum, 91
Neotyphodium lolii, 90, 94
Nicotiana tabaccum, 57, 86
Nimbya alternantherae, 111
- O**
- Orobanche aegyptica*, 57
Orobanche cernua, 57, 40
Orobanche crenata, 40, 57
Orobanche cumana, 40
Orobanche ramosa, 40, 57
Orobanche sp., 40, 57
Oryza sativa, 57, 194, 199
- P**
- Paecilomyces* sp., 20
Paenibacillus sp., 130
Panax cactorum, 164
Panax ginseng, 162
Panax quinquefolius, 157, 161
Panax spp., 161
Panicum miliaceum, 56
Panonychus citri, 196
Paratrichodorus minor, 19, 65
Paratichodorus sp., 24
Parthenium hysterophorus, 38, 53, 108, 114
Paspalum sp., 17
Pellicularia sasaki, 178
Penicillium sp., 68
Pennisetum americanum, 52
Phaseolus aureus, 57
Phaseolus mungo, 57
Phaseolus vulgaris, 47, 86, 183
Phaseolus sp., 41
Phoenix dactylifera, 86
Phoma lingam, 159

- Phoma typhae-domingensis*, 111
Phomopsis obscurans, 3, 5, 9
Phomopsis viticola, 3, 5, 9
Phomopsis sp., 8
 phyllosphere, 62
 phytoalexins, 3, 56, 85, 86, 159, 182, 184, 185, 186, 193, 194, 201, 202, 203
 phytophagous, 34
Phytophthora cactorum, 7, 66, 164, 165, 166, 169, 170
Phytophthora cinnamomi, 61
Phytophthora citrophthora, 196, 197
Phytophthora infestans, 86, 166
Phytophthora nicotianae, 6, 9
Phytophthora parasitica, 183
Phytophthora sp., 5, 9, 166, 170, 183
 phytoprotection, 132
 phytotoxic, 25, 46, 52, 57, 64, 87, 106, 124, 160, 199
 phytotoxin, 35, 42, 44, 45, 56, 57, 58, 59, 105, 111, 147, 150
Picea abies, 44
Pinus laricio, 47
Pistia stratiotes, 108, 109
Pisum sativa, 86
Plantago lanceolata, 43
Pluchea lanceolata, 42
Plutella xylostella, 54
Portulaca oleracea, 57, 83
Pratylenchus brachyurus, 68
Pratylenchus neglectus, 21
Pratylenchus penetrans, 63
Pratylenchus vulnus, 22
Pratylenchus sp., 19, 24, 65
 predators, 69, 181
 propagule, 147, 183
Prunus dulcis, 23
Psacalium decompositum, 37
Pseudomonas aeruginosa, 130
Pseudomonas aureofaciens, 127
Pseudomonas chlororaphis, 63
Pseudomonas fluorescens, 56, 63, 147
Pseudomonas putida, 56, 148
Pseudomonas syringae, 147
Pseudomonas sp., 60, 61, 63, 66, 147
Pseudopeziza coronata, 94
Pseudopeziza medicagnis, 94
Puccinia chondrillina, 83
Puccinia coronata f.sp. *avenae*, 86
Puccinia coronata f.sp. *lolii*, 88
Puccinia coronata, 89, 92
Puccinia graminis, 86, 92
Puccinia hordei, 92
Puccinia lagenophorae, 83
Puccinia pulsatillae, 84
Puccinia recondita, 92
Pusatilla pratensis, 84
Pyrenochaeta terrestris, 183
Pyricularia oryzae, 178, 199, 200, 202
Pythium aphanidermatum, 196, 197
Pythium irregulare, 164, 165, 166, 168, 169, 170
Pythium ultimum, 66, 164, 169
Pythium sp., 50, 159, 166, 168, 170
R
Radopholus similis, 65
Ralstonia solanacearum, 126
Ralstonia sp., 127
Ratibida mexicana, 46
Renibacterium salmoninarum, 61
Reynoutria sachalinensis, 3
Rhizobium etli, 67
Rhizobium japonicum, 111
Rhizobium leguminosarum biovar *phaseoli*, 41
Rhizobium leguminosarum, 183
Rhizobium sp., 41, 51, 67, 170
Rhizoctonia solani, 60, 64, 66, 92, 159, 164, 183, 185, 187, 203, 195, 199
 rhizoplane, 108, 124, 131, 146, 147, 160, 169, 180, 184
 rhizosphere, 17, 20, 23, 35, 36, 42, 44, 57, 58, 62, 67, 68, 108, 131, 133, 134, 144, 146, 147, 148, 151, 157, 169, 170, 183, 184, 185
Ricinus communis, 17, 70
 rotation, 16, 17, 18, 19, 20, 22, 35, 41, 64, 66, 71, 117, 134, 150, 152
Rotylenchulus reniformis, 22, 24, 65, 70, 71
Rumex crispus, 43
Ruta graveolens, 8
S
Saccharum officinarum, 86
Salvinia auriculata, 111
Salvinia molesta, 108, 109, 111
Schistocerca gregaria, 177
Sclerotinia sclerotiorum, 87, 92, 195
Sclerotinia sp., 3
Sclerotium cepivorum, 183
Scutellonema sp., 65
Sebastiania adenophora, 47
Secale cereale, 57, 64
Senecio vulgaris, 83
Septoria lycopersici, 159
Serratia plymuthica, 130
Sesamum bicolor, 17
Sesamum indicum, 17, 19, 57
Sesbania aculeata, 117
Sesbania exaltata, 107
Sesbania grandiflora, 114

- Setaria faberi*, 151
Setaria viridis, 148
Sicyos deppei, 47
Sida spinosa, 57
Simsia amplexicaulis, 41
Sinapis arvensis, 54
Solanum nigrum, 43
Solanum tuberosum, 62, 86
Solanum, 86
Sorghum bicolor, 17, 19, 56, 57, 86
Sorghum sudanense, 56
Sorghum vulgare var. *sudanense*, 17
Sorghum vulgare, 17, 52
 spermosphere, 144
Sphenoclea zeylanica, 106
Spirodella polyrhiza, 108
Stellaria media, 149
Stenotrophomonas sp., 130
Streptococcus pneumoniae, 61
Streptomyces hygrosopicus, 56, 112
Streptomyces viridichromogens, 56, 111
Streptomyces sp., 112, 130
Striga asiatica, 40, 56
Striga gesnerioides, 56
Striga hermonthica, 32, 56, 152
Striga sp., 40, 132
 suppression, 17, 18, 20, 21, 34, 55, 60, 61, 70, 72, 84, 88, 89, 90, 91, 104, 105, 106, 107, 118, 128, 132, 133, 149, 150, 151, 152
 susceptible, 4, 8, 13, 55, 68, 86, 88, 90, 93, 108, 112, 160
 synergistic, 103, 118
 systemic acquired resistance, 13
- T**
- Tagetes erecta*, 18, 53, 62
Tagetes patula, 18, 62
Tagetes signata, 18
Tagetes spp., 17, 63
Tephrosia adunca, 71
Thlaspi arvense, 149
Thymus vulgaris, 24
- Tradescantia crassifolia*, 41
Trianthema portulacastrum, 114
Trichoderma hamatum, 165, 166, 169
Trichoderma harzianum, 165
Trichoderma viride, 165
Trichoderma sp., 68, 165, 169
Trifolium incarnatum, 57, 66
Trifolium pratense, 50, 54, 85
Trifolium repens, 84, 87
Trifolium subterraneum, 57, 83, 92
Trifolium sp., 64
Triticum aestivum, 42, 54, 64, 66, 70, 86
Tsukamurella paurometabolum, 63
Tylenchorhynchus claytoni, 64, 65
Tylenchulus semipenetrans, 21
Tylenchorhynchus sp., 24
Typha domingensis, 111
- U**
- Uredo eichhorniae*, 111
Uromyces trofii-repentis, 92
Urtica urens, 132
- V**
- Vaccinium myrtillus*, 44
Variovorax paradoxus, 127
Verticillium albo-atrum, 159
Verticillium biguttatum, 64
Vicia villosa, 64
Vicia sp., 17
Vigna catjang, 56
Vigna unguiculata, 64, 66
 virulence, 93, 170
Vitex negundo, 35
Vitis vinifera, 3
- X**
- Xanthium strumarium*, 57
Xanthomonas campestris, 126
Xiphinema sp., 24
- Z**
- Zea mays*, 47, 50, 52, 56, 57, 83, 107

List of Contributors

- **Ana Luisa Anaya**
Laboratorio de Alelopatía, Instituto de Ecología, Universidad Nacional Autónoma de México. Circuito Exterior, Ciudad Universitaria. 04510 México, D.F. Email: alanaya@miranda.ecologia.unam.mx
- **Mark A. Bernards**
Department of Biology, University of Western Ontario, London, ON, Canada, N6A 5B7, Email: bernards@uwo.ca
- **Ramanathan Kathiresan**
Professor, Department of Agronomy, Annamalai University, Annamalainagar, Tamilnadu 608 002, India. E-mail : rm.kathiresan@sify.com
- **Cilfford H. Koger**
Weed Ecologist, Southern Weed Science Research Unit, USDA-ARS, P. O. Box 350, Stoneville, Mississippi 38776, USA.
- **Nancy Kokalis-Burelle**
Research Ecologist, USDA, Agricultural Research Service, U.S. Horticultural Research Lab, Fort Pierce, FL, 34945, USA
Email:NBurelle@ushrl.ars.usda.gov
- **Chuihua Kong**
Institute of Applied Ecology, Chinese Academy of Sciences, Shenyang 110016, China, and South China Agricultural University, Guangzhou 510642, China.
E-mail: kongch@mail.edu.cnw
- **Robert J. Kremer**
U.S.D.A., Agricultural Research Service, Cropping Systems & Water Quality Unit, University of Missouri, Columbia, Missouri, U.S.A.
Email: KremerR@missouri.edu
- **Scott W. Mattner**
Department of Primary Industries, Knoxfield Centre, Victoria, Private Bag 15, Ferntree Gully Delivery Centre, 3156, VIC, Australia, scott.mattner@dpi.vic.gov.au
- **Robert W. Nicol**
NovoBiotic Pharmaceuticals, Cambridge MA, 02138, USA
Email: bernards@uwo.ca
- **Hiroyuki Nishimura**
Department of Biosciences and Technology, School of Engineering, Hokkaido Tokai University, Sapporo 005-8601, Japan
Email:nishimura@db.htokai.ac.jp

- **Krishna N. Reddy**
Plant Physiologist, Southern Weed Science Research Unit, USDA-ARS,
P. O. Box 350, Stoneville, Mississippi 38776, USA;
Email: kreddy@ars.usda.gov
- **Rodrigo Rodríguez-Kábana**
Distinguished University Professor, Auburn University, Auburn,
AL, 36849, USA. Email : NBurelle@ushrl.ars.usda.gov
- **Atsushi Satoh**
Department of Biosciences and Technology, School of Engineering, Hokkaido
Tokai University, Sapporo 005-8601, Japan Email:nishimura@db.htokai.ac.jp
- **Barbara J. Smith**
Small Fruit Research Station, 306 S. High St., Poplarville, MS 39470.
Email : dwedge@olemiss.edu
- **Antony V. Sturz**
Prince Edward Island Department of Agriculture, Fisheries, Aquaculture and
Forestry, P.O. Box 1600, Charlottetown, P.E.I., C1A 7N3, Canada.
Tel: 902-368-5664, FAX: 902-368-5661, E-mail:avsturz@gov.pe.ca
- **David E. Wedge**
United States Department of Agriculture, Agricultural Research Service,
Natural Products Utilization Research Unit, The Thad Cochran National
Center for Natural Products Research, University of Mississippi, University,
MS 38677, USA Email : dwedge@olemiss.edu
- **Lina F. Yousef**
Department of Biology, University of Western Ontario, London, ON, Canada,
N6A 5B7
- **Ren-Sen Zeng**
Chemical Ecology Lab., Institute of Tropical & Subtropical Ecology,
Agricultural College, South China Agricultural University Wushan,
Tianhe District, Guangzhou, 510642 P.R. China
Email: rszeng@scau.edu.cn, zengrs8@hotmail.com