

## INDEX

- ab initio methods, 462
  - Hartree-Fock-Roothaan (HFR), 460, 461, 465
  - based semi-empirical methods, 463, 466, 474
  - hybrid QM/MM methods, 462
  - molecular modelling tool, 461
  - Møller-Plesset perturbation theory (MPPT), 357, 460
  - of solids, 523
  - QC methods, 462, 474
  - quantum diffusion, 534–546
    - backscattering, 509–534
    - quasicrystals, 534–546
    - velocity correlation function, 509
  - semi-empirical procedures, 464
  - single-reference (SR) perturbative methods, 460
- ab initio electronic structure, 537–541
  - structure constants, 538
- ab initio Gutzwiller approach, 530
  - plutonium, 509–534
- ab initio LMTO band structure, 526
- absorption spectra
  - Na(3p<sup>2</sup>P)Arn clusters, 372
- ACPQ method, 26
- active orbitals occupied, 69
- active space, complete. *See* complete active space
- adiabatic local density approximation (ALDA), 144
- Ag-n and Au-n anionic clusters
  - adsorption of O<sub>2</sub>, 418–421
- all-atom protein structure prediction, 557. *See also* protein folding
- anchor bonds, 442, 447
- Anderson Hamiltonian, 521
- anionic silver clusters, 418
- annihilation operator, 50
- asymmetric energy formula, 25
- atomic sphere approximation (ASA), 523, 537
- Au-Ni anchor bond, 442
- B96 nanotubes, 547
- B96 species
  - B3LYP version, 549
- bacterial ribosomal protein L20, 547
  - folding simulation, 566
  - SA simulations, 566
- bare Green's function, 487
- base electronic states, diabatic, 193
- base state, 179, 180
- basic linear algebra subroutines (BLAS), 8. *See also* literate program technique
- levels, 8
- NAG library, 8
- basic tensor algebra subroutine library, 3. *See also* literate programming techniques
- basin hopping technique (BHT), 561, 562, 564, 566, 568, 569. *See also* evolutionary algorithms
- Monte-Carlo with minimization, 561
- sequential algorithms, 559, 561
- trp-cage protein, 563
- basis sets, extended
  - VDZ, 340
  - VTZ, 340
- basis tensor algebra subroutines (BTAS), 9
  - classification, 9
- basis-set superposition error, 350
- benchmark model system
  - Li-HF complex, 386
- BERTHA program, 199–201, 213, 214
  - Dirac amplitudes
    - G-spinor expansion of, 202–205
  - Dirac-Coulomb-Breit, 200
  - Dirac-Hartree-Fock-Breit, 200
  - four-spinor angular momentum, 203
  - G-spinor basis functions, 200, 207–209
  - Hermite Gaussian type function (HGTF), 205
  - internal electromagnetic fields, 209–211

- McMurchie-Davidson algorithm,  
205–207
- overlap densities, 205–207
- quantum electrodynamics (QED),  
200
- electromagnetic interactions in,  
201–202
- relativistic density functional theory  
(RDFT), 200
- spherical Gaussian function, 203
- Biedenharn equation, 225
- representation of, 223–226
- binding energies, 354
- from 2D CCSD(T), 356
- from 3D CCSD(T), 356
- from semi-empirical surfaces, 356
- Bloch states, 539
- bond formation, 434
- Born-Oppenheimer (BO) model, 178,  
389
- boron clusters
- quasiplanarity, 548
- rhombohedral unit cell, 551
- boron nanostructures, 547, 549. *See*  
    *also* Aufbau principle; HF-SCF  
    theory
- computations, 549–551
- Hartree-Fock self-consistent-field,  
    549
- nanotubes, 549, 551, 554
- electron density of states, 554
- nanostructured, 546–555
- bra-space, 178, 179
- Bravais lattice vectors
- nanotubes, 551
- Breit interaction matrix, 208, 209, 210
- Breit-Pauli Hamiltonian, 201
- Brillouin-Wigner (BW), 35
- MR CC approaches, 23
- calculated using coupled-cluster  
(CCSD(T)), 45, 46, 47, 347,  
353, 359, 361, 366
- ground-state, 47
- HeBr<sub>2</sub> interaction potential, 360
- interaction energies, 363
- potential energy surface (PES), 349
- 2R-RMR, 31
- canonical energy components
- in water dimer, 340
- in water monomer, 340
- canonical MOs, 483
- CAS. *See* complete active space
- CC theory, ground-state, 51
- CC/EOMCC
- bra state, 53, 54, 94
- generalized moments of, 64
- ket state, 53, 54, 94
- MMCC corrections to, 100
- similarity-transformed Hamiltonian  
    of, 51
- CC3 approach, 72, 84
- C-conditions, 20, 22
- CCSD. *See* coupled cluster singles and  
    doubles approach
- CCSD/EOMCCSD equations
- for deexcitation amplitudes, 55
- triply excited moments, 67
- CFT. *See* crystal field theory
- CFT/LFT theory, 497
- chemical hardness, 164
- chemical reactions
- Coriolis coupling, 392
- non-adiabatic couplings, 396
- non-adiabatic effects, 386, 389, 392
- non-adiabatic transitions, 385
- chemical softness, 165
- CI. *See* configuration interaction
- CI-corrected MMCC approaches, 69, 73
- double excitations, 73
- MMCC(2,3) methods, 66–78
- MMCC(2,3)/CI, 68, 77
- MMCC(2,3)/PT, 77
- non-iterative corrections, 68
- CI singles, doubles, and triples  
(CISDT), 67
- CISDt method, 67, 69
- cis-attractor, 190
- CISD
- 2R-CISD
- SGDC, 31
- intruders, 34
- CISDt-corrected MMCC(2,3)  
    approach. *See* MMCC(2,3)/CI  
    approximation
- cis-trans isomerization process
- generalized electronic diabatic  
    (GED), 177
- Clebsch-Gordon coefficient, 202, 204
- closed-shells
- calculations, 337
- AA curves, 188
- BB curves, 188

- molecules
    - CCSD(T) method, 47
    - restricted Hartree-Fock, 15
    - total energy
      - Hartree-Fock SCF level, 338
  - cluster operator, 50, 56, 57
    - different, 16
    - single, 16
  - code documentation, 5. *See also*
    - literate program technique
  - coherence time, 258
  - collaborative virtual environment, 3, 10. *See also* literate program technique
  - complete active space, 25, 33
    - CAS CI, 33
  - complete model space (CMS), 17
  - completely renormalized, 14, 48
  - complex A·AU3, 443, 444
  - complex systems, 507–572
    - Gutzwiller method, 509–534
    - nanostructured materials
      - boron nanotubes, 547–556
    - protein folding
      - stochastic optimization methods for, 557–572
    - quantum diffusion
      - in quasicrystals, 535–546
  - complexes and clusters, 335–505
    - DFT studies
      - of noble metal clusters, 407–432
    - electronic predissociation of excited Li-HF complex
      - non-adiabatic transitions, 385–405
  - interaction abilities
    - partitioning scheme, 337–345
  - molecular modelling
    - with open d-shell, 451–505
  - Na(3p<sup>2</sup>P)Arn clusters
    - excited isomers and emission spectra, 371–383
  - non-conventional hydrogen bonds
    - three-gold cluster as proton acceptor in, 433–450
  - van der Waals potential energy surfaces
    - bromine molecule with helium atoms, 347–369
- component index, 204
  - computer code
    - literate programming techniques, 3–12
      - and devolved collaboration, 9–10
      - and libraries, 8–9
      - basic linear algebra subroutines (BLAS), 8
      - basis tensor algebra subroutines (BTAS), 3, 9
      - collaborative virtual environment, 3, 10
      - documentation of code, 5–6
      - LATEX, 7
      - practicalities of, 7–8
      - publication, 6–7
      - WEB file, 7
    - Condon-Shortley, 202
    - configuration interaction, 13
    - continuum distorted wave eikonal
      - initial state-continuum distorted wave (CDW-EIS), 309, 311, 312, 325
      - Bhattacharya simulation, 311, 324, 326, 329, 330, 331
      - continuum distorted wave eikonal initial state method, 309
      - perturbation theory, 312–315
      - scattering amplitudes, 315–320
    - continuum distorted wave theory, 310, 311
      - doubly differential cross sections, 332
      - fully differential cross sections, 332
    - Olivera, 326, 329
    - continuum distorted wave theory (CDW)
      - doubly differential cross sections for longitudinal electron, 332
      - fully differential cross sections, 332
    - conventional hydrogen bond
      - concept, 433
      - donors, 436
    - Coriolis coupling, 392
    - correlation correction, 110
    - correlation function
      - velocity, 509
    - Coulomb Hamiltonian, 177
    - Coulomb potential, 313
    - coupled cluster (CC) theory, 13, 14, 24
      - CCSD method, 50
      - completely renormalized (CR) CCSD(T) method, 14

- Davidson-type corrections, 13
- excited electronic states, 46
  - equation-of motion CC (EOMCC), 46
  - linear-response CC theory, 46
  - symmetry-adapted cluster configuration interaction (SAC-CI), 46
- externally corrected methods, 13
- ground electronic states, 46
- non-degeneracy, 14
- non-iterative corrections, 57–63
- renormalized (R) CCSD(T) methods, 14
- SR CCSD method
  - CCSD(T), 14
- SU CC formalism, 17
  - full CI (FCI), 17
  - MR SU CC formalism, 26
  - SU CC Ansatz, 17
  - SU CCSD formalism, 17
- coupled cluster singles and doubles
  - approach, 45
  - intruders, 34
- coupling coefficient, 20
- CP violation, 255
- CR. *See* completely renormalized
- CR-CCSD(T), 78
- creation operator, 50
- CR-EOMCC methods. *See also*
  - externally corrected MMCC methods
- CR-EOMCCSD(T) approach, 48, 49, 62, 64–100
  - and CC3 approach, 84
  - and CR-EOMCCSD(T)<sub>L</sub>, 99
  - CCSD/EOMCCSD, 87, 101
  - EOMCCSD, 86
  - MMCC(2,3)/CI approximation, 86
  - performance of, 84
  - restricted open-shell Hartree-Fock (ROHF) orbitals, 80
  - triples corrections of, 79
- CR-EOMCCSD(T) code, 83
- CR-EOMCCSD(T) energies, 81
- CR-EOMCCSD(T)<sub>L</sub> approach, 70, 93–100
- crystal field method, 474, 478
  - effective Hamiltonian of, 475
  - Morse potential, 489
  - splitting pattern, 478
- cubic-spline interpolation, 353
- curvature corrections, 166
- Davidson-type corrections (DCs), 31.
  - See also* SR CI
- decay probabilities
  - nucleus <sup>49</sup>Sc<sub>28</sub>, 305–307
- deexcitation operators, 56
- degenerate Hubbard Hamiltonian, 517–521
- density functional theory (DFT)
  - methods, 160, 188, 410, 411, 467, 468, 510, 536, 549. *See also* Thomas-Fermi theory
  - axiomatic theories, 468
  - basis Slater determinants, 469
  - DFT paradigm, 467
  - Hartree-Fock exchange, 471
  - Kohn-Sham orbitals, 472
  - local spinpolarized, 549
  - non-local spinpolarized, 549
  - non-Roothaan terms, 469
  - Racah parameters, 470
  - semi-empirical QC methods, 469
  - within local density approximation (DFT-LDA), 509
- density matrices, 152, 457–474
  - ab initio methods, 464
  - matrix elements
    - as scalar products, 153–155
    - single Slater determinant, 459
- density metal studies, 410. *See also*
  - density functional theory
    - computational methods, 411–412
    - doped Au clusters, 417–418
    - nobel metal clusters, 407
    - shell-model approach, 410
- density of states, 539, 549
  - Hume-Rothery phases, 540
- DHFB. *See* Dirac-Hartree-Fock-Breit
- diabatic base electronic states, 193
- diatomic coordinate frame (DCF), 483
- diatomics in molecules (DIM), 372
- DIPR. *See* direct interaction with
  - product repulsion
- Dirac amplitudes
  - G-spinor expansion of, 202–205
- Dirac Hamiltonian matrix, 201, 208
- Dirac theory
  - Biedenharn equation, 225
  - representation of, 223–226
  - Dirac-Pauli representation, 219–222

- energy surfaces
  - structure of, 226–228
- minimax principle, 226–228
- spherical symmetry, 223–226
- Weyl representation, 222–223
- Dirac-Coulomb (DC) Hamiltonians, 260
- Dirac-Coulomb equation, 217
  - four-component Dirac spinor, 218
- Dirac-Coulomb-Breit (DCB), 207, 230
- Hamiltonians, 260
  - four-component wave function, 265
- Dirac-Fock (DF), 260
- Dirac-Fock (DF) calculations
  - on TIF, 264
  - on YbF, 264
- Dirac-Fock-Breit (DFB), 260
  - Becke cell integration scheme, 211
  - extended Kohn-Sham (EKS), 162
  - zero-temperature, 162
- Dirac-Hartree-Fock-Breit, 200
- Dirac-Pauli representation
  - Hamiltonian eigenfunction, 221
- direct interaction with product
  - repulsion, 386
- discrete variable representation (DVR), 355
- donor-acceptor interaction. *See*
  - hydrogen bond
- doped Au clusters, 417–418
- DOS. *See* density of states
- double-zeta plus polarization (DZP), 27
- doubly differential cross sections, 321
- d-shell chromophore, 477
- dynamical correlations
  - coupled cluster (CC) methods, 14
- dynamical mean field theory (DMFT), 510
- DZP H4 model
  - quasidegeneracy, 13
- ec. *See* externally corrected
- EDFs. *See* empirical distribution functions
- EDM. *See* electric dipole moments
- effective core potential (ECP), 350
- effective crystal field
  - bare Green's function, 486
- effective Hamiltonian formalism, 18–19.
  - See also* quasidegeneracy
- of crystal field method (EHCF)
  - approach, 20, 273, 451, 452, 479, 481, 482, 495, 498
  - d-d transitions, 472
  - EHCF/MM hybrid scheme, 499
  - EHCF/X methods, 484, 486
  - hybrid QM/MM methodology, 484
  - Löwdin partition technique, 499
  - Mössbauer spectra, 494
  - parameterization, 482
  - vs. LFT, 483
  - Werner-type TMCs, 480
- MR CC formalisms, 17
  - C-conditions, 17
  - projection operator, 18
- eigenstates, 56
- EKS. *See* extended Kohn-Sham
- electric dipole moments, 255
  - electron, 256
  - enhancement factor, 255
  - for paramagnetic atoms, 255
  - in atoms and molecules, 257–260
  - non-zero, 256
  - YbF, 256
- electric quadrupole
  - and magnetic dipole, 293
- electron affinity
  - shell-correction part of, 172
- electron EDM, 256–258
  - prediction for, 257
- electron shell effect, 301
- electron velocity distributions,
  - longitudinal, 320–325
  - for transverse velocities, 322\
- electronic localization function
  - nodal planes, 191
- electronic predissociation process, 385, 386, 387, 388
  - Born-Oppenheimer approach, 389
  - first-order perturbation treatment, 388
  - non-adiabatic couplings, 386
  - rovibrational levels, 393
  - time-dependent Golden rule treatment, 376, 387
- electronic predissociation, 386
- electronic structure, 485
  - Bloch states, 539
  - density matrices, 457–474
    - ab initio methods, 464
    - single Slater determinant, 459

- evaluation, 451
- LMTO method, 537
- plutonium, 510
- TMC, 456, 474
- electronically excited isomers
  - and emission spectra, 371
- electronically excited Na(3p<sup>2</sup>P)Arn clusters
  - hybrid Hamiltonian, 373
- electronically excited states
  - Hartree-Fock theory, 107
- electron-phonon operator, 190
- elucidative programming, 7. *See also*
  - literate program technique
- emission spectra, 371–383
- empirical distribution functions, 491
- energy density functional, 161
- energy partitioning scheme
  - in water clusters, 337–345
- enhancement factor, 258
- EOMCC singles, doubles, and triples, 46
- EOMCC method, 73
  - EOMCCSD, 48, 61, 94
    - vertical excitation energy, 72, 80, 87
  - singles, doubles, and triples (EOMCCSDT), 46
  - singles, doubles, triples, and quadruples (EOMCCSDTQ), 46, 87
- EP. *See* electronic predissociation
- EPV. *See* exclusion principle violating
- equation-of-motion (EOM)
  - coupled-cluster methods, 50
  - non-iterative corrections, 57–63
  - non-iterative coupled-cluster, 45
- ESP. *See* electronic structure parameters
- ethylene conformational, 187–189
- ethylene electronic isomerism, 177
- evolutionary strategy, 561. *See also*
  - protein folding
- exact MMCC theory, 57
- excitation operator, 57, 64
  - doubly excited contribution, 67
  - external, 20
  - reference contribution, 67
  - singly excited contribution, 67
- excited electronic states
  - method of moments of
    - coupled-cluster, 49
- excited isomers, 371–383
- excited states, 109
  - algebraic approximation for, 116–117
  - configuration interaction, 109
  - CR-EOMCCSD(T), 48
  - CR-EOMCCSD, 48
  - double excitations, 48
  - EOMCCSDT approach, 47
  - even-tempered basis sets, 116, 120–124
  - Hartree-Fock equations for, 110–116
  - matrix Hartree-Fock, 117–120
  - MMCC, 48
    - CR-EOMCCSD(T) methods, 48
    - MRMBPT, 49
    - single-reference CC/EOMCC theory, 49
  - multi-configurational self-consistent field method, 109
  - multi-reference coupled cluster expansions, 109
  - multi-reference perturbation theory, 109
- exclusion principle violating, 26
- extended basis sets
  - VDZ, 340
  - VTZ, 340
- extended DFT, 169
- extended Kohn-Sham, 161
  - EKS-DFT
    - electronegativity and chemical hardness in, 161–165
    - Strutinsky’s shell-correction method, 165–170
- external excitation operators, 20
- externally corrected (ec) CC
  - at MR level, 35
    - external corrections, 35
    - higher-than-pair clusters, 35
    - intruder, 35
  - at SR level, 35
- externally corrected (ec) CCSD
  - amplitude correcting, 25
  - GMS SU method, 36
  - SR approaches
    - RMR CCSD, 31
- externally corrected (ec) energy correcting approaches

- and method of moments CC theory, 25
- asymmetric energy formula, 25
- externally corrected MMCC methods, 78
  - MMCC(2,3)/CI methods, 101
  - MMCC(2,3)/PT methods, 101
- externally corrected MMCC(2,3) schemes, 64–100
- FBA, 329
- FCC
  - CI and CC approach, 24
- FDCS. *See* fully differential cross section
- Fermi systems, 127
- Fermion lines, 53
- Feynman diagrams, 286, 302
- first-order shell corrections, 159
- Fock operator, 51
- Fock space MR CC method. *See* valence universal
- folding process
  - elucidation, 557
- force field
  - all-atom free-energy force field, 558
  - Lennard-Jones parameters, 558
- four-component
  - Dirac spinor, 218
  - molecular spinors, 266
  - single configuration, 260
  - spinors, 267
- Fourier transform, 393
- Franck-Condon type approximation, 380
- full CI, 28, 152
  - CCSD, 31
  - CI and CC approach, 24
  - CISD, 31
- fully differential cross section, 326, 329
  - CDW-EIS model, 331, 332
  - for highly charged ions, 325
- fully hybridized Hamiltonian, 521–523
- functional derivative discontinuity
  - exchange-correlation component, 164
  - Kohn-Sham's component, 164
- Gaussian 98 package
  - tetra-atomic complex, 356
- Gauss-Legendre points, 353
- GCF. *See* global (laboratory) coordinate frame
- GED. *See* generalized electronic diabatic
- general model space, 17
- generalized electronic diabatic, 177
  - Born-Oppenheimer (BO) model, 178
  - confining and asymptotic, 186
  - ELF function, 191–192
  - ethylene electronic isomerism, 177
  - minimal CI space, 177
  - molecular quantum mechanics, 181–185
  - nodal planes, 191–192
  - real-space algorithms, 185–187
  - state quantum mechanics, 178–181
- generalized gradient approximation (GGA), 409
- generalized gradients spin functionals, 411
- generalized occupation numbers, 166
- generalized relativistic effective core potential (GRECP), 229, 231, 253, 264, 265, 279
  - eka-lead (E114), 229
  - eka-mercury (E112), 229
  - eka-thallium (E113), 229
  - plutonium, 229
  - self-consistent
    - for D- and F-elements, 232–234
  - uranium, 229
- global (laboratory) coordinate frame, 483
- global minima (GM), 374
- global optimization method, 374, 375. *See also* electron pseudo-potential; potential-energy surface calculations
  - global minima, 374
- GMS. *See* general model space
- Gogny forces, 143
- gold clusters
  - adsorption, 407
  - anionic, 411, 420
  - adsorption of oxygen, 421–425
  - structures, 409, 413
- Golden fullerenes
  - spherical aromaticity rule, 415
- Golden rule approach, 376, 388
  - adiabatic representation, 402
  - non-adiabatic dynamics, 392
  - rovibrational bound states, 389
- Gram matrix, 205, 207, 208

- GRECP. *See* generalized relativistic effective core potential
- Green's function, bare, 487
- ground-state CC theory, 51
- ground-state CCSD(T) approach, 47
- ground-state molecular properties  
single-reference coupled cluster, 45
- G-spinors  
basis sets  
DCB Fock matrix, 207–208  
Coulomb interaction integral, 209  
overlap densities, 205–207  
two-body interactions with, 208–209
- Gutzwiller approach, 509–534. *See also*  
one-band Hubbard model
- Fermi-liquid theory  
quasiparticle approach, 532
- generalized gradient approximation, 528
- Gutzwiller wave function, 511
- Hamiltonian, 511
- Slater determinant, 515
- spinorbit coupling, 530
- to plutonium, 526  
degenerate Hubbard Hamiltonian, 532
- Gutzwiller ground state, 516
- Gutzwiller loop, 527
- Gutzwiller state, 511
- Gutzwiller wave function (GWF), 511, 519
- Hamiltonian, 181  
Anderson, 521  
Breit-Pauli, 201  
Coulomb Hamiltonian, 177  
degenerate Hubbard, 517–521, 532  
Dirac matrix, 201, 208  
Dirac-Coulomb (DC), 260  
Dirac-Coulomb-Breit (DCB), 260  
effective, 18–19, 273  
of crystal field method (EHCF)  
approach, 451, 452, 479, 481, 482, 495, 498  
eigenfunction, 221  
eigenvalue, 74  
fully hybridized, 521–523  
hybrid, 373  
operator, 361, 388  
similarity-transformed, 51  
technique, 477  
with RECP, 264
- hard and soft acids and bases, 165
- Hartree-Fock determinant, 50, 74
- Hartree-Fock equations, 110–116. *See also* excited states  
for excited states  
Be atom, 119  
He atom, 117, 119  
Li atom, 119  
for ground states, 117  
single determinantal wave functions, 110–115  
variational derivation of, 115
- Hartree-Fock self-consistent field (HFSCF), 514, 547, 549
- Hartree-Fock theory, 107, 286
- Hartree-Fock-Roothaan (HFR), 337, 451  
based semi-empirical methods, 466, 474  
approximation, 460, 465  
MO LCAO, 461
- Hartree-like uncorrelated wave function (HWF), 511
- heavy-atom molecules  
collisions  
CDW-EIS model, 311  
continuum distorted wave eikonal initial state method (CDW-EIS), 312–320  
computational strategies, 260–264  
Dirac-Fock, 260  
Dirac-Fock-Breit, 260  
eigenvalue problem  
Dirac-Coulomb (DC)  
Hamiltonians, 260  
Dirac-Coulomb-Breit (DCB)  
Hamiltonians, 260  
four-component single configuration, 260  
inversion symmetry, 254  
P,T-parity, 254  
P,T-parity non-conservation  
historical background, 255–256  
time-reversal invariance, 254
- HeBr<sub>2</sub>  
non-additive interactions, 357
- Hermite Gaussian type function (HGTF), 205
- HgF, 270
- higher-than-pair clusters, 17  
CC theory, 26



- CI theory, 26
- highest occupied orbital (HOMO), 162
  - DFT, 162
  - EKS, 162
  - Kohn-Sham theory, 163
- high-spin open-shell
  - restricted open-shell, 15
  - unrestricted open-shell (UOHF), 15
- Hilbert space, 178, 180
- Hilbert space method. *See* state
  - universal
- HIV accessory protein
  - simulation, 565
- Hohenberg-Kohn theorem, 161
- hopping technique, basin, 561, 562, 564, 566, 568, 569. *See also*
  - evolutionary algorithms
  - Monte-Carlo with minimization, 561
  - sequential algorithms, 559, 561
  - trp-cage protein, 563
- HSAB. *See* hard and soft acids and bases
- Hubbard Hamiltonian, 514, 517, 521
- Huzinaga-type potentials, 231, 262
- hybrid Hamiltonian, 374, 521–523. *See also*
  - all-electron calculations
- hydrogen bond, 338, 436
  - acceptors, 434
  - adenine-Au<sub>3</sub> complexes, 442–445
  - complex A·AU<sub>3</sub>(N<sub>7</sub>), 444
  - conventional, 433, 434
    - concept, 433
    - donors, 436
  - formic acid·Au<sub>3</sub>, 407
  - separation, 434
- hyperfine coupling constants, 297
- impact velocity, 312
- incomplete model spaces (IMs), 17
- inequivalent sites
  - level renormalization, 514–517
- interaction matrix
  - Breit, 208, 209, 210
- intermediate normalization, 17, 19
  - C-normalization, 20
- intermolecular vdW potential, 353
- internal cluster amplitudes, 20
- internal excitation operators, 20
- internal triples, 67
- internuclear coordinate, 312
- intramolecular hydrogen bond
  - adenine-Au<sub>3</sub> complexes, 442–445
  - complex A·AU<sub>3</sub>(N<sub>3</sub>), 444
  - complex A·AU<sub>3</sub>(N<sub>7</sub>), 444
- intruder state
  - GMS, 36
- inversion symmetry, 254
- ionization potential
  - first-order shell corrections, 159
  - shell-correction part of, 172
- isomerism, 189–191
  - ethylene electronic, 177
- isospin index, 142
- Jacobi coordinate
  - rovibrational Hamiltonian, 353
- Janak's theorem, 162
  - EKS approach, 163
- ket space, 178, 179
- ket states, 54
- kinematic operator, 181
- Kohn-Sham equations, 547
- Kohn-Sham functional
  - for atomic clusters, 139–141
- Kronecker delta, 54
- KS spectrum, single-particle, 170
- Lagrange multipliers, 518
- Lamb shift, 286
  - polarization effect, 285
- Landau theory
  - Fermi liquids, 523
- Laplace equation, 538
- lattice vectors
  - Bravais, 551
- LCAO bonding orbitals, 193
- LDA ab initio LMTOASA calculation, 526
- LDA+U method, 523
- Legendre functions, 390
- Lennard-Jones parameters, 558
- lepton EDM. *See* electron EDM
- level renormalization
  - Hellmann-Feynman theorem, 515
- Levi-Civita density, 211
- ligand field stabilization energy (LFSE), 455
- Li-HF complex. *See also* Golden rule treatment
  - electronic predissociation, 385
  - electronically excited, 385
- linear structured water dimer
  - partitioned energy terms, 344

- linear water dimer, 342
- linearized Mun Tin orbitals (LMTO), 523, 536, 538
  - atomic sphere approximation, 537
  - band structure, 526
  - density of states, 540
- linear-response CC methods
  - CC3, 47
  - CCSDR(3), 47
- iterate programming techniques, 3–12
  - and devolved collaboration, 9–10
  - and libraries, 8–9
    - basic linear algebra subroutines (BLAS), 8
    - basis tensor algebra subroutines (BTAS), 3, 9
  - collaborative virtual environment, 3, 10
  - documentation of code, 5–6
    - failure in, 5, 6
  - LATEX, 7
  - practicalities of, 7–8
  - publication, 6–7
    - elucidative programming, 7
  - WEB file, 7
    - tangle, 7
    - weave, 7
- local density approximation (LDA), 409, 411, 510, 536, 549
  - adiabatic, 144
- longitudinal electron velocity
  - distributions, 320–325
  - for transverse velocities, 322
- Lorentz weight, 138
- low energy electrons, 320
- Löwdin partition technique, 499
- LS. *See* Lamb shift
- LSP. *See* local spin-polarized
  
- magnetic dipole
  - and electric quadrupole, 293
- many-body perturbation theory (MBPT), 14, 47. *See also*
  - coupled cluster (CC) methods
- many-electron correlation problem
  - perturbative approaches, 13
  - variational approaches, 13
- matrix elements (ME), 247
- matrix Hartree-Fock, 117
- maximum hardness principle, 165
- MBS. *See* minimum basis set
  
- MCDF. *See* multi-configuration Dirac-Fock
- MCM. *See* Monte-Carlo with minimization
- McMurchie-Davidson algorithm
  - G-spinor basis functions, 205–207
- McWeeny's theory of electron groups, 475
- mechanical modelling
  - Jahn-Teller ion, 454, 455
  - ligand field stabilization energy, 455
- mesoatom decay
  - Feynman diagrams, 303
- meso-atomic system, 304
- metal complexes, 451–505
  - open d-shell, 451–505
- method of moments of CC equations (MMCC), 45, 48, 59
  - CR-EOMCCSD(T) methods, 48
  - excited electronic states, 49
  - MRMBPT, 49
  - single-reference CC/EOMCC theory, 49
- millihartrees (mH), 29
- minimum basis set, 27
- minimum energy path, 362
- MMCC approaches
  - CR-EOMCC methods, 101
    - CR-EOMCCSD(T), 101
  - externally corrected MMCC, 101
  - for excited states, 49, 63
    - CC/EOMCC approximation, 59, 63
    - CR-EOMCCSD(T)<sub>L</sub> approximation, 63
    - MMCC(m<sub>A</sub>,m<sub>B</sub>) schemes, 63
  - ground state, 49
  - similarity-transformed Hamiltonian, 101
    - left eigenstates of, 93–100
- MMCC(2,3) approximation, 62
  - CI-corrected (MMCC(2,3)/CI approximation), 66–78
    - active-space CISDt calculations, 66
  - CR-EOMCCSD(T) approach, 78
  - MRMBPT-corrected, 66–78
  - PT-corrected (MMCC(2,3)/PT approximation), 70, 73, 75, 76, 77, 78

- with externally corrected approaches, 65
- MMCC(2,3)/CI approximation, 67, 70, 72, 73, 76, 78
  - CH<sup>+</sup> ion, 69
  - iterative CISDt, 78
  - triples, 69
- MMCC(2,3)/PT approximation, 70, 73, 75, 76, 77, 78
  - CI vertical excitation energies, 77
  - MRMBPT, 74
- MMCC( $m_A, m_B$ ) schemes, 64, 93
  - MMCC(2,3) approximation, 62
    - CI-corrected, 66–78
    - CR-EOMCCSD(T) approach, 78
    - MRMBPT-corrected, 66–78
    - PT-corrected, 70, 73, 75, 76, 77, 78
    - with externally corrected approaches, 65
  - MMCC(2,3)<sub>L</sub> approximation, 97
- modelling PES, 453
- molecular excited states, 78
- molecular mechanics (MM) modelling, 454
  - methods, 452–456
- molecular modelling, 451, 461, 473
  - electronic structure, 454
    - density matrices, 457–474
  - Jahn-Teller distortions, 454
  - metal complexes, 451–505
  - polyatomic systems, 452
  - time dependent DFT methods, 473
  - TMC's electronic structure, 456
  - transition metal complexes, 451
- Møller-Plesset approximation, 347
- Møller-Plesset perturbation theory (MPPT), 357, 460, 463
- MOLPRO, 192
- Monte-Carlo with minimization, 565
  - basin hopping technique, 561
- Morse potential, 491
  - Racah parameters, 492
- Mott-Hubbard metal-insulator transition, 514
- MP4, 363
- MR CC theories, 26
- MR CISD, 31
  - CC-based corrections, 34
  - correcting CCSD approaches, 27
  - Davidson-type corrections, 27
  - intruder state, 27
- MRCI. *See* multi-reference configuration interaction
- Mulliken's electronegativity, 164
- multi-configuration Dirac-Fock, 286
- multi-reference (MR), 14
  - coupled cluster expansions, 109
  - CISD calculations, 74
  - configuration interaction, 392
  - intruder state, 27
  - levels, 13
  - perturbation theory, 109
- multi-reference MBPT (MRMBPT), 49, 74
  - MMCC(2,3) approaches, 66–78
  - MMCC(2,3)/CI, 66–78
  - MMCC(2,3)/PT, 70, 73, 75, 76, 77, 78
- muon, 304
  - capture, 302
- Na(3p)Ar cluster
  - emission lines, 380, 381
  - GM equilibrium structures, 376
  - hybrid pseudo-potential model, 381
  - structure, 375, 376, 377, 378, 379, 380
    - optimization procedure, 375
- Na(3p<sup>2</sup>P)Ar clusters, 371. *See also*
  - diatomics in molecules
  - diatomics in molecules, 372
  - perturbation approach, 372
- NAG library, 8
- nanoscaled materials, 548. *See also*
  - boron clusters
  - boron nanotubes, 546–555
  - computational methods, 549–551
  - materials engineering, 548
- nanostructures, boron, 547, 549. *See also* Aufbau principle; HF-SCF theory
  - computations, 549–551
  - Hartree-Fock self-consistent-field, 549
  - nanotubes, 549, 551, 554
    - electron density of states, 554
    - nanostructured, 546–555
- negative muon, 301
- neutral and charged metal clusters, 412, 413, 414. *See also* three-dimensional structure
  - Golden fullerenes, 415, 416, 417
  - structure, 412–417

- three-dimensional structure
    - onset of, 412, 413, 414
- neutral Au<sub>n</sub> clusters
  - adsorption of O<sub>2</sub> and CO, 425–429
- neutral gold clusters
  - CO adsorption, 427, 428, 429
  - molecular adsorption, 427
  - O<sub>2</sub> adsorption, 426, 427
- no virtual-pair, 202
- nobel metal clusters, 430
  - adsorption, 407, 408
  - anionic clusters, 418–421
  - density metal studies, 407
  - doped Au clusters, 417–418
  - generalized gradient approximation, 409
  - gold cluster anions
    - adsorption of oxygen, 421–425
  - Jahn-Teller distortion, 409
  - local density approximation, 409
  - neutral and charged, 412–417
  - neutral Au<sub>n</sub> clusters
    - adsorption of O<sub>2</sub> and CO, 425–429
  - norm-conserving pseudo-potentials, 407
  - O<sub>2</sub> chemisorption, 410
- NOCR. *See* non-variational one-center restoration
- nodal planes (NP), 187
- non-adiabatic couplings, 380
- non-adiabatic transitions, 385
- non-conventional hydrogen bond, 432–450
  - complex FA·Au<sub>3</sub>, 439
  - computational methodology, 407
  - computations, 436
  - formic acid·Au<sub>3</sub>, 407
  - methodology
    - computational, 407
- non-conventional intramolecular hydrogen bond
  - adenine·Au<sub>3</sub> complexes, 442–445
  - complex A·AU<sub>3</sub>(N1), 443
  - complex A·AU<sub>3</sub>(N3), 444
- non-conventional proton acceptor, 433, 436
  - Au<sub>3</sub>, 383–405
    - with alanine, 383–405
- non-iterative CCSD[T], 45
- non-iterative coupled-cluster, 45
- non-iterative MMCC approaches
  - CC/EOMCC similarity transformed Hamiltonian
    - left eigenstates of, 49
  - CC/EOMCC theory, 57
- non-parallelism error (NPE), 29
- non-variational one-center restoration, 262, 266, 267, 279
- non-zero EDM, 256. *See also* EDM
- N-reference (NR), 18
- NSD. *See* non-local spinpolarized
- nuclear spin, 294
- numerical atomic basis sets, 407
- NVP. *See* no virtual-pair
- OMC. *See* outermost core
- one-band Hubbard model Hamiltonian, 510–514
  - Gutzwiller approach, 510–514
- one-electron core properties, 269
- on-site energy term
  - Hamiltonian, 514
- open shell systems
  - curve AB, 188
  - triplet, 188
- open-shell implementation, 80
- optimization methods
  - basin hopping method, 568
  - evolutionary strategies, 568
  - parallel tempering, 565
  - stochastic tunneling method, 559, 562–565
- orbital symmetries, 521–523
- orthoprojector, 115
- outermost core, 232
- overlap densities, 205–207
- overlap matrix, 207
- P,T-odd interaction
  - EDM, 255, 259
  - effective Hamiltonian, 273
- P,T-odd spin-rotational Hamiltonian, 263
- P,T-parity non-conservation effects, 253, 254, 262, 278
  - non-variational one-center restoration, 262
  - P,T-odd effects, 254
  - standard model (SM), 254
- PAO. *See* pseudoatomic orbitals
- parallel optimization strategies, 559
- parallel tempering, 560, 568. *See also* adaptive temperature control;

- concurrent simulations; trp-cage protein
- partitioned energy terms
  - proton acceptor molecules, 344
  - proton donor molecules, 344
- partitioned total energy values, 341, 343
- PbF, 270
- perturbation theory, 285, 302, 312–315
  - coupled cluster (CC) methods, 14
    - SR CCSD method, 14
  - many body perturbation theory (MBPT), 14
  - multi-reference, 14
  - Rayleigh-Schrödinger, 14
  - single ionization, 312
  - single-reference, 14
- perturbative sparkle model, 488
- perturbed many-body wave function, 133
- phenomenological shell model, 429
- photon propagator, 304
- plutonium
  - Gutzwiller method, 509–534
- PNC. *See* P,T-parity non-conservation
- post Born-Oppenheimer scheme, 187
- potential energy curves (PEC), 14
- potential energy function
  - He<sub>2</sub>-Br<sub>2</sub>, 359
- potential energy surface modelling, 463
- potential energy surface (PES), 14, 347, 373, 374, 375, 386, 452, 559. *See also* electronically excited isomers
  - bromine and helium, 347
  - coupled-cluster [CCSD(T)], 347
  - evaluation, 451
  - for HeBr<sub>2</sub> complex, 351
  - Jacobi coordinates, 350
  - Møller-Plesset approximation, 347
  - Monte-Carlo sampling, 374
  - perturbation approach, 14
  - pseudo-potential calculations, 373, 374
  - size-consistency, 22
  - size-extensivity, 22
  - supermolecular approach, 350
  - variational approach, 14
    - configuration interaction (CI), 14
- PP. *See* pseudopotential
- projection operator, 18, 79
- protein folding
  - bacterial ribosomal protein L20, 547
  - basin hopping method, 568
  - force field, 558–559
  - HIV accessory protein, 547, 565
  - non-trivial electrostatic interactions, 558
  - optimization methods, 558, 559
    - basin hopping technique, 559
    - evolutionary technique, 559
    - parallel tempering method, 559, 565
  - potential energy surfaces, 559
  - replication step, 560
  - simulated annealing, 561
  - stochastic optimization, 556–570
  - stochastic tunneling method, 562–565
    - trp-cage protein, 568
- protein simulations, 561. *See also* protein folding
- protein structure prediction
  - stochastic optimization methods, 569
- protein tertiary structure prediction (PSP), 557. *See also* stochastic optimization methods
  - span, 557
- proton donor molecule, 344
- proton EDM, 258
- PS. *See* Perturbative Sparkle
- pseudoatomic orbitals, 411
- pseudopotential calculation, 247, 373, 374. *See also* optimization methods
  - sodium and argon, 373
- pseudospinorbitals, 266, 268
- pseudospinors, 266, 268
- PT. *See* perturbation theory
- QC. *See* quantum chemical
- QM. *See* quantum mechanical
- Q-space determinants, 74
- quantum chemical methods, 1–196, 456–457
  - density matrix elements
    - inequalities relating, 151–157
  - DFT based methods, 457
  - ethylene “isomerism”
    - generalized diabatic study of, 177–196
- even-tempered primitive Gaussian basis sets

- excited state self-consistent field theory using, 107–126
- extended Kohn-Sham scheme
  - Strutinsky's shell-correction method in, 159–176
- methods of, 456–457
- molecular structure
  - theory and computation in, 3–12
- non-iterative coupled-cluster methods
  - for excited electronic states, 45–106
- practicable factorized TDLDA
  - for arbitrary density- and current-dependent functionals, 127–150
- quasidegeneracy
  - configuration-interaction approaches to, 13–43
  - coupled-cluster approaches to, 13–43
- quantum diffusion, 534–546. *See also*
  - ab initio methods
  - backscattering, 509–534
  - quasicrystals, 534–546
  - velocity correlation function, 509
- quantum electrodynamics (QED), 200, 285
  - consistent energy approach to, 302
  - decay for meso-atomic system, 302–304
  - decay probability, 302
  - discharge of nucleus
- $\gamma$ -radiation, 301
  - muon conversion, 301
- electromagnetic four-potential, 201
  - for calculation of heavy and superheavy, 287
    - basis for relativistic orbitals, 287–288
    - nuclear potential, 288–290
  - hyperfine structure parameters, 293–294
- Lamb shift, 286
  - self-energy part of, 292–293
  - vacuum polarization, 286, 291–298
- quantum reactivity, 189–191
- quantum states, 178
- quasicrystals, 534–546. *See also* inverse Mathiessen rule
  - backscattering, 509–535
  - Boltzmann approach, 545
- quasidegeneracy
  - asymmetric energy formula, 25
  - CCSD(T), 14
    - (CR) CCSD(T), 14
    - (R) CCSD(T), 14
  - CCSD, 15
  - CC-type approaches, 31–35
  - CI-type approaches, 29
  - complete model space (CMS), 17
  - DZP H4 model, 28
    - FCI, 28
    - RHF, 28
    - UHF, 28
  - effective Hamiltonian formalism, 18–19
  - externally-corrected and state-specific methods, 24–26
  - full CI (FCI), 17
  - general model space (GMS), 17
  - GMS SU CCSD formalism, 19–21
  - incomplete model spaces (IMSSs), 17
  - intermediate normalization, 17
  - intruder states, 16
  - MBPT, 15
  - restricted Hartree-Fock (RHF), 15
  - restricted open-shell (ROHF), 15
  - single-reference (SR) methods, 24
    - cluster amplitudes, 24
    - MR CISD, 24
    - RMR CCSD method, 24
    - SR CCSD, 24
  - size-consistency, 15, 21–23
  - size-extensivity, 21–23
  - state universal (SU), 16
  - SU CC Ansatz, 17
  - unitary group approach (UGA), 15
  - unrestricted open-shell (UOHF), 15
  - valence universal (VU), 16
- quasidiabatic electronic calculations, 188
- quasidiabatic potential model, 399
- quasiperiodic crystals, 536
- Racah parameters, 470
- radial Jacobi coordinates, 401
- random phase approximation, 127, 128, 473
  - excited one-phonon states, 135
- Rayleigh-Ritz principle, 511
- Rayleigh-Ritz variational method, 217

- Rayleigh-Schrödinger perturbation theory, 14
- RCC. *See* relativistic coupled cluster
- RCC-S
  - spin-dependent GRECP, 275
- RDC. *See* renormalized DC
- reaction microscope
  - for ultra-low energy electrons, 320
- real space recursion procedure, 527
- reduced excitation level, 90
- reference determinant. *See* Hartree-Fock determinant
- REL. *See* reduced excitation level
- relativistic and heavy-element systems, 197–333
  - BERTHA, 199–215
    - Dirac equation, non-standard representations of
      - and variational method, 217–228
    - generalized RECP accounting for Breit effects
      - plutonium, 229–251
      - superheavy elements, 229–251
      - uranium, 229–251
  - heavy particle collisions
    - computer simulations in, 309–333
  - muon-nuclear processes
    - quantum calculation of cooperative, 301–307
  - P,T-parity violation effects
    - in polar heavy-atom molecules, 253–283
  - QED calculation
    - of heavy multi-charged ions, 285–299
- relativistic coupled cluster, 264, 275, 277
  - RCC-S, 275
  - RCC-SD, 275
- relativistic density functional theory (RDFT), 200
- relativistic effective core potential (RECP), 231, 260, 261, 267
  - generalized, 231–242
- relativistic energy
  - self-energy correction, 292
- renormalization
  - of levels, 514
- renormalized DC, 31
- restoration schemes
  - NOCR, 262
  - VOCR, 262
- restricted Hartree-Fock (RHF), 15, 28, 69, 313
- restricted open-shell, 15
- restricted open-shell Hartree-Fock (ROHF), 15, 80
- rhombohedral unit cell, 551
- ribosomal protein L20, bacterial. *See* bacterial ribosomal protein L20
- RMR CCSD, 25
  - and MR CCSD, 31
- Roothan-Hartree-Fock, 313, 317, 318
  - Slater orbitals, 314, 325
- rovibrational bound states, 389
- RPA. *See* random-phase approximation
- SAC-CI. *See* symmetry-adapted cluster configuration interaction
- SAP. *See* Strutinsky averaging procedure
- scalar generalized DC, 31
- scalar quasidegenerate DC, 31
- scalar relativistic pseudo-potential, 414
- scaled Racah parameters, 496
- scattering amplitudes, 316
- SCF. *See* four-component single configuration
- Schmidt-Ruedenberg sets, 121
- SDB. *See* Stuttgart-Dresden-Bonn
- SDD ECP, 350
- SDD. *See* Stuttgart group
- second-order reduced density matrix
  - density matrix elements, 153–155
  - in geminal basis, 152–153
  - inequalities fulfilled by, 155
- self-assembling, 548
- self-consistent (SfC), 232
- self-consistent (G)RECP correction
  - Breit interaction
    - between different shells, 235–242
  - term-splitting correction
    - for D,F-elements, 234–235
- self-consistent field energies, 118, 120
- self-energy part (SE), 286
- self-interaction-corrected, 174
- semi-empirical implementations
  - EHCF, 479, 482
- semi-empirical parameterization
  - TMCs, 500
- semi-internal triples, 67
- separable RPA, 127–150. *See also* coupled-cluster method

- Kohn-Sham functional, 127, 129, 139–141
- Skyrme functional, 127, 129, 141–142
- strength function, 138–139
- separable RPA, 128
- separated molecular orbitals, 338
  - one-body terms, 339
  - partitioned energy, 339
  - two-body terms, 339
- SGDC. *See* scalar generalized DC
- SGTF. *See* spherical Gaussian function
- SHE. *See* superheavy elements
- SIC. *See* self-interaction-corrected
- silver clusters
  - adsorption, 407
  - anionic, 418, 425
    - adsorption of oxygen, 418–420
- similarity-transformed Hamiltonian, 51, 52
  - eigenstates
    - bra, 53
    - ket, 53
  - left eigenstates of, 101
- single determinantal wave functions
  - orthogonality constraints for, 110–115
- single electron excitations, 473
- single ionization, 312
- single Slater determinant, 459
- single-particle KS spectrum, 170
- single-reference, 13, 14, 460
  - CC/EOMCC theory, 49
  - CCSD, 24
    - RMR, 24
  - cluster amplitudes, 24
  - coupled cluster, 45
    - MR CISD, 24
  - perturbative methods, 460
- single-reference coupled cluster, 45, 61
  - CCSD(T), 45
    - coupled cluster singles and doubles approach (CCSD), 45
    - for ground-state wave function, 50
      - cluster operator, 50
      - reference determinant, 50
    - non-iterative CCSD[T], 45
- single-reference MMCC formalism, 49
- size-consistency, 15
  - SR CCSD, 23
- size-extensivity
  - CC approaches, 22, 24
    - Ansatz, 24
    - limited CISD (MR CISD) methods, 24, 25
    - MBPT, 22, 24
    - MR-type methods, 22
- Skyrme functional
  - densities and currents for, 148
  - for atomic nuclei, 141–142
- Slater determinants, 133, 152, 153, 459
- Slater orbitals, 314
- SMO. *See* separated molecular orbitals
- Sommerfeld parameters, 314
- space parity violation, 255
- spectra
  - emission lines, 380, 381
- spherical Gaussian function, 203
- spherical harmonic normalization
  - Clebsch-Gordon coefficients, 204
- spin functionals, gradients, 411
- spinor space, 220
- spin-orbitals
  - active (occupied), 66
  - core, 66
  - virtual, 66
- spin-rotational Hamiltonian, 272
- SPRA
  - 1ph space, 133–135
  - initial operators, 144–147
  - normalization condition, 135
  - scaling perturbation, 131–133
  - strength matrices, 149
  - T-even density, 140
  - time-dependent Hamiltonian, 130–131
    - T-odd currents, 143–144
    - T-odd densities, 140
- SQDC. *See* scalar quasidegenerate DC
- SR CCSD, 25, 31
  - and SR CISD, 31
  - CCSDT, 15
  - CCSDTQ, 15
  - FCI, 31
- SR CI, 29
- SR CISD, 31
  - Davidson type corrections, 26
- SR formalism, 17, 26. *See also* MR formalism
- SR. *See* single-reference
- SRPA. *See* separable RPA
- SS approach
  - MR SU CC formalism, 26



- S-spinors, 211
- standard model, 256
  - supersymmetry, 256
- standard QM/MM technique, 486
- state selective, 25
- state universal (ST), 16. *See also*
  - valence universal
- stochastic optimization methods,
  - 556–570. *See also* non-linear transformation; protein folding
  - all-atom protein structure prediction, 568
- structure matrix, 152
- Strutinsky average energy component, 169
- Strutinsky averaging procedure, 160
  - Kohn-Sham orbitals, 169
- stochastic tunneling technique, 559. *See*<sup>e</sup>
  - also* sequential algorithms
- Stuttgart group, 350
  - SDD+G(3df) basis set, 350
- Stuttgart-Dresden-Bonn, 356
- SU CC Ansatz, 19
- SU CC formalism, 17
  - full CI (FCI), 17
  - MR SU CC formalism, 26
  - SU CC Ansatz, 17
  - SU CCSD formalism, 17
- superheavy elements, 229, 230
- supermolecular approach, 357
  - of non-additive effects, 359
- supermolecular interaction energies
  - T-shaped structure, 350
- superposition error, basis-set, 350
- TAA. *See* two atoms adsorption
- Tamm-Danco approximation, 473
- target cusp, 323
- TDDFT method, 474
- tensor algebra subroutines, basis, 9
  - classification, 9
- term-splitting (TS) correction, 235
- tetra-atomic complex, 356–366
  - ab initio calculations, 356–359
  - bound state calculations, 361
  - potential energy surface
    - representation
      - He<sub>2</sub>-Br<sub>2</sub>, 359–361
- T-even operators, 149
- Thouless theorem, 133
- three-dimensional potential energy surface
  - HeBr<sub>2</sub>(X) complex
    - at CCSD(T) level, 366
    - vdW energy levels, 366
- three-gold cluster, 433
  - formic acid, 437
  - hydrogen bonds, 432–450
  - proton acceptor, 432–450
- time-dependent Golden rule (TDGR)
  - treatment, 376, 387
- time-dependent Hartree-Fock (TDHF)
  - theory, 473
- time-dependent
  - local-density-approximation (TDLDA) theory, 128
  - SRPA, 137
- time-reversal invariance, 254
- T-odd densities and currents, 143
  - Kohn-Sham functionals, 144
  - Skyrme forces, 143, 144
- T-odd operators, 149
- trans attractor, 190
- transition energies (TE), 237, 238, 239, 240, 241, 242, 243, 246
- transition metal complexes (TMC)
  - electronic structure
    - crystal field theory, 474
    - EHCF vs. LFT, 483
  - features, 477
  - hybrid EHCF/MM method, 432–450
  - ligand electronic structure, 483
  - physical picture, 474
  - principles, 474–495
  - semi-empirical implementations, 479
- transition metal complexes, 451
  - evaluation, 451
  - semi-empirical parameterization, 500
- triangle three-gold cluster, 433, 442
  - non-conventional proton acceptor, 448
- triatomic complex, 349–356
  - ab initio calculations, 349–351
  - potential energy surface
    - representation, 351–353
    - bound state calculations, 353–356
- triple excitations, 48
  - CCSD/EOMCCSD calculations
    - MMCC(2,3)/CI method, 101
    - MMCC(2,3)/PT method, 101
- triply differential cross section, 314
- triply excited determinants, 75
- triply excited moments, 67, 69, 75

- trp-cage protein, 563. *See also* adaptive temperature control
  - parallel tempering simulation, 563
- two atoms adsorption, 423
- two-component GRECP, 266
- two-component molecular RECP calculation
  - two-step method, 264
- two-electron density matrix, 152
- two-orbital two-electron model system, 464
  
- Uehling potential, 291, 292
- Uehling-Serber approximation, 285, 286
- UHF Fock operators, 116
- ultra-low energy electrons, 320
- ultraviolet photoelectron spectroscopy (UPS), 410
- unitary group approach (UGA), 15
- unitary operator, 180
- unrestricted Hartree-Fock, 28, 90
  - restricted high-spin open-shell functions, 114
- unrestricted open-shell (UOHF), 15
  
- vacuum polarization (VP), 286
- valence universal (VU), 16. *See also* state universal (SU),
  - cluster operator, 17
- van der Waals complexes (vdW), 347
  - HeBr<sub>2</sub>, 349
  - of dihalogen molecule, 348
  - pairwise additivity of two-body and three-body potentials for, 349
  - potential energy surfaces, 347
- variational approach
  - configuration interaction (CI), 14
    - limited CISD, 24
    - MR-CISD, 14, 24
    - SR-CISD, 14
- variational one-centre restoration (VOCR), 262, 267
  
- VDZ, 340
- velocity correlation function
  - ab initio calculation, 544
- vertical excitation energies, 55, 70, 72, 84
- vibrational Hamiltonian, 353
- virial theorem, 338
- virtual environment, 10
- virtual environment, collaborative. *See* collaborative virtual environment
- VTZ, 340
  
- water cluster
  - linear water dimer structure, 340–344
    - basis sets, 340
    - SMO method, 338–339
  - water hexamer molecules
    - energetic contributions in, 342–344
- water dimer structure
  - hydrogen bond, 338
- water hexamer molecules
  - energetic contributions in
    - 6-31G/d, 342
    - Boat Chair Prism, 342
    - VTZ, 342
- Weyl representation
  - Dirac-Weyl spinor, 223
  - Klein-Gordon equation, 222
  - transformation matrix, 222
- Wigner matrices, 364
- Woods-Saxon potential, 305
  
- YbF, 272
  
- zero-point vibrational energy (ZPVE), 438
- zeroth approximation, 286

## Progress in Theoretical Chemistry and Physics

---

1. S. Durand-Vidal, J.-P. Simonin and P. Turq: *Electrolytes at Interfaces*. 2000  
ISBN 0-7923-5922-4
2. A. Hernandez-Laguna, J. Maruani, R. McWeeny and S. Wilson (eds.): *Quantum Systems in Chemistry and Physics*. Volume 1: Basic Problems and Model Systems, Granada, Spain, 1997. 2000  
ISBN 0-7923-5969-0; Set 0-7923-5971-2
3. A. Hernandez-Laguna, J. Maruani, R. McWeeny and S. Wilson (eds.): *Quantum Systems in Chemistry and Physics*. Volume 2: Advanced Problems and Complex Systems, Granada, Spain, 1998. 2000  
ISBN 0-7923-5970-4; Set 0-7923-5971-2
4. J.S. Avery: *Hyperspherical Harmonics and Generalized Sturmians*. 1999  
ISBN 0-7923-6087-7
5. S.D. Schwartz (ed.): *Theoretical Methods in Condensed Phase Chemistry*. 2000  
ISBN 0-7923-6687-5
6. J. Maruani, C. Minot, R. McWeeny, Y.G. Smeyers and S. Wilson (eds.): *New Trends in Quantum Systems in Chemistry and Physics*. Volume 1: Basic Problems and Model Systems. 2001  
ISBN 0-7923-6708-1; Set: 0-7923-6710-3
7. J. Maruani, C. Minot, R. McWeeny, Y.G. Smeyers and S. Wilson (eds.): *New Trends in Quantum Systems in Chemistry and Physics*. Volume 2: Advanced Problems and Complex Systems. 2001  
ISBN 0-7923-6709-X; Set: 0-7923-6710-3
8. M.A. Chaer Nascimento: *Theoretical Aspects of Heterogeneous Catalysis*. 2001  
ISBN 1-4020-0127-4
9. W. Schweizer: *Numerical Quantum Dynamics*. 2001  
ISBN 1-4020-0215-7
10. A. Lund and M. Shiotani (eds.): *EPR of Free Radicals in Solids*. Trends in Methods and Applications. 2003  
ISBN 1-4020-1249-7
11. U. Kaldor and S. Wilson (eds.): *Theoretical Chemistry and Physics of Heavy and Superheavy Elements*. 2003  
ISBN 1-4020-1371-X
12. J. Maruani, R. Lefebvre and E. Brändas (eds.): *Advanced Topics in Theoretical Chemical Physics*. 2003  
ISBN 1-4020-1564-X
13. J. Rychlewski (ed.): *Explicitly Correlated Wave Functions in Chemistry and Physics*. Theory and Applications. 2003  
ISBN 1-4020-1674-3
14. N.I. Gidopoulos and S. Wilson (eds.): *The Fundamentals of Electron Density, Density Matrix and Density Functional Theory in Atoms, Molecules and the Solid State*. 2003  
ISBN 1-4020-1793-6
15. J.-P. Julien, J. Maruani, D. Mayou, S. Wilson and G. Delgado-Barrio (eds.) *Recent Advances in the Theory of Chemical and Physical Systems*. 2006  
ISBN 1-4020-4527-1