

BIBLIOGRAPHY

- ABDULLAEV, I.: Environmental impacts of large scale irrigation: examples from the Aral Sea. In: GAT, J.R. & NETHANYAHU, S. (Eds.): *Water and Environment: Resolving Conflicts in the Development of Drylands*, Conference Proceedings, CWST-Ben-Gurion University of the Negev, 2000, 68–69, Beer Sheba.
- ABOU ZAKHEM, B. & HAFEZ, R.: General hydroisotopic study of direct infiltration and evaporation process through the unsaturated zone in Damascus Oasis, Syrian Arab Republic. In: *Isotope Based Assessment of Groundwater Renewal in Water Scarce Regions*, IAEA-TECHDOC-1246, 2001, 131–170, (IAEA) Vienna.
- ADAR, E.M., GEV, I., LIPP, J., YAKIR, D., GAT, J.R. & COHEN, Y.: Utilization of oxygen-18 and deuterium in stem flow for the identification of transpiration sources: soil water versus groundwater in sand dune terrain. *IAHS-Public.* 232, 1995, 329–339.
- ADAR, E.M., NEUMANN, S.P. & WOOLHISER, D.A.: Estimation of spatial recharge distribution using environmental isotopes and hydrochemical data. *J. Hydrol.* 97, 1988, 251–302.
- ADMUNDSON, R. & WANG, Y.: Relationship between the oxygen isotopic composition of soil CO₂ and water. In: *On Isotopes in Water Resources Management* Vol. 1, 1995, 315–332, (IAEA) Vienna.
- AEBY, P., FORRER, J., STEINMEIER, C. & FLÜHLER, H.: Image analysis for determination of dye tracer concentrations in sand columns. *Soil Sci. Soc. Am. J.* 61, 1997, 33–35.
- AIREY, P.L., CALF, G.E., HARTLEY, P.E., ROMAN, D. & SPRAGG, W.T.: Use of environmental isotopes and artificial tracers to study recharge to groundwater in the Burdekin Delta, Queensland. In: *Isotope Techniques in Groundwater Hydrology* Vol. I, 1974, 115–126, (IAEA) Vienna.
- ALBRECHT, F.: Die Methoden zur Bestimmung der Verdunstung der natürlichen Erdoberfläche. *Arch. Meteor., Geophys., Bioklim.* B2, 1951, 1–38.
- ALLEN, R.G., PEREIRA, L.S., RAES, D. & SMITH, M.: Crop evaporation. Guidelines for computing crop water requirements. FAO irrigation and drainage paper 56, 1998, 300 p.
- ALLISON, G.B.: The relationship between ¹⁸O and ²H in water sand columns undergoing evaporation. *J. Hydrol.* 55, 1982, 49–72.
- ALLISON, G.B.: A review of some of the physical, chemical and isotopic techniques available for estimating groundwater recharge. In: SIMMERS, I. (Ed.): *Estimation of natural groundwater recharge*, 1988, 49–72, (Reidel) Dordrecht, Boston.
- ALLISON, G.B. & BARNES, C.J.: Estimation of evaporation from non-vegetated surfaces using natural deuterium. *Nature* 301, 1983, 143.
- ALLISON, G.B., BARNES, C.J. & HUGES, M.W.: The distribution of deuterium and oxygen-18 in dry soil (II. Experimental). *J. Hydrol.* 64, 1983, 377–397.

- ALLISON, G.B., BARNES, D.J. & HUGHES, M.W.: Towards understanding of stable isotope profiles in field soils. In: *Recent Investigations in the Zone of Aeration*. Vol. 1, 1984, 293–301, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- ALLISON, G.B., BARNES, C.J., HUGHES, M.W. & LEANEY, F.W.J.: Effect of climate and vegetation on oxygen-18 and deuterium profiles in soils. *Isotope Hydrology*, 1984, 105–123, (IAEA) Vienna.
- ALLISON, G.B., COLIN-KACZALA, C., FILLY, A. & FONTES, J.-C.: Measurement of isotopic equilibrium between water, water vapor and soil CO₂ in arid zone soils. *J. Hydrol.* 95, 1987, 131–141.
- ALLISON, G.B., COOK, P.G., BARNETT, S.R., WALKER, G.R., JOLLY, I.D. & HUGHES, M.W.: Land clearance and river salinisation in the Western Murray basin, Australia. *J. Hydrol.* 119, 1990, 1–20.
- ALLISON, G., FONTES, J.-C. & SONNTAG, C.: Conclusions and recommendations on the usefulness of studies of the isotopes ¹⁸O, ²H and ³H in water in the unsaturated zone. In: *On Stable and Radioactive Isotopes in the Study of the Unsaturated Soil Zone*, 1985, 179–183, (IAEA) Vienna.
- ALLISON, G.B., GEE, G.W. & TYLER, S.W.: Vadose-zone techniques for estimating groundwater recharge in arid and semi-arid regions. *Soil Sci. Soc. Am. J.* 58, 1994, 6–14.
- ALLISON, G.B. & HUGHES, M.W.: Environmental tritium in the unsaturated zone: Estimation of recharge to an unconfined aquifer. In: *Isotope Techniques in Groundwater Hydrology*, Vol. I, 1974, 57–72, (IAEA) Vienna.
- ALLISON, G.B. & HUGHES, M.W.: The use of environmental tritium to estimate recharge to a South-Australian aquifer. *J. Hydrol.* 26, 1975, 245–254.
- ALLISON, G.B. & HUGHES, M.W.: The use of environmental chloride and tritium to estimate total recharge to an unconfined aquifer. *Aust. J. Soil Res.* 16, 1978, 181–195.
- ALLISON, G.B. & HUGHES, M.W.: The use of natural tracers as indicators of soil water movement in a temperate semi-arid region. *J. Hydrol.* 60, 1983, 157–173.
- ALLISON, G.B. & PECK, A.J.: Hydraulic scaling theory in recharge estimation. In: SHARMA, M.L. (Ed.): *Groundwater Recharge*, 1989, 57–66, (Balkema) Rotterdam, Boston.
- ALLISON, G.B., STONE, W.J. & HUGHES, M.W.: Recharge in Karst and dune elements of a semi-arid landscape as indicated by natural isotopes and chloride. *J. Hydrol.* 76, 1985, 1–26.
- AL-SAGABY, I. & MOALLIM, M.: Use of isotopes to study groundwater recharge through sand dunes in A Qasim Area, Saudi Arabia. In: *Isotope Field Applications for Groundwater Studies in the Middle East*, 1996, 11–32, (IAEA) Vienna.
- AL-SAGABY, A. & MOALLIM, M.A. Isotope based assessment of groundwater renewal and related anthropogenic effects in water scarce regions: Sand dune study in Qasim area, Saudi Arabia. In: *Isotope Based Assessment of Groundwater Renewal in Water Scarce Regions*, IAEA-TECHDOC-1246, 2001, 221–230, (IAEA) Vienna.
- ALVARADO, J., SEILER, K.-P. & TRIMBORN, P.: Investigación hidro-geológica, isotópica e hidroquímica de la cuenca del Lago de Valencia, Venezuela. *On Isotopes in Water Resources Management*, Vol. 2, 1996, 281–299, (IAEA) Vienna.
- AMBACH, W., ELSÄSSER, M., MOSER, H., RAUERT, W., STICHLER, W. & TRIMBORN, P.: Variationen des Gehalts an Deuterium, Sauerstoff-18 und Tritium während einzelner Niederschläge. *Wetter und Leben* 27, 1975, 186–192.
- AMRO, H., KILANI, S., JAWAWDEH, J., ABD ELDIN, I. & RAYAN, M.: Isotope based assessment of groundwater recharge and pollution in water scarce areas: a case study in

- Jordan. In: *Isotope Based Assessment of Groundwater Renewal in Water Scarce Regions*, IAEA-TECHDOC-1246, 2001, 171–220, (IAEA) Vienna.
- ANDERSEN, L.J. & SEVEL, T.: Six years' environmental tritium profiles in the unsaturated and saturated zones, Grønhøj, Denmark. In: *Isotope Techniques in Groundwater Hydrology*, Vol. I, 1974, 3–20, (IAEA) Vienna.
- ANDRES, G. & EGGER, R.: A new tritium interface method for determining the recharge rate of deep groundwater in the Bavarian Molasse Basin. *J. Hydrol.* 82, 1985, 27–38.
- ANDREWS, J.E., BRIMBLECOMBE, P., JICKELLS, T.D. & LISS P.S.: *An Introduction to Environmental Chemistry*. 1966, (Blackwell Science Ltd) London.
- ARANYOSSY, J.F., FILLY, A., TANDIA, A.A., LOUVAT, D., OUSMANE, B., JOSEPH, A. & FONTES, J.-C.: Estimation des flux d'évaporation diffuse sous couvert sableux en climat hyper aride (erg de Bilma, Niger). Proc. of a symposium, 1991, 309–324, (IAEA) Vienna.
- ARNASON, B.: Ice and snow hydrology. In: *Stable Isotope Hydrology: Deuterium and Oxygen-18 in the Water Cycle*. Technical Report Series No. 210, 1981, 143–176, (IAEA) Vienna.
- ARRAGUAS-ARRAGUAS, L., ROZANSKI, K., GONFIANTINI, R. & LOUVAT, D.: Isotope effects accompanying vacuum extraction of soil water for stable isotope analyses. *J. Hydrol.* 168, 1995, 159–171.
- ATAKAN, Y., ROETER, W., MÜNNICH, K.-O. & MATTHESS, G.: The Sandhausen shallow-groundwater tritium experiment. In: *Isotope Techniques in Groundwater Hydrology*, Vol. I, 1974, 21–43, (IAEA) Vienna.
- ATHAVALE, R.N., MURTI, C.S. & CHAND, R.: Estimation of recharge to the phreatic aquifers of the lower Maner Basin, India, by using the tritium injection method. *J. Hydrol.* 45, 1980, 198–202.
- ATHAVALE, R.N. & RANGARAJAN, R.: Natural recharge measurements in the hard-rock regions of semi-arid India using tritium injection: a review. In: SIMMERS, I. (Ed.): *Estimation of Natural Groundwater Recharge*, 1988, 175–194, (Reidel) Dordrecht, Boston.
- BAHADUR, J., SAXENA, R.K. & MOOKERJEE, P.: Soil moisture movement and ground water recharge by tritium tracer tagging technique. *Proc. Indian Acad. Sci., Sect. A.*, 1977, 85.
- BAJSAROWICZ, J. & WELTON, J.: Surface water-groundwater conditions in the Senegal River basin near Matam, Senegal. In: *The Hydrology of Areas of Low Precipitation*, Proceedings of the Canberra Symposium, *IAHS Public.* 128, 1979, 235–248.
- BAKER, R.S. & HILLEL, D.: Observations of fingering behaviour during infiltration into layered soils. In: GISH, T.J., SHIRMOHAMMADI, A. (Eds.): *Preferential-Flow*. *Am. Soc. Agricult. Engineers*, 1991, 87–99.
- BAKER, D., KLOTZ, D. & SEILER, K.-P.: Dispersion and movement of water in the unsaturated zone of sands and gravels. In: *Stable and Radioactive Isotopes in the Study of the Unsaturated Soil Zone*, (IAEA)-TECDOC-357, 1985, 7–35, (IAEA) Vienna.
- BALDISON, R., SEILER, K.-P. & TRIMBORN, P.: Investigaciones isotópicas ambientales, químicas e hidrogeológicas en la cuenca del Lago Atitlán, Guatemala. Estudios de hidrología isotópica en America Latina, IAEA-TECDOC-835, 1995, 225–236, (IAEA) Vienna.
- BARNES, C.J. & ALLISON, G.B.: The distribution of deuterium and oxygen-18 in dry soils (1. Theory). *J. Hydrol.*, 60, 1983, 141–156.

- BARNES, C.J. & ALLISON, G.B.: The distribution of deuterium and oxygen-18 in dry soils, 3. Theory of Non-isothermal Water Movement. *J. Hydrol.* 74, 1984, 119–135.
- BARNES, C.J. & ALLISON, G.B.: Tracing of water movement in the unsaturated zone using stable isotopes of hydrogen and oxygen. *J. Hydrol.* 100, 1988, 143–176.
- BARNES, C.J., JACOBSON, G. & SMITH, C.D.: The distributed recharge mechanism in the Australian arid zone. *Soil Sci. Soc. Am. J.* 58, 1994, 31–40.
- BARNES, C.J. & WALKER, G.R.: The distribution of deuterium and oxygen-18 during unsteady evaporation from a dry soil. *J. Hydrol.* 112, 1989, 55–67.
- BARNETT, S.R.: The effect of land clearance in the Mallee region on River Murray salinity and land salinisation. *J. Aust. Geology. Geophys.* 1, 1989, 205–208.
- BARRETT, S.R., HISCOCK, K.M., PEDLEY, S., LERNER, D.N., TELLAM, J.H. & FRENCH, M.J.: Marker species for identifying urban groundwater recharge sources. The Nottingham case study. *Water Res.* 33, 1999, 3083–3097.
- BARRY, R.G.: Evaporation and transpiration. In: R.J. CHORLEY (Ed.): *Introduction to Physical Hydrology*, 1969, 82–98, (Methuen) London.
- BAUMGARTNER, A. & REICHEL, E.: *The World Water Balance*. 179 pp., 1975, (Elsevier) Amsterdam.
- BECHER, H.H.: Problems in estimating water and solute movement into, within and through soil with macropores. In: *Recent Investigations in the Zone of Aeration*. Vol. 1, 1984, 241–250, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- BEEKMAN, H.E., GIESKE, A. & SELAOLLO, E.T.: Groundwater recharge studies in Botswana 1987–1999. *Botswana J. of Earth Sciences* 3, 1996, 1–17.
- BEHRENS, H., SEILER, K.-P. & NEUMAIER, F.: Geländeversuche mit Fluoreszenz-Tracern zur Wasserbewegung im wasserungesättigten Lockergestein in den Tälern der Bayerischen Alpen. *Z.d.t. geol. Ges.* 131, 1980, 129–138.
- BELMANS, C., WESSELING, J.G. & FEDDES, R.A.: Simulation model of the water balance of a cropped soil: SWATRE. *J. Hydrol.* 63, 1983, 271–286.
- BENECKE, P.: Investigations into the behaviour of precipitation water in soils by means of ¹³¹I. In: *Isotope and Radiation Techniques in Soil Physics and Irrigation Studies*, 1967, 227–239, (IAEA) Vienna.
- BENECKE, P. & GERKE, H.: Messung und Simulation des Wasserflusses in der ungesättigten Bodenzone. In: *Proc. Symp. on Recent Investigations in the Zone of Aeration*. Vol. 1, 1984, 167–179, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- BENECKE, P. & LORCH, S.: Untersuchung der Versickerung von Niederschlägen mittels ¹³¹I in einer tonig-schluffigen, gedrähten Seemarsch. *Geol. Jb.* 81, 1964, 601.
- BENTLEY, H.W., PHILLIPS, F.M., DAVIS, S.N., GIFFORD, S., ELMORE, D., TUBBS, L. & GOVE, H.E.: The Thermonuclear ³⁶Cl Pulse in Natural Water. *Nature* 300, 1982, 737–740.
- BERG, W., CENCUR CURK, B., FANK J., FEICHTINGER, F., NÜTZMANN, G., PAPESCH, W., RAJNER, V., RANK, D., SCHNEIDER, S., SEILER, K.-P., STEINER, K.-H., STENITZER, E., STICHLER, W., TRHEK, B., VARGAY, Z., VESELIH, M. & ZOJER, H.: Tracers in the Unsaturated Zone. *Beiträge zur Hydrogeologie* 52, 2001, 7–102.
- BEVEN, K.: On subsurface storm flow: an analysis of response times. *Hydrol. Sci. J.* 4, 1982, 505–521.
- BEVEN, K. & GERMAN, P.: Macropores and water flow in soils. *Water Resources Res.* 18, 1982, 1311–1325.
- BEVEN, K., HENDERSON, D.E. & REEVES, A.D.: Dispersion parameters for undisturbed partially saturated soil. *J. Hydrol.* 143, 1993, 19–43.

- BEYERLE, U., PURTSCHERT, R., AESCHBACH-HERTIG, W., IMBODEN, D.M., LOOSLI, H.H., WIELER, R. & KIPFER, R.: Climate and groundwater recharge during the last glaciation in an ice-covered region. *Science* 282, 1998, 731–734.
- BIGGAR, J.W. & NIELSEN, D.R.: Spatial variability of the leaching characteristics of a field soil. *Water Resources Res.* 12, 1976, 78–84.
- BIGGAR, J.W., NIELSEN, D.R. & MACINTYRE, J.L.: Measurement of water and nitrogen fluxes in soil profiles planted with maize. In: Proc. Symp. on *Isotope Ratios as Pollutant Source and Behaviour Indicators*, 1975, 417–428, (IAEA) Vienna.
- BLASCH, K., FERRE, P.A., HOFFMAN, J., POOL, D., BAILEY, M. & CORDOVA, J.: Processes controlling recharge beneath ephemeral streams in southern Arizona. In: Hogan, J.F., Phillips, F.M. & Scanlon, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: The Southwestern United States*, AGU series on Water Science and Applications 9, 2004, 69–76.
- BLASCHKE, A.P., DEAK, J., JAYAWARDENA, D., LIEBE, P., PAPESCH, W., RAJNER, V., RANK, D., RETTINGER, J., STEINER, K.-H. & VARGAY, Z.: Markierungsversuche und Modellrechnungen in der Lysimeterstation Kecksemet (1996–1999). *Forschungsbericht Inst. f. Hydraulik, Gewässerkunde und Wasserwirtschaft* 17, 2000, 89 p. Wien.
- BLEEKER, W., DANSGAARD, W. & LABLANS, W.N.: Some remarks on the simultaneous measurements of particulate contaminants including radioactivity and isotopic composition of precipitation. *Tellus* 18, 1966, 773–785.
- BLÖSCHL, G. & SIVAPALAN, M.: Scale issues in hydrological modeling: A review. *Hydrol. Processes* 9, 1995, 251–290.
- BLUME, H.P., MÜNNICH, K.O. & ZIMMERMANN, U.: Das Verhalten des Wassers in einer Löss-Parabraunerde unter Laubwald. *Z. Pflanzenernähr. Düng. Bodenk.* 112, 1966, 156.
- BLUME, H.P., ZIMMERMANN, U. & MÜNNICH, K.O.: Tritium tagging of soil moisture: The water balance of forest soils. In: *Isotope and Radiation Techniques in Soil Physics and Irrigation Studies*, 1967, 315–332, (IAEA) Vienna.
- BOLIN, B.: On the use of tritium as a tracer for water in nature. In: Proc. 2nd UN Conference on the Peaceful Uses of Atomic Energy, Geneva 18, 1958, 336–344.
- BOERS, T.: Rain water harvesting in arid and semiarid zones. PhD thesis, 1994, Agricultural University, Wageningen.
- BONFILS, P., CHARREAU, C. & MARA, M.: Etudes lysimétriques au Sénégal. *Bull Agron.* 19, 1963, 29–62.
- BOUVIER, C.: Concerning experimental measurements of infiltration for runoff modeling of urban watersheds in western Africa. *IAHS Public.* 198, 1990, 43–49.
- BOUWER, H.: Theory of percolation from open channels. In: CHOW, V.T. (Ed.): *Advances in Hydroscience*, (Academic Press) New York, 1969.
- BOUWER, H.: Artificial recharge of groundwater. Hydrology and engineering. *Hydrogeol. J.* 10, 2002, 121–142.
- BOWMAN, R.S.: Evaluation of some new tracers for soil water studies. *Soil. Sci. Soc. Am. J.* 48, 1984, 987–993.
- BREDEHOEFT, J.D. & PINDER, G.F.: Digital analysis of areal flow in multiaquifer groundwater systems: A quasi-three-dimensional model. *Water Resources Res.* 6, 1970, 883–888.

- BREDENKAMP, D.B., SCHUTTE, J.M. & DUTOIT, G.J.: Recharge of a dolomitic aquifer as determined from tritium profiles. In: *Isotope Techniques in Groundwater Hydrology*, Vol. I, 1974, 73–95, (IAEA) Vienna.
- BRICOUT, J., FONTES, J.-C., LETOLLE, R., MARIOTTI, A. & MERLIVAT, L.: Essai de caractérisation de certaines substances organiques et minérales par leur composition en isotopes stables. In: *Isotope Ratios as pollutant source and behaviour indicators*, 1975, 359–372, (IAEA) Vienna.
- BROADBENT, F.E.: Field measurements of n-utilization efficiency and nitrate movement in soils using ^{15}N -depleted fertilizer. In: *Isotope Ratios as pollutant source and behaviour indicators*, 1975, 373–382, (IAEA) Vienna.
- BROZA, M.: Dew, fog and hygroscopic food as a source of water for desert arthropods. *J. Arid Environ.* 2, 1979, 43–49.
- BUNZL, K., BACHHUBER, H. & SCHIMMACK, W.: Distribution coefficients of ^{137}Cs , ^{85}Sr , ^{141}Ce , ^{103}Ru , ^{131}I and $^{95\text{m}}\text{Tc}$ in the various horizons of cultivated soils in Germany. In: *Recent Investigations in the Zone of Aeration*. Vol. 2, 1984, 567–577, (Dpt. Hydrogeology and Hydrochemistry, University) Munich.
- BUSENBERG, E. & PLUMMER, L.N.: Use of chlorofluorocarbon (CCl_3F and CCl_2F_2) as hydrologic tracers and age dating tools: The alluvium and terrace system on Central Oklahoma. *Water Resources Res.* 28, 1992, 2257–2283.
- BUTLER, M.J. & VERHAGEN, B.Th.: Isotope studies of a thick unsaturated zone in a semi-arid area of southern Africa. In: *Isotope Based Assessment of Groundwater Renewal in Water Scarce Regions*, IAEA-TECHDOC-1246, 2001, 45–70, (IAEA) Vienna.
- BUTTERS, G.L. & JURY, W.A.: Field scale transport of bromide in an unsaturated soil. 2. Dispersion modeling. *Water Resources Res.* 25, 1989, 1583–1589.
- CABRERA, G. & IROUME, A.: A finite element model applied to stream-aquifer relations during floods. In: The Hydrology of areas of Low Precipitation, Proceedings of the Canberra Symposium, Dec. *IAHS Public.* 128, 1979, 267–278.
- CAMPBELL, G.S.: *Soil Physics with Basic Transport Models for Soil-Plant Systems*. 150 p., 1985, (Elsevier) New York.
- CARLIN, F., MAGRI, G., CERVELLATI, A. & GONFIANTINI, R.: Use of environmental isotopes to investigate the interconnections between the Reno River and groundwater (Northern Italy). In: *Isotope Ratios as Pollutant Source and Behaviour Indicators*, 1975, 179–194, (IAEA) Vienna.
- CARREIRA, P.M., MONGE SOARES, A.M., MARQUES DE SILVA, M.A., ARAGUAS-ARAGUAS, L. & ROZANSKI, K.: Application of environmental isotope methods in assessing groundwater dynamics of an intensely exploited coastal aquifer in Portugal. In: *Isotopes in Water Resources Management*, 1995, (IAEA) Vienna.
- CASSEL, D.K. & NIELSEN, D.R.: Field capacity and available water capacity. In: KLUTE, A. (Ed.): *Methods of Soil Analysis, Vol. 1, Physical and Mineralogical Methods*, 1986, 901–926.
- CHANDRASHEKHAR, H. & NAGANNA, C.: Evaluation of groundwater resources of the Chikkahagari basin, Karnataka, India. In: The Hydrology of areas of Low Precipitation, Proceedings of the Canberra Symposium, *IAHS Public.* 128, 1979, 279–286.
- CHARNEY, J., STONE, P.H. & QUIRK, W.J.: Drought in the Sahara, a bio-geophysical feedback mechanism. *Science* 187, 1975, 434–435.
- CHARREAU, C. & JACQUINOT, L.: Etude, au moyen de l'eau tritiée, de la circulation de l'eau dans un sol sableux du Sénégal. In: *Isotope and Radiation Techniques in Soil Physics and Irrigation Studies*, 1967, 301–314, (IAEA) Vienna.

- CHILTON, P.J., STUART, M.E. & DARLING, W.G.: Use of stable isotopes in the investigation of the effects of wastewater reuse on groundwater in Mexico. In: *Application of Isotope Techniques to Investigate Groundwater Pollution*, 1998, 209–225, (IAEA) Vienna.
- CHILTON, P.J., STUART, M.E., ESCOLERO, O., MARKS, R.J., GONZALEZ, A. & MILNE, C.J.: Groundwater recharge and pollutant transport beneath wastewater irrigation: the case of León, Mexico. In: ROBINS N.S. (Ed.): *Groundwater Pollution, Aquifer Recharge and Vulnerability*. Geological Society of London, Special Publication 130, 1998, 153–168.
- CHRIST, A. & HOFMANN, T.: Particle bound transport of contaminants in the unsaturated zone linked to recycled material. In: SEILER, K.-P. & WOHNLICH, S. (Eds.): *New Approaches Characterizing Groundwater Flow*, 2001, 31–35, (Balkema) Lisse, Abingden, Exten, Tokyo.
- CLARK, I. & FRITZ, P.: *Environmental Isotopes in Hydrogeology*. 1997 (CRC Press/Lewis Publishers) Boca Raton.
- CLARK, J.F., DAVISSON, M.L., HUDSON, G.B. & MacFARLANE, P.A.: Noble gasses, stable isotopes and radiocarbon as tracers of flow in the Dakota aquifer, Colorado and Kansas. *J. Hydrol.* 211, 1998, 151–167.
- CLASSEN, H. & HALM, D.R.: Estimates of evapo-transpiration or effective moisture in Rocky Mountains watersheds from chloride ion concentrations in stream base-flow. *Water Resources Res.* 32, 1996, 363–372.
- COATS, K. & SMITH, B.: Dead-end pore volume and dispersion in porous media. *Soc. Petr. Eng. J.* 4, 1964, 73–84.
- CONRAD, G., MARCE, A. & OLIVE, P. : Mise en évidence, par le tritium, de la recharge actuelle des nappes libres de la zone aride sharienne (Algérie). *J. Hydrol.* 27, 1975, 207–224.
- COOK, P.G., EDMUNDS, W.M. & GAYE, C.: Estimating palaeorecharge and palaeoclimate from unsaturated zone profiles. *Water Resources Res.* 28, 1992, 2721–2731.
- COOK, P.G., HATTON, T.J., PIDSLEY, D., HERCZEG, A.L., HELD, A., O'GRADY, A. & EAMUS, D.: Water balance of the tropical woodland ecosystem, northern Australia: A combination of micro-meteorological, soil physical and groundwater chemical approaches. *J. Hydrol.* 210, 1998, 161–177.
- COOK, P.G., JOLLY, I.D., LEANEY, F.W., WALKER, G.R., ALLAN, G.L., FIFIELD, L.K. & ALLISON, G.B.: Unsaturated zone tritium and chlorine 36 profiles from southern Australia: their use as tracers of soil water movement. *Water Resources Res.* 30, 1994, 1709–1719.
- COOK, P.G., SOLOMON, D.K. & PLUMMER, L.N.: Chlorofluorocarbons as tracers of groundwater transport processes in a shallow, silty aquifer. *Water Resources Res.* 31, 1995, 425–434.
- COOK, P.G. & WALKER, G.R.: Evaluation of the use of ^3H and ^{36}Cl to estimate groundwater recharge in arid and semi-arid environments. In: *Proc. Symp. on Isotopes in Water Resources Management*, 1995, 397–403, (IAEA) Vienna.
- COOK, P.G., WALKER, G.R. & JOLLY, I.D.: Spatial variability of groundwater recharge in semi-arid regions. *J. Hydrol.* 111, 1989, 195–212.
- COREY, J.C. & FENIMORE, J.W.: Tracing groundwater with chloride ions and tritium through acid kaolinitic soil. *Int. J. Appl. Radiat. Isotope* 19, 1968, 741.
- COREY, J.C. & HORTON, J.H.: Movement of water tagged with ^3H and ^{18}O through acidic kaolinitic soil. *Soil Sci. Soc. Am. Proc.* 32, 1968, 471.

- COREY, J.C., KIRKHAM, D. & NIELSEN, D.R.: The movement of chloride and nitrate through certain Iowa soils. *Iowa Acad. Sci. Proc.* 74, 1967, 130.
- COREY, J.C. & NIELSEN, D.R.: Some factors influencing the interpretation of soil-solute-water interactions. In: *Soil-Moisture and Irrigation Studies II*, 1973, 87–110, (IAEA) Vienna.
- CRAIG, H.: Isotopic variations in meteoric waters. *Science* 133, 1961, 1702–1708.
- CRAIG, H. & GORDON, L.I.: Deuterium and Oxygen-18 variations in the ocean and marine atmosphere. In: E. TONGIORGI (Ed.), *Stable Isotopes in Oceanographic Studies and Paleo-Temperatures*, Lab. Geolog. Nucl., Pisa, 1965, 9–130.
- CRESSWELL, R., WISCHUSEN, J., JOCOBSON, G. & FIFIELD, K.: Assessment of recharge to groundwater systems in the arid southwestern part of the Northern Territory, Australia, using chlorine-36. *Hydrogeol. J.* 7, 1999, 393–404.
- DACHLER, R.: *Grundwasserströmung*. 1933. (Springer) Vienna.
- DANIN, A., BAR-OR, Y., DOR, J. & YISRAELI, T.: The role of cyanobacteria in stabilisation of sand dunes in southern Israel. *Ecologia Mediterranea* 15, 1989, 55–64.
- DANSGAARD, W.: Stable isotopes in precipitation. *Tellus* 16, 1964, 436–438.
- DATTA, P.S., DEDAI, B.I. & GUPTA, S.K.: Comparative study of groundwater recharge rates in parts of Indo-Genetic and Sabarmati alluvial plains. *Mausam* 30, 1979, 29–33.
- DATTA, P.S., DEDAI, B.I. & GUPTA, S.K.: Hydro-geological investigations in Sabarmati basin. I. Groundwater recharge estimation using tritium tagging method. *Proc. Indian Natl. Sci. Acad.*, Part A, 46, 1980, 84–98.
- DATTA, P.S., GOEL, P.S., RAMA, P.A.S. & SENGAL, S.P.: Groundwater recharge in Western Uttar Pradesh. *Proc. Indian Acad. Sci.* 78 Ser A, 1973, 11–12.
- DATTA, P.S., GUPTA, S.K. & SHARMA, S.C.: A conceptual model of water transport through unsaturated soil zone. *Mausam*, 31, 1980, 9–18.
- DAVID, M.B. & VANCE, G.F.: Chemical character and origin of organic acids in streams and percolation lakes of central Maine. *Biogeochem.* 12, 1991, 17–41.
- DAVISSON, M.L. & CRISS, R.E.: Stable isotope and groundwater flow dynamics of agricultural irrigation recharge into groundwater resources of the Central Valley, California. *Symp. on Isotopes in Water Resources Management*, 1995, 405–418, (IAEA) Vienna.
- De SMEDT, F., WAUTERS, F. & SEVILLA, J.: Study of tracer movement through unsaturated sand. *J. Hydrol.* 85, 1986, 169–181.
- De SMEDT, F. & WIERENGA, P.J.: A generalised solution for solute flow in soils with mobile and immobile water. *Water Resources Res.* 15, 1979, 1137–1141.
- DEÁK, J.: Use of environmental isotopes to investigate the connection between surface and subsurface waters in the Nagykovácság Region, Hungary. In: *Isotope Techniques in Groundwater Hydrology*, Vol. I, 1974, 157–167, (IAEA) Vienna.
- DEAK, J., FORIZS, I., DESEO, E. & HERTELENDI, E.: Origin of groundwater and dissolved ammonium in SE Hungary: Evaluation by environmental isotopes. Tracers in Hydrology (Proc. of the Yokohama Symp.) *IAHS Public* 215, 1993, 117–124.
- DELCORE, M.R.: Determinación del promedio anual de la recarga a base de la profundidad del tritio termónuclear en la zona saturada. *IAEA-TECDOC-502*, 1989, 451–456, Vienna.
- DELCORE, M.R. & LARSON, G.L.: Application of the tritium interface method for determining recharge rates to unconfined drift aquifers. II. Non-homogeneous case. *J. Hydrol.* 91, 1987, 73–81.
- DELWICHE, C.C. & STEYN, P.L.: Nitrogen isotope fractionation in soils and microbial reactions. *Environ. Sci. Technol.* 4, 1970, 920–935.

- DEMUTH, N. & HILTPOLD, A.: Fast-Flow. Eine Übersicht über den heutigen Wissensstand. *Z. Pflanzenern. Bodenk.* 156, 1993, 479–484.
- DETTINGER, M.D.: Reconnaissance estimates of natural recharge to desert basins in Nevada, USA, by using chloride balance calculations. *J. Hydrol.* 106, 1989, 55–78.
- DHARMASIRI, J.K. & DHARMAWARDENA, K.G.: Recharge measurements using tritium tracer at different sites in Sri Lanka. In: *Interam. Symp. on Isotope Hydrology*, 1980, 303–314, Bogota.
- DILLON, P.J.: Calibration and validation of a model of groundwater recharge from an ephemeral stream. In: SHARMA, M.L. (Ed.), *Groundwater Recharge*, 1989, 119–137, (Balkema) Rotterdam, Boston.
- DINCER, T.: Use of environmental isotopes in arid-zone hydrology. In: *Arid-zone Hydrology: Investigations with Isotope Techniques*, 1980, 23–30, (IAEA) Vienna.
- DINCER, T., AL-MUGRIN, A. & ZIMMERMANN, U.: Study of the infiltration and recharge through the sand dunes in arid zones with special reference to the stable isotopes and thermonuclear tritium. *J. Hydrol.* 23, 1974, 79–109.
- DINCER, T., NOORY, M., JAVED, A.R.K., NUTI, S. & TONGIORGIE, E.: Study of groundwater recharge and movement in shallow and deep aquifers in Saudi Arabia with stable isotopes and salinity data. In: *Isotope Techniques in Groundwater Hydrology*, 1974, 363–378, (IAEA) Vienna.
- DROST, W. & NEUMAIER, F.: Application of single borehole methods in groundwater research. *Proc. Isotope Techniques in Groundwater Hydrology*, 1974, 241–254, (IAEA) Vienna.
- DUFFY, Ch.J.: Semi-discrete dynamical model for mountain-front recharge and water balance estimation, Rio Grande of southern Colorado and New Mexico. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: the Southwestern United States*, AGU series on Water Science and Applications 9, 2004, 255–272.
- DYCK, S.: *Angewandte Hydrologie. Wasserhaushalt der Flussgebiete.* 2. edition, 1980, 544 p., (Ernst) Berlin, München.
- EASTOE, Ch.J., GU, A. & LONG, A.: The origin, ages and flow paths of groundwater in Tucson Basin: Results of a study of multiple isotope systems. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: The Southwestern United States*, AGU series on Water Science and Applications 9, 2004, 217–234.
- EDMUNDS, W.M.: Investigation of the unsaturated zone in semi-arid regions using isotopic and chemical methods and applications to water resource problems. In: *Isotope Based Assessment of Groundwater Renewal in Water Scarce Regions*, IAEA-TECHDOC-1246, 2001, 7–22, (IAEA) Vienna.
- EDMUNDS, W.M.: Mechanisms, timing and quantities of recharge to groundwater in semi-arid and tropical regions. In: *Isotope Techniques In Water Resource Investigations In Arid And Semi-Arid Regions*, 2001, 77–88, (IAEA) Vienna.
- EDMUNDS, W.M., DARLING, W.G. & KINNIBURGH, D.G.: Solute profile techniques for recharge estimation in semi-arid and arid terrain. In: I. SIMMERS (Ed.): *Estimation of Natural Groundwater Recharge*, 1988, 139–157, (Reidel) Dordrecht, Boston.
- EDMUNDS, W.M. & GAYE, C.B.: Estimating the spatial variability of groundwater recharge in the Sahel using chloride. *J. Hydrol.* 156, 1994, 47–59.

- EDMUNDS, W.M., GAYE, C.B. & FONTES, J.-C.: A record of climatic and environmental change contained in interstitial waters from the unsaturated zone of northern Senegal. In: *Isotope Techniques in Water Resources Development*, 1992, 533–549, (IAEA) Vienna.
- EDMUNDS, W.M. & VERHAGEN, B.Th.: Isotope based assessment of groundwater renewal: An international study of the unsaturated zone. In: SILILO, O. (Ed.): *Groundwater: Past Achievements and Future Challenges*, 2000, 487–492, (Balkema) Lisse, Abingden, Exten, Tokyo.
- EDMUNDS, W.M. & WALTON, N.R.G.: A geochemical and isotopic approach to recharge evaluation in semi-, arid zones past and present. In: *Application of Isotopic techniques in Arid Zone Hydrology*, 1980, 47–68, (IAEA) Vienna.
- EDMUNDS, W.M. & WRIGHT, E.P.: Groundwater recharge and paleoclimate in the Sirte and Kufra basins Libya. *J. Hydrol.* 40, 1979, 215–241.
- EDWARDS, A.P.: Isotope effects in Relation to the interpretation of $^{15}\text{N}/^{14}\text{N}$ ratios in tracer studies. In: *On Isotope Ratios As Pollutant Source And Behaviour Indicators*, 1975, 455–468, (IAEA) Vienna.
- EGGER, R.: Das Grundwasser in der Oberen Suesswassermolasse im Raum München und Augsburg. PhD thesis, 1978, 110 p., Univ. Munich.
- EHHALT, D.: Deuterium and tritium content of hailstones: additional information on their growth. *Trans. Amer. Geophys. Union* 48, 1967, 106.
- EICHINGER, L., MERKEL, B., NEMETH, G., SALVAMOSER, J. & STICHLER, W.: Seepage velocity determinations in unsaturated quaternary gravel A comparison of various methods. In: *On Recent Investigations in the Zone of Aeration*, Vol. 1, 1984, 303–313, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- EICHINGER, L. & SCHULZ, H.D.: Bestimmung der Sickertrate in einem Sander Norddeutschlands durch Messungen der Umweltisotopen- und Chlorid-Konzentrationen des Sickerwassers. In: *On Recent Investigations in the Zone of Aeration*, Vol. 1, 1984, 155–165, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- EICHLER, R.: Über den Isotopengehalt des Wasserstoffs in Niederschlag, Boden und Grundwasser. PhD Thesis, 1964, Univ. of Heidelberg.
- EINSELE, G.: Eichung von Grundwasser-Ganglinien zur Bestimmung der Grundwasserneubildung und des Grundwasserabflusses. *Z. dt. geol. Ges.* 126, 1975, 293–315.
- EINSELE, G. & SCHULZ H.D.: Über den Grundwasserhaushalt im norddeutschen Flachland. Teil I: Grundwasserneubildung bewaldeter und waldfreier Sanderflächen Schleswig-Holsteins. *Bes. Mitt. dt. gewk. Jb.* 36, 1973, 1–72.
- EINSELE, G., SEILER, K.-P., BERTLEFF, B., LINDNER, W., PLUM, H., WEBER, E.: Erkundung tiefer Grundwasserzirkulationssysteme. *DVWK Schr.* 81, 1987, 223 p., (Parey) Hamburg, Berlin.
- ELLMER, F., HÜBNER, W. & SANETRA, C.M.: Conservation tillage on sandy soils in north-east Germany. Possibilities and limits. Proc. World Cong.ress on Conservation Agriculture, 2001, Vol. II, 77–81, Cordoba.
- ELLSWORTH, T.R. & JURY, W.A.: A three-dimensional field study of solute transport through unsaturated layered. porous media 2. Characterization of vertical dispersion. *Water Resources Res.* 27, 1991, 967–981.
- ENGELHARDT von., W.: Der Porenraum der Sedimente. 1960, 207 p, (Springer) Berlin.
- EPSTEIN, S.: Variations of the $^{18}\text{O}/^{16}\text{O}$ ratios of freshwater and ice. In: National Acad. Science, Nuclear Science Series, Report 19, 1956, 20–28.
- ERIKSSON, E.: Composition of atmospheric precipitation. II. Sulphur, chloride, iodine compounds. *Tellus* 4, 1952, 280–303.

- ERIKSSON, E.: The distribution of salinity in groundwaters of the Delhi Region and recharge rates of groundwater. In: *Interpretation of Environmental Isotope and Hydrochemical Data in Groundwater Hydrology*, 1976, 171–177, (IAEA) Vienna.
- ERIKSSON, E. & KHUNAKASEM, V.: Chloride concentrations in groundwater, recharge rate and rate of deposition of chloride in the Israel coastal plain. *J. Hydrol.* 7, 1969, 178–197.
- EVENARI, M., SHANAN, L. & TADMOR, A.: *The Negev. The challenge of a desert*. 1971, 345 p. (Harvard University Press) Cambridge, Mass..
- FALKENMARK, M.: More crops or more ecological flow? In: Proc. on Water Security for cities, food and environment- towards Hydrosolidarity, 2001, Stockholm.
- FANK, J.: Die Bedeutung der ungesättigten Zone für Grundwasserneubildung und Nitratbefruchtung des Grundwassers in quartären Lockersediment-Aquiferen am Beispiel des Leibnitzer Feldes (Steiermark, Österreich). *Beiträge zur Hydrogeologie* 49/50, 1999, 101–388.
- FANK, J.: Tracer investigations at the research station “Wagna” (Leibnitzer Feld, Austria) to detect the role of the unsaturated zone for groundwater protection. In: SEILER, K.-P. & WOHNLICH, S. (Eds.): *New Approaches Characterizing Groundwater Flow*, 2001, 55–58, (Balkema) Lisse, Abingden, Exten, Tokyo.
- FANK, J. & BERG, W.: Test site Leibnitz, Styria, Austria. *Beiträge zur Hydrogeologie* 52, 2001, 25–38.
- FANK, J. & HARUM, T.: Solute transport and water movement in the unsaturated zone of a gravel filled valley: tracer investigations under different cultivation types. In: SOVERI, J. & SUOKKO, T. (Eds.): *Future Groundwater Resources at Risk*, *IAHS Public.* 222, 1994, 341–354.
- FAO: Food insecurity: When people live with hunger and fear starvation. The state of food insecurity in the world. FAO rep., 2001, 64p., (FAO) Rome.
- FARRINGTON, P. & BARTLE, and G.A.: Water and chloride balance of bonsai woodland on coastal deep sands of South Western Australia. In: SHARMA, M.L. (Ed.): *Groundwater recharge*, 1989, 185–196, (Balkema) Rotterdam, Boston.
- FAYER, M.J. & GEE, G.W.: Predicted drainage at a semi-arid site: sensitivity to hydraulic description and vapor flow. In: Van GNUCHTEN, F.J., LEIJ, F.J. & LUND, L., J. (Eds.): *Indirect methods for estimating the hydraulic properties of unsaturated soils*, US Dept. of Agriculture, 1992, 609–620, Riverside, California.
- FEBRILLET, J., BUENO, E., SEILER, K.-P. & STICHLER, W.: Isotopic and hydro-geologic studies in the South- west of the Dominican Republic to recognize origin and occurrence of groundwater recharge. In: *Isotope Techniques in Water Resources Development*, 1988, 317–334; (IAEA) Vienna.
- FEDDES, R.A., KADAT, P., VAN BAKEL, P.J. T., BRONSWYK, J.J. B. & HALBERTZSMA, J.: Modeling Soil Water Dynamics in the Unsaturated Zone. State of the Art. *J. Hydrol.* 100, 1988, 69–111.
- FEDDES, R.A., KOWALIK, P.J. & ZARADNY, H.: *Simulation of Field Water Use and Crop Yield*. Simulation Monographs 1978, PUDOC, Wageningen.
- FLINT, A.L., FLINT, L.E., HEVESI, J.A. & BLAINEY, J.B.: Fundamental concepts of recharge in the Desert South-west: A regional modeling perspective. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: The Southwestern United States*, AGU series on Water Science and Applications 9, 2004, 159–184.

- FLURY, M., FLÜHLER, H. & LEUENBERGER, J.: Susceptibility of soils to preferential-flow of water: A field study. *Water Resources Res.* 30, 1994, 1945–1954.
- FONTES, J.-C., & EDMUNDS, W.M.: The use of environmental isotope techniques in arid zone hydrology. A critical review. *Technical Documents in hydrology*. UNESCO Paris, 1989.
- FONTES, J.-C. & GARNIER, J.M.: Determination of the initial ^{14}C activity of the total dissolved inorganic carbon: A review of existing models and a new approach. *Water Resources Res.* 15, 1979, 399–413.
- FONTES, J.-C., GASSE, F. & ANDREWS, J.N.: Climatic conditions of Holocene ground-water recharge in the Sahel zone of Africa. In: *Proc. on Isotopic Techniques in the Study of Past and Current Environmental Changes in the Hydrosphere and the Atmosphere*, 1993, 231–248, (IAEA) Vienna.
- FONTES, J.-C. & GONFIANTINI, R.: Comportement isotopique au cours de l'évaporation de deux basin sahariens. *Earth and Planet. Sci.* 7, 1967, 325–329.
- FONTES, J.-C., YOUSFI, M. & ALLISON, G.B.: Estimation of long-term diffuse ground-water discharge in the northern Sahara using stable isotope profiles in soil water. *J. Hydrol.* 86, 1986, 315–327.
- FORIZS, I. & DEAK, J.: Origin of bank filtered groundwater resources covering the drinking water demand of Budapest, Hungary. In: *Application of Isotope Techniques to Investigate Groundwater Pollution*, 1998, 133–165, (IAEA) Vienna.
- FÖRSTEL, H.: $^{18}\text{O}/^{16}\text{O}$ ratio as a tool to study water movement in soil. In: *Recent Investigations in the Zone of Aeration*, Vol. 1, 1984, 281–291, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- FOSTER, S.S.D., BATH, A.H., FARR, J.L. & LEWIS, W.J.: The likelihood of active ground-water recharge in the Botswana Kalahari. *J. Hydrol.* 55, 1982, 113–136.
- FOSTER, S.S.D. & SMITH-CARRINGTON, A.: The interpretation of tritium in the chalk unsaturated zone. *J. Hydrol.* 46, 1980, 343–364.
- FREEZE, R.A.: Groundwater analysis in surface and subsurface hydrology. In: *Groundwater and Man*, Aust. Water Res. Council Conf Series 8, 1983, 101–119, Sidney.
- FREEZE, R.A. & CHERRY, J.A.: *Groundwater*. 1979 (Prentice Hall) Englewood Cliffs, New Jersey.
- FREEZE, R.A. & WITHERSPOON, P.A.: Theoretical analysis of regional groundwater flow: 2. Effect of water table configuration and subsurface permeability variations. *Water Resources Res.* 3, 1967, 623–634.
- FREITAG, D.: *Huminstoffe in der Umwelt*. GSF-Ber. 25/97, 1997, 123 p., (GSF) Neuherberg.
- FRENCH, H.K., LANGSHOLT, E. & KITTEROD, N.O.: A multi-tracer study in the unsaturated zone of a heterogeneous formation. In: *Isotopes in Water Resources Management*, Vol. 1, 1995, 333–349, (IAEA) Vienna.
- FRIEDMAN, I., BENSON, C. & GLEASON, J.: Isotopic change during snow metamorphism, In: *Stable Isotope Geochemistry: A Tribute to Samuel Epstein*, The Geochemical Soc., Special publication No.3. 1991, 211–221.
- FRITZ, P.: The isotopic composition of sulphur compounds in recharge environments. In: *Recent Investigations in the Zone of Aeration*. Vol. 2, 1984, 499–508, (Dpt. Hydrogeology and Hydrochemistry of the University) München.
- FRITZ, P., CHERRY, J.A., WEYER, K.V. & SKLASH, M.G.: Storm runoff analysis using environmental isotopes and major ions. In: *Interpretation of Environmental Isotopes and Hydrochemical Data in Groundwater Hydrology*, 1976, 111–130, (IAEA) Vienna.

- FRÖHLICH, K., GEYH, M.A., VERHAGEN, B.T. & WIRTH, K.: *Isotope Hydrological Methods for the Quantitative Evaluation of Ground Water Resources in Arid and Semi-Arid Areas*. (Weltforum Verl.), München, Köln, London 1987.
- GARDNER, W.R.: Development of modern infiltration theory and application in hydrology. *Trans. Am. Soc. Agric. Engineers* 10, 1967, 379–381.
- GARDNER, W.R.: Field measurement of soil-water diffusivity. *Soil Sci. Soc. Am. J.* 34, 1970, 832.
- GARDNER, W.R. & WIDTSON, J.A.: The movement of soil moisture. *Soil. Sci.* 11, 1921, 215–232.
- GAT, J.R.: The relationship between surface and subsurface waters: Water quality aspects in areas of low precipitation. *Hydrol. Sci. Bull.* 25, 1980, 257–267.
- GAT, J.R.: Role of the zone of aeration in the recharge and establishment of chemical character of desert groundwater. Proc. *On Recent Investigations in the Zone of Aeration Symp.*, Vol. 2, 1984, 487–498, (Dpt. Hydrogeology and Hydrochemistry of the University) München.
- GAT, J.R.: Variability (in time) of the isotopic composition of precipitation: consequences regarding the isotopic composition of hydrologic systems. In: *Isotope Techniques in Water Resources Development*, 1987, 551–564, (IAEA)Vienna.
- GAT, J.R.: Groundwater recharge under arid conditions. In: YU-SI FOK (Ed.): *Infiltration principles and practice*, ICIDA, 1988, 245–254.
- GAT, J.R.: The chemical structure of arid zone groundwaters: Role of the Aeolian transport, surface flow and of geochemical processes prior to recharge and following discharge. Proc. 6th Symp. Water Rock Interaction, 1989, 251.
- GAT, J.R.: Oxygen and Hydrogen isotopes in the hydrologic cycle. *Annu. Rev. Earth Planet. Sci.* 24, 1995, 225–262.
- GAT, J.R.: Modification of the isotopic composition of meteoric waters at the Land-Biosphere-Atmosphere Interface. In: *Isotope Techniques in the Study of Environmental Change*, 1998, 153–164, (IAEA) Vienna.
- GAT, J.R. & AIREY, P.L.: Stable water isotopes in the atmosphere/biosphere/lithosphere interface: scaling-up from the local to continental scale, under humid and dry conditions. *Global and Planetary Change* 51, 2006, 25–33.
- GAT, J.R. & BOWSER, C.: The heavy isotope enrichment of water in coupled evaporative systems. In: TAYLOR, H.P., O'NEIL, J.R. & KAPLAN, I.R. (Eds.): *Stable isotope Geochemistry. Geochem. Soc., Spec. Publ.* 3, 1991, 159–168.
- GAT, J.R. & CARMI, I.: Evolution of the isotopic composition of atmospheric waters in the Mediterranean Sea area. *J. Geophys. Res.* 76, 1970, 3039–3048.
- GAT, J.R. & DANSGAARD, W.: Stable isotope survey of the freshwater occurrences in Israel and the Jordan Rift Valley. *J. Hydrol.* 16, 1972, 177–211.
- GAT, J.R. & ISSAR, A.: Desert isotope hydrology: Water sources of the Sinai Desert. *Geochim. Cosmochim. Acta* 38, 1974, 1117–1131.
- GAT, J.R. & LEVY, Y.: Isotope hydrology of inland sabkhas in the Bardawil area, Sinai. *Limnology and Oceanography* 23, 1978, 841–850.
- GAT, J.R. & MATSUI, E.: Atmospheric water balance in the Amazon basin: an isotopic evapo-transpiration model. *J. Geophys. Res.* 96, 1991, 13179–13188.
- GAT, J.R., NAOR, H.: The relationship between salinity and the recharge/discharge mechanism in arid low lands. In: *The Hydrology of Areas of Low Precipitation, IAHS Publ.* 128, 1979, 307–312.

- GAT, J.R. & TZUR, Y.: Modification of the isotopic composition of rainwater by processes which occur before groundwater recharge. In: *Proc. Symp. on Isotopes in Hydrology*, 1967, 49–60, (IAEA) Vienna.
- GAYE, C.B. & EDMUNDS, W.M.: Groundwater recharge estimation using chloride, stable isotopes and tritium profiles in the sands of northwestern Senegal. *Environ. Geology* 27, 1996, 246–251.
- GEDZELMAN, S.D., ROSENBAUM, J.H. & LAWRENCE, J.R.: The snowstorm of 11–12 February 1983: isotopic composition of the snow. *J. Atmosph. Sci.* 46, 1989, 1637–1649.
- GEE, G.W. & HILLEL, D.: Groundwater recharge in arid regions: review and critique of estimation methods. *J. Hydrol. Process.* 2, 1988, 255–266.
- GEHRELS, J.C., PEETERS, J.E.M., De VRIES, J.J. & DEKKERS, M.: The mechanism of soil water movement as inferred from ^{18}O stable isotope studies. *Hydrol. Sci. J.* 43, 1998, 579–594.
- GEIGER, W.F.: Principles for Sustainable Water Management in Urban Areas. In: XI, R.-Z., GU, W.-Z. & SEILER, K.-P. (Eds.): *Research Basins and Hydrological Planning*. 2004, 155–163, (Balkema) Leiden, London, New York, Philadelphia, Singapore.
- GELHAR, L.W., GROSS, G.W. & DUFFY, C.J.: Stochastic methods of analyzing groundwater recharge. In: *The Hydrology of Areas of Low Precipitation*, Proc. of the Canberra Symp., IAHS Public. 128, 1979, 313–322.
- GENUCHTEN van, M.Th.: A closed-form equation for predicting the hydraulic conductivity of unsaturated soils. *Soil Sci. Soc. Am. J.* 44, 1980, 892–898.
- GENUCHTEN van, M.Th.: New Issues and Challenges in Soil Physics Research. Trans. 15th World Congress of Soil Science, Vol. 1, 1994, 5–27, Acapulco, Mexico.
- GEORGII, H.W., ROHBOCK, E. & SCHMITT, G.: Untersuchung des atmosphärischen Schadstoffeintrags in Waldgebieten in der BRD. Umweltforschungsplan des BMI, 1984, 108 p., Berlin.
- GERKE, H.H. & van GENUCHTEN, M.Th.: A dual-porosity model for simulating the preferential movement of water and solutes in structured porous media. *Water Resources Res.* 29, 1993, 305–319.
- GERMAN, P.F.: Preferential-flow and the generation of runoff. 1. Boundary layer flow theory. *Water Resources Res.* 26, 1990, 3055–3063.
- GEYH, M.A., GU, W.-Z. & JACKEL, D.: Groundwater recharge study in the Gobi Desert, China. *Geowissenschaften* 718, 1996, 279–280.
- GHASSEMI, F., JACKEMAN, A.J. & THOMAS, G.A.: Estimation of vertical recharge via mathematical models of groundwater flow. In: SHARMA, M.L. (Ed.): *Groundwater recharge*, 1989, 139–154, (Balkema) Rotterdam, Boston.
- GHERGUT J., MALOSZEWSKI P. & SEILER K.-P.: Age, environmental isotope and contaminants transport uncoupling in heterogeneous aquifers following hydraulic stress. In: SEILER, K-P & WOHNLICH, S. (Eds.): *New Approaches Characterizing Groundwater Flow*, 2001, 327–334, (Balkema) Lisse, Abingdon, Exton (PA), Tokyo.
- GILAT, J. & GAT, J.R.: Sr-90 in rain and soils of Israel. Israel Atomic Energy Report 572, 1960.
- GIESKE, A., SELALO, E. & MCMULLAN, S: Groundwater recharge through the unsaturated zone of southeastern Botswana: a study of chloride and environmental isotopes. Regionalisation in Hydrology. *IAHS Public.*, 1990, 33–43.
- GIRARD, P., HILLAIRE-MARCEL, C. & OGA, M.S.: Determining the recharge of Sahelian aquifers using water isotopes. *J. Hydrol.* 197, 1997, 189–202.

- GLASS, R.J., OOSTING, G.H. & STEENHUIS, T.S.: Preferential solute transport in layered homogeneous sands as a consequence of wetting front instability. *J. Hydrol.* 110, 1989, 87–105.
- GLASS, R.J., STENHUIS, T.S. & PARLANGE, J.-Y.: Mechanism for finger persistence in homogeneous, unsaturated porous media: Theory and verification. *Soil. Sci.* 148, 1989, 60–70.
- GLENNON, R.: *Water follies. Groundwater pumping and the fate of America's fresh-waters.* 314 p., 2002, (Island Press) Washington, Covelo, London.
- GOEL, P.S., DATTA, P.S. & TANWAR, B.S.: Measurements of vertical recharge to groundwater in Haryana State (India) using tritium tracer. *Nord. Hydrol.* 8, 1077, 211.
- GOLDSCHMIDT, M.J. & JACOBS, M.: Precipitation over and replenishment of the Yarkon and Nahal-Tanimim Underground Catchments. Hydrological Paper 3, 1958, (Hydrological Service) Jerusalem.
- GONFIANTINI, R., CONRAD, G., FONTES, J.-C., SAUZAY, G. & PAYNE, P.R.: Etude isotopique de la nappe du Continental Intercalaire et ses relations avec les autres nappes du Sahara septentrional. In : *Isotope Techniques in Groundwater Hydrology*, Vol 1, 1974, 227–241, (IAEA) Vienna.
- GONI, I.B. & EDMUNDS, W.M.: The use of unsaturated zone solute and isotope profiles in the study of groundwater recharge in the semi-arid zone of Nigeria. In: *Isotope Based Assessment of Groundwater Renewal in Water Scarce Regions*, IAEA-TECHDOC-1246, 2001, 85–100, (IAEA) Vienna.
- GOODRICH, D.C., WILLIAMS, D.G., UNKRICH, C.L., HOGAN, J.F., SCOTT, R.L., HULTINE, K.R., POOL, D., COES, A.L. & MILLER, S.: Comparison of methods to estimate ephemeral channel recharge, Walnut Gulch, San Pedro River Basin, Arizona. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: the Southwestern United States*, AGU series on Water Science and Applications 9, 2004, 77–100.
- GOTTFREUND, E., GOTTFREUND J. & SCHWEISFURTH, R.: Mikrobiologie und Chemie in der ungesättigten und gesättigten Zone. In: *On Recent Investigations in the Zone of Aeration*, Vol. 2, 1984, 427–436, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- GRASSO, D.A., JEANNIN, P.Y. & ZWALEN, F.: A deterministic approach to the coupled analysis of krast spring hydrographs and chemographs. *J. Hydrol.* 271, 2003, 65–76.
- GREENFELT, P. & HULTBERG, H.: Effects of nitrogen deposition on the acidification of terrestrial and aquatic ecosystems. Manusc. Int. Symp. on Acid Precipitation, Muskoka, 15.-20.10.1985.
- GRUNOW, J.: Die Niederschlagszurückhaltung am Hohenpeißenberg und ihre messtechnische Erfassung. *Forstw. Centralbl.* 84, 1965, 212–229.
- GUENDOZ, A., MOULLA, A.S., EDMUNDS, W.M., ZOUARI, K., SHAND, P. & MAMOU, A.: Hydrochemical and isotopic evolution of water in the Complex Terminal aquifer in the Algerian Sahara. *Hydrogeol. J.* 11, 2003, 483–495.
- GUPTA, S.K. & SHARMA, P.: Soil moisture transport through the unsaturated zone: Tritium tagging studies, in Sabarmati Basin, Western India. *Hydrol. Sci. J.* 22, 1984, 177–189.
- GVIRTZMANN, H. & MAGARITZ, M.: Investigation of water movement in the unsaturated zone under an irrigated area using environmental tritium. *Water Resources Res.* 22, 1986, 635–642.
- GVIRTZMAN, H. & MAGARITZ, M.: Water and anion transport of the unsaturated zone traced by environmental tritium. In: BAR-YOSEF, BARROW & GOLDSCHMIDT (Eds.): *Inorganic Contaminants of the Vadose Zone, Ecological Studies* 74, 1990, 190–198.

- HARLAN, R.L.: Dynamics of water movement in permafrost: A review. Proc. Workshop Seminar, Permafrost Hydrology, Can. Nat. Comm. Int. Hydrol., 1974, 69–77.
- HASKELL, C.C. & HAWKINS, R.H.: D₂O-²⁴Na method for tracing soil moisture movement in the field. *Soil Sci. Soc. Am. J.* 28, 1964, 725.
- HAUCK, R.D.: Nitrogen tracers in nitrogen cycle studies, past use and future needs. *J. Environ. Quality* 2, 1973, 317–327.
- HAUCK, R.D., BATHOLOMEW, W.V., BREMNER, J.M., BROADBENT, F.E., CHENG, H.H., EDWARDS, A.P., KEENEY, D.R., LEGG, J.O., OLSEN, S.R. & PASTOF, L.K.: Use of variations in natural nitrogen isotope abundance for environmental studies: a questionable approach. *Science* 177, 1972, 453–454.
- HAUDE, W.: Zur praktischen Bestimmung der aktuellen und potentiellen Evaporation und Evapo-transpiration. *Mitt. dt. Wetterd.* 2, 1954, 3–22.
- HAUDE, W.: Zur Bestimmung der Verdunstung auf möglichst einfache Weise. *Mitt. dt. Wetterd.* 8, 1955, 11–24.
- HAUDE, W.: Die Verteilung der potentiellen Verdunstung in Ägypten. *Erdkunde* 13, 1959, 214–224.
- HEALY, R.W. & COOK, P.G.: Using groundwater levels to estimate recharge. *Hydrogeol. J.* 10, 2002, 91–109.
- HEILWEIL, V.M. & SOLOMON, D.K.: Millimeter to kilometer-scale variations in vadose-zone bedrock solutes: Implications for estimating recharge in arid settings. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: The Southwestern United States*, AGU series on Water Science and Applications 9, 2004, 49–68.
- HENDERSHOT, W.H., SAVOIE, S. & COURCHESNE, F.: Simulation of stream water chemistry with soil solution and groundwater flow contribution. *J. Hydrol.* 136, 1992, 237–252.
- HERCZEG, A.L., LEANEY, F.W.J., STADTER, M.F., ALLAN, G.L. & FIFIELD, L.K.: Chemical and isotope indicators of point-source recharge to a karst aquifer, South Australia. *J. Hydrol.* 192, 1997, 271–299.
- HERRMANN, A., KOLL, J., LEIBUNDGUT, Ch., MALOSZEWSKI, P., RAU, R., RAUERT, W. & STICHLER, W.: Anwendung von Tracertechniken zur Erfassung des Wasserumsatzes in kleinen Einzugsgebieten. *Dt. gewässerkdl. Mitt* 28, 1984, 65–74.
- HERRMANN, A., MALOSZEWSKI, P. & STICHLER, R.: Changes of ¹⁸O contents of precipitation water during percolation in the unsaturated zone. In: *Groundwater Monitoring and Management* 6, 1987, Dresden.
- HERRMANN, A. & STICHLER, W.: Groundwater-run off relationship. *Catena* 7, 1980, 251–263.
- HESTERBERG, R. & SIEGENTHALER, U.: Production and stable isotopic composition of CO₂ in soil near Bern, Switzerland. *Tellus* 43B, 1991, 197–205.
- HILLEL, D.: *Soil and Water*. 1971 (Academic Press) New York, London.
- HILLEL, D.: *Fundamentals of Soil Physics*. 1980 (Academic Press) New York.
- HOLOCHER, J., PETERS, F., AESCHBACH-HERTIG, W., HOFER, M., BRENNWALD, M., KINZELBACH, W. & KIPFER, R.: Experimental investigation on the formation of excess air in quasi-saturated porous media. *Geochim. Cosmochim. Acta* 66, 2002, 4103–4117.
- HORNVEDT, R., DOLLARD, G.J. & LORAMGER: Atmosphere vegetation interactions. In: DRABLOS, D. & TOLLAN, A. (Eds.): *Ecological Impact of Acid Precipitation*, 1980, 192–194, Oslo.

- HORTON, R.E.: Accuracy of areal rainfall estimates. *Monthly Weather Rev.* 51, 1923, 348–353.
- HORTON, R.E.: The role of infiltration in the hydrologic cycle. *Am. Geophys. Union Trans.* 14, 1933, 446–460.
- HUBERT, M.: Etude hydrologique en vue de l'alimentation en eau des villes de Dakar et Rufisque. Etude, Histoire et Sciences, *IFAN*, 1922, 61–218.
- HUSSAIN, M.F.: Water flow and solute transport using environmental isotopes and modeling. In: *Isotope Based Assessment of Groundwater Renewal in Water Scarce Regions*, IAEA-TECHDOC-1246, 2001, 231–271, (IAEA) Vienna.
- IAEA: *Neutron Moisture gauges. A Guide Book on Theory and Practice*. Technical report series 112, 1970, (IAEA) Vienna.
- IAEA: *Statistical Treatment of Data on Environmental Isotopes in Precipitation*. Technical Report Series 331, 1992, (IAEA) Vienna.
- INGRAHAM, N.L. & MATTHEWS, R.A.: Fog drip as a source of groundwater recharge in Northern Kenya. *Water Resources Res.* 24, 1988, 1406–1410.
- INGRAHAM, N.L. & SHACHEL, C.: A comparison of the toluene distillation and vacuum/heat methods for extraction soil water for stable isotope analysis. *J. Hydrol.* 140, 1992, 371–387.
- IPCC: Intergovernmental Panel on Climate Change. In: HOUGHTON J. & YIHUI, D. (Eds.): *The Scientific Basis*, Report Working Group I to IPCC Third Assessment Report (TAR), (Cambridge University Press) 2001.
- ISAACSON, R.E., BROWNELL, L.E., NELSON, R.W. & ROETMAN, E.L.: Soil-moisture transport in arid site vadose zones. In: *Isotope Techniques in Groundwater Hydrology*, Vol. I, 1974, 97–114, (IAEA) Vienna.
- ISSAR, A.S., GAT, J.R., KARNIELI, A., NATIV, R. & MAZOR, E.: Groundwater formation under desert conditions. In: *Stable and Radioactive Isotopes in the Study of the Unsaturated Zone*, IAEA-TECDOC-357, 1984, 35–54, (IAEA) Vienna.
- ISSAR, A.S., NATIV, R., KARNIELI, A. & GAT, J.R.: Isotopic evidence of the origin of groundwater in arid zones. In: *Isotope Hydrology*, 1983, 85–104, (IAEA) Vienna.
- IVANKO, S. (1972): Recent progress in the use of ^{15}N in research on nitrogen balance studies in soil-plant relationship. In: *Isotopes and Radiation in Soil-Plant Relationships Including Forestry*, 1984, 483–497, (IAEA) Vienna.
- IZBICKI, J.A.: Geologic and hydrologic controls on the movement of water through a thick, heterogeneous unsaturated zone underlying an intermittent stream in the western Mojave Desert, southern California. *Water Resources Res.* 38, 2002, 1–14.
- JARDIN, P.M., WILSON, G.U., MCCARTHY, J.F., LUXMOORE, R.J., TAYLOR, D.L. & ZELANY, L.W.: Hydrogeochemical processes controlling the transport of dissolved organic carbon through a forested hillslope. *J. Contam. Hydrol.* 10, 3–19.
- JIRIES, A.: Chemical composition of dew in Amman, Jordan. *Atm. Res.* 57, 2001, 261–268.
- JOBAGY, E.G. & JACKSON, R.B.: Groundwater use and salinization with grassland afforestation. *Global Change Biology* 10, 2004, 1299–1312.
- JOLLY, I.D., COOK, P.G., ALLISON, G.B. & HUGHES, M.W.: Simultaneous water and solute movement through an unsaturated soil following an increase in recharge. *J. Hydrol.* 111, 1989, 391–396.
- JØRGENSEN, P.R., MCKAY, L.D. & SPLIID, N.H.: Evaluation of chloride and pesticide transport in a fractured clayey till using large undisturbed columns and numerical modeling. *Water Resources Res.* 34, 1998, 539–553.

- JOUZEL, J. & MERLIVAT, L.: Deuterium and oxygen-18 in precipitation: Modeling of the isotopic effects during snow formation. *J. Geophys. Res.* 89, 1984, 11749–11757.
- JUNGE, Ch.: *Air Chemistry and Radioactivity*. International Geophysics series 4, 1963, 382p, (Academic Press) New York.
- JUREN, A., PREGL, M. & VESELIH, M.: Project of an urban hypsometer at the Union brewery, Ljubljana, Slovenia. *RMZ-Materials and Geoenvironment* 50/3, 2003, 153–156.
- KAPPELMEYER, O.: Geothermie. In: BENTZ, A. (Ed.): *Lehrbuch der Angewandten Geologie*, 1961, 863–880, (Enke) Stuttgart.
- KÄSS, W.: *Tracing Technique in Geohydrology*. 581 p., (Balkema) Rotterdam/Brookfield, 1998.
- KAUFMANN, W.J. & TODD, D.K.: Application of tritium tracer to canal percolation measurements. In: *Tritium in the Biological and Physical Sciences*, 1962, 84, (IAEA) Vienna.
- KEELING, C.D., PIPER, S.C. & HEIMANN, M.: A three-dimensional model of atmospheric CO₂ transport based on observed winds. 4. Mean annual gradients and interannual variations. *Geophys. Monograph* 55, 1989, 305–363.
- KEELING, C.D., WHORF, T.P., WHALEN, M. & van der PLICHT, J.: Interannual extremes in the rate of rise of atmospheric carbon dioxide since 1980. *Nature* 375, 1995, 666–670.
- KENDALL, C.: Impact of isotopic heterogeneity in shallow systems on modeling of stormflow generation. PhD. Thesis, Dept. of Geology, University of Maryland, 1993, 270 p.
- KENDALL, C. & GU, W.-Z.: Development of isotopically heterogeneous infiltration waters in an artificial catchment in Chuzhou, China. In: *Isotope Techniques in Water Resources Development* 1991, 61–73, (IAEA) Vienna.
- KENDALL, C. & McDONNELL, J.J.: *Isotope Tracers in Catchment Hydrology*. (Elsevier) Amsterdam/Lausanne/New York/Oxford/Singapore/Tokyo, 1998.
- KENNEDY, V.C.: Silica variation in stream water with time and discharge. In: HEM, J.D. (Ed.): *Nonequilibrium Systems in Natural Water Chemistry. Adv. in Chem. Sci.* 106, 1971, 106–130, Washington.
- KENNETH-SMITH, A., COOK, P.G. & WALKER, G.R.: Factors affecting groundwater recharge following clearing in the south western Murray Basin. *J. Hydrol.* 154, 1994, 85–105.
- KINNIBURG, D.G. & MILES, D.L.: Extraction and chemical analysis of interstitial water from soils and rocks. *Environ. Sci. Technol.* 17, 1983, 362–368.
- KIRSCHENBAUM, I.: *Physical Properties and Analysis of Heavy Water*. 1951 (McGraw-Hill) New York.
- KLEEBERG, H.-B. & OVERLAND, H.: Zur Berechnung des effektiven oder abflusswirksamen Niederschlags. *Mitt. Inst. Wasserwesen* 32, 1989, 19–62, (Univ. Bundeswehr) München.
- KLOTZ, D., DICKOPF, B. & SCHEUNERT, I.: Laborversuche zum Ausbreitungs- und Abbauverhalten ausgewählter Pestizide im unterirdischen Wasser. *GSF-Ber.* 29/95, 1995, 16–33, (GSF) Neuherberg.
- KLUITENBERG, G.J. & HORTON, R.: Effect of solute application method on preferential-flow transport of solutes in soil. *Geoderma* 46, 1990, 283–297.
- KNOTT, J.F. & OLIMPIO, J.C.: Estimation of Recharge Rates to the Sand and Gravel Aquifer Using Environmental Tritium, Nantucket Island, Massachusetts. USGS Water-Supply Paper 1986, 2297, Reston.
- KOHL, D.H., SHEARER, G.B. & COMMONER, B.: Fertilizer nitrogen: Contribution to nitrate in surface water in a corn beer watershed. *Science* 174, 1971, 131–1334.

- KOMOR, S.C. & EMERSON, D.E.: Movements of water, solutes and stable isotopes in the unsaturated zones of two sand plains in the upper Midwest *Water Resources Res.* 30, 1994, 253–267.
- KÖPPEN, W.: *Grundriss der Klimakunde*. 388p. 1931, (Walter de Gruyter) Berlin Leipzig.
- KÖRNER, J.: Abflußbildung, Inter-flow und Stoffbilanz im Schönbuch Waldgebiet. *Tüb. Geowiss. Arbeiten C* 27, 1996, 206 p.
- KOTLYAKOV, V.M.: *World Atlas of Snow and Ice Resources*. Russian Academy of Sciences, Institute of Geography, Vol. I (Atlas), Vol. II (Textbook, 273 p.), 1997, Moscow.
- KRABBENHOFT, D.T., BOWSER, C.J., ANDERSON, M.P. & VALLEY, J.W.: Estimating groundwater exchange with lakes. 1. The stable isotope mass balance method. *Water Resources Res.* 26, 1990, 2445–2453.
- KRAMER, J.H., CULLEN, S.J. & EVERETT, L.G.: Vadose zone monitoring with the neutron moisture probe. *Groundw. Monit. Review* 13, 1992, 177.
- KU, H.F.H., HAGELIN, N.W. & BUXTON, H.T.: Effects of urban storm runoff control on groundwater recharge in Nassau County, New York. *Groundwater* 30, 1992, 507–514.
- KUMAR, B., PATIL, D.J. & MATHUR, R.: Deuterium and chloride content of soil moisture, ground and surface waters from Marvanka Basin, Anantapur, India. In: *Stable and Radioactive Isotopes in the Study of the Unsaturated Soil Zone*, (IAEA)-TECDOC-357, 1985, 71–89, (IAEA) Vienna.
- KUNG, K.-J.S.: Preferential-flow in sandy vadose zone. 1. Field observations. *Geoderma* 46, 1990a, 51–58.
- KUNG, K.-J.S.: Preferential-flow in sandy vadose zone. 2. Mechanisms and Implications. *Geoderma* 46, 1990b, 59–71.
- KUNG, K.-J.S.: Influence of plant uptake on the performance of bromide tracer. *Soil Sci. Soc. Am. J.* 54, 1990, 975–979.
- LABAUGH, J.W., WINTER, T.C., ROSENBERRY, D.O., SCHUSTER, P.F., REDDY, M.M. & AIKEN, G.R.: Hydrological and chemical estimates of the water balance of a closed-basin lake in north central Minnesota. *Water Resources Res.* 33, 1997, 2799–2812.
- LACROIX, M. & MOSORA, F.: Biological effects of deuterium and other stable isotopes. In: *Isotope Ratios as Pollutant Source and Behaviour Indicators*, 1975, 383–387, (IAEA) Vienna.
- LANGE, J., LEIBUNDGUT, C., GRODEK, T., LEKACH, J. & SCHICK, A.P.: Using artificial tracers to study water losses of ephemeral floods in small arid streams. *IAHS Public.* 247, 1997, 31–40.
- LANGE, O.L., KIDRON, G., BÜDEL, B., MEYER, A., KILIAN, E. & ABELOVICH, A.: Taxonomic composition and photosynthetic characteristics of the biological crusts covering sand dunes in the western Negev desert. *Funct. Ecology* 6, 1992, 519–527.
- LARSON, G.L., DELCORE, M.R. & OFFER, S.: Application of the tritium interface method for determining recharge rates to unconfined drift aquifers. I. Homogeneous case. *J. Hydrol.* 91, 1987, 59–72.
- LEANEY, F.W. & ALLISON, G.B.: Carbon-14 and stable isotope data for an area in the Murray Basin: Its use in estimating recharge. *J. Hydrol.* 88, 1986, 129–145.
- LEANEY, F.W. & HERCZEG A.L.: Regional recharge to a karst aquifer estimated from chemical and isotope composition of diffuse and localised recharge. *J. Hydrol.* 164, 1995, 363–387.
- LEANEY, F., WALKER, G., KNIGHT, J., DAWES, W. BRADFORD, A., BARNETT, S. & STADTER, F.: Potential for Groundwater Salinisation in the Tintinara area of South Australia. CSIRO Land and Water Technical Report 33/99, 1999.

- LEDUC, C., FAVREAU, G. & SCHROETER, P.: Long-term rise in a Sahelian water-table: the continental terminal in south-west Niger. *J. Hydrol.* 243, 2001, 43–54.
- LEE DAVISSON, M. & CRISS, R.E.: Stable isotope and groundwater flow dynamics of agricultural irrigation recharge into groundwater resources of the central valley, California. In: *Isotopes in Water Resources Management*, Vol. 1, 1995, 404–418, (IAEA) Vienna.
- LEGUY, C., RINDSBERGER, M., ZANGWIL, A., ISSAR, A. & GAT, J.R.: The relation between the oxygen-18 and deuterium contents of rainwater in the Negev Desert and air mass trajectories. *Isotope Geosciences* 1, 1983, 205–218.
- LELIJ van der, A.: Groundwater accession in the Coleambally irrigation area of N.S.W. In: SHARMA, M.L. (Ed.): *Groundwater Recharge*, 1989, 281–290, (Balkema) Rotterdam, Boston.
- LEOPOLDO, P.R., FRANKEN, W., MATSUI, E. & SALATI, E.: Estimation of water transit time in soils under Amazon forest cover using variations in $\delta^{18}\text{O}$ values. In: *Isotope Hydrology*, 1984, 125–137, (IAEA) Vienna.
- LERNER, D.N., ISSAR, A.S. & SIMMERS, I.: Groundwater recharge. A guide to understanding and estimating natural groundwater recharge. *IAH.* 8, 1990, 345 p., (Heise) Hannover.
- LEVIN, M., GAT, J.R. & ISSAR, A.: Precipitation, Flood- and Groundwaters of the Negev Highlands: An isotopic study of desert hydrology. In: *Arid-Zone Hydrology: Investigations with Isotope Techniques*, 1980, 3–22, (IAEA) Vienna.
- LIEBSCHER, H.-J.: 20 Jahre Wasserhaushaltsuntersuchungen im Oberharz. *Bes. Mitt. dt. gewässerk. Jb.* 39, 1975, 286 p., (Bundesamt. Gewässerkunde.) Koblenz.
- LIN, R.F. & WEI, K.Q.: Environmental isotope profiles of the soil water in loess unsaturated zone in semi-arid areas of China. In: *Isotope Based Assessment of Groundwater Renewal in Water Scarce Regions*, IAEA-TECHDOC-1246, 2001, 101–118, (IAEA) Vienna.
- LISITZIN, A.P.: Sedimentation in the world ocean: With emphasis on the nature, distribution and behaviour of marine suspensions. *Soc. Econ. Paleontol. Mineral* 17, 1971, 218 p.
- LIST, R.J.: *Smithsonian meteorological tables.* -527 p., (Smithsonian Institute) Washington, 1951.
- LLOYD, J.W.: An examination of recharge mound decay and fossil gradients in arid regional sediment basins. In: *Arid-Zone Hydrology: Investigations with Isotope Techniques*, 1980, 69–75, (IAEA) Vienna.
- LONG, I.F. & FRENCH, B.K.: Measurement of soil moisture in the field by neutron moderation. *J. Soil Sci.* 18, 1967, 149–166.
- LÖPMEIER, F.-J.: Agrarmeteorologisches Modell zur Berechnung der aktuellen Verdunstung (AMBAV). *Beitr. Agrarmeteorologie* 7, 1983, 50 p., (DWD) Braunschweig.
- MA, J. & EDMUNDS, W.M.: Groundwater and lake evolution in the Badain Jaran desert ecosystem. *Hydrogeol. J.* 14, 2006, 1231–1243.
- MACIEJEWSKI, S.: Numerical and experimental study of solute transport in unsaturated soils. *J. Contam. Hydrol.* 14, 193–206.
- MACIEJEWSKI, S., TRIMBORN, P., KLOTZ, D. & MALOSZEWSKI, P.: Investigation of water transport through unsaturated soils using environmental deuterium. In: *Proc. Symp. on Isotopes in Water Resources Management*, Vol. 1, 1995, 303–314, (IAEA) Vienna.
- MACKAY, D.M., FREYBERG, D.L., ROBERTS, P.V. & CHERRY, J.A.: A natural gradient experiment on solute transport in a sand aquifer. 1. Approach and overview of plume movement. *Water Resources Res.* 22, 1986, 2017–2029.
- MAGARITZ, M., KAUFMAN, A., PAUL, M., BOARETTO, E. & HOLLOS, G.: A new method to determine regional evapotranspiration. *Water Resources Res.* 26, 1990, 1759–1762.

- MAILLET, E.: *Mécanique et physique du globe. Essais d'hydraulique souterraine et fluviale*. 1905, 210 p. (Hermann) Paris.
- MAJOUBE, M.J.: Fractionnement en oxygen-18 et en deuterium entre l'eau et sa vapeur. *J. Chim. Phys.* 10, 1971, 1423–1436.
- MALOSZEWSKI, P., MOSER, H., STICHLER, W., BERTLEFF, B. & HEDIN, K.: Modeling of groundwater pollution by river water bank filtration using oxygen-18 data. *Groundwater Monitoring and Management, IAHS Public.* 173, 1990, 153–161.
- MALOSZEWSKI, P., MOSER, H., STICHLER, W. & TRIMBORN, P.: Isotope hydrology investigations in large refuse lysimeters. *J. Hydrol.* 167, 1995, 149–166.
- MALOSZEWSKI, P. & ZUBER, A.: Determining the turnover of groundwater systems with the aid of environmental tracers. 1. Models and their applicability. *J. Hydrol.* 57, 1982, 207–231.
- MALOSZEWSKI, P. & ZUBER, A.: Mathematical modeling of tracer behaviour in short term experiments in fissured rocks. *Water Resources Res.* 26, 1990, 1517–1528.
- MANABE, S.: Climate and ocean circulation: the atmospheric circulation and the hydrology of the earth's surface. *Monthly Weather Review* 97, 1969, 793–805.
- MANN, J.F. (Jr.): Waste Waters in the Vadose Zone of Arid Regions: Hydrologic Interactions. *Ground Water* 14, 1976, 357–372.
- MANNING, A.H. & SOLOMON, D.K.: Constraining mountain-block recharge in the eastern Salt Lake Valley, Utah with dissolved noble gas and tritium data. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: The Southwestern United States*, AGU series on Water Science and Applications 9, 2004, 139–158.
- MARSHALL, T.J.: *Relations Between Water and Soil*. Commonwealth Agric. Bureau, 1959, (Farnham Royal).
- MASON, J. & SEIP, H.M.: The current state of knowledge on acidification of surface waters and guidelines for further research. *Ambio* 14, 1985, 45–51.
- MATIWIYOFF, N.A. & OTT, D.G.: Stable isotope tracers in the life sciences and medicine. *Science* 181, 1973, 1125.
- MATSUI, E., SALATI, E., RIBEIRO, M.N.G., REIS, C.M., TANCREDI, A.C.N.F. & GAT, J.R.: Precipitation in the Central Amazon Basin. The isotopic composition of rain and atmospheric moisture at Belen and Manaus. *Acta Amazonica* 13, 1983, 307–369.
- MATSUO, S. & FRIEDMAN, I.: Deuterium content of fractionally collected rainwater. *J. Geophys. Res.* 72, 1967, 6374–6376.
- MATTHESS, G.: Geochemical and Transport Processes in the Unsaturated Zone during Groundwater Recharge. In: *Recent Investigations in the Zone of Aeration*. Vol. 1, 1984, 7–17, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- MATTHESS, G., PEKDEGER, A., SCHULZ, H.D., RAST, H. & RAUERT, W.: Tritium tracing in hydrogeochemical studies using model lysimeters. In: *Isotope Hydrology*, Vol. II, 1979, 769–785, (IAEA) Vienna.
- MATTHESS, G. & UBELL, K.: *Allgemeine Hydrogeologie. Grundwasserhaushalt*. 438p, 1983, (Gebr. Bornträger) Berlin, Stuttgart.
- MAZOR, E.: Reinterpretation of ^{36}Cl data: physical processes, hydraulic interconnections and age estimates in groundwater systems. *Applied Geochemistry* 8, 1992, 351–360.
- MCDONNELL, J.J., BONELL, M. & STEWART, M.K.: Deuterium variations in storm rainfall: Implications for stream hydrograph separation. *Water Resources Res.* 26, 1990, 455–458.

- McNEILAGE, S.D.: The development of a process model for determining groundwater accession. In: SHARMA, M.L. (Ed.): *Groundwater Recharge*, 1989, 85–98, (Balkema) Rotterdam, Boston.
- MICHEL, F.A. & FRITZ, P.: Environmental isotope in permafrost related waters along the Mackenzie Valley corridor. Proc. 3rd Int. Conf. Permafrost, 1978, 207–211, Edmonton.
- MICHEL, F.A. & WILSON, H.C.: Groundwater flow in permafrost regions of Canada. Proc. of Int. Groundwater Symp. of the IAH, Canadian National Chapter, Atlantic Region, Halifax, Nova Scotia, 1988.
- MICHEL, R.L. & TURK, J.T.: Use of ^{35}S to study rates of sulphur migration in the flat tops wilderness area, Colorado. In: *Isotopes in Water Resources Management*, Vol. 1, 1995, 293–301, (IAEA) Vienna.
- MONTEIT, J.L.: Evaporation and environment. *Symp. Soc. Exp. Biol.*, 1965, 205–234, Nottingham 1965.
- MOOK, W.G.: Stable carbon and oxygen isotopes of natural waters in the Netherlands. In: *Isotope Hydrology 1970*, 163–190 (IAEA) Vienna.
- MOOK, W.G. (Ed.): Environmental Isotopes in the Hydrologic Cycle. *Principles and Application*. Vol. 16, 2001, (IAEA) Vienna.
- MOOK, W.G. (Ed.): Isótopos ambientales en el ciclo hidrológico. *Principios y aplicaciones*. Publ. del Instituto Geológico y Minero de España, Serie: Guías y Manuales 1, 2002, 586 p., (IGME) Madrid.
- MOOK, W.G., GROENEVELD, D.J., BROUWEN, A.E. & VANGANSWIJK, A.J.: Analysis of a runoff hydrograph by mean of natural ^{18}O . In: *Isotope Techniques in Groundwater Hydrology*, Vol. 1, 1974, 145–155, (IAEA) Vienna.
- MOSER, H. & RAUERT, W.: Isotopenmethoden in der Hydrologie. *Lehrb. Hydrogeol.*, Vol. 8, 1980, 400 p., (Bornträger) Berlin, Stuttgart.
- MOSER, H. & STICHLER, W.: Deuterium measurements on snow samples from the Alps. In: *Isotope Hydrology 1970*, 43–57 (IAEA) Vienna.
- MOSER, H., & STICHLER, W.: Deuterium and oxygen-18 contents as an index of properties of snow covers. *IAHS-Public.* 114, 1975, 122–135.
- MOUTONNET, P., COUCHAT, PH., BRISSAUD, F., PUARD, M. & PAPPALARDO, A.: Observation in situ des mouvements verticaux de l'eau du sol par marquage à l'eau deutériée et mesure gamme/neutrons associée. In: *Symp. on Isotope Hydrology 1978*, Vol. II, 1979, 787–801, (IAEA) Vienna.
- MUALEM, Y.: A new model for predicting the hydraulic conductivity of unsaturated porous media. *Water Resources Res.* 12, 1976, 513–522.
- MÜNNICH, K.-O.: Moisture movement measurement by Isotope tagging. In: *Guidebook on Nuclear Technique in Hydrology*, 1968, 112–117, (IAEA) Vienna.
- MÜNNICH, K.-O.: Use of nuclear techniques for the determination of ground water recharge rates. In: *Guidebook on Nuclear Techniques in Hydrology*, 1968, 191–197, (IAEA) Vienna.
- MÜNNICH, K.-O.: Moisture movement in the unsaturated zone. In: *Guidebook on Nuclear Techniques in Hydrology*, 1983, 203–222, (IAEA) Vienna.
- MÜNNICH, K.-O., SONNTAG, C., CHRISTMANN, D. & THOMA, G.: Isotope fractionation due to evaporation from sand dunes. *Mitt. Zentralinst. f. Isotop. Strahlenforsch.* 29, 1980, 319.
- MUTCHLER, C.K. & HERMSMEIER, L.F.: Review of rainfall simulators. *Trans. Am. Soc. Agri. Eng.* 8, 1969, 67–69.
- NAIR, A.R., NAVADA, S.V. & RAO, S.M.: An injected gamma-tracer method for soil-moisture movement investigations in arid zones. In: *Arid-zone Hydrology: Investigations*

- with *Isotope Techniques*, 1980, 85–92, (IAEA) Vienna.
- NAKAYAMA, F.S. & JACKSON, R.D.: Diffusion of tritiated water in soils. *Soil Sci. Soc. Am. Proc.* 27, 1963, 255.
- NATERMANN, E.: Die Linie des langjährigen Grundwassers und der Trockenwetterabflusslinie (TWL). *Die Wasserwirtschaft* 41, 1951, 12–14.
- NATIV, R., ADAR, E., DAHAN, O. & GEYH, M.A.: Water recharge and solute transport through the vadose zone of fractured chalk under desert conditions. *Water Resources Res.* 31, 1995, 253–261.
- NATIV, R., ISSAR, A. & RUTLEDGE, J.: Chemical composition of rainwater and flood waters in the Negev Desert, Israel. *J. Hydrol.* 62, 1983, 201.
- NAVADA, S.V., NAIR, A.R., SINHA, U.K., KULKARNI, U.P. & JOSEPH, T.B.: Application of isotopes and chemistry in unsaturated zone in arid areas of Rajasthan, India. In: *Isotope Based Assessment of Groundwater Renewal in Water Scarce Regions*, IAEA-TECHDOC-1246, 2001, 119–130, (IAEA) Vienna.
- NEWMANN, B.D., GALLAHER, B.M. & GILKESON, R.H.: Novel Hydrologic Behavior of Semi-arid Mesas. Los Alamos National Laboratory Report LA-UR-00-2294, 2000.
- NIELSEN, D.R. & BIGGAR, J.W.: Analysing soil water and solute movement under field conditions. *Soil-Moisture and Irrigation Studies II*, 1973, 111–127 (IAEA) Vienna.
- NIELSEN, D.R., van GENUCHTEN, M.Th. & BIGGAR, J.W.: Water flow and solute transport processes in the unsaturated zone. *Water Resources Res.* 22, 1986, 89–108.
- NINARI, N. & BERLINER, P.R.: The role of dew in the water and heat balance of bare loess soil in the Negev Desert; quantifying the present dew deposition on the soil surface. *Atmospheric Res.* 64, 2002, 325–336.
- NIR, A. & LEWIS, S.: On tracer theory in geophysical systems in the steady and non steady state I. *Tellus* 27, 1975, 372–383.
- NISWONGER, R.C. & PRUDIC, D.E.: Modeling variable saturated flow using kinematic waves in MODFLOW. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: The Southwestern United States*, AGU series on Water Science and Applications 9, 2004, 101–112.
- NÜTZMANN, G., MACIEJEWSKI, S. & JOSWIG, K.: Experimental investigations and modeling studies about tracer transport in unsaturated porous media: the dependence of dispersion coefficient on water saturation. In: *Calibration and Reliability in Groundwater Modeling*, ModelCARE99, 1999, 131–137, Zurich.
- NÜTZMANN, G., MACIEJEWSKI, S., STICHLER, W. & ZWIRNMANN, E.: Dual tracer test and modeling studies for determining the unsaturated flow components in a sandy catchment area. In: SEILER, K.-P. & WOHNLICH, S. (Eds.): *New Approaches to Characterizing Groundwater Flow*, 2001, 153–157, (Balkema) Lisse, Abingden, Exten, Tokyo.
- OJEDA, C.G.: Aquifer recharge estimation at the Mesilla Bolson and Guaymas aquifer systems, Mexico. In: *Isotope Based Assessment of Groundwater Renewal in Water Scarce Regions*, IAEA-TECHDOC-1246, 2001, 23–44, (IAEA) Vienna.
- OSTER, H., SONNTAG, C. & MÜNNICH, K.O.: Groundwater age dating with chlorofluorocarbons. *Water Resources Res.* 32, 1996, 2989–3001.
- PEARSON, F.J.(Jr) & HANSHAW, B.B.: Sources of dissolved carbonate species in groundwater and their effects on carbon-14 dating. *Symp. on Isotope Hydrology* 1970, 271, (IAEA) Vienna.
- PECK, A.J.: Groundwater recharge and loss. In: *The Hydrology of areas of Low Precipitation*, Proceedings of the Canberra Symposium, *IAHS Public.* 128, 1979, 361–370.

- PECK, A.J., JOHNSTON, C.D. & WILLIAMSON, D.R.: Analysis of solute distribution in deeply weathered soils. *Agric. Water Manage.* 4, 1981, 83–102.
- PENCK, A.: Versuch einer Klimaklassifikation auf physiographischer Grundlage. *Sitz.-Ber. Preuß. Akad. Wiss., Phys.-Math. Klasse* 12, 1910, 236–246.
- PENMAN, H.L.: Gas and vapor movement in soil. I. *J. Agric. Sci.* 30, 1940, 437.
- PENMAN, H.L.: Natural evaporation from open water, bare soil and grass. *Proc. Roy. Soc. A* 193, 1948, 120–145.
- PETHERAM, C., ZHANG, L., WALKER, G.R. & GRAYSON, R.: Towards a framework for predicting impacts of land-use on recharge: 1. A review of recharge studies in Australia. *Aust. J. Soil Res.* 40, 2000, 397–417.
- PETROV, M.P.: *Deserts of the World*. 447 p., 1976, (Eiley & Sons) New York.
- PFAFF, Th.: Grundwasserumsatzräume im Karst der südlichen Frankenalb. *GSF-Neuherberg Ber.* 3, 1987, 132pp, (GSF) Neuherberg.
- PHILLIPS, F.M.: Environmental tracers for water movement in desert soils of the American Southwest. *Soil. Sci. Soc. Am. J.* 58, 1994, 14–24.
- PHILLIPS, F.M., MATTICK, J.G., DUVAL, T.A., ELMORE, D. & KUBIK, P.W.: Chlorine-36 and tritium from nuclear weapons testing as tracers for long-term liquid and vapor movement in desert soils. *Water Resources Res.* 24, 1988, 1877–1891.
- PHILLIPS, F.M., TROTMANN, K.N., BENTLEY, H.W., DAVIS, S.N. & ELMORE, D.: Chlorine-36 from atmospheric nuclear weapons testing as a hydrologic tracer in the zone of aeration in arid climates. In: *Recent Investigations in the Zone of Aeration*. Vol. 1, 1984, 47–56, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- PHILLIPS, F.M., WALVOORD, M.A. & SMALL, E.E.: Effects of environmental change on groundwater recharge in the Desert Southwest. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: The Southwestern United States*, AGU series on Water Science and Applications 9, 2004, 273–294.
- PHILIP, J.R.: The theory of infiltration. 4. Sorptivity and algebraic infiltration equation. *Soil Sci.* 84, 1957, 257–264.
- PIONKE, H.B. & DeWALLE, D.R.: Intra and inter-storm ¹⁸O trends for selected rainstorms in Pennsylvania. *J. Hydrol.* 138, 1992, 131–143.
- PLUMMER, L.N., SANFORD, W.E., BEXFIELD, L.M., ANDERHOLM, S.K. & BUSENBERG, E.: Using geo-chemical data and aquifer simulation to characterize recharge and groundwater flow in the Middle Rio Grande Basin, New Mexico. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: The Southwestern United States*, AGU series on Water Science and Applications 9, 2004, 185–216.
- POL van de, R.M., WIERENGA, P.J. & NIELSEN, D.R.: Solute movement in a field soil. *Soil Sci. Soc. Am. J.* 41, 1977, 10–14.
- PRILL, R., C.: Movement of moisture in the unsaturated zone in a dune area, southeastern Kansas. USGS Profess. Paper D, 1968, p. D1–0.
- PRYCH, E.A.: Using chloride and chlorine-36 as soil water tracers to estimate deep percolation at selected locations on the U.S. Department of Energy Hanford Site, Washington. U.S. Geol. Survey Water – Supply Paper 2481, 1998, 67 p., Denver.
- RAATS, P.A.C.: The kinematics of soil water. In: *On Isotope and Radiation Techniques in Soil Physics and Irrigation Studies*, 1967, 191–200, (IAEA) Vienna.
- RADHAKRISHNAN NAIR, A., PENDHARKAR, A.S., NAVADA, S.V. & RAO, S.M.: Groundwater recharge studies in Maharashtra. In: *Isotope Hydrology*, Vol. II, 1979, 803–826, (IAEA) Vienna.

- RAKOTOFIRINGA, H. & MOUTONNET, P.: Essai de détermination neutronique de l'évapotranspiration réelle d'un terrain gazonné des hauts plateaux malgaches. *Terre Malgache* 12, 1971, 147.
- RAMESH, R & SARIN, M.M.: Stable isotope study of the Ganga (Ganges) river system. *J. Hydrol.* 139, 1992, 49–62.
- RANGARAJAN, R. & ATHAVALE, R.N.: Annual replenishable ground water potential of India An estimate based on injected tritium. *J. Hydrol.* 234, 2000, 38–53.
- RANK, D., ADLER, A., ARAGUÁS-ARAGUÁS, L., FROEHLICH, K., ROZANSKI, K. & STICHLER, W.: Hydrological parameters and climatic signals derived from long-term tritium and stable isotope time series of the river Danube. In: *Isotope Techniques in the Study of Environmental Change*, 1998, 191–205, (IAEA) Vienna.
- RAPPER, G.P. & SHARMA, M.L.: Prediction of groundwater recharge to a sandy aquifer using a simulation model. In: SHARMA, M.L. (Ed.): *Groundwater Recharge*, 1989, 99–108, (Balkema) Rotterdam, Boston.
- REILLY, T.E., PLUMMER, L.N., PHILLIPS, P.J. & BUSENBERG, E.: The use of simulation and multiple environmental tracers to quantify groundwater flow in a shallow aquifer. *Water Resources Res.* 30, 1994, 421–433.
- RENNIE, D.A. & PAUL, E.A.: Nitrogen isotope ratios in surface and sub-surface soil horizons. In: *Isotope Ratios as Pollutant Source and Behaviour Indicators*, 1975, 441–453, (IAEA) Vienna.
- REVESZ, K. & WOODS, P.H.: A method to Extract Soil Water for Stable Isotope Analysis. *J. Hydrol.* 115, 1990, 397–406.
- RHODE, A.: The origin of streamwater traced by Oxygen-18. *Uppsala University Rep. Ser. A*, No 41, 1987.
- RICHTER, W. & LILLICH, W.: *Abriss der Hydrogeologie*. 281 pp., 1975, (Schweizerbart) Stuttgart.
- RIGHTMIRE, C.T.: Changes in formation gas composition and isotope content as indicators of unsaturated-zone chemical reactions related to recharge events. In: *Isotope Hydrology*, Vol. II, 1979, 711–732, (IAEA) Vienna.
- RIJTEMA, P.-E.: On the relation between transpiration, soil physical properties and crop production as a basis of water supply plans. *Inst. voor Cultuurtechniek en Waterhuishouding* 58, 1968, Waageningen.
- RINDSBERGER, M., JAFFE, M., RAHAMIM, S. & GAT, J.R.: Patterns of the isotopic composition of precipitation in time and space: data from the Israeli storm water collection program. *Tellus* 42B, 1990, 263–271.
- RINDSBERGER, M. & MAGARITZ, M.: The relation between air-mass trajectories and the water isotope composition of rain in the Mediterranean Sea area. *Geophys. Res. Lett.* 10, 1983, 43–46.
- RITSEMA, C.J., DEKKER, L.W., HENDRICKX, J.M.H. & HAMMINGA, W.: Preferential-flow Mechanism in a Water Repellent Sandy Soil. *Water Resources Res.* 29, 1993, 2183–2193.
- ROBERTSON, W.D. & CHERRY, J.A.: Tritium as an indicator of recharge and dispersion in a groundwater system in central Ontario. *Water Resources Res.* 25, 1989, 1097–1109.
- RORABAUGH, M.I.: Estimating bank storage and groundwater contribution to streamflow. *IAHS Public.* 63, 1964, 432–441.
- ROTH, K. & HAMMEL, K.: Transport of conservative chemical through an unsaturated two-dimensional Miller-similar medium with steady state flow. *Water Resources Res.* 32, 1994, 1653–1663.

- ROTH, K., FLÜHLER, H., JURY, W.A. & PARKER, J.C. (Eds.): *Field-Scale Water and Solute Flux in Soils*. 1990, (Birkhäuser Verlag) Basel.
- ROZANSKI, K., SONNTAG, C. & MUNNICH, K.-O.: Factors controlling stable isotope composition of modern European precipitation. *Tellus* 34, 1992, 142–150.
- RUSSO, D. & DAGAN, G. (Eds.): *Water Flow and Solute Transport in Soils*. Advanced Series in Agricultural Sciences 20, 1993, (Springer) Berlin.
- SAJJAD, M.I., HUSSAIN, S.D., WAHEED, R., SEILER, K.-P., STICHLER, W. & TANSEEN, M.A.: Study of downward movement of soil moisture in unsaturated zone. In: *Stable and Radioactive Isotopes in the Study of the Unsaturated Soil Zone*, 1985, 89–121, (IAEA) Vienna.
- SALAMA, R., HATTON, T. & DAWES, W.R.: Predicting land use impacts on regional scale groundwater recharge and discharge. *J. Environ. Qual.* 28, 1999, 446–460.
- SALATI, E., DALL'OLLIO, A., MATSUI, E. & GAT, J.R.: Recycling of water in the Amazon Basin, an isotopic study. *Water Resources Res.* 15, 1979, 1250–1258.
- SANFORD, W.E.: Recharge and groundwater model. An overview. *Hydrogeol. J.* 10, 2002, 110–120.
- SAXENA, R.K.: Estimation of canopy reservoir capacity and oxygen-18 fractionation in throughfall in a pine forest. *Nordic Hydrol.* 17, 1986, 251–260.
- SAXENA, R.K. & DRESSIE, Z.: Estimation of groundwater recharge and moisture movement in sandy formations by tracing natural oxygen-18 and injected tritium profiles in the unsaturated zone. In: *Isotope Hydrology*, 1984, 139–150, (IAEA) Vienna.
- SCANLON, B.R.: Evaluation of moisture flux from chloride data in desert soils. *J. Hydrol.* 128, 1991, 137–156.
- SCANLON, B.R.: Evaluation of liquid and vapor flow in desert soils based on chlorine-36 and tritium in an arid unsaturated zone. *Water Resources Res.* 28, 1992, 285–297.
- SCANLON, B.R.: Uncertainties in estimating water fluxes and residence times using environmental tracers in an unsaturated zone. *Water Resources Res.* 36, 2000, 395–409.
- SCANLON, B.R.: Evaluation of methods of estimating recharge in semi-arid and arid regions in the Southwest USA. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment, Water Science and Application* 9, 2004, 235–254.
- SCANLON, B.R. & GOLDSMITH, R.S.: Field study of spatial variability in unsaturated flow beneath and adjacent to playas. *Water Resources Res.* 33, 1997, 2239–2252.
- SCANLON, B.R., HEALY, R.W. & COOK, P.G.: Choosing appropriate techniques for quantifying groundwater recharge. *Hydrogeol. J.* 10, 2002, 18–39.
- SCANLON, B.R., KEESE, K., REEDY, R.C., SIMUNEK, J. & ANDRASKI, B.J.: Variations in flow and transport in thick desert vadose zones in response to paleoclimatic forcing (0–90kyr); field measurements, modeling and uncertainties. *Water Resources Res.* 33, 2003, 1179.
- SCANLON, B.R., LANGFORD, R.P. & GOLDSMITH, R.S.: Relationship between geomorphic settings and unsaturated flow in an arid setting. *Water Resources Res.* 35, 1999, 983–999.
- SCANLON, B.R., TYLER, S.W. & WIERENGA, P.J.: Hydrologic issues in arid, unsaturated systems and implications for contaminant transport. *Rev. Geophys.* 35, 1997, 461–490.
- SCHMALZ, B.L. & POLZER, W.L.: Tritiated water distribution in unsaturated soil. *Soil Sci.* 108, 1969, 43.
- SCHMUGGE, T.J., JACKSON, T.J. & MCKIM, H.L.: Survey of methods for soil moisture determination. *Water Resources Res.* 16, 1980, 961–969.

- SCHNOOR, J.L., SIGGL, L., STUMM, W. & ZOBRIST, J.: Saure Niederschläge und ihr Einfluss auf die Schweizer Seen. *Mitt. EAWAG* 15, 1983, 6–13.
- SCHOELLER, H.: L'influence du climat sur la composition chimique des eaux souterraines vadose. *B.S.G.F.* 11, 1941, 267–289.
- SCHOELLER, H.: Arid zone hydrology: recent developments. UNESCO Series on Arid Zone Research, No. 12, 1959, 125 p., Paris.
- SCHOELLER, H.: Salinité des eaux souterraines, évapo-transpiration et alimentation des nappes. *IAHS Public.* 52, 1960, 488–494.
- SCHOELLER, H.: *Les eaux souterraines.* 642 p., 1962, (Masson) Paris.
- SCHOELLER, M.: Calculs du bilan des nappes d'eau des Sables des Landes en utilisant la teneur en chlore de l'eau des nappes et celles de l'eau de pluie. *C.R.Ac.Sc.* 253, 1961, 1598–1599.
- SCHOELLER, M.: *Recherches sur l'acquisition de la composition chimique des eaux souterraines.* 231 p., (Imprimerie Drouillard) Bordeaux.
- SCHROEDER, M.: Methodische Untersuchungen am Beispiel der Grosslysimeteranlage Castricum. *Forstwiss. Zentralbl.* 89, 1970, 200–210.
- SCHÜLEIN, J.: Untersuchungen zum lateralen Transport von Herbiziden und Herbizidmetaboliten in einem Agrarökosystem. *FAM-Ber.* 24, 1998, 145 p., (GSF) Neuherberg.
- SCHULZ, H.-D.: Grundwasserneubildung berechnet aus der Chlorid-Bilanz. *Geol. Mitt.* 12, 1972, 53–60.
- SCHUMANN, S., HERRMANN, A., STICHLER, W. & PRAJAPATIS, B.: Tracer hydrological investigations in a small irrigated agricultural basin in Nepal to evaluate environmental risks of pesticides. In: SEILER, K.-P. & WOHNLICH, S. (Eds.): *New Approaches Characterizing Groundwater Flow*, 2001, 189–194, (Balkema) Lisse, Abingden, Exten, Tokyo.
- SCOGING, H.M. & THORNES, J.B.: Infiltration characteristics in semi-arid zones. In: The Hydrology of areas of Low Precipitation, Proc. of the Canberra Symp., *IAHS Public.* 128, 1979, 159–168.
- SCOTTER, D.R.: Preferential solute movement through larger soil voids. I. Some computations using simple theory. *Austr. J. Soil. Res.* 16, 1978, 257–267.
- SEILER, K.-P.: Kluft- und Porenwasser im Mittleren Buntsandstein des Südlichen Saarlands. *Geol. Mitt.* 9, 1968, 75–96.
- SEILER, K.-P.: Results of field experiments on hydrodynamic dispersion in Quaternary gravels of southern Germany. Proc. Scient. Basis for Water Res. Management, 1985, 351–360, Jerusalem.
- SEILER, K.-P.: Transport und Immobilisierung von Huminstoffen in quartären und tertiären Lockergesteinen. In: FREITAG, D. (Ed.): *Huminstoffe in der Umwelt. GSF-Neuherberg Ber.* 25/97, 1997, 23–32, (GSF) Neuherberg.
- SEILER, K.-P.: Die Kolmatierung von Flussbetten. *GSF- Neuherberg Ber.* 3/97, 1997, 22–29; (GSF) Neuherberg.
- SEILER, K.-P.: *Man's Impact on Groundwater Systems.* UNESCO/IAEA Series on Environmental Isotopes in the Hydrological Cycle, Vol. V, 2000, 105 p., (UNESCO) Paris.
- SEILER, K.-P.: Qualitative and quantitative impact of irrigation on groundwater resources. In: GAT, J.R. & NETHANYAHU, S. (Eds.): *Water and Environment: Resolving Conflicts in the Development of Drylands*, Conference Proceedings, CWST-Ben-Gurion University of the Negev, 2000, p 30, Beer Sheba.
- SEILER, K.-P., ALVARADO RIVAS, J.: Ground water exploration and exploitation of the Caracas aquifer, Venezuela. In: *Int. Symp. on Isotope Techniques in the Study of Past and Current Changes in the Hydrosphere and the Atmosphere.*, 1998, 856–863, (IAEA) Vienna.

- SEILER, K.-P. & BAKER, D.: Der Einfluss der Schichtung auf die Sickerwasserbewegung bei punkt- und linienförmiger Infiltration. *Z. dt. geol. Ges.* 136, 1985, 659–672.
- SEILER, K.-P., BERTLEFF, B., EINSELE, G., NN, M., LAZIK, D., MALOSZEWSKI, P. & PLUM, H.: Speicher-Durchfluss-Modelle zur Bewertung des Stoffein- und Stoffaustrags in unterschiedlichen Grundwasser-Zirkulationssystemen. *DVWK Schriften* 109, 1995, 95 p., (Wirtschafts- und Verlagsgesellschaft Gas und Wasser mbH) Bonn.
- SEILER, K.-P. & HELLMEIER, C.: Humic substances and agro-chemical in the discharge components of Scheyern. *Freiburger Schriften zur Hydrologie* 13, 2001, 367–374.
- SEILER, K.-P., GU, W.-Z. & STICHLER, W.: Transient response of groundwater systems to climate changes (in press by BGS).
- SEILER, K.-P. & LINDNER, W.: Near surface and deep groundwater. *J. Hydrol.* 165, 1995, 33–44.
- SEILER, K.-P., von LOEWENSTERN, S. & SCHNEIDER, S.: The role of bypass- and matrix-flow in the unsaturated zone for groundwater protection. In: SILLO, O. (Ed.): *Groundwater: Past Achievements and Future Challenger* (2000), 307–311 (Balkema) Rotterdam, Brookfield.
- SEILER, K.-P., von LOEWENSTERN, S. & SCHNEIDER, S.: Matrix and bypass-flow in quaternary and tertiary sediments of agricultural areas in south Germany. *Geoderma* 105, 2002, 299–306.
- SEILER, K.-P., TRIMBORN, P., & ALVARADO, J.: Das Grundwasser im Umfeld des Lago de Valencia, Venezuela und seine anthropogene und geogene, nachteilige Beeinflussung. *Z. dt. geol. Ges.* 143, 1992, 398–403.
- SEILER, K.-P. & ZOJER, H.: Role of Tracers in the Unsaturated Zone. *Beiträge zur Hydrogeologie* 52, 2001, 11–15, Graz.
- SHARMA, M.L.: Measurement and prediction of natural groundwater recharge an overview. *J. Hydrol. (N.Z.)* 25, 1987, 49–56.
- SHARMA, M.L.: Groundwater recharge. In: *Groundwater Recharge*, 1989, 323 p. (Balkema) Rotterdam, Brookfield.
- SHARMA, M.L. & CRAIG, A.B.: Comparative recharge rates beneath banksia woodland and two pine plantations on the Gangara mound, Western Australia. In: SHARMA, M.L. (Ed.): *Groundwater Recharge*, 1989, 171–184, (Balkema) Rotterdam, Brookfield.
- SHARMA, M.L., CRESSWELL, I.D. & WATSON, J.D.: Estimates of natural groundwater recharge from depth distribution of an applied tracer, subsurface flow, pollutant transport and salinity. Proc. Nat. Conf. Institute of Engineers, Publ 85/13, 1985, 64–70, Melbourne, Victoria.
- SHARMA, M.L. & HUGHES, M.W.: Groundwater recharge estimation using chloride, deuterium and oxygen-18 profiles in the deep costal sands of Western Australia. *J. Hydrol.* 81, 1985, 93–109.
- SHARMA, P. & GUPTA, S.K.: Soil water movement in semi-arid climate an isotopic investigation. In: *Stable and Radioactive Isotopes in the Study of the Unsaturated Soil Zone*, (IAEA)-TEC-DOC-357, 1985, 55–71, (IAEA) Vienna.
- SHARON, D.: The spottiness of rainfall in a desert area, *J. Hydrol.* 17, 1972, 161–175.
- SHIKLOMANOV, I.A.: Global water resources. *Nature and Resources* 26, 1990, 34–43.
- SHIKLOMANOV, I.A., GU, W.-Z., TANG, H.I.X., MARUNICH, S.V. & LUO, J.J.: Experimental research on the role of dew in arid ecosystem of Gobi desert, Inner Mongolia. In: XI, R.-Z., GU, W.-Z. & SEILER, K.-P. (Eds.): *Research Basins and Hydrological Planning* 2004, 329–332, (Balkema) Leiden, London, New York, Philadelphia, Singapore.

- SHULIN, R., van GENUCHTEN, M.T., FLÜHLER, H. & FERLIN, P.I.L.: An experimental study of solute transport in a stony field soil. *Water Resources Res.* 23, 1987, 1785–1794.
- SIMMERS, I.: *Recharge of Phreatic Aquifers in (Semi-)Arid Areas*. 1997 (Balkema) Rotterdam, Brookfield.
- SKLASH, M.G. & FARVOLDEN, R.N.: The role of groundwater in storm runoff, *J. Hydrol.* 43, 1979, 45–65.
- SKLASH, M.G., FARVOLDEN, R.N. & FRITZ, P.: A conceptual model of watershed response to rainfall, developed through the use of oxygen-18 as a natural tracer. *Can. J. Earth Sci.* 13, 1976, 271–283.
- SLATYR, R.O. & MABBUT, J.A.: Hydrology of arid and semi-arid regions. In: CHOW, V.T. (Ed.): *Handbook of Applied Hydrology* 24, 1964, (McGraw-Hill) New York.
- SMETEM, K.R.J., TRUDGILL, S.T. & PICKEL, A.M.: Nitrate loss in soil drainage waters in relation to by-passing flow and discharge on arable site. *J. Soil Sci.* 34, 1983, 499–509.
- SMEDT, F.D.E. & WIERENGA, P.J.: A Generalized Solution for Solute Flow in Soils with Mobile and Immobile Water. *Water Resources Res.* 15, 1979, 1137–1141.
- SMITH, D.B., WEARN, P.L., RICHARDS, J.H. & ROWE, P.C.: Water movement in the unsaturated zone of high and low permeable strata by measuring natural tritium. In: *Isotope Hydrology*, 1970, 73–87, (IAEA) Vienna.
- SOLOMON, D.K., SCHIFF, S.L. POREDA, R.J. & CLARK, W.B.: A validation of the $^3\text{H}/^3\text{He}$ method for determining groundwater recharge. *Water Resources Res.* 29, 1993, 2951–2962.
- SOLOMON, D.K. & SUDICKY, E.A.: Tritium and helium-3 isotopic ratios for direct estimation of spatial variations of groundwater recharge. *Water Resources Res.* 27, 1991, 2309–2019.
- SONNTAG, C., CHRISTMANN, D. & MÜNNICH, K.-O.: Laboratory and field experiments on infiltration and evaporation of soil water by means of deuterium and oxygen-18. In: *Stable and radioactive isotopes in the study of the unsaturated soil zone*, TECDOC-357, 1985, 145–161, (IAEA) Vienna.
- SOPHOCLEOUS, M. & PERRY, C.A.: Experimental studies in natural groundwater-recharge dynamics: the analysis of observed recharge events. *J. Hydrol.* 81, 1985, 297–332.
- SPRINGUEL, I.: Determination and growth model of *Tamarix nilotica* and *Balanites argyptiaca* in Wadi Allaqi, Lake Nasser area, Aswan, Egypt. In: BRECKLE et al. (eds.): *Ökologische Optimierung der Wassernutzung bei Bewässerungsverfahren mit salzhaltigem Wasser in ariden Gebieten*. *Bielefelder ökol. Beitr.* 16, 2003, 45–54.
- STALL, J.B.: An analysis of water availability in semi-arid zones. In: The Hydrology of areas of Low Precipitation, Proc. of the Canberra Symp, *IAHS Public.* 128, 1979, 191–196.
- STARKEL, L.: Introduction to global pale hydrological changes. GREGORY, K.J., STARKEL, L. & BAKER, V.R. (Eds.): *Global Continental Paleohydrology*, 1995, 1–20, (Wiley & Sons) Chichester, New York, Brisbane, Toronto, Singapore.
- STARR, J.L., BROADBENT, F.E. & STOUT, P.R.: A comparison of ^{15}N -depleted and ^{15}N -enriched fertilizers as tracers. *Soil Sci. Soc. Am. Proc.* 38, 1974, 266.
- STEPHENS, D.B., & KNOWLTON, R.J.: Soil water movement and recharge through a sand at a semi-arid site in New Mexico. *Water Resources Res.* 22, 1986, 881–889.
- STEWART, G.L.: Fractionation of tritium and deuterium in soil water. *Geophysical Monograph Ser.* 11, 1967, 159.
- STICHLER, W., MOSER, H. & SCHROEDER M.: Measurements of percolation velocity in a sand lysimeter by means of ^{18}O -content. In: *Recent Investigations in the Zone of Aeration*. Vol. 1, 1984, 191–204, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.

- STICHLER, W., OERTER, H. & RAUERT, W.: Bestimmung von Abflußkomponenten in einem Vorfluter mit Messungen des Isotopengehalts und der elektrolytischen Leitfähigkeit. *GSF-Neuherberg Ber. R 290*, 1982, 188–200, (GSF) Neuherberg.
- STICHLER, W., SCHOTTERER, U., FRÖHLICH, K., GINOT, P., KULL, C., GÄGGELER, H. & POUYAU, B.: Influence of sublimation on stable isotope records covered from high altitude glaciers in the tropical Andes. *J. Geophys. Res.* 106, 2001, 22613–22620.
- STONE, W.J.: Paleohydrologic implications of some deep soil-water chloride profiles, Murray Basin, South Australia. *J. Hydrol.* 132, 1994, 201–223.
- STONESTROM, D., PRUDIC, D.E., LACZNIAK, R.J. & AKSTIN, K.C.: Tectonic, climatic and land-use controls on groundwater recharge in an arid alluvial basin: Amargosa Desert, USA. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: The Southwestern United States*, AGU series on Water Science and Applications 9, 2004, 29–48.
- STONESTROM, D., PRUDIC, D.E., LACZNIAK, R.J., AKSTIN, K.C., BOYD, R.A. & HENKELMAN, K.K.: Estimates of deep percolation beneath native vegetation, irrigated fields and the Amargosa-River channel, Amargosa Desert, Nye County, Nevada. USGS Open-File report 03–104, 2003.
- STUART, M.E. & MILNE, C.J.: Groundwater quality implications of wastewater irrigation in León, Mexico. In: CHILTON et al. (Eds.): *Groundwater in the Urban Environment: Problems, Processes and Management*, 1997, 193–198, (Balkema) Rotterdam Brookfield.
- STUMM, W. & MORGAN, J.J.: *Aquatic Chemistry*. 1983 (Wiley) New York etc.
- STUTE, M., CLARK, J.F., PHILIPS, F.M. & ELMORE, D.: Reconstruction of late glacial climates from the groundwater archive: Cl^- and ^{36}Cl in the Carrizo Aquifer, Texas. In: *Isotope Techniques in the Study of Past and Current Environmental Changes in the Hydrosphere and the Atmosphere*, 1993, 259–270, (IAEA) Vienna.
- STUTE, M., CLARK, J.F., SCHLOSSER, P., BROECKER, W.S. & BONANI, G.: A 30,000yr continental paleotemperature record derived from noble gases dissolved in groundwater from the San Juan Basin, New Mexico. *Quat. Res.* 43, 1995, 209–220.
- STUYFZAND, P.J.: Groundwater quality evolution in the upper aquifer of the coastal dune area of the western Netherlands. In: *Hydrochemical Balances of Freshwater Systems (The Uppsala Symposium)*, *IAHS Public.* 150, 1984, 87–98.
- SUECKER, J.A.: Chemical hydrograph separation during snowmelt for three headwater basins in Rocky Mountain National Park, Colorado. In: TONNESSEN, K.A., WILLIAMS, M.W. & TRANTER, M. (Eds.): *Biogeochemistry of seasonally snow covered catchments*, *IAHS- Public.* 228, 1995, 271–281.
- SUGIMOTO, A., YANAGISAWA, N., NAITO, D., FUJITA, N. & MAXIMOV, T.C.: Importance of permafrost as a source of water for plants in the Siberian taiga. *Ecol. Res.* 17, 2002, 493–503.
- SUKHIJA, B.S. & RAMA, F.A.: Evaluation of groundwater recharge in semi-arid region of India using environmental tritium. *Indian Acad. Sci 77 Ser. A* 6, 1973, 279–292.
- SUKHIJA, B.S., REDDY, D.V. NADAKUMA, V. & RAMA, F.A.: A method for evaluation of artificial recharge through percolation tanks using environmental chloride. *Ground Water* 35, 1997, 161–165.
- SUKHIJA, B.S., REDDY, D.V. NAGABHUSHANAM, P. & CHAND, R.: Validity of environmental chloride method for recharge evaluation of coastal aquifers. *India J. Hydrol.* 99, 1988, 349–366.

- SUKHIJA, B.S., REDDY, D.V. NAGABHUSHANAM, P, HUSSEIN, S., GIRI, VY & PATIL, D.J.: Environmental and injected tracers methodology to estimate direct precipitation recharge to a confined aquifer. *J. Hydrol.* 117, 1996, 77–97.
- SUKHIJA, B.S., REDDY, D.V., NAGABHUSHANAM, P. & HUSSEIN, S.: Recharge processes: Piston flow vs preferential-flow in semi-arid aquifers of India. *Hydrogeol. J.* 11, 2003, 387–395.
- SUKHIJA, B.S. & SHAH, C.R.: Conformity of groundwater recharge rate by tritium method and mathematical modeling. *J. Hydrol.* 30, 1976, 167–178.
- TAMERS, M.A.: Radiocarbon ages of groundwater in an arid zone unconfined aquifer. In: Isotope Techniques in the Hydrological Cycle, *AGU Monograph* 11, 1967, 143–152.
- TANDIA, A.A.: Revue critique des méthodes d'évaluations de la recharge des nappes. Contribution de l'approche géochimique et isotopique. Louga-Nord Sénégal. Thèse du 3ème cycle Univ. Dakar. 138p + annexes, 1980.
- TANDIA, A.A., ARANYOSSY, J.F. & GAYE, C.B.: Evaluation de la recharge des nappes phréatiques sous climat semi-aride. Exemple du Nord-Senegal. In: *Les ressources en eau au Sahel*, 1993, 39–51, (IAEA) Vienna.
- TANWAR, B.S.: Effects of irrigation on the groundwater system in the semi-aridzone of Haryana, India. In: The Hydrology of areas of Low Precipitation, Proc. of the Canberra Symp., *IAHS Public.* 128, 1979, 375–384.
- TAYLOR, R.G. & HOWARD, K.W.F.: Groundwater recharge in the Victoria Nile basin of east Africa: support for the soil moisture balance approach using stable isotope tracers and flow modeling. *J. Hydrol.* 180, 1996, 31–53.
- THIESSEN, A.H.: Precipitation for large areas. *Monthly Weather Rev.* 39, 1911, 1082–1084.
- THOMA, G., ESSER, N., SONNTAG, C., WEISS, W., RUDOLPH, J. & LEVENE, P.: New technique of in situ soil moisture sampling for environmental isotope analysis: applied at Pilat sand dune near Bordeaux. In: *Isotope Hydrology*, Vol. II, 1979, 753–768, (IAEA) Vienna.
- THOMAS, G.W. & SWOBODA, A.R.: Anion exclusion effects on chloride movements in soils. *Soil Sci.* 110, 1970, 163.
- THORNSWAITE, C.W.: Problems in the classification of climate. *Geogr. Rev* 33, 1943, 233–255.
- THORNSWAITE, C.W.: An approach towards a rational classification of climate. *Geogr. Rev.* 38, 1948, 55–91.
- THORPE, P.M.: Tritium as an indicator of groundwater recharge to the Gangara groundwater mound on the Swan coastal plain, Perth, Western Australia. In: SHARMA, M.L. (Ed.): *Groundwater Recharge*, 1989, 41–55, (Balkema) Rotterdam, Boston.
- TODOROVIC, Z. & FILPI, A.: Movement of complex compounds through different soil types. In: *On Isotope and Radiation Techniques in Soil Physics and Irrigation Studies*, 1967, 241–250, (IAEA) Vienna.
- TOTH, J.: A theoretical analysis of groundwater flow in small drainage basis. *J. Geophys. Res.* 68, 1963, 4795–4812.
- TOTH, J.: Hydraulic continuity in large sedimentary basins. *Hydrogeol. J.* 3, 1995, 4–16.
- TURC L.: Le bilan d'eau de sols, relation entre les précipitations, l'évaporation et l'écoulement. *Ann. Agron.* 1954, 36–43, Alger.
- TYLER, S.W., CHAPMAN, J.B., CONRAD, S.H., HAMMERMEISTER, D.P., BLOUT, D.O., MILLER, J.J., SULLY, M.J. & GINANI, J.N.: Soil-water flux in the southern Great Basin, United States: Temporal and spatial variations over the last 120 000 years. *Water Resources Res.* 32, 1996, 1481–1499.

- TYLER, S.W. & WALKER, G.R.: Root zone effects on tracer migration in arid zones. *Soil Sci. Soc. Am. J.* 58, 1994, 25–31.
- TZUR, Y.: Isotopic composition of water vapour. Ph.D. thesis, Feinberg Graduate School at the Weizmann Institute of Science, Rehovot, Israel, 1971.
- UHLIG, S.: Berechnung der Verdunstung aus klimatologischen Daten. *Mitt. dt. Wetterd.* 6, 1954, 24 p.
- ULRICH, B. & BÜTTNER, G.: Waldsterben Konsequenzen für die forstliche und landwirtschaftlicher Ertragskraft. *Inf. zur Raumentw.* 10, 1985, 879–891.
- ULRICH, B. & MATZNER, E.: Abiotische Folgewirkungen der weiträumigen Ausbreitung von Luftverunreinigungen. Umweltforschungsplan des BMI, Forschungsber. Nr. 10402615, 1982/1983, 221p text, 141p data, (Berlin).
- UNEP: *World Atlas of Desertification*. 1992, (E.Arnold) London.
- UNESCO: *World Map of Hydro-geological Conditions and Groundwater Flow*. 1999, (Hydro Science Press) Paris.
- UNESCO/IHP: Environmental isotopes in the hydrological cycle, Principles and Applications. IHP-V Technical Documents 39, 2000, volumes I-VI.
- UNESCO/WMO: *Hydrological Maps. Studies and Reports in Hydrology* 20, 1977, 204 p., Paris.
- US SOIL CONSERVATION SERVICE: Urban hydrology for small watersheds. Tech. Rep. 55, 1975, (US Department of Agriculture) Washington.
- VACHAUD, G., DANCETTE, C., SONKO, S. & THONY, J.L.: Méthodes de caractérisation hydrodynamique in-situ d'un sol non saturé. Application à deux types de sol du Sénégal en vue de la détermination des termes du bilan hydrique. *Ann. Agron.* 29, 1979, 1–36.
- VACHAUD, G., ROYER, J.M. & COOPER, J.D.: Comparison of methods of calibration of a neutron probe by gravimetry or neutron-capture model. *J. Hydrol.* 34, 1977, 344–356.
- VACHAUD, G., VAUCLIN, M. & COLOMBANI, J.: Bilan hydrique dans le Sud Tunisien. Caractérisation expérimentale des transferts dans la zone non saturée. *J. Hydrol.* 49, 1981, 31–52.
- VACHIER, P. & DEVER, L.: Isotopic Approach for Water Movement in the Chalk unsaturated Zone. In: *Recent Investigations in the Zone of Aeration*, Vol. 1, 1984, 37–46, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- VACHIER, P., DEVER, L. & FONTES, J.-C.: Mouvements de l'eau dans la zone non saturée et alimentation de la nappe de la craie de Champagne (France). In: *Proc. Symp. on Isotope Techniques in Water Resources Development*, 1987, 367–379, (IAEA) Vienna.
- VEN van de, F.H.M.: Water balances of urban areas. *IAHS Public.* 198, 1990, 21–23.
- VERHAGEN, B.Th., BREDENKAMP, D.B., VAN RENSBURG, H.J. & FARR, J.I.: Recharge quantification with radiocarbon: Independent corroboration in three karoo aquifer studies in Botswana. In: *Isotope Techniques in Water Resources Development and Management*, (IAEA) Vienna 1999.
- VERHAGEN, B.Th., SMITH, P.E., McGEORGE, I.L. & DZIEMBOWSKI, Z.: Tritium profiles in Kalahari Sands as a measure of rain-water recharge. In: *Isotope Hydrology*, Vol. II, 1979, 733–751, (IAEA) Vienna.
- VESELIC, M. & CENCUR CURK, B.: Test studies of flow and solute transport in the unsaturated fractured and karstified rock on the experimental field site Sinji Vrh, Slovenia. In: SEILER, K.-P. & WOHNLICH, S. (Eds.): *New Approaches Characterizing Groundwater Flow*, 2001, 211–214, (Balkema) Lisse, Abingden, Exten, Tokyo.

- VILLA NOVA, N.A., SALATI, E. & MATSUI, E.: Estimativa de evapotransiracao na basia Amazonica. *Acta Amazonica* 6, 1976, 215–228.
- VOLKERING, F., van BREUKELEN, B.M., GROEN, K., MEIJER, H.A.J., AHAD, J.M.E., SHERWOOD-LOLAR, B. & KRAMERS, J.D.: Application of natural isotope analysis in soil pollution research. In: *Contaminated Soil 2000*. Vol. 1, 2000, 214–221, Leipzig.
- VRBA, J. & VERHAGEN, B.Th.: Groundwater resources for emergency situations. *IHP VI, Series on groundwater* 12, 2006, 94 p., (UNESCO) Paris.
- VUUREN van, W.E.: Problems involved in soil moisture determinations by means of a neutron depth probe. In: *Recent Investigations in the Zone of Aeration*. Vol. 1, 1984, 271–280, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- WAISEL, Y.: Dew absorption by plants of arid zones. *Bull. Res. Council Israel* D6, 1958, 180–186.
- WALKER, G.R., JOLLY, I.D. & COOK, P.G.: A new chloride leaching approach to the estimation of diffuse recharge following a change in land use. *J. Hydrol.* 128, 1991, 49–67.
- WALKER, G.R., JOLLY, I.D. STADTER, M.H., LEANEY, F.W., DAVIE, R.F., FIFIELD, L.K., OPHEL, T.R. & BIRD, J.R.: Evaluation of the use of chlorine-36 in recharge studies. In: *Isotope Techniques in Water Resources Development*, 1992, 19–29, (IAEA) Vienna.
- WALKER, C.D. & RICHARDSON, S.B.: The use of stable isotopes of water in characterising the source of water in vegetation. *Chem. Geol.* 94, 1991, 145–158.
- WALKER, G.R., WOODS, P.H. & ALLISON, G.B.: Interlaboratory comparison of methods to determine the stable isotope composition of soil water. *Chem. Geol.* 111, 1994, 297–306.
- WALVOORD, M.A., PLUMMER, M.A., PHILLIPS, F.M. & WOLFSBERG, A.V.: Deep arid system hydrodynamics, 1, Equilibrium states and response times in thick desert vadose zones. *Water Resources Res.* 38, 2002, 1308.
- WALVOORD, M.A. & SCANLON, B.R.: Hydrologic processes in deep vadose zones in interdrainage arid environments. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment: the Southwestern United States*. AGU series on Water Science and Applications 9, 2004, 15–28.
- WANG, J.S.Y.: Flow and transport in fractured rocks. *Rev. Geophys.* 29, 1991, 254–262.
- WARD, R.S., LAWRENZE, A.R., WILLIAMS, A.T. & BARKER, J.A.: Transport of microbiological contaminants in the unsaturated zone of the Chalk aquifer: investigation by tracer test. In: SEILER, K.-P. & WOHNLICH, S. (Eds.): *New Approaches Characterizing Groundwater Flow*, 2001, 221–224, (Balkema) Lisse, Abingden, Exten, Tokyo.
- WELLINGS, S.R. & BELL, J.P.: Movement of water and nitrates in the unsaturated zone of upper chalk near Winchester, Hants, England. *J. Hydrol.* 48, 1980, 119–136.
- WELLMAN, B.P., COOK, F.O. & KROUSE, H.R.: Nitrogen-15: Microbial alteration of abundance. *Science* 161, 1968, 269–270.
- WESSELING, J.: Hydrology, soil properties, crop growth and land drainage. *Inst. voor Cultuurtechniek en Waterhuishouding* 57, 1958, Waageningen.
- WESSOLEK, G., RENGER, M., STREBEL, O. & SPONAGEL, H.: Einfluss von Boden, Pflanzenbestand und Grundwasserflur-Abstand auf die Grundwasserneubildung. In: *Recent Investigations in the Zone of Aeration*. Vol. 2, 1984, 767–775, (Dpt. Hydrogeology and Hydrochemistry of the University) Munich.
- WHITE, R.E.: The influence of macropores on the transport of dissolved and suspended matter through soil. *Adv. Soil Sci.* 3, 1985, 95–119.
- WHITE, W.B.: Groundwater flow in karstic aquifers. In: DELLEUR, J.W. (Ed.): *The Handbook of Groundwater Engineering* 1998, 18/1–18/36, (CRC Press) Boca Raton.

- WIEDEY, G., & GEHRMANN, J.: Vergleich eines geschädigten und bis 1983 symptomfreien Fichtenbestands im Hills: Deposition, Bodeninventar, Durchwurzelung. *Mitt. dt. bodenk. Ges.* 42, 1985, 112–122.
- WIGLEY, T.M.L., PLUMMER, L.N. & PEARSON, F.J.: Mass transfer and carbon isotope evolution in natural water systems. *Geochim. Cosmochim. Acta* 42, 1978, 1117–11139.
- WILSON, J.L. & GUAN, H.: Mountain-block hydrology and mountain front range. In: HOGAN, J.F., PHILLIPS, F.M. & SCANLON, B.R. (Eds.): *Groundwater Recharge in a Desert Environment, Water Science and Application* 9, 2004, 113–137.
- WINTER, T.C.: Effect of groundwater recharge on configuration of the water table beneath sand dunes and on percolation in lakes in the sandhills of Nebraska, U.S.A. *J. Hydrol.* 86, 1986, 221–237.
- WOOD, W.W. & BASSET, R.L.: Water quality changes related to the development of anaerobic conditions during artificial recharge. *Water Resources Res.* 11, 1975, 553.
- WOOD, W.W. & IMES, J.L.: Dating of Holocene Ground-water recharge in western part of Abu Dhabi (United Arab Emirates): Constraints on global climate-change models. In: ALSHARHAN A.S. & WOOD, W.W. (Eds.): *Water Resources Perspectives: Evaluation, Management and Policy*, 2003, 379–385.
- WOOD, W.W. & NATIV, R.: An isotopic and solute paradox? Or is there evidence for macropore flow in the Southern High Plains, USA. *Geol. Soc Amer. Annual Meeting Report*, 1994; 390 (Elsevier) Amsterdam.
- WOOD, W.W. & OSTERKAMP W.R.: Playa-lake basins on the Southern High Plains of Texas and New Mexico: Part II. A hydrologic model and mass-balance arguments for their development. *Bull. Geol. Soc. Am.* 99, 1987, 224–230.
- WOOD, W.W., RAINWATER, K.A. & THOMPSON, D.B.: Quantifying macropore recharge: Examples from a semi-arid area. *Ground Water* 35, 1997, 1097–1106.
- WOOD, W.W., RIZK, Z.S. & ALSHARHAN, A.S.: Timing of recharge, and the Origin, Evolution and Distribution of Solutes in a Hyperarid Aquifer System. In: ALSHARHAN A.S. & WOOD, W.W. (Eds.): *Water Resources Perspectives: Evaluation, Management and Policy*, 2003, 295–312 (Elsevier) Amsterdam..
- WOOD, W.W. & SANFORD, W.E.: Chemical and isotopic methods for quantifying groundwater recharge in a regional semi-arid environment. *Ground Water* 33, 1995, 458–468.
- WOOD, W.W. & SIGNOR, D.C.: Geochemical factors affecting artificial ground water recharge in the unsaturated zone. *Transactions ASAE* 18, 1975, 677.
- WOODCOCK, A.H. & FRIEDMAN, I.: The deuterium content of raindrops. *J. Geophys. Res.* 68, 1963, 4477.
- WUNDT, W.: Die Niedrigwasserführung in Baden-Württemberg als Maß für die verfügbaren Grundwassermengen. *Gas-Wasserfach* 24, 1953, 719–722.
- WUNDT, W.: Die Kleinstwasserführung der Flüsse als Maß für die verfügbaren Grundwassermengen. *Forsch. dt. Landesk.* 104, 1958, 47–54, Remagen.
- YAIR, A.: Runoff generation in a sandy area. The Nizzana sands, western Negev. Israel. *Earth Surf. Proc. Landforms* 15, 1990, 597–609.
- YAIR, A., SHARON, D. & LAVEE, H.: An instrumented watershed for the study of partial area contribution of runoff in an arid zone. *Z. Geomorphol.*, Suppl. 29, 1978, 71.
- YAIR, A., KARNIELI, A. & ISSAR, A.: The chemical composition of precipitation and runoff water on an arid limestone hillside, northern Negev, Israel. *J. Hydrol.* 129, 1991, 371–388.
- YAIR, A., SHARON, D. & LAVEE, H.: Trends in runoff and erosion processes over an arid limestone hillside, Northern Negev, Israel. *Israel. Hydrol. Sci. Bull.* 25, 1980, 243 p.

- YANG, I.C., RATTRAY, G.W. & PEI, Y.: Interpretation of chemical and isotope data from boreholes in the unsaturated zone at Yuka Mountain, Nevada. USGS Water Resources Invest. Rep 98-4132, 1996, 57 p.
- YOUSFI, M., ARANYOSSY, J.F., DJERMOUNI, B. & FONTES, J.-C.: Etude isotopique des mouvements de l'eau en zone non saturée sous climat aride (Algérie). In: *Stable and radioactive isotopes in the study of the unsaturated soil zone*, (IAEA)-TECDOC-357, 1985, 161-179, (IAEA) Vienna.
- YURTSEVER, Y.: Worldwide survey of isotopes in precipitation. IAEA report, 1975, (IAEA) Vienna.
- YURTSEVER, Y. & GAT, J.R.: Atmospheric Waters. In: *Stable Isotope Hydrology; Deuterium and Oxygen-18 in the Water Cycle*, Technical Report Series No.210, 1981, 103-143, (IAEA) Vienna.
- ZANGVIL, A.: Six years of dew observation in the Negev Desert, Israel. *J. Arid. Environ.* 32, 1996, 361-371.
- ZEKTSER, I. S. & DZHAMALOV, R.G.: Groundwater discharge to the world's oceans. UNESCO, *Nature and Resources* 27, 1981, 18-20.
- ZHU, C., WINTERLE, J.R. & LOVE, E.I.: Late Pleistocene and Holocene groundwater recharge from chloride mass balance method and chlorine-36 data. *Water Resources Res.* 39, 2003, 1182.
- ZIMMERMANN, U., EHHALT, D. & MÜNNICH, K.-O.: Soil-water movement and evapo-transpiration: Changes in the isotopic composition of the water. In: *Isotope Hydrology*, 1967, 567-583, (IAEA) Vienna.
- ZIMMERMANN, U., MÜNNICH, K.-O. & ROETHER, W.: Downward movement of soil moisture traced by means of hydrogen isotopes. *Geophys. Monogr.* No. 11, Isotope Techniques in the Hydrologic Cycle, AGU, 1967, 28-36, Washington.
- ZIMMERMANN, U., MÜNNICH, K.-O. & ROETHER, W.: Tracer determines movement of soil moisture and evapo-transpiration. *Science* 152, 1966, 346.
- ZOELLMANN, K., KINZELBACH, W. & FULDA, C.: Environmental tracer transport (^3H and SF_6) in the saturated and unsaturated zones and its use in nitrate pollution management. *J. Hydrol.* 240, 2001, 187-205.
- ZOUARI, K., ARANYOSSY, J.F., MAMOU, A. & FONTES, J.-C.: Etude isotopique et géochimique des mouvements et de l'évolution des solutions de la zone aérée des sols sous climat semi-aride (Sud Tunisien). In: *Stable and radioactive isotopes in the study of the unsaturated soil zone*, IAEA-TECDOC-357, 1985, 121-145, (IAEA) Vienna.
- ZOUARI, K., MALIKI, M.A., MOUMNI, L. & ARANYOSSY, J.F.: Chemical (Cl) and isotopic (^{18}O , ^2H , ^3H) study of the unsaturated zone in the arid region of Nefta, south Tunisia. In: *Isotope Based Assessment of Groundwater Renewal in Water Scarce Regions*, IAEA-TECHDOC-1246, 2001, 71-84, (IAEA) Vienna.
- ZUBER, A.: Mathematical models for the interpretation of environmental radioisotopes in groundwater systems. In: FRITZ, P. & FONTES, J.-C. (Eds.): *Handbook of Environmental Isotope Geochemistry*, Volume 2, The Terrestrial Environment B., Elsevier Publ. Comp., 1986, 1-55.

SUBJECT INDEX

- Accelerator mass spectrometry, 107, 112
Active groundwater recharge zone, 22, 24, **26**,
71, 81, 118, 121, **124**, 157, 162
Age distribution, 24, **108**, 125
Age of water, model age, 17, 24, **108**, 114, 125
Agriculture, 1, 76, 81, 89, 111, 115, 161, 164,
173, **188**, 198
Agro-chemical, 1, 40, 76
Air-water-interface, 17, 74, 81
Algae, 42
Altitude effect on
 stable isotopes, 105, 129, 130, **136**
 temperature, 130
Angle of internal friction, 91
Aquifer/sediment
 consolidated, 16, 50, 53, 81, **141**, 145, 159,
 163, 168
 unconsolidated, 16, 21, 50, 54, 65, 81, **87**, **90**,
 95, 108, 125, **140**, 145, 150, 152, 155,
 159, 163, 168, 175, 190, 200
Arid zone, 15, 27, 32, 42, 71, 118, 122, **134**, **155**,
175, 189
Artificial groundwater recharge, 4, **64**, 91, 149
Artificial tracers, 3, 71, **97**, 102, 124, **142**, 146,
148, 157
Availability of water, 1, 7, 10, **26**, 28, **36**, 77,
173, 190, 196, 199
- Bacteria, 42, 50, 65
Balance, water, 3, **6**, 14, **16**, **37**, **70**, **77**, 85, 88,
98, 125, 136, 149, **153**, 158, **163**, **170**, **175**,
189, 197
Bank storage, 62
Base-flow, 13, 19, 32, 44, 59, **78**, 83, 101, 138,
141, 171
Biofilm, 29
Biosphere, 4, 13, 26, 31, **37**, 46, 72, 101, 114,
115, 128, 160, 187, 189, 197
Black-box-model, 101
Blue water, 4, 7, 72
Breakthrough curve (BTC), 102, 148
- Bromide, 103, 148, 157
Bypass-flow, *see preferential-flow*
- Carbon dioxide (CO₂), 126
Capillary
 barrier, **56**, 59, 191, 192
 flow, 91
 forces, 16, 46, 53, 74, **90**, 91, 102, 135, 145,
 157, 176, 194
 fringe, **16**, 31, **86**, **92**, 135, 166
 potential, 48
 water tension, 34, 92, 95, 145
Catchment, 3, 9, 13, 16, 21, 22, 27, 28, **33**, 37,
47, 50, 62, 65, **69**, **77**, 79, 82, 85, 88, 90, 98,
117, 122, **136**, 145, **153**, 158, **164**, 169, **171**,
176, 195, 197
- Channel flow, *see preferential-flow*
Chemical
 environment, 20
 tracer, **98**, 111, 149, 151, 157
Chalk, 65, 81, 122, 123, 163
Chloride, 4, 55, **114**, **118**, 126, 140, 149, **156**,
167, **172**, 175, 176, 186
Clay, 34, 43, 46, 61, 78, 85, 86, 89, **92**, 98, 102,
149, 159, 160, 163, 168, 174, 190, **193**
Climate change, 2, 7, 118, 129, 133, 159,
195, **198**
Closed system, 74, 77, 124, 153
Conceptual model, 3, 19, 64, 86, 95, 97, 99, 114,
164, **166**, 168
Condensation, 12, 32, 33, 38, 41, 115, 127, 130,
132, 196
Conductivity, hydraulic, 16, **21**, **48**, **53**, 57, 64,
74, 79, 80, **87**, **90**, 97, 127, 163, 168
Compartment model, 101
Connate water, **6**, **26**
Conservative tracer, 101, 140
Continental effect
 chloride, 115
 ²H/¹⁸O, 130
Cosmic radiation, 107, 119, 126

- Consolidated aquifer, *see aquifer*
 Convection-dispersion equation, 145
 Crops, **39**, 43, 45, 72, **76**, 78, 87, 89, 165, 171, 174, 178, 187, **189**, 195, *see also plants and vegetation*
- Dalton equation/ process, 74
 Darcy
 flow, 48
 law, 48, 90, 93
 Dating of water, 71, 79, 83, **107**, **111**, 114, 125
 Deep groundwater, **6**, **23**, 26, 28, 76, 101, 125, 161, 162
 Degradation, 2
 Delta notation, 104, 113
 Deposition, **37**, **39**, 56, 101, 115, 117
 Desalination, **191**, 200
 Desert, 12, 21, **26**, 32, 36, 37, 42, 127, **176**, 180, **181**
 Desertification, 199
 Deuterium (²H), 51, 83, 100, **101**, **103**, **105**, **111**, 117, 125, **126**, 128, **130**, 136, 139, **148**, 155, 175, 176, 181
 excess, 131, 132, 185
 Dew, 3, 12, 32, 38, **40**, 87, 95, 154
 Diffusion, 26, 55, 108, 121, 123, 127, 146, 163, 181, 185, 186
 matrix, 123, 146
 molecular, 26, 55, 108, 121, 123, 146, 163
 Discretizing models, 55, 101
 Dispersion, 29, 53, 90, 99, 108, **123**, 125, 142, 145, **146**, 151, 157
 longitudinal, 146
 transverse, 29, 151
 Dispersivity, **146**, 147
 Dissolved organic carbon (DOC), 20, **83**, **139**, **155**, **166**, 170, 171
 Drip irrigation, 191, 195
 Dye tracers, 99, 103, 146, 149
- Electric conductivity, 127, **139**, 155, 171
 Endorheic areas, 6, 7, 13, 27, 28, 71, 199
 Enrichment
 chemical, 38, 157, 160
 isotope, 107, 128, **133**, 135 **174**, 181, 183, 191
 Environmental tracer, 4, 23, 59, 64, 83, 97, **99**, 108, 111, **114**, 123, 150, 155
 non-reactive, 83, 101, 114, 117, 143, 145, 146, **148**, **150**, 157, 168
 Epizone, 163, 168
 Evaporation, 5, **9**, 27, **31**, **34**, **37**, **40**, 45, **71**, 77, 84, **86**, **101**, **114**, **117**, **126**, **132**, 139, **144**, 148, 149, 150, **153**, 163, **168**, **172**, **175**, 177, 178, **180**, 185, 189, 191, 192, 193, 194, 196, 199
 potential, 11, 74, **77**, 124, 163, 194
 present, *see present evapo-transpiration*
 Evaporites, 111
 Evapo-transpiration, 3, 7, 9, 14, 28, 31, 38, 47, 70, **72**, 76, 85, 88, 97, 103, 118, 133, 154, 158, **175**, **177**, **189**, 192, 197
 present, 70, 77, 85, 88, 118, 163, 170
 Event rain/discharge, **18**, **33**, 37, 40, 42, **45**, **50**, 55, 62, 72, 73, 79, 81, 83, 115, 116, 121, **127**, 130, 133, **139**, 145, 149, **154**, 160, 166, **168**, 175, 177, 181, 189, 196, 197
 Exorheic areas, 6, 7, 9, 10, **12**, 27, 71, 199
 Exploration, 69
 Exploitation, 2, **21**, **26**, 39, 65, 69, 142, 176
- Fertilizers, 111, 172, 190, **193**, **195**, 198
 Field capacity, 49, 53, 67, 77, **91**, 95, 97, 104, 116, 175, 177, 192
 Filtering (mechanical), 18, 61, 65, 83, 126, 140, 167
 Filter velocity, /flow, 17, 48, 90, 97, 99, 154, 157
 Fissured rock, 21, 28, 46, 50, 65, 79, **85**, 140, 163, 180, 184
 Flood irrigation, 47, 49, 191, 195
 Flow
 capillary, 91, 95
 conceptive dispersive, **145**
 Darcy, 48, 90, 93
 direction, **16**, 22, 62, 99
 gravitational, 91
 macropore, *see preferential-flow*
 preferential, 34, 47, **50**, **89**, 97, 98, 121, 124, 126, **144**, **148**, 157, 174, 176
 steady-state, 1, 69, 146
 transient, 1, 7, 26, 88, 154, 158
 unsaturated, 90
 velocity, 36, 53, 55, 97, 123, 146
 Fluorescent tracers, 149
 Flux
 tracer/matter, 3, **38**, **42**, 87, 99, 101
 vapor, **66**, 74
 water, 18, 31, 43, 48, 51, 67, 84, 85, 97, 99, 118, 133, 135, 174, **177**, **188**, **192**
 Formation water, 26
 Fossil groundwater, 4, **21**
 Fractionation, 102, **104**, 107, 115, **126**, **132**, 135, 144, 150, 153, 157, 181, 185
 Fresh-water, 1, 5, 7, 8, 11, 12, 26, 91, 114, 115, **128**, 148, 198
 Frozen ground, 20, 47, 103, 112, 185

- Glaciers, 6, 9, 11, 19, 32, **34**, 129, 159, 163, 198
- Global change, *see climate change*
- Global warming, 6, 199
- Global Meteoric Water Line, 132
- Gravitational flow, 91
- Gray water, 7, 27
- Green water, 72
- Ground ice, 20, 47, 90, 95, 103, 184
- Groundwater
present, 1, 4, 6, 26, 28, 83, 118, 156, 158, 162, 175
exploitation, see exploitation
exploration, see exploration
fossil, 4, 21
historic, 1, 4, 6, 28, 83, 108, 118
mining, 27
mixing, 3, 99, 105, 107, 115, 132, 141
modelling, **21**, 56, 69, 97, 149, 156, 164, 172
perched, **16**, 50, 62, 71, 78, 86, 91, 154, 165, 169
protection, 2, 19, 26, 38, 99, 145, 150, 164, 166
quality, 4, 18, 28, 31, 37, 61, 65, 102, **161**
recent, see present groundwater
- Half life, 24, 71, **107**, 110, 118, 120, 124
- Historic groundwater, 1, 4, 6, 28, 83, 108, 118
- Humid climates
temperate, 19, 22, 26, 28, **33**, 42, 52, 54, 116, 121
tropical, 1, 2, 11, **14**, **19**, 16, **31**, 42, 70
- Hydraulic, **3**, **16**, **21**, 24, **26**, 34, **46**, 50, 53, **57**, 60, **62**, 65, 70, **86**, **90**, **97**, 142, 145, **155**, 157, 168, 171
boundary conditions, 2, 46, 57, 70, 81, 86, 123
conductivity, see conductivity hydraulic functions, **17**, 46, 49, 57, 59, 60, 64, 78, **94**, 98, 116,
head/gradient, 17, 53, 60, 62, 81, 90, 91, 158
interfaces, 4, 19, 62, 91, 162
parameters, 4, 19, 70, 86, 101, 158
short cut, 27
- Hydrodynamic dispersion, *see dispersion*
- Hydrogen isotope, *see deuterium and tritium*
- Hydrograph, 19, 50, 53, 55, 56, 59, 62, 71, **78**, **81**, 149, **154**, 171, 172
- Hygieny, 27, 193, 195
- Ice pillow, 20, **184**
- Infiltration
capacity, 42, **45**, 116, 133, 174, 189, 196, 197
rate, 46, 47, 49, 65
- Input function, 3, 37, 119, 123, 126, **156**
- Inter-flow, 13, 17, 19, **31**, 43, 44, 45, 47, 50, 53, **54**, **56**, 62, **79**, 89, 91, 101, 118, 134, 144, 149, **155**, 163, **166**, **171**
- Ion exchange water, 111, 161
- Irrigation, 4, 47, 49, 62, 64, 69, 72, 103, 136, 150, 161, 164, **173**, 187, **190**
return water, 64, 192
- Isotopes
abundance, 105, 113
¹⁴C, carbon, 23, 25, 71, **100**, 107, 110, 120, 124, 185
environmental, 4, 61, 71, 83, **104**, **107**, 113, 138, 140, 155, *see also environmental tracers*
fractionation, see fractionation
hydrogen, see deuterium and tritium
natural production, **119**, 120
oxygen, see oxygen (¹⁸O)
radioactive, 23, 100, **104**, **107**, 113, 114, 120, 122
- Interception, 13, 31, **37**, 115, 139, 154, 168, 189
deposition, **37**, **39**, 56, 101, 115, 117
Dew, see dew
dry deposition, **37**, 39, 117
wet deposition, **37**, 39, 40, 41
- Juvenile water, 160
- Karst, 6, 28, 46, 78, 85, 86, 136, 163, 175
- Kinetic fractionation, 135
- Krypton-85 (⁸⁵Kr), 17, 71, 100, 108, 123
- Lakes, 1, 4, 6, **8**, 11, **28**, 42, 59, 71, 128, 134, 136, **154**, 167, 174, 184, **198**, 208
- Land use, 1, 4, 20, **38**, 44, 70, 72, 78, 90, 114, 145, 161, 164, 172, 189, 195
- Lateral flow, 18, 56, 57, 83, 87, 142, 157, 168, 169
- Latitude effect, 105, 129
- Leaching, 22, 86, 161
- Lichens, 42
- Liquid Scintillation counter (LSC), 107, 112, 148
- Local Meteoric Water Line, 117, 168
- Longitudinal dispersion, *see dispersion*
- Lump sum model, 123
- Macropore flow, 174, *see also preferential-flow*
- Mass balance, 3, **69**, 72, 119, 121, 122, 124, 148, 150, 152, 153, 157
- Mass spectrometry, 107, 111, **113**

- Matrix, 34, 46, **50**, 81, 108, 123, 161, 169
diffusion, 146,
flow/flux, **50**, 67, 90, 91, 97, 123, 124, 141,
 144, 145, 157, 172, 174
potential, 47, 74, 91
suction, 56, 67, **87**, **93**, **142**, 148, **151**, 157
- Mean residence time, 7, 21, 29, 66, 120, **125**,
 141, 142, 150, **161**, 199
- Melt water (snow, ice), 3, 13, 19, **34**, 45, 48, 49,
 57, 79, 83, 103, 121, 129, 133, 135, **138**,
 149, 155, **172**, 185, 186, 199
- Meteoric Water Line (MWL), 105, 107, 117,
132, 168, 175
- Mixing of water, *see groundwater mixing*
- Moisture
soil/sediment, 5, 11, 41, 42, 46, 67, 133, **135**,
 144, 173, 177, 190, 191
air, 12, 37, 127
- Model calibration, 70, 166
black-box, 101
discretizing, 55, 101
- Molecular diffusion, *see diffusion*
- Mosses, 42, 116
- Natural attenuation, 1, 2, 7, 18, 19, 28, 66,
 169, 193
- Nitrates, 140, 167
- Non-reactive tracer, 83, 101, 117, 143, **145**,
148, 150
- Ocean currents, 7, 14, 159
- Ocean/land partitioning, 110, 120, 126, 187
- Old groundwater, 111, 156
- Open system, 74, 135
- Output, **31**, 34, 37, 70, 86, **99**, 101, 107, 117,
 122, 123, 125, 142, 148, 198
- Overexploitation, 27
- Overland-flow, 3, 13, **25**, 31, 33, **43**, 46, 47, 53,
 56, **62**, 79, 80, 86, 89, 101, 118, 134, 138,
 141, **154**, **157**, 161, 167, 171, 176, 178, 180
- Oxygen-18 (¹⁸O), 36, 83, 84, **100**, **103**, **105**, **107**,
111, 117, 125, **126**, **128**, 139, 155, 181
- Ozone, 74, 190, 199
- Ozone layer, 190
- Present evapo-transpiration
see evapo-transpiration
- Passive groundwater recharge, **26**, 71, 124
- Perched water, *see groundwater, perched*
- Percolation, 3, **17**, 21, 29, 31, **37**, **43**, **45**, 50, 52,
 57, **62**, 64, 66, 67, 72, **73**, 85, 86, **87**, 90, 93,
 95, 97, **102**, **108**, **114**, **121**, **145**, 157, 165
- Permafrost, 1, 5, **9**, 13, 16, 18, **20**, 28, 55, 56, 95,
 121, 149, 159, 163, 166, **184**, 198
- Piston flow, 55, 121, 123, 145, 150
- Plants, *see crops and vegetation*
- Polar ice, 198
- Pollutant, 85, 168, 193, 196
- Pore size distribution, 34, 42, 47, **53**, 61, 92
- Potential evaporation, *see evaporation*
- Potential energy, 91
- Precipitation
advective, 32, 153, 154, 160
chemistry, 118
convective, 12, 32, 67, 71, 126, 128, 131, 139,
 154, 160, 196
frontal, 32, 128, 154, 160
intensity, 20, 32, 44, 115, 128, 130, 171,
 173, 195
water balance, *see balance water*
- Pre-event water, 52, 56, 79, 83
- Preferential-flow, *see flow preferential*
- Proportional Gas Counting (PGC), 112
- Radioactive decay, 107, 122
- Rayleigh process, 105
- Recent groundwater, *see groundwater, present*
- Reference elementary volume (REV), 50, 70, 86,
 89, 95, 97, 99, **156**
- Reservoir, 5, 6, 7, 19, 31, 34, 36, 55, 65, 78, 79,
81, 108, 135, 153, 155, 164, 174, 176, 199
- Residence time, *see mean residence time*
- Residual water, 93, 97, 101, 133, 175, 185
- Retardation, 102, 200
- Return
flow, flux, 131, 134, 174
water, 64, 192
- Richard's equation, 93
- River-bed-infiltration, 146
- Root zone, 4, 20, 37, 39, 42, 46, 56, 74, 83, 86,
101, 111, 117, 144, 155, 156, 167, 168,
 172, 194
- Runoff components, 6, **18**, 25, 31, 43, 53, 59, 71,
78, 133, 139, 140, 154, 166, 167, 172
- Saline water, 193, 197
- Salinization, 20, 26, 43, 119, **192**
- Sampling of water, 56, 108, 112, 121, 124, **137**,
 141, 143, **150**, 152, 157, 185
- Sandstone, 65, 81, 123, 163, 182
- Saturated zone, **16**, 48, 63, 64, 178
- Seasonal variation
evapo-transpiration, 14
isotopes, 120, 125

- temperature*, 14, 67
 Sedimentary rock, 27, 164
 Shrinking cracks, 34, 54, 72, 177
 Snow, 5, 11, 13, 15, **32**, **34**, **36**, 39, 40, 41, **48**,
 130, 133, **139**, 149, **185**, 199
 cover, 5, 11, **34**, 41, **48**, 139, 149, 199
 melt, 3, **32**, **35**, 57, 79, 83, 103, 121, 135, 138,
 139, 149, 155, 189, 199
 Soil
 organisms, 40, 167, 190
 solution, 117, 146, 152
 water, 1, 46, 47, 66, 103, 132, 133, 140, 148,
 156, 166, 168, 174, 189, 192
 Soluble rocks, 163
 Sorption, 18, 40, 102, 111, 140, 152
 Sprinkling irrigation, 191
 Standards (isotopes), 104, 110
 Steady-state flow, 1, 7, 28, 52, 69, **134**, 140, 146
 Stratosphere, 108, 120
 Subsurface water, 3, 23, 26, 28, 43, 56, 59, 66,
 71, 92, 101, 104, 105, 108, 114, 118, 120,
 125, **138**
 Suction, *see matrix suction*
 Suction cup/plate, 86, 87, 88, 143, **151**
 Subsidence, 20, 81
 Sulphate, 140, 161, 162, 167, 168
 Surface tension, 34, 46, 92, 116
 Surface water, 3, 5, 23, 26, 28, 43, 45, 46, **59**, 66,
 71, 92, **101**, 105, 106, 114, 118, 120, 134,
138, 148, 151, 174, 181, 185, 189, 193, 197

 Temperature, 5, 7, 11, **13**, 18, **20**, 26, 29, 34, **36**,
 42, **66**, 73, 75, 77, 79, 91, 92, 101, 104, 112,
 120, 126, **129**, 141, 152, 161, 184, 198
 Tensiometer/TDR, 47, 50, 86, 87, 92, 95, 97,
 142, 166, 192
 Thaw, 20, 163, 184
 Tracer, *see environmental tracers*
 Transfer function, 56, 70, 85, 99, 134, 145, 154
 Transient flow, *see flow*

 Transverse dispersion, *see dispersion*
 Tritium (³H), 23, 25, 71, 83, 100, 103, 107, **108**,
 110, **119**, 124, 148, **157**, 175, 184
 half life, 24, 71, **107**, 120, 124
 naught line (TNL), 23, 24, 124
 unit, 110
 Troposphere, 108, 120, 126, 127
 TU, *see tritium*
 Turnover time of groundwater, *see mean
 residence time*

 Unconsolidated aquifer, *see aquifer*
 Unsaturated flow, *see flow*

 Vadose zone, **16**, 32, 50, 60, 66, 67, 85, 86, **90**,
 95, 97, 108, 116, 121, 122, 123, 175, 176
 Vapor, 1, 5, 9, 12, 33, **66**, **74**, 114, **126**, 132, 133,
 135, 181, 185, 186, 196, 198
 condensation, 12, 32, 38, 115, 127, 130, 132,
 196
 flux, **66**, 74
 Vegetation, 4, 11, **14**, 32, 34, 37, 39, 42, 46, 54,
 57, 66, 69, 72, 73, 76, 81, 83, 85, **89**, 96,
 103, 117, 120, 127, 128, 140, 152, 154, 166,
 171, 172, **178**, 189, 190, **192**, 178, *see also
 crops and plants*
 Velocity, *see flow*
 Watershed, *see catchment*
 Weathering, 5, 15, 16, 17, 18, 54, 56, 83, 102,
 117, 120, 140, **159**, 190
 Weighted mean, 131, 137, 139, 145, 151
 Wilting point, 67, **93**, 97

 Yield, 2, 41, 60, 92, 93, **163**, 177, 178, 185, **190**,
 195, 197
 safe yield, 163
 Young groundwater, 22, 72

 Zeta potential, **102**

Water Science and Technology Library

1. A.S. Eikum and R.W. Seabloom (eds.): *Alternative Wastewater Treatment. Low-Cost Small Systems, Research and Development. Proceedings of the Conference held in Oslo, Norway (7–10 September 1981)*. 1982 ISBN 90-277-1430-4
2. W. Brutsaert and G.H. Jirka (eds.): *Gas Transfer at Water Surfaces*. 1984 ISBN 90-277-1697-8
3. D.A. Kraijenhoff and J.R. Moll (eds.): *River Flow Modelling and Forecasting*. 1986 ISBN 90-277-2082-7
4. World Meteorological Organization (ed.): *Microprocessors in Operational Hydrology. Proceedings of a Conference held in Geneva (4–5 September 1984)*. 1986 ISBN 90-277-2156-4
5. J. N.ěmec: *Hydrological Forecasting. Design and Operation of Hydrological Forecasting Systems*. 1986 ISBN 90-277-2259-5
6. V.K. Gupta, I. Rodríguez-Iturbe and E.F. Wood (eds.): *Scale Problems in Hydrology. Runoff Generation and Basin Response*. 1986 ISBN 90-277-2258-7
7. D.C. Major and H.E. Schwarz: *Large-Scale Regional Water Resources Planning. The North Atlantic Regional Study*. 1990 ISBN 0-7923-0711-9
8. W.H. Hager: *Energy Dissipators and Hydraulic Jump*. 1992 ISBN 0-7923-1508-1
9. V.P. Singh and M. Fiorentino (eds.): *Entropy and Energy Dissipation in Water Resources*. 1992 ISBN 0-7923-1696-7
10. K.W. Hipel (ed.): *Stochastic and Statistical Methods in Hydrology and Environmental Engineering. A Four Volume Work Resulting from the International Conference in Honour of Professor T.E. Unny (21–23 June 1993)*. 1994
10/1: Extreme values: floods and droughts ISBN 0-7923-2756-X
10/2: Stochastic and statistical modelling with groundwater and surface water applications ISBN 0-7923-2757-8
10/3: Time series analysis in hydrology and environmental engineering ISBN 0-7923-2758-6
10/4: Effective environmental management for sustainable development ISBN 0-7923-2759-4
Set 10/1–10/4: ISBN 0-7923-2760-8
11. S.N. Rodionov: *Global and Regional Climate Interaction: The Caspian Sea Experience*. 1994 ISBN 0-7923-2784-5
12. A. Peters, G. Wittum, B. Herrling, U. Meissner, C.A. Brebbia, W.G. Gray and G.F. Pinder (eds.): *Computational Methods in Water Resources X*. 1994
Set 12/1–12/2: ISBN 0-7923-2937-6
13. C.B. Vreugdenhil: *Numerical Methods for Shallow-Water Flow*. 1994 ISBN 0-7923-3164-8
14. E. Cabrera and A.F. Vela (eds.): *Improving Efficiency and Reliability in Water Distribution Systems*. 1995 ISBN 0-7923-3536-8
15. V.P. Singh (ed.): *Environmental Hydrology*. 1995 ISBN 0-7923-3549-X
16. V.P. Singh and B. Kumar (eds.): *Proceedings of the International Conference on Hydrology and Water Resources (New Delhi, 1993)*. 1996
16/1: Surface-water hydrology ISBN 0-7923-3650-X
16/2: Subsurface-water hydrology ISBN 0-7923-3651-8

Water Science and Technology Library

- 16/3: Water-quality hydrology ISBN 0-7923-3652-6
16/4: Water resources planning and management ISBN 0-7923-3653-4
Set 16/1–16/4 ISBN 0-7923-3654-2
17. V.P. Singh: *Dam Breach Modeling Technology*. 1996 ISBN 0-7923-3925-8
18. Z. Kaczmarek, K.M. Strzepek, L. Somlyódy and V. Priazhinskaya (eds.): *Water Resources Management in the Face of Climatic/Hydrologic Uncertainties*. 1996 ISBN 0-7923-3927-4
19. V.P. Singh and W.H. Hager (eds.): *Environmental Hydraulics*. 1996 ISBN 0-7923-3983-5
20. G.B. Engelen and F.H. Kloosterman: *Hydrological Systems Analysis. Methods and Applications*. 1996 ISBN 0-7923-3986-X
21. A.S. Issar and S.D. Resnick (eds.): *Runoff, Infiltration and Subsurface Flow of Water in Arid and Semi-Arid Regions*. 1996 ISBN 0-7923-4034-5
22. M.B. Abbott and J.C. Refsgaard (eds.): *Distributed Hydrological Modelling*. 1996 ISBN 0-7923-4042-6
23. J. Gottlieb and P. DuChateau (eds.): *Parameter Identification and Inverse Problems in Hydrology, Geology and Ecology*. 1996 ISBN 0-7923-4089-2
24. V.P. Singh (ed.): *Hydrology of Disasters*. 1996 ISBN 0-7923-4092-2
25. A. Gianguzza, E. Pelizzetti and S. Sammartano (eds.): *Marine Chemistry. An Environmental Analytical Chemistry Approach*. 1997 ISBN 0-7923-4622-X
26. V.P. Singh and M. Fiorentino (eds.): *Geographical Information Systems in Hydrology*. 1996 ISBN 0-7923-4226-7
27. N.B. Harmancioglu, V.P. Singh and M.N. Alpaslan (eds.): *Environmental Data Management*. 1998 ISBN 0-7923-4857-5
28. G. Gambolati (ed.): *CENAS. Coastline Evolution of the Upper Adriatic Sea Due to Sea Level Rise and Natural and Anthropogenic Land Subsidence*. 1998 ISBN 0-7923-5119-3
29. D. Stephenson: *Water Supply Management*. 1998 ISBN 0-7923-5136-3
30. V.P. Singh: *Entropy-Based Parameter Estimation in Hydrology*. 1998 ISBN 0-7923-5224-6
31. A.S. Issar and N. Brown (eds.): *Water, Environment and Society in Times of Climatic Change*. 1998 ISBN 0-7923-5282-3
32. E. Cabrera and J. García-Serra (eds.): *Drought Management Planning in Water Supply Systems*. 1999 ISBN 0-7923-5294-7
33. N.B. Harmancioglu, O. Fistikoglu, S.D. Ozkul, V.P. Singh and M.N. Alpaslan: *Water Quality Monitoring Network Design*. 1999 ISBN 0-7923-5506-7
34. I. Stober and K. Bucher (eds): *Hydrogeology of Crystalline Rocks*. 2000 ISBN 0-7923-6082-6
35. J.S. Whitmore: *Drought Management on Farmland*. 2000 ISBN 0-7923-5998-4
36. R.S. Govindaraju and A. Ramachandra Rao (eds.): *Artificial Neural Networks in Hydrology*. 2000 ISBN 0-7923-6226-8
37. P. Singh and V.P. Singh: *Snow and Glacier Hydrology*. 2001 ISBN 0-7923-6767-7
38. B.E. Vieux: *Distributed Hydrologic Modeling Using GIS*. 2001 ISBN 0-7923-7002-3
39. I.V. Nagy, K. Asante-Duah and I. Zsuffa: *Hydrological Dimensioning and Operation of Reservoirs. Practical Design Concepts and Principles*. 2002 ISBN 1-4020-0438-9

Water Science and Technology Library

40. I. Stober and K. Bucher (eds.): *Water-Rock Interaction*. 2002 ISBN 1-4020-0497-4
41. M. Shahin: *Hydrology and Water Resources of Africa*. 2002 ISBN 1-4020-0866-X
42. S.K. Mishra and V.P. Singh: *Soil Conservation Service Curve Number (SCS-CN) Methodology*. 2003 ISBN 1-4020-1132-6
43. C. Ray, G. Melin and R.B. Linsky (eds.): *Riverbank Filtration. Improving Source-Water Quality*. 2003 ISBN 1-4020-1133-4
44. G. Rossi, A. Cancelliere, L.S. Pereira, T. Oweis, M. Shatanawi and A. Zairi (eds.): *Tools for Drought Mitigation in Mediterranean Regions*. 2003 ISBN 1-4020-1140-7
45. A. Ramachandra Rao, K.H. Hamed and H.-L. Chen: *Nonstationarities in Hydrologic and Environmental Time Series*. 2003 ISBN 1-4020-1297-7
46. D.E. Agthe, R.B. Billings and N. Buras (eds.): *Managing Urban Water Supply*. 2003 ISBN 1-4020-1720-0
47. V.P. Singh, N. Sharma and C.S.P. Ojha (eds.): *The Brahmaputra Basin Water Resources*. 2004 ISBN 1-4020-1737-5
48. B.E. Vieux: *Distributed Hydrologic Modeling Using GIS. Second Edition*. 2004 ISBN 1-4020-2459-2
49. M. Monirul Qader Mirza (ed.): *The Ganges Water Diversion: Environmental Effects and Implications*. 2004 ISBN 1-4020-2479-7
50. Y. Rubin and S.S. Hubbard (eds.): *Hydrogeophysics*. 2005 ISBN 1-4020-3101-7
51. K.H. Johannesson (ed.): *Rare Earth Elements in Groundwater Flow Systems*. 2005 ISBN 1-4020-3233-1
52. R.S. Harmon (ed.): *The Río Chagres, Panama. A Multidisciplinary Profile of a Tropical Watershed*. 2005 ISBN 1-4020-3298-6
53. To be published.
54. V. Badescu, R.S. Cathcart and R.D. Schuiling (eds): *Macro-Engineering: A Challenge for the Future*. 2006 ISBN 1-4020-3739-2
55. K.-P. Seiler and J.R. Gat: *Groundwater Recharge from Run-off, Infiltration and Percolation*. 2007 ISBN 978-1-4020-5305-4
56. G. Salvadori, C. De Michele, N.T. Kottegoda and R. Renzo: *Extremes in Nature. An Approach Using Copulas*. 2007 ISBN 1-4020-4414-3
57. S.K. Jain, R.K. Agarwal and V.P. Singh: *Hydrology and Water Resources of India*. 2007 ISBN 1-4020-4414-4
58. To be published.
59. M. Shahin: *Water Resources and Hydrometeorology of the Arab Region*. 2007 ISBN 1-4020-4577-8
60. To be published.
61. R.S. Govindaraju and B.S. Das: *Moment Analysis for Subsurface Hydrologic Applications*. 2007 ISBN 978-1-4020-5751-9
62. Giuseppe Rossi, Teodoro Vega and Brunella Bonaccorso (eds.): *Methods and Tools for Drought Analysis and Management*. 2007 ISBN 978-1-4020-5923-0