

# Index

## A

### Acidity

tetrahedrane, 99

*See also* Basicity

### Acyclic polynitrogen, 156–157

CO<sub>2</sub>-N<sub>2</sub> compounds, 171–174

stability, 178–179

*See also* Cyclic polynitrogen

### Alkapanes, 4

decapped, 25

*See also* Planar carbon

### Argon, 67–71

fluoride, 70

ionization energies, 68

oxides, 68

*See also* Noble gas chemistry

### Azido compounds, 157–158

azidonitrene, 155–156

azidopentazole, 149–150

high-energy molecule, 150

stability, 150

*See also* Polynitrogen

## B

### B3LYP/6-31G\* calculations

parent tetrahedrane, 94–96

tetra *t*-butyltetrahedrane, 94

tetrakis(trimethylsilyl)tetrahedrane, 94

*See also* MP2/6-311G\*\* calculations

### Balaji and Michl analysis, 227

*See also* Superstrained molecules

### Basicity

tetrahedrane, 99–100

*See also* Acidity

### Benzooxirenes, 46–48

### Bicyclic diazaoxirane, 33

### Bitetrahedrane, 253

### Bowlane, 3, 24

planar carbon, 3–4

pyramidal carbon, 24

*See also* Cycloalkane

### Butterfly-type polyprismanes, 185

## C

### Carbene-to-oxirene rearrangement, 44

### Carbon dioxide compounds, 165–171

1-CO<sub>2</sub>, 165, 168–169

2-CO<sub>2</sub>, 165, 168

3-CO<sub>2</sub>, 165–167, 169

4-CO<sub>2</sub>, 165–166, 169

5-CO<sub>2</sub>, 165–166, 169

acyclic species (3-CO<sub>2</sub>, 4-CO<sub>2</sub>, and 5-CO<sub>2</sub>),  
165–169

B3LYP/6-31G\* calculation, 165–168

CO<sub>2</sub>/CO compounds, 170

cyclic dimer, 183

cyclic oligomers, 170, 183

dimer, 165–168, 182

stability, 182

synthesis, 180, 183

trimer, 168

### Carbon dioxide with dinitrogen (CO<sub>2</sub>-N<sub>2</sub>)

compounds, 171–183

acyclic, 178–179

B3LYP/6-31G\* calculations, 171–178

compound structure, 175

decomposition reactions, 175

molecule 1, 175–176

molecule 2, 178

molecule 4, 177–178

molecule 5, 177–178

molecule 7, 177–178

molecule 10, 177–178

molecule 11, 177–178

molecule 12, 177–178

reaction profiles, 175–178

- cyclic, 175  
 dimer stability, 183  
 MP2/6-31G\* calculations, 171–172  
   decomposition reactions, 175  
   molecule 1, 178  
   reaction profiles, 178  
 stability, 178–179, 183  
 synthesis, 180–182, 183  
*See also* Polynitrogen
- Carbon monoxide dimer, *see* Ethenedione
- Carbon nanotubes, 220–222
- CASSCF (complete active space) method, 107–110  
*See also* Orthogonene
- Chimeras, 141
- Corset effect, 85  
*See also* Tetrahdrane
- Covalent bonding, 54  
*See also* Octet rule
- Cubane  
 tetrahdrane and, 81  
 tetraprismane, 188
- Cyclic polynitrogen  
 N<sub>4</sub> molecules, 155–156  
 N<sub>6</sub> molecules, 151–155  
 N<sub>8</sub> molecules, 148–150  
 with several rings, 156  
*See also* Acyclic polynitrogen
- Cycloalkane  
 bowlane, 3–4  
 planar carbon, 4
- Cyclobutadiene  
 stability, 91  
 tetrahdrane and, 90–93
- Cyclopropane, 31–33
- Cyclopropylidene, 8–9
- D**
- Decapped alkapanes, 25
- Decomposition reactions (CO<sub>2</sub>–N<sub>2</sub>), 175–179
- 1,3-Dehydroadamantane, 25  
*See also* Pyramidal carbon
- Diazidodiazene, 149
- Diazo ketone  
 photolysis, 33–34, 37, 40, 49  
*See also* Pyramidane
- Dimethanospiro[2.2]bioctaplane, 7
- Dimethanospiro[2.2]binonaplane, 7
- Dimethanospiro[2.2]octaplane, 3–10  
 atomic orbitals analysis, 7–8  
 DFT calculation, 6  
 molecular structure, 6, 8  
 optimization/frequency calculation, 6–7
- retrosynthetic analysis, 10  
 structure, 4, 7  
 synthesis, 9–10  
*See also* Planar carbon
- Dimethyleneoxirane, 47–48
- Dimethylloxirene, 40–41, 43–47, 49–50
- Dinitrogen, 141  
*See also* Carbon dioxide with dinitrogen (CO<sub>2</sub>–N<sub>2</sub>) compounds
- Dithioethenediones, 136
- Dodecahedrane, 81  
*See also* Tetrahdrane
- Dynamic electron correlation, 109  
*See also* Orthogonene; Static electron correlation
- E**
- Electronic spectra, superstrained molecules, 249
- Electrovalent bonding, 54  
*See also* Octet rule
- Ethenedione  
 dissociation aspects, 132–133  
 electronic structure, 131–133  
 molecular orbitals, 132  
 MP2/6-31G\* level calculations, 135–137  
 photolysis experiments, 133–135  
 related species  
   *cation and anion of neutral ethenedione*, 135  
   *imines OCCNH and HNCCNH*, 137  
   isomers, 135  
   *sulfur analogues OCCS and SCCS*, 136  
 stability, 131–133  
 synthesis, 133, 137
- Ethylpropyloxirene, 37
- Extended-molecular allotropes, *see under* Polynitrogen
- F**
- Fluorooxirene, 46
- Fullerene approach, 78  
*See also* Helium compounds
- G**
- Gomberg experiments, Moses, 115–118  
*See also* Hexaphenylethane
- H**
- Half-planar polyprismanes, 185  
 carbon geometry, 218–220  
 tetrahedral methane, 192–201

- Helium compounds, 67, 71–78  
 B3LYP/6-31G\*\* level method, 73–77  
 carbon bonding, 73–77  
 carbon–helium bonding, 73–74  
 fluorides, 70–71, 78  
 HHeF, 71–73, 78  
 synthesis, 77–78  
 fullerene approach, 78  
 oxides, 70–71, 73  
 synthesis, 77–78  
*See also* Noble gas chemistry
- Hemialkylanes, 25
- Hemispiroalkylanes, 25
- Hexaazabenene  
 B3LYP/6-311+G\* (DFT)  
 calculations, 154  
 cyclic, 151–155  
 DFT method, 151  
 MP2/6-31 G\* optimizations, 153–154  
*See also* Polynitrogen
- Hexaphenylethane, 115  
*1968 experiments about hexaphenylethane  
 nonexistence*, 118–119  
*1978 preparation of first genuine  
 (unbridged) hexaphenylethane*,  
 119–120  
*interplay of reliable computational  
 and experimental methods of  
 hexaphenylethane and related  
 compounds structure probing*,  
 120–121  
*MNDO method*, 121  
*molecular mechanics methods*, 121  
 NMR calculations, 122  
 quinoid Jacobsen's structure, 116–117, 119  
 synthesis  
 classical period, 115–118  
 Gomberg experiments, 116–118  
 modern period, 118–122  
 spacer removal, 124–125  
 triphenylmethyl radicals generation,  
 123–125  
 tautomerism, 116–118  
 X-ray diffraction method, 122  
*See also* Tetra-*t*-butylethene synthesis
- Hexaprismane, 187, 190–192  
 synthesis, 222–224  
*See also* Polyprismanes
- Hexazine *see* Hexaazabenene
- HF/6-31G(d) structure, octaplane, 4–5
- HHeF *see under* Helium compounds
- HNCCNH  
 imines, 137  
*See also* Ethenedione
- Hückel theory, 57
- Hypercoordinate compounds, 62  
*See also* Nitrogen pentafluoride;  
 Phosphorus pentafluoride
- Hypervalency, nitrogen pentafluoride, 53–59
- I**
- Icosahedrane, 81  
*See also* Tetrahedrane
- Imines  
 OCCNH and HNCCNH, 137  
*See also* Ethenedione
- Inert gases *see* Noble gas chemistry
- Ionization energies  
 noble gas chemistry, 67  
 superstrained molecules, 246–248  
 tetrahedrane, 98–99
- IR spectra*, superstrained molecules, 248–249
- Isolable ions *see under* Polynitrogen
- J**
- Jacobsen structure *see* Quinoid Jacobsen's  
 structure
- K**
- Ketocarbene, 33
- Kinetic stability  
 nitrogen pentafluoride, 60–61  
 phosphorus pentafluoride, 62  
 polyprismane, 209–213  
*See also* Thermodynamic stability
- Krypton, 67–71, 73  
 fluoride, 68  
 oxides, 68, 70  
*See also* Noble gas chemistry
- L**
- Ladderanes, 220–222
- Lewis structure, nitrogen pentafluoride, 54–55
- Linear C–C–C geometry in polyprismane,  
 218–220
- Lithiated tetrahedranes, 90–91
- M**
- Matrix isolation technique, 32, 39–40, 44–46,  
 49, 50
- Methane  
 inversion, 2–3  
 planar, 2–3  
 pyramidal, 14–15

- tetrahedral  
   half-planar, 192–199  
   planar, 192–198  
   propellane, 192–197, 200–201  
   pyramidal, 192–197, 200  
   *See also* Pyramidane  
 Methyloxirene, 39–41  
 Methylpyramidane, 18  
 Michl and Balaji analysis, 227  
   *See also* Superstrained molecules  
 Monolithio tetrahedrane, 90  
 MP2/6-311G\*\* calculations  
   tetrahedrane, 94–96  
   *See also* B3LYP/6-31G\* calculations
- N**
- Nanotubes *see* Carbon nanotubes  
 Neon, 67–71  
   ionization energies, 69  
   *See also* Noble gas chemistry  
 Neutral molecules *see under* Polynitrogen  
 Nitrogen oligomers, 141  
 Nitrogen pentafluoride  
   *atomic orbitals of nitrogen and fluorines*,  
     55–56  
   Hückel theory, 57  
   hypervalency, 53–59  
   Lewis structure, 54–55  
   *molecular orbitals*, 57–58  
   octet rule, 53–59  
     *expanding octet with d atomic orbitals*,  
       55–56  
     *molecular orbital model*, 59  
     *using eight electrons to do the work of*  
       *ten*, 57–59  
   *properties*  
     *electronic structure*, 60  
     *kinetic stabilities*, 60–61  
     *structure*, 59–60  
     *thermodynamic stabilities*, 60–61  
   *related nitrogen compounds*, 61–62  
   *replacing fluorines by hydrogen*, 61–62  
   *stability comparison with phosphorus*  
     *pentafluoride*, 59  
   *synthesis*  
     NF<sub>3</sub>–F<sub>2</sub> mixtures, 62–63  
     NF<sub>4</sub><sup>+</sup> F<sup>–</sup> reaction, 63  
   *See also* Hypercoordinate compounds;  
     Phosphorus pentafluoride  
 Nitrogen polymers *see* Polynitrogen  
 Nitrogen triazide, 157  
 Noble gas chemistry  
   argon, 67–71  
   helium compounds, 67, 71–77  
   ionization energies, 68–69  
   krypton, 67–71, 73  
   neon, 67–71, 73  
   radon, 67–71  
   xenon, 67–71, 72
- O**
- OCCNH  
   *imines*, 137  
   *See also* Ethenedione  
 OCCS sulfur analogues, 136  
 octaazacubane, 150  
   high-energy molecule, 150  
   *See also* Polynitrogen  
 Octaazapentalene, 149  
 Octahedrane, 81  
   *See also* Tetrahedrane  
 Octaplane  
   HF/6-31G(d) structure, 4–5  
   *See also* Dimethanospiro[2.2]octaplane;  
     Planar carbon  
 Octet rule, 53–59  
   *expanding octet with d atomic orbitals*,  
     55–56  
   *using eight electrons to do the work of ten*  
     *(nitrogen pentafluoride)*, 57–59  
   *See also* Nitrogen pentafluoride  
 Oligomers  
   carbon dioxide, 165  
   nitrogen *See* Polynitrogen  
 Organometallic species, planar carbon, 1  
 Orthogonene  
   AM1 calculations, 106  
   CASSCF method, 107–109  
   DFT method, 109  
   *dynamic electron correlation*, 109  
   *model chemistries and*, 107  
   *molecular mechanics (MM)*, 106  
   *static electron correlation*, 109  
   stereoisomers  
     1, 105–110  
     2, 105  
     4, 106–107, 109  
     5, 106  
     6, 106  
     7, 105  
   synthesis, 110–112  
 Oxiranes, 34  
 Oxirene  
   benzooxirenes, 46–48  
   bond orders calculation, 48–49  
   carbene-to-oxirene rearrangement, 44

- dimethyloxirene, 40, 43–44, 46, 49
  - elimination reaction, 35–37
  - ethylpropyloxirene, 37–38
  - fluorooxirene, 46
  - IR spectrum, 40, 45–46, 49
  - matrix isolation technique, 32, 35–37, 39–40, 44, 46, 49
  - methyloxirene, 39–41
  - perfluorinated, 33
  - perfluorodimethyloxirene, 46
  - perfluoroethylmethyloxirene, 46
  - perfluoromethylethyloxirene, 40
  - perfluoroalkyloxirenes, 46
  - photolysis experiments, 33, 36–39, 43, 49
  - potential energy, 41–43
  - problem*
    - oxirenes after 1981, 39–49
    - oxirenes to 1981, 33–39
  - push-pull, 46–47
  - quantum mechanical (QM) calculations, 37
  - reactivity, 42, 47–48
  - retro Diels-Alder reactions, 35, 41, 44
  - substituents effect on stability, 41
  - symmetry, 40
  - synthesis, 49
  - transition states, 41
  - triplet oxygen atoms reactions, 49
  - Wolff rearrangement, 33–34, 39–41, 43, 47, 50
- P**
- Pentaprismane, 185–188
    - synthesis, 222
  - Perfluorinated oxirenes, 33
  - Perfluorodimethyloxirene, 46
  - Perfluoroethylmethyloxirene, 46
  - Perfluoromethylethyloxirene, 40
  - Perfluoroalkyloxirenes, 46
  - Phosphorus pentafluoride, 62
    - stability comparison with nitrogen pentafluoride*, 59–61
    - thermodynamic and kinetic stabilities*, 60–61
    - See also* Nitrogen pentafluoride
  - Photolysis
    - diazo ketones, 33–34, 37, 50
    - oxirene, 33–37, 36–37, 43, 49
  - Planar carbon
    - alkaplanes, 4
    - bonded to boron and metals, 1
    - bowlane, 3–4
    - cycloalkane, 4
    - cyclopropylidene, 9
    - dimethanospiro[2.2]binonaplane, 7
    - dimethanospiro[2.2]octaplane, 3–10
    - electronic states, 2
    - ionization energy property, 8
    - methane inversion, 2–3
    - octaplane, 4
    - organometallic species, 1
    - PES calculations, 2–6
    - planar tetracoordinate carbon, 1, 3–4
    - propellanes, 1–2
    - pyramidane bond, 2
    - spiro[2.2]octaplane, 5
    - spiropentanes, 8–9
    - tetracoordinate, 3
    - transition states, 2–3
    - See also* Pyramidal carbon
  - Planar Carbon Story, The, 3
  - Planar tetrahedral methane, 192–198
  - Polymers
    - carbon dioxide, 165
    - nitrogen *See* Polynitrogen
  - Polynitrogen
    - acyclic*, 156–157
    - cyclic polynitrogen with several rings*, 156
    - exotic*
      - diazide*, 159
      - tetraazidomethane, 158
      - triaxide*, 157
    - experimental results, 142–148
    - extended-molecular allotropes, 144
    - isolable ions, 144–148
    - $N_4$  molecules
      - azidonitrene, 155
      - cyclic*, 155–156
    - $N_6$  molecules
      - B3LYP/6-311+G\* (DFT) calculations, 154
      - cyclic*, 151–155
      - DFT method, 151
      - MP2/6-31 G\* optimizations, 153–154
    - $N_8$  molecules
      - atomization method, 149
      - azidopentazole, 149
      - cyclic*, 148–150
      - diazidodiazene, 149
      - high-energy molecule*, 150
      - isomers*, 149
      - octaazapentalene, 149
      - stability*, 149–150
    - neutral molecules*
      - $N_3$ , 142
      - $N_4$ , 142
      - $N_5$ , 143

- N<sub>6</sub>, 143  
 N<sub>7</sub>, 143  
 N<sub>8</sub>, 143–144  
 synthesis, 159  
 theoretical results  
   *acyclic polynitrogen*, 156–157  
   conventional *polynitrogen*, 157–158  
   *cyclic N<sub>4</sub> molecules*, 155–156  
   *cyclic N<sub>6</sub> molecules*, 151–155  
   *cyclic N<sub>8</sub> molecules*, 148–150  
   *cyclic polynitrogen with several rings*,  
   156  
   *See also* Carbon dioxide with dinitrogen  
   (CO<sub>2</sub>–N<sub>2</sub>) compounds  
 Polyprismanes, 192–201  
   attack by hydride ion, 213–218  
   attack by proton, 213–218  
   B3LYP/6-31G\* level calculations, 196  
   half-planar, 192, 218–220  
   linear C–C–C geometry, 218–220  
   MO scheme, 200  
   MP2/6-31G\* level calculations, 193–195  
   properties, 201  
     kinetic stability, 209–213  
     strain, 202–204  
     thermodynamic stability, 204–209  
   rodlike molecules, 187, 220–222  
   STO-3G calculations, 198–201  
   structure, 186  
   synthesis, 222–224  
   *See also* Prismanes  
 Prismanes  
   hexa, 187, 190–192, 222  
   penta, 187–191, 222  
   tetra, 187–188  
   tri, 187  
   simple, 187–192, 222  
   structure, 186  
   synthesis, 222–224  
   *See also* Polyprismanes  
 Propellane  
   planar carbon and, 1–2  
   tetrahedral methane, 192–201  
   type carbon, 14  
 Push-pull oxirene, 46  
 Pyramidal carbon  
   bowlane, 24  
   crystal structure, 13  
   decapped spiroalkaplanes, 25  
   1,3-dehydroadamantane, 25  
   hemialkaplanes, 25  
   hemispiroalkaplanes, 25  
   methane, 13–15  
     molecular structure, 13–14  
     pyramidane, 14–24  
     structure, 16  
     synthesis, 25–26  
     *See also* Planar carbon  
 Pyramidal tetrahedral methane, 192–196, 197,  
   198, 201  
 Pyramidane, 14–24, 253  
   acidity, 18–19  
   basicity, 17–18  
   CCSD(T) calculation, 15  
   heat of formation examination, 21–23  
   MINDO/3 technique, 15  
   NBO analysis, 15–16  
   PES analysis, 15  
   Py group effect on positive carbon, 21  
   strain energy examination, 21, 23–24  
   structure, 15–17  
   planar carbon and, 1–2  
**Q**  
 Quinoid Jacobsen's structure, 116–117, 119  
   *See also* Hexaphenylethane  
**R**  
 Radon, 67–71  
   *See also* Noble gas chemistry  
 Retro Diels-Alder reaction, 35, 41, 44  
   *See also* Oxirene  
 Rodlike molecules, 187  
   carbon nanotubes, 220–222  
   ladderanes, 221–222  
   staffanes, 221  
   *See also* Polyprismanes  
**S**  
 SCCS sulfur analogues, 135  
   *See also* Ethenedione  
 Simple prismanes  
   hexaprismane, 190–191  
   pentaprismane, 188–190  
   synthesis, 222–224  
   tetraprismane, 188  
   triprismane, 187  
 Spiro[2.2]octaplane, 5  
   *See also* Planar carbon  
 Spiroalkaplanes, decapped, 25  
 Spiropentane, 8–9  
   *See also* Planar carbon  
 Stacked cycloalkanes, 185  
   *See also* Polyprismanes  
 Staffanes, 221  
   *Static* electron correlation, 109  
   *See also* *Dynamic* electron correlation

- Steric effect, 86  
*See also* Tetrahedrane
- Strain  
 polyprismane, 202–204  
 superstrained molecules, 244–246  
 tetrahedrane properties, 82, 96–98
- Sulfur analogues  
 OCCS and SCCS, 135  
*See also* Ethenedione
- Superfuels, 141
- Superstrained molecules, 227–256  
 bicyclo[1.1.1]pentane (molecule 1),  
 227–228  
 hexacyclo[2.1.0.0<sup>1,3</sup>.0<sup>2,4</sup>.0<sup>2,5</sup>.0<sup>3,5</sup>]pentane  
 (molecule 7), 227, 241–242  
 known species (molecules 1, 2, and 3),  
 227–235  
 pentacyclo[2.1.0.0<sup>1,3</sup>.0<sup>2,4</sup>.0<sup>2,5</sup>]pentane  
 (molecule 6), 227, 230, 237–241  
 properties  
*electronic spectra*, 249  
*geometries*, 243–244  
*ionization energies*, 246–248  
*IR spectra*, 248–249  
*strain*, 244–246  
*synthesis*, 249–253  
 synthesis  
 hexacyclo[2.1.0.0<sup>1,3</sup>.0<sup>2,4</sup>.0<sup>2,5</sup>.0<sup>3,5</sup>]pentane  
 (molecule 7), 252–253  
 pentacyclo[2.1.0.0<sup>1,3</sup>.0<sup>2,4</sup>.0<sup>2,5</sup>]pentane  
 (molecule 6), 252  
 tetracyclo[2.1.0.0<sup>1,3</sup>.0<sup>2,4</sup>]pentane  
 (molecule 4), 250–252  
 tetracyclo[2.1.0.0<sup>1,3</sup>.0<sup>2,5</sup>]pentane,  
 pyramidane (molecule 5), 251–252  
 tetracyclo[2.1.0.0<sup>1,3</sup>.0<sup>2,4</sup>]pentane (molecule  
 4), 227, 235–237  
 tetracyclo[2.1.0.0<sup>1,3</sup>.0<sup>2,5</sup>]pentane,  
 pyramidane (molecule 5), 227, 237  
 tricyclo[1.1.1.0<sup>1,3</sup>]pentane, [1.1.1]pro-  
 pellantane (molecule 2), 228–233,  
 234  
 tricyclo[2.1.0.0<sup>2,5</sup>]pentane (molecule 3),  
 227, 233–235  
 unknown species (molecules 4, 5, 6, 7),  
 235–242
- T**
- Tautomerism, 116–118
- Tetra t-butyltetrahedrane  
 B3LYP/6-31G\* calculations, 94
- Tetraazidomethane, 158  
*See also* Polynitrogen
- Tetracoordinate carbon  
 planar, 1, 3–4
- Tetrahedral methane  
 half-planar, 192–201  
 planar, 192–198  
 propellane, 192–197, 200–201  
 pyramidal, 192–194, 196–197, 200  
*See also* Polyprismanes
- Tetrahedrane, 81  
 B3LYP/6-31G\* calculations, 93–96  
 bitetrahedrane, 253  
 corset effect, 85  
 cyclobutadienes and, 87–90  
 esthetic considerations, 81–82  
 existence aspects, 91–92  
 exotic chemistry, 82  
 lithiated, 90–91  
 monolithio, 90  
 MP2/6-311G\*\* calculations, 95–96  
 parent, 94–96, 100–101  
 properties  
 acidity, 99  
 basicity, 99–100  
 ionization energy, 98–99  
 strain, 96–98  
 stability aspects, 92  
 steric effect, 86  
 strain in, 82  
 synthesis  
 fictional, 82–83  
 parent tetrahedrane, 100–101  
 real, 83–93  
*tetrahedranylithium*, 90–93  
*tetrakis(trimethylsilyl)tetrahedrane*, 87  
*tetra-t-butyltetrahedrane*, 83–86  
*synthesis challenge*, 82  
 test of limits of structural theory of organic  
 chemistry, 82  
*tetrahedranylithium*, 90–91  
*tetrakis(trimethylsilyl)tetrahedrane*, 87–90,  
 94  
 tetrakis(trimethylsilyl)vinylethyne, 88  
*tetra-t-butyltetrahedrane*, 83–86, 94  
 tris(trimethylsilyl)tetrahedranylithium, 90  
*See also* Cubane; Dodecahedrane;  
 Icosahedrane; Octahedrane
- Tetrahedranylithium synthesis, 90–91
- Tetrakis(trimethylsilyl)tetrahedrane  
 B3LYP/6-31G\* calculations, 94  
 isomerization, 87–88  
*properties*, 87–90  
 stability, 89  
 synthesis, 87

- tetrakis(trimethylsilyl)vinylethyne, 88
  - Tetralithiotetrahedrane, 90
  - Tetraprismane, 188
    - See also* Polyprismanes
  - Tetra-*t*-butylethene synthesis, 126–128
    - adding final *t*-butyl group to moiety with masked *t*-butyl groups, 127–128
    - converting less sterically demanding group to *t*-butyl group, 127
    - joining two halves directly, 127
    - removing spacer from between two halves, 127
    - See also* Hexaphenylethane
  - Tetra-*t*-butyltetrahedrane
    - chemistry, 86
    - corset effect, 85
    - properties, 85–87
    - structure, 85
    - synthesis, 83–85
    - tetra-*t*-butylcyclobutadiene, 84
  - Thermodynamic stability
    - nitrogen pentafluoride*, 60–61
    - phosphorus pentafluoride*, 62
    - polyprismane, 204–209
    - See also* Kinetic stability
  - Thioxoethenedione, 136
    - See also* Ethenedione
  - Triprismane, 187
  - Tris(trimethylsilyl)tetrahydranyllithium, 90
  - Twisted carbon *See* Orthogonene
- W**
- Wolff rearrangement, 33–34, 39–41, 43, 47, 50
    - See also* Oxirene
- X**
- Xenon, 67–71
    - fluorides, 68–69
      - difluoride, 68
      - tetrafluoride, 68
    - orbital model, 68
    - oxides, 68
    - See also* Noble gas chemistry