

# Index

## A

- Abandoned habitat, 77, 80–83, 86, 89–92
- Acacia saligna*, 189, 191–192
- Ageratina riparia*, 189, 193–195
- Agropyron cristatum*, 45, 141, 152
- Alien plants, 2, 35–37, 87, 88, 248, 249, 319–338
- Alien species, 35, 36, 47, 56, 78, 79, 81–96, 151, 152, 161, 170, 190, 263, 320, 323–328, 330, 332
- Allelopathy, 87, 213, 214, 216, 217, 220, 261, 271–272, 279, 281
- American Nursery and Landscape Association-Horticultural Research Institute (ANLA-HRI), 167, 178
- American Nursery and Landscape Association (ANLA), 167, 170, 175–176, 178
- Animal and Plant Health Inspection Service (APHIS), 45, 55, 167, 174, 175
- Anthropogenic habitat, 77, 79–85, 87, 90, 92, 95, 96
- Aquarium Industry, 287, 289, 296, 300–301, 311
- Arbuscular mycorrhizal fungi, 261
- Australian Quarantine and Inspection Service (AQIS), 167, 179, 235

## B

- Barberia vulgaris*, 1, 4, 39
- Bassia scoparia*, 45–46, 48, 53
- Berberis vulgaris*, 35, 38–43, 55
- Bern convention, 324–325, 327
- Bioherbicides broad-leaved species, 195–196
- Biotic resistance, 123, 124, 134
- Bipolaris sacchari, 189, 203
- Black and pale swallow-wort, 261–274
- Board on Agriculture and Natural Resources (BANR), 167, 174
- Bog turtle, 1, 2

- Bromus inermis*, 119, 152
- Bromus tectorum*, 1, 3, 106, 123, 126–127, 135–143, 157, 214

## C

- California Invasive Plant Council (Cal-IPC), 16, 167, 174, 178, 183
- Canada thistle, 1, 4, 155
- Caulerpa taxifolia*, 287–312, 324
- Centaurea maculosa*, 114, 211, 212
- Centaurea solstitialis*, 1, 3, 213
- Centaurea stoebe* L. *ssp. micranthos*, 211, 212
- Chondrostereum purpureum*, 89, 195–197
- Chromolaena odorata*, 50–52
- Cirsium arvense*, 1, 4, 155
- Clidemia hirta*, 47, 51, 189, 196–198
- Colletotrichum gloeosporioides f.sp. clidemiae*, 189, 196–198
- Competition, 14, 25, 37, 50, 55, 81, 90, 130, 152, 158, 162, 212, 213, 215–217, 219–221, 238, 247, 269–271, 287, 296–298, 306, 333, 345, 355
- Conotrachelus albocinereus*, 236, 239
- Convention on Biological Diversity (CBD), 320, 323–328, 331, 332, 343
- Crupina vulgaris*, 49–50, 55
- Cultural practices, 152, 191, 227, 234, 249

## D

- Delaireia odorata*, 172
- Deliberate human interference, 82
- Direct seeding, 151, 154, 155, 157, 232
- Diversified cropping system, 157–158, 163
- Drechslera gigantea*, 189, 203, 204
- Dreissena polymorpha*, 107, 117

**E**

- Ecologically based tactics, 35–56
- Ecological resilience, 123, 124
- Ecological restoration, 61–74
- Economic losses, 1–6, 190, 200, 243, 280, 281
- Educational efforts, 68–69
- Eichhornia crassipes*, 3, 38, 53, 54, 114, 189, 199–200, 329, 331
- Entyloa ageratinae*, 189, 193–195
- Epiblema strenuana*, 236–238, 241–244
- Eradication campaigns, 38, 39, 41–43, 46, 49–55, 303
- Establishing priorities, 349–350
- Euphorbia esula*, 5, 119, 152
- Eurasian watermilfoil, 1, 3
- European and Mediterranean Plant Protection Organization (EPPO), 167, 180, 319–320, 324–338
- European cheatgrass, 1, 3
- European purple loosestrife, 1, 2
- Exotic aquatic weeds, 1, 3
- Exotic Pest Plant Council (EPPC), 16, 167, 168, 174, 175
- Extension Master Gardener (EMG), 167, 181

**F**

- Fire-enhancing grass invasions, 125–126
- Florida Exotic Pest Plant Council (FL-EPPC), 16, 167
- Forecasting consideration, 105

**G**

- General Agreement on Tariffs and Trade (GATT), 320, 321
- General invasion theory, 12–14
- Generalized monitoring plans, 10, 12–16, 21, 28, 29
- Geo-referenced abundance, 9, 12, 13, 16, 30
- Geo-referenced abundance data, 22–28
- Global Invasive Species Programme (GISP), 167–168, 175
- Grass invasion impacts, 127–129, 136
- Gypsophila paniculata*, 114

**H**

- Habitat and environmental variability, 270
- Habitat-classification framework, 77–96
- Hawaiian islands, 46, 125, 127, 128, 193, 196
- Hedera helix*, 172
- Hedychium gardnerianum*, 47, 189, 198–199
- Heracleum mantegazzianum*, 52–53

- Herbicide resistance, 151, 152, 159–163
- Hydrilla verticillata*, 1, 3, 49

**I**

- Imperata cylindrica*, 189, 202–204, 234
- Import Risk Analysis (IRA), 168, 179
- Inlet construction and maintenance, 66–67
- Integrated weed management, 151, 162, 227
- International Plant Protection Convention (IPPC), 319–326, 329, 331, 332, 337, 338
- Invasive species impact, 77–96
- Isoproturon, 279, 282–284

**L**

- Landscape-level model, 356
- Land use, 11, 14, 21, 22, 24, 77, 84, 96, 105, 215, 348
- Larinus minutus*, 214, 217, 218
- Legislative control, 235
- Lonicera japonica*, 172
- Lythrum salicaria*, 1–3

**M**

- Marine Macroalga, 287–312
- Melinis minutiflora*, 127–129, 131–132, 134
- Miconia calvescens*, 35, 46–49
- Microbial agents, 189–205
- Monitoring efforts, 9, 11, 14, 15, 19, 22, 28–30, 67–68, 219
- Multi-species model, 13, 27
- Mycoherbicides, 227, 234–235
- Myriophyllum spicatum*, 1, 3

**N**

- Nature conservation focus, 83
- Niche, 9, 25–28, 83, 86, 191
- Nonindigenous species (NIS), 168–183, 353
- Novel ecosystems, 77, 82, 89–91
- Nursery and Garden Industry Australia (NGIA), 168, 180

**O**

- Oceanic island, 77, 79, 86, 90
- Optimized monitoring plans, 9–11, 13, 16, 28, 30
- Ornamental horticulture industry, 167–183

**P**

- Parthenium hysterophorus*, 227, 228
- Passiflora tarminiana*, 189, 193

*Pennisetum setaceum*, 47, 127, 129, 134  
*Peromyscus maniculatus*, 214  
 Pest risk analysis (PRA), 319, 320, 322–338  
*Phalaris minor*, 279–285  
 Phenotypic and genetic diversity, 272–273  
*Phragmites australis*, 61, 63, 64, 66, 69–71, 73, 74  
*Pistia stratiotes*, 1, 3  
*Posidonia oceanica*, 287, 296–297, 299  
 Post-eradication surveys, 307–308  
 Post-normal science, 77  
 PRATIQUÉ, 337  
 Predicting invasive potential, 173–175  
 Prediction, 9, 21, 24–28, 103–105, 108, 111, 116, 167, 171, 173–175, 182, 221, 328, 333, 352  
 Predictive modeling approaches, 23–24  
 Prioritization, 9, 17–23, 28, 103, 116–118, 138, 326–327  
 Prioritization process, 9, 17–19, 23, 327  
 Prioritized monitoring plans, 10, 13, 16, 21–22, 28–29  
 Propagule pressure, 9, 13–15, 24, 27, 29, 81, 84, 85, 104, 106, 108, 116  
*Pseudomonas solanacearum*, 198  
*Puccinia melampodii*, 237, 240, 241, 243, 244

## R

Reference habitat, 77, 79–84, 86–89, 92, 95  
 Remote sensing, 11, 13, 39, 113–115, 352  
 Restoration ecology, 77, 82  
 Rice straw, 279, 281, 282  
 Risk assessment models, 352–354

## S

Sagebrush steppe, 135–143  
 Salinity tolerances, 287, 295–296  
 Sandpiper pond, 63–75  
 Sanitary and Phytosanitary Measures (SPS Agreement), 321  
*Schizachyrium condensatum*, 127–134  
 Science-based invasive plant management, 345–356  
 Secondary succession, 77, 81, 90, 91  
*Septoria passiflorae*, 189, 193  
 Smothering colonies, 303  
 Socioecological research, 77  
*Solanum viarum*, 189, 200–202  
 Southeast Exotic Pest Plant Council (SE-EPPC), 168, 174  
*Spartina alterniflora*, 63, 65, 74, 107

Spatial and temporal scales, 11  
 Spatial considerations, 107, 116  
 Species distribution models, 9, 104  
 Spotted knapweed (*Centaurea stoebe*), 114, 211–222  
 Spread rate, 21, 103, 105–107, 109, 110, 112, 116, 119, 128, 134, 177  
 Statistical techniques, 108, 109, 111–114  
 Statistics with remote sensing, 115  
*Striga asiatica*, 35, 43–45, 53–55  
 Sulfosulfuron, 279, 282–284  
 Sustainable management, 211, 212, 216, 220, 284  
 System approach, 158–159

## T

Thresholds and succession, 354–356  
 Tillage, 151–157, 215, 267  
 Transformer species, 20, 173  
*Triadica sebifera*, 172  
 True integrated pest management, 162  
*Typha domingensis*, 61, 63, 68, 70, 71

## U

*Uromycladium tepperianum*, 189, 191–192  
*Urophora species*, 214, 217–219  
 US Crop losses, 1, 5

## V

Vector for dispersal, 104  
 Vector of invasion, 107–108  
 Vegetation management, 9, 205  
*Vincetoxicum nigrum*, 261–263  
*Vincetoxicum rossicum*, 261–274  
 Voluntary regulation, 167, 178–179

## W

Weed Risk Assessment (WRA), 168, 179  
 World Trade Organization (WTO), 320–321

## Y

Yellow rocket, 1, 4, 162  
 Yellow star thistle, 1, 3, 219

## Z

*Zygotyphella bicolorata*, 236, 238