

INDEX

Symbols

& (ampersand), 181
 // (double slash), 279
 ! (exclamation mark), 195
 ; (semicolon), 31, 279
 _ (underscore), 279

A

about page, 134
 #about_site id, 164–165
 about template, 152
 Acronym plug-in, 169
 ActiveRefresh, 10
 addslashes function, 281, 315
 admin area, TxP, 229–231
 diagnostics, 229–230
 preferences, 230–231
 administration site
 building, 278–297
 creating screen for adding posts, 278–285
 creating screen for listing posts, 292–294
 creating screen for updating posts, 285–291
 deleting blog sites, 294–295
 navigation, 295
 schematic diagram of, 278
 stylesheet for, 296–297
 AGAINST function, 328
 aggregators, 9
 all-in-one software packages, 22
 Allen, Dean, 216–217
 ampersand (&), 181
 Apache, 8, 23
 choosing port for, 24
 closing, 37
 configuring, to use CGI scripts, 40–41, 59–60
 configuring, to work with PHP, 33–38
 disabling, 28
 downloading and installing, 24–28
 installing on Windows, 23–28
 removing existing installation of, 24–25
 starting and stopping, 28, 52–53
 startup preferences, 28
 test configuration, 37
 using on Mac OS X, 51–53
 Apache Services Monitor, 28
 archive code, 265–267
 archives
 adding link for, 254–255
 category and data-based, 108–110
 creating, 261, 318–324
 archives.php, 192–193
 articles. *See* blog posts
 Auf der Maur, Melissa, 4

B

background images, default CSS, 156–158
 backups, 174–175
 Baghdad Blogger, 3
 BBEdit, 51
 Binary Bonsai, 172
 blog databases. *See* databases
 blog design
 changing header attributes, 155
 conditional tags, 187–188
 with CSS, 92–94, 152–168, 183–184
 design creation, 90–92
 drop shadows, 100–101
 HTML and, 183–184
 include tags, 188–189
 inspiration for, 87–89
 layout and styling, 94–98
 in Movable Type, 87–92
 planning phase, 87
 template structure, 184–185
 template tags, 185–187
 with TxP, 233–238
 with WordPress, 183–189
 blog engines
 adding comments, 312–317
 archive creation, 318–324
 creating RSS feed, 329–334
 creation management system (CMS), 274–277
 migrating to live environment, 334–336
 #blog id, 164–165
 blog posts
 adding, 146, 278–285
 advanced formatting, 337
 allowing for content length in, 250, 252
 automatically formatting, 306–307
 categorizing, 337
 creating post page, 310–312
 deleting, 294–295
 displaying, in WordPress, 180–181
 displaying, on homepage, 305–306
 numbering, 295
 previews, 337
 screen for listing, 292–294
 screen for updating, 285–291
 storage of, 19
 TxP, 247–249
 blog technologies, 19
 see also specific technologies
 blog/more template, 144–145
 Blogger, 6
 blogging
 in 2004, 5
 options, 5–7
 overview, 3–5

- process of, 9
 - reasons for, 3, 234
 - blogging solutions
 - coding your own, 7
 - installing your own, 6
 - ready-made, 6
 - see also specific types*
 - Bloglines, 329
 - blogs
 - administration site for, 278–97
 - building, 297–324
 - creating post page, 310–312
 - custom entry fields, defining, 128–130
 - default, in EE, 131–132
 - defined, 2–3, 19
 - defining reason for, 234
 - displaying posts, 305–306
 - headers, footers, reusable elements, 308–310
 - homepage creation, 298–305
 - publishing, 9–10
 - searching, 11, 325–328
 - specifying groups for, 130
 - structuring, 124–133
 - test environments for, 21
 - visitor request process, 20
 - see also* blog engines; blog posts
 - Bowman, Douglas, 6
 - box model hack, 165
 - BrowserCam, 94
 - browsers, with CSS support, 249
 - Budd, Andy, 5
- C**
- caching, query, 169
 - cannot load mysql extension, 38
 - Cascading Style Sheets (CSS), 152–168
 - #about_site id, 164–165
 - #blog id, 164–165
 - changing header attributes, 155
 - #content id, 159
 - default background images, 156–158
 - design process and, 92–94
 - #eeheader_temporary, 167–168
 - file location, 153
 - #footer id, 167
 - header layouts, 156–158
 - inheritance, 159–160
 - layout and styling, 94–98
 - linking, with templates, 153–154
 - masthead, 155
 - menu customization, 155–159
 - menu tabs, 158
 - min-height property, 250
 - nav_wrapper, 157–158
 - shortcuts, 258–259
 - #sidebar, 160–164
 - structure of, 154
 - styling comments, 166–167
 - white space problem, 252–253
 - WordPress and, 183–184
 - wrappers, 155
 - XHTML structure and, 93–94
 - case switching, 287
 - categories, 123, 133
 - redefining, 127–128
 - tags, 137
 - categorization system, 337
 - category and date-based archives, 108–110
 - category ID, 127
 - category list, displaying in sidebar, 140
 - Cederholm, Dan, 6
 - Celik, TanteK, 11
 - CGI scripts/scripting, 18
 - configuring Apache for, 40–41
 - creating test, 60
 - enabling, on Windows, 38–41
 - enabling, on Mac OS X, 59–61
 - location of, 59–60
 - permission setting for, 60–61
 - cgi-bin directory, 40, 81
 - CJD Comment Heat, 205
 - class="current", 148
 - classes, vs. ids, 239
 - see also specific classes*
 - CMS. *See* content management system
 - CMS pages, linking between, 295
 - code editing, built-in in TxP, 236
 - code libraries
 - libmysql.dll, 38
 - PHP, 54
 - Codex, 174
 - ColdFusion, 24
 - Collison, Simon, 5
 - color, adding to text, 257–259
 - color customization, 158
 - color swatches, creating, 243–244
 - Command Line Client, 50
 - commbox class, 166
 - commboxalt class, 166
 - comment forms, 150–151
 - comment spam, 337
 - comments, 133, 190
 - adding, 312–317
 - customizing, 150–151
 - EE conditionals and, 138
 - previews of, 337
 - styling, in CSS, 166–167
 - totals, 139–140

INDEX

- comments-popup.php, 192
 - comments.php, 192
 - Common Gateway Interface. *See* CGI scripts/scripting
 - conditional statements, 187–188
 - conditional tags, 181, 184–188, 194–195
 - conditionals, 128, 133, 138–139
 - EE URLs and, 148–150
 - if_allow comments, 150
 - config.php file, 225–226
 - configuration files
 - Apache, 33–38, 40
 - Movable Type, 81
 - MySQL, 48–49
 - contact page, 134
 - contact template, 151
 - container div tags, 104, 107–109, 269
 - content areas, 93
 - latest posts block, 94
 - layout and styling of, 97–99
 - secondary content block, 94
 - TxP, 232
 - content div tag, 159, 250–251
 - content management system (CMS), 274–277
 - database preparation, 275–277
 - development environment, 275
 - stylesheet for, 296–297
 - technology, 274
 - content types, WordPress, 189–190
 - comments, 190
 - Pages, 190
 - posts, 189
 - Control Panel, EE, 120
 - Templates menu, 121–123
 - count() function, 322
 - CSS. *See* Cascading Style Sheets
 - CSS Switcher, 169
 - custom entry fields, 123
 - defining, 128–130
 - specifying, 130
 - variables, 137
 - custom templates, 204–213
 - category templates, 206–209
 - plug-ins, 204–206
 - see also* templates
- ## D
- Dashboard, 178
 - data types, defining for tables, 276–277
 - Data variables, 137
 - database indexes, 328–329
 - databases, 7, 19
 - backing up, 73–76
 - creating new, 71
 - indexing, 328–329
 - migrating to live environment, 334–336
 - MySQL, 8, 18
 - preparation, 275–277
 - setup, with phpMyAdmin, 70–73
 - tables, 275–277
 - transferring between servers, 73–76
 - date data, 293
 - DATE_FORMAT function, 293
 - date_heading tags, 137
 - Davis, Chris J., 5, 172
 - default images, CSS, replacing, 156–158
 - design process
 - CSS and, 92–94, 183–184
 - design creation, 90–92
 - drop shadows, 100–101
 - inspiration for, 87–89
 - layout and styling, 94–98
 - in Movable Type, 87–92
 - planning phase, 87
 - with WordPress, 183–189
 - see also* blog design
 - development environment, for CMS, 275
 - display:none attribute, 155
 - div tags, 155, 238–240
 - adding height, 246–247
 - container, 104, 107–109, 269
 - content, 159, 250–251
 - removing borders from, 246–247
 - semantics of, 239, 246
 - do-while loops, 293, 323
 - double slash (//), 279
 - Dove (band), 4
 - drop shadows, 100–101
 - dynamic processing, 102
- ## E
- echo command, 279
 - eeheader_temporary, 167–168
 - EE Knowledge Blog, 169
 - embeds, 124, 141–146
 - <head> tag, 143
 - main navigation menu and, 141–142
 - sidebar <dev>, 143
 - error messages
 - cannot load mysql extension, 38
 - configuring Apache, 36
 - configuring PHP to display, 56–57
 - exclamation mark (!), 195
 - exp:weblog:entries tag, 135–138, 141
 - ExpressionEngine (EE), 7
 - about template, 152
 - adding articles, 146

- advantages of, 114
- blog structure, 124–133
- blogs, 123
- categories, 123
- comments, customizing, 150–151
- conditionals, 128, 138–139
- contact template, 151
- Control Panel, 120
- custom entry fields, 123, 128–130, 137
- default blog, 131–132
- editing preferences, 131–132
- embeds, 124, 141–146
- Image Gallery module, 169
- installation, 116–120
- menu template, 148–150
- overview of, 120–124
- pagination variable, 138
- path variables, 138–139
- plug-ins, 169
- purchasing, 117
- query caching, 169
- redefining categories, 127–128
- sidebar <div>, 140–141
- support, 169
- system requirements, 116
- tags, 133–136
- template customization, 133–141
- templates, 120–133
- trial version, 117
- URLs, 122–123

F

- FeedDemon, 10–11
- field name variables, 136
- file permissions
 - changing, of index.XML, 330
 - setting, in EE, 118
- file uploads, 75
- filename extensions, displaying in Windows, 23
- Fireworks, creating color swatches using, 243–244
- Flickr, 13, 15, 211, 336
- foot div tags, 238
- #footer id, 167
- footers, 308–310
- format function, 307, 317
- 404.php, 193
- fwrite function, 333

G

- graphic titles, 155
- groups, 14, 130

H

- <h1> tag, 155
- <h2> tag, 165
- <h3> tag, 165
- <head> tag, 143
- header attributes, changing, 155
- header function, 316
- header layouts, CSS, 156–158
- header.php, 192
- headers, 308–310
- headlines, article titles as, 141
- Heilemann, Michael, 5, 172
- hn tags, 155
- Home template, 209–213
- home.php, 209–213
- homepage
 - creating, 298–305
 - displaying posts, 305–306
 - formatting posts, 306–307
- .htaccess file, 219–220, 260
- HTML (Hypertext Markup Language), 21
 - WordPress and, 183–184
- httpd.conf file, 260–261

I

- ids
 - of div tags, 239, 246
 - vs. classes, 239
- if allow_comments conditional, 138, 150
- if-else statements, 187–188
- Image Gallery module, 169
- images
 - background, 156–158
 - replacing default CSS, 156–158
 - tab, 158
 - tiled, 251
 - uploading, 244–246, 336
- include function, 281
- include tags, 184–185, 188–189
- includes, 280
- index creation, 325
- index template, 123, 134, 153–154
- index.html.var, 35
- index.php, 122, 180, 191
- index.xml, 329, 332
- indexing blog database, 328–329
- information_schema database, 70
- inheritance, 159–160

J

Johnny caching, 169

K

Kerry, John, 4
 Kubrick, 172, 184, 191–195
 code, 193–195
 files, 191–193

L

 tag, 141
 libmysql.dll, 29, 38
 links
 sidebar, 161–162
 ticked-off visited, 162–164
 links.php, 193
 LiveJournal, 6
 Liyanage, Marc, 54
 local server, installing Movable Type on, 83
 Logical Blocks images, 156–158
 Logical Blocks theme, installation, 119
 Loop, The, 182–183
 loops, do-while, 293, 323
 Lorem Ipsum text, 146

M

Mac OS X
 Apache Server, 8, 51–53
 enabling CGI scripting on, 59–61
 RSS readers, 10
 Safari, 9
 setting up MySQL on, 61–67
 setting up test environment on, 51–67
 using PHP on, 54–58
 magic quotes, 280
 magpieRSS, 210
 mail function, 315
 main class, CSS, 165
 main index template, 102–104
 main menu, EE, 148
 main navigation menu, embeds for, 141–142
 maintenance, 175
 makerssfeed function, 331–334
 Manage languages page, TxP, 227
 Markdown, 337
 Master archive index template, 106–108
 master_weblog_name tag, 135
 masthead layouts, CSS, 156–158
 MATCH function, 328
 menu customization, with CSS, 155–159

menu tabs, 158
 menu, EE, 148, 150
 \$message variable, 282
 min-height property, 250
 more page, 134
 more template, 144–145
 Movable Type (MT), 6, 18, 78
 blog designing with, 87–92
 configuration of, 81–82
 downloads, 80–81
 enabling CGI scripting, 38–41, 59–61
 installation, 80–84
 licensing, 79
 overview, 78–80
 Perl and, 78
 plug-ins, 109
 resources, 79
 running for first time, 84–86
 templates, 102–110
 verifying installation, 83
 MTArchiveList tag, 107
 MTArchiveNext tag, 109
 MTArchivePrevious tag, 109
 MTEntries tag, 104
 MTEntryDate tag, 105
 \$mypost variable, 286
 My Site heading, 253–254
 MySQL, 7–8, 18, 223
 adding to your PATH, 63, 65
 changing default table type, 48–49
 configuring, 44–48
 downloading and installing, 41–50, 61–63
 for CMS, 274
 setting root password, 65–67
 setting up, on Mac OS X, 61–67
 starting and stopping, 49
 using with phpMyAdmin, 67, 70–76
 MySQL monitor, using on Windows, 50
 mysql_connect() function, 281
 mysql_db() function, 281
 mysql_insert_id() function, 315
 mysql_query() function, 282, 286

N

navigation
 between CMS pages, 295
 customizing, 156–159
 menu styling, 148–150
 nav_wrapper, 157–158
 NetNewsWire, 10
 NewsFire, 10
 No Follow, 169

O

offset parameter, 135
 ORDER BY clause, 293
 Oxton, John, 5

P

<p> tag, 255
 Page Content, 197
 page layout
 adjusting, 246–247
 see also blog design
 page not found error, 259, 261
 Page order, 197
 Page parent, 197
 Page slug, 197
 page templates
 for archives, 265–267
 backup copies, 264
 creating, in TxP, 262–267
 modifying, 239–240
 see also templates
 page.php, 192
 Pages, 190
 customizing existing, 201–204
 editing, 198–201
 viewing, 197
 working with, 196–204
 pagination variable, 138
 parameters, 135, 141
 parse, 34
 patch level, 68
 PATH
 adding MySQL to, 63–65
 amending, in bash shell, 64
 amending, in tcsh shell, 65
 path variables, 133, 138–139
 Pax, Salam (Baghdad Blogger), 3
 peeling, 181
 per category templates, 206–209
 Perl, 5–7, 18, 78
 downloading and installing, 38–40
 permalinks. *See* pretty permalinks
 permanent link mode, 260
 permission setting
 for CGI scripts, 60–61
 for EE, 118
 Persian, 172
 photos
 Flickr, 13–15
 uploading and sharing, 336
 see also images

PHP (Hypertext Preprocessor), 5–8, 18–19
 adding to Windows startup, 32–33
 case switching, 287
 configuring Apache to work with, 33–38
 configuring to display error messages, 56–57
 downloading and installing, 29–31, 55–56
 for CMS, 274
 if-else statements, 187–188
 removing old files, 29
 setting up, on Windows, 29–33
 testing installation, 58
 using on Mac OS X, 54–58
 PHP code
 for adding blog posts, 279–285
 delimiters, 279
 for listing posts, 292–294
 for updating posts, 285–291
 PHP Data Objects (PDOs), 29
 PHP Windows installer, 29
 php.ini, 29, 56
 php4ts.dll, 29
 php5ts.dll, 29
 phpdev423, 22
 phpinfo() command, 37
 phpMyAdmin, 21
 backups with, 73–75
 downloading and installing, 68
 setting up blog database with, 70–73
 using MySQL with, 67, 70–76
 pictures. *See* images; photos
 pinging, 13
 plug-ins, 78, 169
 for custom templates, 204–206
 Supplemental Category Tags, 109
 TxP, 270
 WordPress, 190
 pMachine, 114
 podcasting, 10
 ports, to run Apache, 24
 \$_POST array, 279–280
 posted class, CSS, 165
 posts. *See* blog posts
 post_ids, 285–286
 Powers, David, 5
 preg_match function, 286
 presentation area, TxP, 231–232
 forms, 232
 pages, 232
 sections, 231
 style, 232
 pretty permalinks, 180–181
 previews, 337

INDEX

- privileges
 - editing, 73
 - setting, 71–72
- PulpFiction, 10

Q

- query caching, 169
- query strings, 285
- question mark buttons, TxP, 232

R

- reader comments, adding, 312–317
- ready-made blog sites, 6
- Really Simple Syndication (RSS), 9–10, 329
- rebuilding, 102
- regular expressions, 286
- remote server, installing Movable Type on, 83
- \$_REQUEST array, 285
- reusable elements, 308–310
- root, 46
- root password, setting MySQL, 65–67
- RSS feeds, 210–212, 329–334
- RSS readers, 9–10
- RSS. *See* Really Simple Syndication
- Rutter, Richard, 5

S

- Safari, 9
- scripting languages, 5–8, 18–19
- scripts
 - coding your own, 7
 - installing your own, 6
 - ready made, 6
 - see also* CGI scripts/scripting
- \$search, 307
- search and replace, with regular expressions, 286
- search results page, 326
- search.php, 193
- searchability, 325–328
- searchform.php, 192
- segment variable, 148–150
- SELECT statements, 286
- semicolon (;), 31, 279
- \$_SERVER array, 279
- server root, 34
- Setup Wizard, TxP, 222, 224
- Shea, Dave, 6
- shell prompt, 55
- \$showbymonth, 322
- #sidebar, 160–162, 164

- sidebar <div>, 140–143
 - adding embeds to, 143
 - displaying categories, 140
 - headline display, 141
- sidebar links
 - ticked-off visited, 162–164
 - understanding, 161–162
- sidebar, EE, 141
- sidebar.php, 192
- Sillyness Spelled Wrong Intentionally, 172
- single.php, 192
- site path, 223
- site slogan, 253–254
- Site URL, 224
- Six Apart, 6, 78
- software
 - for test environment, 21–22
 - Windows installation, 22–50
- software packages, 22
- SRG Clean Archives, 205
- strip_tags, 315
- style.css, 191
- \$submitAdd variable, 281
- superglobals, 279, 285
- Supplemental Category Tags, 109
- switch statement, 287
- system folder, EE, 118
- system32 folder, 29, 38

T

- tables, 275
 - comments, 312–313
 - creating, 276–277, 312
 - defining data types for, 276–277
 - joining, 275
- tabs, menu, 158
- tags, 12–14
 - categories, 137
 - closing, 135
 - conditional, 181–195
 - date_heading, 137
 - EE, 133–136
 - exp:weblog:entries, 135–138, 141
 - field name variables, 136
 - include, 184–189
 - master_weblog_name, 135
 - opening, 135
 - parameters, 135, 141
 - template, 181, 185–187
 - see also* specific tags
- technologies, 7–8
- Technorati, 11

- template groups, 122–123
 - defining, 125–126
- template structure, 184–185
- template tags, 181, 185–187
- templates, 6
 - about, 152
 - about page, 134
 - blog, 116
 - vs. blogs, 123
 - category and data-based, 108–110
 - contact, 134, 151
 - creating new, 144–145
 - custom, 137, 204–213
 - customizing, 133–141, 201–204
 - comment totals, 139–140
 - comments, 150–151
 - conditionals, 139
 - path variables, 138
 - sidebar, 140–141
 - defining, 125–126
 - drop shadows, 100–101
 - dynamic, 102
 - editing, 127, 198–201
 - EE, 120, 135–136
 - embeds, 124, 141–143
 - ExpressionEngine, 121–123
 - field name variables, 136
 - Home template, 209–213
 - index, 134
 - layout and styling, 94–98
 - linking to CSS, 153–154
 - main index, 102–104
 - Master archive index, 106–108
 - menu, 148, 150
 - more, 134, 144–145
 - Movable Type, 102–110
 - pagination variable, 138
 - per category, 206–209
 - rebuilding, 102
 - redefining categories, 127–128
 - saving revisions, 133, 159
 - structuring blog with, 124–133
 - working with, 196–197, 201–204
 - see also* Cascading Style Sheets (CSS)
- Terminal, changing permissions in, 60–61
- test environments, 18
 - setting up, on Mac OS X, 51–67
 - setting up, on Windows, 22–50
 - software needed for building local, 21–22
- \$text, 307
- text, adding color to, 257–259
- text editors, 51
- TextBook, 270
- TextDrive servers, 217
- Textgarden, 270
- Textile, 247–248, 337
- Textpattern (TxP), 7, 337
 - adding archive link, 254–255
 - adding text color, 257–259
 - admin area, 229–231
 - archive code, 265–267
 - blog design, 234–236, 238
 - blog posts, 247–249
 - allowing for content length, 250–252
 - built-in code editing, 236
 - checking installation, 228
 - config.php file, 225–226
 - content area, 232
 - creating archive section, 261
 - creating page templates, 262–267
 - database setup, 220–222
 - default design, 233
 - deleting links, 255–257
 - div tags, 238–240, 246
 - downloading and unzipping files, 218–219
 - first login, 227
 - forms, 262–269
 - future of, 217
 - history of, 216
 - .htaccess file, 219–220, 260
 - httpd.conf file, 260–261
 - image preparation, 242
 - installation, 218–226
 - introduction to, 216
 - key areas of, 229–232
 - live design process, 236–238
 - modifying page template, 239–240
 - moving browse and search forms in, 254–255
 - My Site, 253–254
 - site slogan, 253–254
 - page not found problem, 259–261
 - Permanent link mode, 260
 - plug-ins, 270
 - presentation area, 231–232
 - question mark buttons, 232
 - resources, 269–270
 - Setup Wizard, 222–224
 - supporting, 217
 - tags, 233
 - template preparation, 253–259
 - uploading images, 244–246
 - deleting links, 257
- TextWrangler, 51
- theme system, WordPress, 184
- themes
 - Kubrick, 191–195
 - Logical Blocks, 119
 - WordPress, 190

INDEX

the_author tag, 187
the_date tag, 187
the_ID tag, 186
the_permalink tag, 186
the_time tag, 186
the_title tag, 186
time data, 293
Time Of Day, 169
<title> element, 143
tooter.php, 192
Tristana, 10
TxP magazine, 270
txp tags, 233, 264, 268–269
TxP. *See* Textpattern
TypePad, 6

U

 tag, 141
underscore (`_`), 279
underscore hack, 250
unordered list markup, 141
URLs (Uniform Resource Locators), 180
 EE, 122–123, 148–150
 rewriting, 180
user account creation, 71–72

V

variables
 custom entry field, 137
 Data, 137
 exp:weblog:entries, 136–138, 141
 field name, 136
 pagination, 138
 path, 138–139
 segment, 148–150
 WordPress, 180
 see also specific types

W

Web browsers, with CSS support, 249
Web files, storage location of, 54
Web server applications, 7–8
Web servers, 19
 determining preexisting, 24
 see also Apache
weblogs. *See* blogs
weblog_css, 153
white space problem, 247, 252–253
Windows
 Apache installation, 23–28
 CGI scripting on, 38–41

 displaying filename extensions in, 23
 installing MySQL on, 41–50
 Movable Type installation on, 82
 RSS readers, 10
 setting up PHP on, 29–33
 setting up test environment in, 22–50
 system folders, 29
Windows Essentials, 41–50
 changing default table type, 48–49
 Command Line Client, 50
 configuring, 44–48
 installing, 41–43
WordPress, 7
 code sharing, 175
 Codex, 174
 conditional tags, 184–1888
 content types, 189–190
 CSS and, 183–184
 custom templates, 204–213
 designing with, 183–189
 displaying blog posts in, 180–181
 downloading and installing, 175–179
 HTML and, 183–184
 include tags, 184–189
 Kubrick, 191–195
 mechanics of, 180–183
 open source nature of, 174–175
 plug-ins, 190
 pretty permalinks, 180–181
 RSS feeds, 210–212
 support for, 173–174
 template pages, 196–204
 template structure, 184–185
 template tags, 185–187
 The Loop, 182–183
 themes in, 190
 user community, 174
 variables, 180
World Wide Web Consortium (W3C), 21
wrappers
 CSS, 155
 nav_wrapper, 157–158

X

XAMMP, 22
XHTML (eXtensible Hypertext Markup Language), 21,
 93–94
XHTML template, creation of, 92–93

Z

zeitgeist, 15
Zeldman, Jeffrey, 6