

# Index

## ■ Numbers

3rd Generation Partnership Project (3GPP), 315–316

## ■ A

AbsoluteLayout layout manager, 141–142

AbstractRenderer class, 343

AbstractRenderer source code (OpenGL), 396–397

AbstractRenderer.java, 345, 354–355

ACTION\_GET\_CONTENT action, 104–105

ACTION\_PICK action, 102–104

actions, generic, 95

activities

- activity.onCreateContextMenu() method, 165

- activity.registerForContextMenu(view) method, 166

- adding animation to, 201–204

- categories, 100

- code for layout animation, 207–208

- components to invoke, 97–98

- creating, 199–200, 206–208

- defined, 10, 24

- lifecycle methods of, 39

- live folders and, 410

- state transitions of, 40–41

adapters, Android, 146–149

Adaptive Multi-Rate (AMR) narrowband audio codec, 315–316

addRegularMenuItems function, 159–160

ADT (Android Development Tools), installing, 22–24

ADT plug-in for Eclipse, 226, 228, 238–239

AIDL (Android Interface Definition Language) services

- calling from client applications, 288–291

- defining service interface in, 283–286

- implementing interface, 283–286

- overview, 282–283

- passing complex types to, 292–299

alert-dialogs

- builder, 180–181

- designing, 177–178

AllContactsLiveFolderCreatorActivity.java, 412–414

alpha animation, 204, 211

alphabeticShortcut tags, menu (XML), 176

alternative menus, 168–172

AnalogClock control, 129–130

Android

- 1.0 SDK, downloading, 22

- 1.1/1.5, installing, 22

- android.app.Application class, 40–41

- android.app.Service public methods, 277–278

- android.appwidget, 15

- android.jar file, 19

- android.location package, 238, 249

- android.location.Geocoder class, 249

- AndroidManifest.xml (live folders), 25, 29, 162–163, 411–412

- android.media package, 301

- android.media.MediaRecorder class, 311

- android.os.Debug class, 41

- android.preference.ListPreference, 365–366

- android.preference.PreferenceActivity class, 367

- android.util.Log, 41–42

- android.view.animation package, 205
- android.view.animation.Animation class, 217
- android.view.LayoutInflater class, 180–181
- android.view.Menu class, 151
- android.view.MenuInflater class, 173
- android.widget.Button class, 117
- Asset Packaging Tool (AAPT), 30, 49
- Dev Phone (Google), 4, 422
- interfacing with OpenGL ES, 338–342
- Market, 227
- MIME types structure, 69–71
- SDK, 9, 41, 301
- Software Development Kit (SDK), 21
- Virtual Device (AVD), creating, 383–384
- Android 1.5 SDK
  - Android Virtual Device (AVD), creating, 383–384
  - android.bat tool parameters, 383
  - creating new application, 379–382
  - downloading, 377
  - features, 422–423
  - input-method framework (IMF), 394
  - installing ADT plug-in for, 377–379
  - MediaRecorder class for video capture, 384–386
  - MediaStore class, 386–390
  - online resources for, 423
  - scanning media store for content, 390–392
  - voice recognition, 392–393
- Android applications
  - debugging, 41–42
  - lifecycle of, 38–41
  - structure of, 28–30
- Android Platform
  - advanced UI concepts, 12–13
  - Android emulator, 9–10
  - Dalvik VM, 4–5
  - foundational components, 11
  - future of, 421–423
  - history of, 3–4
  - vs. Java ME, 5–8
  - Java packages in Android SDK, 15–18
  - media and telephony components, 14–15
  - overview, 1–2
  - service components, 13
  - software stack, 8–9
  - source code, 18
  - UI framework, 10
- AnimatedSimpleTriangleRenderer.java, 402–404
- AnimatedTriangleActivity.java, 401–402
- animation
  - AnimationDrawable class, 197, 201
  - AnimationListener class, 221–222
  - example (OpenGL), 401–404
  - supported types, 12
- animation, 2D
  - frame-by-frame animation, 198–204
  - layout animation. *See* layout animation
  - overview, 197
  - view animation. *See* view animation
- APIs
  - mapping, 238–249
  - media. *See* media APIs
  - telephony. *See* telephony APIs
- .apk files, 228–229, 301
- applications
  - Android 1.5, building, 379–382
  - application preferences, defined, 363
  - installing updates and signing, 229
  - signing for deployment, 226–229
- appwidget classes, 15
- architecture of content providers, 67–68
- ARM (Advanced RISC Machine), 10
- ArrayAdapter, 147–148
- artifacts of Android applications, 29–30
- AssetManager class, 59
- assets directory (resources), 59
- attributes
  - android.preference.ListPreference, 365–366
  - gravity, 134

**audio**

- files, playing (examples), 14
- recording, 311–316
- recording with intents, 386–388

authority, defined (content providers), 68

AutoCompleteTextView control, 115–116

AVD (Android Virtual Device), creating, 383–384

**B**

background threads, geocoding with, 253–256

Bellard, Fabrice, 10

BetterCursorWrapper.java (live folders), 419–420

bindService() method, 291

Bornstein, Dan, 5

boundaries, process, 229–230

bounding volume (box), 330–331

built-in content providers, 61–62

button controls, 117–122

buttons and listeners, setting up, 181

**C**

callbacks, incorporation in dialogs, 184–185

camera and coordinates (OpenGL), 334–338

Camera class for depth perception, 220–221

camera settings, changing (OpenGL test harness), 358–359

camera symbolism, 335–336

categories, intent, 99–101

categories of preferences, creating, 375–376

certificate authority (CA), 226

certificates, self-signed, 226–228

checkableBehavior tags (XML), 175

CheckBox control, 119–120

CheckBoxPreference, 367–369

classes for defining constants, 99

click events, 117–118

client applications, calling AIDL services from, 288–291

code, building UI in, 108–111

color (glColor), 334

color resources, 51, 55–57

COM (Component Object Model), 326–327

com.google.android.maps package, 238

Commons IO, Apache, 267

compiled/noncompiled resources, 48–49

complex types, passing to services, 292–299

components

- to invoke activities, 97–98

- rules for resolving intents to, 102

Connected Limited Device Configuration (CLDC), 5–7

connection timeouts, 269

constants, classes for defining, 99

container view, defined, 108

content providers

- adding files to, 77–78

- Android content URIs, 68–69

- Android cursors, 73–74

- Android MIME types structure, 69–71

- architecture of, 67–68

- built-in, 61–62

- ContentProvider class, 81–83

- databases, planning, 79–81

- defined, 11, 25

- delete method, 87–88

- explicit WHERE clauses, 75–76

- fundamentals, 60–61

- insert method, 85–87

- inserting records, 76–77

- live folders and, 410

- MIME-type contracts, fulfilling, 83–84

- passing WHERE clauses, 74–75

- projection maps, 90

- query method, 84–85

- reading data with URIs, 71–73

- registering content provider, 90–91

- steps, 79

- update method, 87

- updates and deletes, 78–79

- UriMatcher class, 88–90

- content URIs, 36
- ContentValues/ContentResolver classes, 76–78
- context menus, 165–168
- continuous rendering mode (OpenGL), 401
- contracts, fulfilling MIME-type, 83–84
- controls, Android
  - button controls, 117–122
  - date/time controls, 128–130
  - Gallery control, 130–131
  - grid controls, 126–127
  - list controls, 122–126
  - MapView control, 130
  - text controls, 113–117
- coordinates (OpenGL ES), 329–331
- coordinates, world, 330–331, 335
- CORBA (Common Object Request Broker Architecture), 326–327
- cursor, Android, 72–74, 418–419
- custom adapters, creating, 148–149
- custom permissions, 232–238
- custom resource IDs, 48
- customizing layout for screen configurations, 145–146

## D

- Dalvik
  - Debug Monitor Service (DDMS), 260–261, 310
  - VM overview, 4–5
- data
  - reading with URIs, 71–73
  - responding to changing (menus), 172
  - returning after invoking actions, 103–104
  - URIs, intents and, 94
- databases
  - DatabaseHelper class, 37–38
  - exploring on emulator, 62–66
  - planning, 79–81
- DatePicker control, 128–129
- date/time controls, 128–130

- debugging
  - Android applications, 41–42
  - debug certificates, 239–240
  - layouts with Hierarchy Viewer, 149–150
- delete method, 87–88
- deletes and updates, 78–79
- deployment
  - of live folders through Eclipse, 421
  - signing applications for, 226–229
- DialogRegistry class, 192
- dialogs, Android
  - alert dialogs, designing, 177–178
  - incorporation of callbacks in, 184–185
  - managed dialogs. *See* managed dialogs
  - overview, 176–177
  - prompt dialogs, designing, 179–184, 185
- digital certificates, 226
- DigitalClock control, 129–130
- dimension resources, 53–54
- dimension types supported, 138–139
- Direct3D standard, 326–327
- directory structure, 60
- DirectX API, Microsoft, 326
- downloading
  - Android SDK 1.0, 22
  - Eclipse IDE for Java Developers, 22
  - JDK 6, 21–22
- drawing
  - Drawable class, 201
  - with OpenGL ES, 329–330
  - simple triangle, 356–357
  - surfaces, 334, 340–341
  - vertices, 330–332

## E

- Eclipse
  - deploying live folders through, 421
  - Eclipse 3.4, 377
  - IDE for Java Developers, 22, 27
  - installing ADT plug-in for, 377–379

- EditText control, 115, 136–138
- EditTextPreference, 370–371
- EGL Graphics Interface
  - context, 338–341
  - EglHelper.java, 352–354
  - overview, 327–328
- EglHelper utility class, 343
- EglHelper.java, 345
- e-mail, 322–323
- emulators
  - Android, 9–10
  - exploring databases on, 62–66
  - passing command-line arguments to, 309
  - sending SMS messages to, 320
- enabled tags, menu (XML), 176
- entry-point activity, 32
- exceptions with HTTP services, 269–271
- expanded menus, 163
- extending ContentProvider class, 81–83
- extension of android.app.Application class, 40–41
- extras (intent attributes), 96–97
- eye points, 335–336

## F

- far points, 337
- files
  - adding to content providers, 77–78
  - FileDescriptors, 306
- flight-options example (preferences), 363–367
- folders, SMS, 321–322
- for loops, 74
- foundational components, Android, 11
- frame-by frame animation, 12, 197–204
- FrameLayout layout manager, 143–144
- FreeType library, 9
- frustum, defined, 325

## G

- Gallery control, 130–131
  - gen subdirectory (R. Java), 44
- generic actions, 95
- GenericManagedAlertDialog, 194
- GenericPromptDialog class, 195
- geocoding
  - with background threads, 253–256
  - Geocoder class, 250–252
  - overview, 249–250
  - to points with location names, 252–253
- GeoPoint class, 248
- GET Requests, HTTP, 264–265
- GET\_CONTENT action, 104–105
- getApplication() method, 277
- getIntent() method, 169
- getInterpolation method, 213
- getItemId() method, 160
- getType() method, 37, 84
- GiiNii Movit device, 422
- Git source-code control system, 18
- glClear method, 334
- glColor method, 334
- glDrawElements method, 332–333
- glFrustum method and viewing volume, 336–337
- Global Positioning System (GPS), 238
- GLSurfaceView, 342–343
- gluLookAt method and camera symbolism, 335–336
- glVertexPointer method, 330–332
- glViewport and screen size, 338
- Google Maps, 238–240, 246
- GPS Exchange Format (GPX), 261
- gravity property, 132–134
- grid controls, 126–127
- GridView
  - control, 126–127
  - live folders and, 404–405
- group category tags (XML), 175
- group IDs to create menu groups, 154

**H**

handheld devices, 4  
 Hello World! example, 25–28  
 HTTP services  
   exceptions, 269–271  
   HttpClient for HTTP GET Requests, 264–265  
   HttpClient for HTTP POST Requests, 266–269  
   multithreading issues, 272–275  
   overview, 263  
 HttpMime, Apache, 267  
 HttpPost in Android (example), 13

**I**

icon menus, 163–164  
 icon tags, menu (XML), 175  
 identity matrix, defined, 214  
 IDialogFinishedCallBack interface, 193  
 IDialogProtocol interface, 190  
 IDs, defining custom resource, 48  
 image resources, 54–55  
 ImageButton control, 118  
 IMF (input-method framework), 394  
 incoming messages, monitoring, 319–321  
 indexing into point buffer, 332  
 indices, adding triangle with, 360–362  
 initialize method, 217  
 input-method framework (IMF), 394  
   input methods, writing, 16  
 insert() method, 38, 85–87  
 inserting records, 76–77  
 installing  
   Android 1.1/1.5, 22  
   ADT, 22–24  
   ADT plug-in, 377–379  
   updates to applications, 229

**intents**

ACTION\_GET\_CONTENT, 104–105  
 ACTION\_PICK, 102–104  
 basics, 91  
 categories, 99–101  
 class, defined, 11  
 classes for defining constants, 99  
 components to invoke activities, 97–98  
 data URIs and, 94  
 defined, 24  
 extras, 96–97  
 generic actions, 95  
 prefabricated applications/intents, 92–94  
 for recording audio, 386–388  
 responding to menu items with, 156  
 rules for resolving to components, 102  
 for taking pictures, 388–390  
 interface for media application, 301–305  
 Internet Assigned Numbers Authority (IANA), 69  
 interpolators (animation), 212–213  
 interprocess communication, 276  
 ItemizedOverlay, marking up maps with, 246–248

**J**

jarsigner tool, 228–229  
   Java API 1.4, 14  
 Java EE (Java Platform, Enterprise Edition), 5  
 Java ME (Java Platform, Micro Edition)  
   vs. Android Platform, 5–8  
   OpenGL ES and, 327–328  
 Java packages, 15–18  
 Java SE Development Kit (JDK). *See* JDK 6, downloading  
 Java SE (Java Platform, Standard Edition), 5  
 Java Virtual Machine (JVM), 2  
 JAVA\_HOME environment variable, 22

- JavaFX, 7
  - JavaServer Faces (JSF), 107
  - java.util.List/java.util.Map, 292
  - JDK 6, downloading, 21–22
  - JSR, 327
- K**
- K Virtual Machine (KVM), 7
  - Keyhole Markup Language (KML), 261
  - keytool utility, 226
  - Khronos Group, 326–327
- L**
- launch configuration, Eclipse, 27
  - layout animation
    - activity and ListView, creating, 206–208
    - interpolators, 212–213
    - ListView, animating, 209–212
    - overview, 204
    - planning test-harness, 205–206
    - tweening animation types, 204–205
  - layout managers, Android
    - AbsoluteLayout layout manager, 141–142
    - customizing layout for screen configurations, 145–146
    - FrameLayout layout manager, 143–144
    - LinearLayout layout manager, 131–134
    - overview, 131
    - RelativeLayout layout manager, 139–140
    - TableLayout layout manager, 134–139
  - layout resources, 45–47
  - LayoutAnimationController, 204
  - layouts, debugging/optimizing with Hierarchy Viewer, 149–150
  - lifecycle of Android applications, 38–41
  - LinearLayout layout manager, 131–134
  - Linkify Class, 114–115
  - Linux kernel version 2.6, 8
  - list controls, 122–126
  - ListActivity class, 34
  - listeners
    - and buttons, setting up, 181
    - prompt dialog, 182
    - responding to menu items through, 155–156
  - ListPreference, 365–367
  - ListView
    - animating, 209–212
    - control, 122–126
    - creating, 206–208
    - live folders and, 404–405
  - live folders
    - AllContactsLiveFolderCreatorActivity.java, 412–414
    - AndroidManifest.xml, 411–412
    - BetterCursorWrapper.java, 419–420
    - building, 410–411
    - deploying through Eclipse, 421
    - MyContactsProvider.java, 414–419
    - MyCursor.java, 419
    - overview, 404–405
    - SimpleActivity.java, 420–421
    - user experience of, 405–410
  - loading menus through XML files, 172
  - local services
    - basics and examples, 277–282
    - defined, 25, 276
  - location-based services
    - android.location package, 249
    - geocoding. *See* geocoding
    - LocationManager service, 257–261
    - mapping APIs, 238–249
    - overview, 238
  - LogCat, 42
  - long clicks, 165
  - look-at points, 335–336

**M**

- M3G graphics standard, 328
- managed dialogs
  - DialogRegistry class, 192
  - GenericManagedAlertDialog class, 194
  - GenericPromptDialog class, 195–196
  - IDialogFinishedCallBack interface, 193
  - IDialogProtocol interface, 190
  - ManagedActivityDialog class, 191
  - ManagedDialogsActivity class, 192
  - protocol overview, 186
  - recasting nonmanaged as managed, 186–188
  - simplifying managed-dialog protocol, 188–190
- managedQuery() method, 34, 36, 75–76
- manifest editor, 231, 233
- manifest files (AndroidManifest.xml), 15
- map-api keys (Google), 238–240
- mapping APIs, 238–249
- maps
  - MapView control, 130
  - MapView/MapActivity classes, 240
  - projection, 90
- matching activities, 170
- matrices, transformation, 222
- Matrix class, 220
- MD5 fingerprint (certificates), 239–240
- media
  - components, Android, 14–15
  - MediaPlayer, 305, 311
  - MediaRecorder class for video capture (Android 1.5), 384–386
  - MediaScannerConnection class, 390–392
  - MediaStore class (Android 1.5), 386–390
  - store, 390–392
- media APIs
  - application user interface, 301–305
  - audio recording, 311–316
  - media recording/playback, 312–315
  - MediaPlayer oddities, 311
  - MediaPlayer to play back local files, 305
  - overview, 301
  - setDataSource method, 305–307
  - video content, playing, 307–311
- MenuBuilder.addIntentOptions Method, 171
- menus, Android
  - alternative menus, 168–172
  - basics, 151–152
  - context menus, 165–168
  - creating, 153–154
  - creating test harness. *See* test harness sample application
  - expanded menus, 163
  - icon menus, 163–164
  - loading through XML files, 172
  - menuCategory tags (XML), 175
  - responding to changing data, 172
  - responding to menu items, 154–156
  - responding to XML-based menu items, 174
  - Submenus, 164–165
  - system menus, provisioning for, 165
  - XML menu resource files, 172–174
  - XML menu tags, 175–176
- messages
  - monitoring incoming, 319–321
  - sending (SMS), 316–319
- metadata, defining for databases, 79–80
- Microsoft DirectX API, 326
- MIME types structure, Android, 69–71
- Mime4j, Apache, 267
- MIME-type contracts, fulfilling, 83–84
- Miner, Rich, 3
- modal dialogs, 184
- MultiAutoCompleteTextView control, 116–117
- multipart POST calls, 267–269
- multithreading issues (HttpClient), 272–275
- MyContactsProvider.java (live folders), 414–419
- MyCursor.java (live folders), 419

**N**

- near points, 337
- nested PreferenceScreen elements, 373–374
- nonmanaged dialogs, recasting as managed, 186–188
- nonprimitive types supported by AIDL, 292
- Notepad application, 31–38
- NotePadProvider class, 36–37
- Notes classes, 34
- NotificationManager class, 282

**O**

- onCreate() method, 33, 37–38, 277
- onCreateContextMenu() method, 167
- onCreateOptionsMenu callback method, 152
- onCreateOptionsMenu method, 169
- onDestroy() method, 277
- online resources, OpenGL ES, 328–329
- onListItemClick method (NotesList), 35
- OnMenuItemClickListener interface, 155
- onOptionsItemSelected methods, 152, 154–155
- onPrepareOptionsMenu, 172
- Open Handset Alliance, 3, 18
- OpenCORE, 8
- OpenGL
  - animation example, 401–404
  - OpenGL15TestHarnessActivity.java, 400–401
  - simplifying, 396–398
  - triangle OpenGL drawing, 398–401
- OpenGL ES (OpenGL for Embedded Systems)
  - 1.0 standard, 12
  - associating drawing surfaces with, 340–341
  - background, 327–328
  - closing resources at program end, 341–342

- drawing with, 329–330
- EGL context, 338–341
- glClear method, 334
- glColor method, 334
- glDrawElements method, 332–333
- glVertexPointer method, 330–332
- interfacing with Android, 338–342
- online resources, 328–329
- using, 328

- OpenGL graphics API
  - camera and coordinates, 334–338
  - EGL overview, 327–328
  - glFrustum method and viewing volume, 336–337
  - gluLookAt method and camera symbolism, 335–336
  - glViewport and screen size, 338
  - Java ME and, 327–328
  - M3G graphics standard, 328
  - OpenGL ES. *See* OpenGL ES (OpenGL for Embedded Systems)
  - overview, 326–327
- OpenGL test harness example
  - AbstractRenderer.java, 354–355
  - camera settings, 358–359
  - designing, 343–345
  - EglHelper.java, 352–354
  - OpenGLDrawingThread.java, 345, 348–352
  - OpenGLTestHarnessActivity class, 345–346
  - OpenGLTestHarness.java, 345, 346–348
  - overview, 342–343
  - Renderer.java, 354
  - triangle, adding with indices, 360–362
  - TriangleRenderer.java, 355–357
- optimizing layouts with Hierarchy Viewer, 149–150
- options menus, 153
- orientation attribute (LinearLayout), 132
- orthographic projection (Open GL), 337
- overlays, map, 246–249

**P**

- PackageManager class, 101
- padding attribute, 138–139
- panning and zooming (maps), 244–245
- parcelable interface, 292–299
- permissions
  - attributes of, 233–234
  - custom, 232–238
  - declaring/using, 230–231
- perspective projection (Open GL), 337
- PhoneStateListener, 324
- populating context menus, 167
- populating menus with alternative menu items, 169–170
- POST Requests, HTTP, 266–269
- prefabricated applications/intents, 92–94
- preferences framework
  - CheckBoxPreference, 367–369
  - EditTextPreference, 370–371
  - flight-options example, 363–367
  - list preferences, 365–367
  - nested PreferenceScreen elements, 373–374
  - organizing preferences, 373–376
  - preference screens, 365
  - PreferenceCategory elements, 375–376
  - RingtonePreference, 371–372
- primitive shapes (OpenGL ES), 329–330
- process boundaries, 229–230
- projection maps, 90
- projections, 72
- prompt dialogs, designing, 179–184, 185
- properties, EditText control, 115
- Protocol Description Unit (PDU) mode, 320
- Provider projects, 19
- public methods, android.app.Service, 277–278
- public static identifier, 35

**Q**

- QEMU technology, 10
- queries, Android
  - basics, 34
  - query method, 84–85

**R**

- R.java file, 44
- RadioButton control, 120–122
- raw resources, 58–59
- RecognizerIntent class, 392–393
- recording
  - audio, 311–316
  - audio with intents, 386–388
- records, inserting, 76–77
- registering
  - content providers, 90–91
  - for location updates, 258–260
  - view for context menus, 167
- RelativeLayout layout manager, 139–140
- Remote Procedure Call (RPC), 278, 282
- remote services, 25. *See also* AIDL (Android Interface Definition Language) services
- Renderer interface, 343
- Renderer.java (OpenGL test harness), 354
- resources, Android
  - arbitrary XML files as, 57–58
  - assets directory, 59
  - color drawable resources, 55–57
  - color resources, 51
  - compiled/noncompiled, 48–49
  - defining custom resource IDs, 48
  - dimension resources, 53–54
  - directory structure, 60
  - image resources, 54–55
  - layout resources, 45–47
  - raw resources, 58–59
  - resource-reference syntax, 47
  - string resources, 43–45, 51–53
  - support for, 11
  - supported types, 49–51

- responding
  - to menu items, 151, 154–156, 168
  - to XML-based menu items, 174
- RingtonePreference, 371–372
- R.java class, 35
- rotate animation, 204, 211–212
- RPC (Remote Procedure Call), 278, 282
- RSS, live folders and, 404
- Rubin, Andy, 3
- rules for resolving intents to components, 102
- runtime security checks
  - permissions, custom, 232–238
  - permissions, declaring/using, 230–231
  - process boundaries and, 229–230
- S**
- scale animation, 204–205, 209
- screens
  - customizing layout for configurations, 145–146
  - preference, 365
  - size of, 338
- SD cards
  - defined, 301
  - scanning for media, 390–392
  - video playback from, 308–311
- SDK, Android
  - history of, 4
  - Java packages in, 15–18
- Sears, Nick, 3
- security model, Android
  - location-based services. *See* location-based services
  - overview, 225–226
  - runtime security checks. *See* runtime security checks
  - signing applications for deployment, 226–229
- self-signed certificates (security), 226–228
- sending messages (SMS), 316–319
- service components, Android, 13
- services, Android
  - AIDL services. *See* AIDL (Android Interface Definition Language) services
  - basics, 25
  - HTTP. *See* HTTP services
  - local services, 276, 278–282
  - public methods of `android.app.Service`, 277–278
  - remote services, 276
    - simple service example, 276
  - `setDataSource` method, 305–307
  - shape tag, 56–57
  - shortcut tags, menu item (XML), 176
  - signing applications, 226–229
  - `SimpleActivity.java` (live folders), 420–421
  - `SimpleCursorAdapter`, 34, 146–147
  - `SimpleTriangleRenderer.java`, 398–400
  - Skia graphics library, 9
  - SMS (Short Message Service)
    - folders, 321–322
    - incoming messages, monitoring, 319–321
    - sending e-mail, 322–323
    - sending messages, 14, 316–319
  - socket timeouts, 269
  - software stack, Android, 8–9
  - sort-order IDs (menu items), 152
  - source code, Android, 18
  - speech recognition, 17
  - SQLite
    - basic statements, 66–67
    - defined, 9
    - `SQLiteOpenHelper` class, 37
    - `SQLiteQueryBuilder` class, 75
  - `startActivity()` method, 35
  - state transitions of activities, 40–41
  - stencils, defined, 334
  - stock-quoter remote service example, 283–288
  - stride argument (`glVertexPointer`), 332
  - string resources, 43–45, 51–53
  - submenus, 164–165, 175
  - Surface Manager library, 9
  - surface view classes (OpenGL), 396
  - `SurfaceHolder` class, 340

- synchronous calls on services, 299
- syntax, resource-reference, 47
- system menus, provisioning for, 165
- system-level services, 258

## T

- TableLayout layout manager, 134–139

- tags

- to simulate submenus (XML), 175
  - XML menu, 175–176

- telephony APIs

- components, Android, 14–15
  - SMS. *See* SMS (Short Message Service)
  - telephony manager, 323–324

- test harness sample application

- adding regular menu items, 159–160
  - adding secondary menu items, 160
  - AndroidManifest.xml file, updating, 162–163
  - creating activity, 158
  - creating XML layout, 158
  - frame-by-frame animation, 202–204
  - layout file for (animation), 199–200
  - menu setup, 158–159
  - overview, 156–157
  - planning (layout animation), 205–206
  - responding to menu-item clicks, 160–161

- text

- controls, 113–117
  - messaging, 316–319
  - TextView control, 114–115

- threads, geocoding with background, 253–256

- time/date controls, 128–130

- timeouts, 269–271

- TimePicker control, 128–129

- T-Mobile G1, 421

- ToggleButton control, 118–119

- top-level activity, 32

- transformation matrices, 222

- translate animation, 204, 211

- translate methods, 220

- transport exceptions, 269–270

- triangles

- adding with indices (OpenGL test harness), 360–362
  - OpenGL drawing, 398–401
  - TriangleRenderer.java, 345, 355–357

- tweening

- animation, 12, 197, 204–205
  - defined, 204

## U

- UIs, Android

- advanced concepts, 12–13
  - building in code, 108–111
  - building in XML, 111–112
  - creating in XML with IDs, 112–113
  - overview, 107–108
  - UI framework, 10
  - using AbsoluteLayout layout manager, 142

- up vector orientation, 335–336

- update method, 87

- updates and deletes, 78–79

- URIs (Uniform Resource Identifiers)

- Android content, structure of, 68–69
  - data (intents), 94
  - reading data with, 71–73
  - registering with cursor, 418
  - UriMatcher class, 88–90

- user interfaces

- audio recorder example, 312
  - SMS example, 319

- users, live folders and, 405–410

## V

- vertices

- defined (OpenGL ES), 329
  - specifying drawing, 330–332

- video capture, 384–386

- video content, playing, 307–311

- view animation
  - adding, 216–220
  - AnimationListener class, 221–222
  - Camera class for depth perception, 220–221
  - defined, 197
  - fundamentals, 213–216
  - transformation matrices, 222
- views
  - classes, 107–108
  - in J2EE, defined, 24
  - points, 335–336
  - registering for context menus, 167
  - view-animation activity, 215–216, 218–219
  - ViewAnimationListener class, 222
  - ViewGroups, 204
  - viewing volume, 336–337
  - views/view groups, defined, 10
- visibility tags, menu (XML), 176
- visible flag tags (XML), 176
- voice recognition (Android 1.5), 392–393

## W

- web servers, video playback from, 307–308
- web sites, for downloading
  - ADT plug-in, 378
  - Android 1.5 SDK, 377
  - Android SDK, 22
  - Commons IO, Apache, 267
  - Eclipse IDE for Java Developers, 22
  - GPX file samples, 261
  - HttpMime, Apache, 267
  - JDK 6, 21
  - Mime4j, Apache, 267
- web sites, for further information
  - Android 1.5 SDK online resources, 423
  - Android Built-in Providers, 61
  - Android Market, 227
  - Android SDK documentation, 10
  - Android SDK support for OpenGL, 328
  - Android source distribution, 18
  - EGL API, 338

- Git source-code control system, 18
- Google Android Platform, 1
- Java API 1.4, 14
- JSR 239 documentation, 327
- Khronos Group, 326
- KML files, 261
- list of registered MIME types, 69
- M3G graphics standard, 328
- Open Handset Alliance, 3
- OpenGL documentation, 326
- OpenGL ES documentation, 327
- QEMU technology, 10
- sqlite3 commands, 66
- WebKit library, 9
- weight property, 132–133
- WHERE clauses (SQL), 74–76
- while loops, 73–74
- White, Chris, 3
- widgets, defined, 108
- world coordinates, 330–331, 335
- wrapping cursors, 418–419

## X

- X.509 certificates, 226
- XML (Extensible Markup Language)
  - AAPT and, 30
  - arbitrary files as resources, 57–58
  - building UI in, 111–112
  - for creating UI with IDs, 112–113
  - DatePicker and TimePicker controls in, 128
  - layout, creating MapView Control via, 130
  - layout, definition of GridView in, 126–127
  - layout for prompt dialog, 180, 185
  - menu resource files, 172–174
  - menu tags, 175–176
  - XML-based menu items, responding to, 174
  - XmlPullParser, 57–58

## Z

- zooming and panning (maps), 244–245