
Index

■ A

- actionSheet:clickedButtonAtIndex:
 - method, 124
- actionSheetStyle property, 123
- activityIndicatorViewStyle property, 96
- addTarget:action:forControlEvents:
 - method, 90, 91, 95, 96
- addTarget:selector:forControlEvents:
 - method, 98, 99
- alertView:clickedButtonAtIndex:
 - method, 123
- allowableMovement property, 111
- alwaysBounceHorizontal property, 103
- alwaysBounceVertical property, 103
- animationDuration property, 100
- animationImages property, 100
- animationRepeatCount property, 100
- Application design elements, 87
 - Cocoa Touch controls (see Cocoa Touch controls)
 - data views
 - MKMapView, 104
 - UIDatePickerView, 107
 - UIImageView, 99–101
 - UIPickerView, 105–106
 - UIScrollView, 103–104
 - UITableView, 104
 - UITextView, 101–102
 - UIWebView, 104
 - gesture recognizers (see Gesture recognizers)
 - temporary user interface elements
 - UIActionSheet, 123–124
 - UIAlertView, 122–123
 - view controllers (see View controllers)
- Automatic Reference Counting (ARC), 20
 - autocomplete, 25
 - class documentation, 26
 - configuring behaviors, 27
 - file opening, assistant editor, 27
 - header and implementation files, 26
 - project conversion, 21
 - issues, 22, 24
 - LLVM 3.0 compiler verification, 24
 - target selection, 22
 - quick indent/unindent, 26
 - rules, 21
- +availableMediaTypesForSourceType:
 - method, 213
- AVAudioRecorder
 - pause method, 252
 - playPressed: method, 249, 252
 - prepareToRecord action, 250
 - recordPressed: method, 249
 - tempFileURL, 250
 - updateLabels method, 251–252
 - user interface, 249
 - viewDidLoad method, 249–250
- AV Foundation, 222
- AVCaptureAudioDataOutput, 224
- AVCaptureMovieFileOutput, 224
- AVCaptureStillImageOutput, 224
- AVCaptureVideoDataOutput, 225
- AVCaptureVideoDataOutputSampleBufferDelegate protocol, 225
- AV framework and capture sessions
 - Assistant Editor, 222
 - AVCaptureDeviceInput, 224
 - AVCaptureVideoDataOutput, 224

- AVCaptureVideoPreviewLayer, 224–228
- AVMediaTypeAudio, 223
- AVMediaTypeVideo, 223
- configured outlet and action, 223
- CustomCamera, 221
- frameworks addition, 222
- startButton, 222
- UIButton, 222
- UINavigationController interface, 221
- UIVideoEditorController interface, 221
- viewDidLoad method, 223
- XIB/header file, 223

B

- buttonPressed: method, 90

C

- Camera recipes, 205

- AV framework and capture sessions
 - Assistant Editor, 222
 - AVCaptureDeviceInput, 224
 - AVCaptureVideoDataOutput, 224
 - AVCaptureVideoPreviewLayer, 224–228
 - AVMediaTypeAudio, 223
 - AVMediaTypeVideo, 223
 - configured outlet and action, 223
 - CustomCamera, 221
 - frameworks addition, 222
 - startButton, 222
 - UIButton, 222
 - UINavigationController interface, 221
 - UIVideoEditorController interface, 221
 - viewDidLoad method, 223
 - XIB/header file, 223
- capturing video frames
 - AVAssetImageGenerator, 237
 - AVCaptureOutput, 233
 - AVCaptureSession, 233

- AVCaptureStillImageOutput, 233, 234
 - captureOutput:didFinishRecordingToOutputFileAtURL:fromConnections:error: method, 237–238
 - captureStillImage, 235–236
 - imageGenerator, 237
 - imageViewThumb and imageViewThumb2, 233
 - recording application, 239
 - recordPressed: method, 236
 - thumbnails, 234
 - UIImageViews, 233
 - viewDidLoad method, 234–235
- custom camera overlays, 221
 - cameraButtonPressed: method, 219, 220
 - cornerRadius, 219
 - currentPicker's value, 219
 - customView, 218
 - header file, 219
 - imagePicker, 219
 - QuartzCore interface, 218
 - toggleFlash: and -toggleCamera: methods, 219–220
 - UIImagePickerController, 218
 - UIView, 218
- editing videos
 - delegate method, 215–216
 - editButton, 215
 - editButtonPressed, 215, 216
 - NSString property, 215
 - recording video, 217
 - UIImagePickerController, 214–215
 - UINavigationControllerDelegate protocol, 216
 - UIVideoEditorController, 214, 216–217
 - UIVideoEditorControllerDelegate protocol, 216
- programmatically recording video
 - Assets Library, 228
 - AV Foundation, 228
 - AVCaptureDevice, 229

- AVCaptureDeviceInputs, 229
- AVCaptureFileOutputRecording
 - Delegate protocol, 229
- AVCaptureMovieFileOutput, 229, 232–233
- AVCaptureOutput, 229–231
- AVCaptureSession, 229
- AVCaptureVideoPreviewLayer, 230
- CustomVideo, 228
- header file, 229
- recordPressed, 228
- tempFileURL, 232
- UIButton, 228
- viewDidLoad method, 230–231
- viewDidUnload method, 229
- viewWillAppear: and -viewWillDisappear:, 233
- recording video, 213–214
- taking pictures
 - allowsEditing property, 212
 - Assistant Editor mode, 207–208
 - cameraButton, 208
 - cameraButtonPressed: method, 208, 209
 - CaptureViewController.m file, 208
 - CaptureViewController.xib, 207
 - Chapter6Recipe1, 206
 - connected outlets and actions, 208
 - contentMode, 212
 - imagePicker, 210–211
 - imagePickerController:didFinishPickingMediaWithInfo: method, 211, 212
 - imageViewRecent, 208
 - NSDictionary, 211
 - photo set as background, 213
 - project settings, 206
 - single view application template, 205, 206
 - UIButton, 207, 208
 - UIImagePickerController class, 209–212
 - UIImageView, 207, 208, 211
 - viewDidLoad method, 208, 209
 - cameraButtonPressed: method, 213
- CFStringRef, 214
- CGPointZero value, 110
- CGSizeMake() function, 88
- Chapter4HeadingTrackingViewController.r.xib file, 142
- Chapter4RegionMonitoringViewController.m, 154
- Cocoa Touch controls
 - UIActivityIndicatorView, 96–97
 - UIButton, 89–90
 - UILabel
 - CGSizeMake() function, 88
 - dim/undim labels, 88
 - font, 88
 - fundamental controls, 87
 - heavily shadowed text, 88
 - highlightedTextColor property, 89
 - label with no shadow, 88, 89
 - one square point shadow, 89
 - setText: method, 88
 - shadowOffset property, 88
 - textAlignment, 88
 - textColor, 88
 - userInteractionEnabled, 89
 - UIPageControl, 97–98
 - UIProgressView, 97
 - UISegmentedControl class, 90–91
 - UISlider, 95
 - UIStepper, 98–99
 - UISwitch, 96
 - UITextField
 - app with enabled functionality, 94
 - configuration, 93
 - Interface Builder, 92
 - notifications, 92
 - UITextView addition, XIB interface, 92
 - viewDidLoad method, 91
 - XIBfile, 91
- contentInsetandcontentOffset, 103
- contentMode property, 100
- Core data
 - data model creation
 - Automatic Reference Counting box, 393–394

- editor style, 397
- instrument entity, 395, 400–401
- MusicSchool, 393
- MusicSchool.xcdatamodeld, 395
- NSManagedObjectContext, 399
- student entity, 395, 400
- teacher entity, 394–395, 398–399
- definition, 391
- editor style, 397
- file management system, 373
- NSFetchedResultsController, 393
- NSManagedObjectContext, 392
- NSManagedObjectModel, 392
- NSManagedObjects
 - add method, 410
 - adding and deleting data, 412–413
 - application:didFinishLaunchingWithOptions method, 407
 - delegate, 418
 - empty tables, 407–408
 - fetch requests filtering, 419–422
 - fetchedObjects, 404
 - MainTableViewController, 402, 407, 417–418
 - MainViewController's -viewDidLoad method, 408
 - MusicSchool.xcdatamodeld file, 413–414
 - NSFetchedResultsController, 404, 405
 - NSFetchRequest, 419–422
 - NSManagedObject, 404
 - NSManagedObjectContext, 409
 - setEditing:animated:method, 412
 - subclass, 414–415
 - tableView:cellForRowAtIndexPath method, 415–417
 - temporary data, 409
 - UINavigationController, 406
 - UITableView, 402, 411
 - UITableViewDelegate and UITableViewDataSource protocols, 403
 - viewDidLoad method, 406
- NSManagedObjectsNSEntityDescription, 403
- NSPersistentStoreCoordinator, 392
- NSString/NSArray, 391
- storing data, 391
- versioning
 - attributes, 423
 - definition, 422
 - file inspector, 424–425
 - if statement, 426
 - instrument subclass files, 427
 - MusicSchool2, 422
 - new model file set, 425
 - NSDictionary, 426
 - NSManagedObject subclass, 427
 - NSString, 423
 - persistentStoreCoordinator method, 425
 - xcdatamodeld, 424
- Core Graphics, 222
- Core Media, 222
- Core motion
 - accelerometer, 437, 449–451
 - accessCMDeviceMotion, 442
 - applicationDidEnterBackground method, 441, 444
 - attitude properties, 445–448
 - CMAttitude, 443
 - CMMotionManager, 438
 - data access
 - CMMotionManager, 435
 - framework, 434
 - toggleUpdates method, 439–440, 443–444
 - UILabels, 439–440
 - XIB setup, 436
 - gravity Represents, 443
 - gyroscope, 437
 - hardware, 438
 - magneticField, 443
 - magnetometer, 437
 - raw device information, 442
 - registering shake events
 - MainWindow, 431
 - measurements, 429

- motionEndedwithEvent method, 432
- NSNotificationCenter, 432
- shake gesture, 433
- shakeDetected, 433
- shaking, 433
- single view application, 430
- UIWindow, 430–431
 - viewDidLoad method, 433
- rollLabel, pitchLabel, and yawLabel, 445
- rotationRate, 443
- shakeDetected method, 440
- startDeviceMotionUpdates, 443
- startDeviceMotionUpdatesToQueue withHandler, 443
- startDeviceMotionUpdatesUsingReferenceFrame, 443
- UILabel, 449–451
- userAcceleration Represents, 443
- viewDidUnload method, 441
- Core Video, 222
- CoreGraphics.framework library, 110

D

Data storage

- core data, file management system, 373
- iCloud
 - 12345ABCDE.com.domainName.iCloudTest, 378
 - App ID, 375
 - com.domainName.iCloudTest, 378
 - Documents & Data, 384
 - Enable Entitlements, 375
 - iCloudStoreViewController.m file, 378
 - iCloudStoreViewController.xib file, 380
 - iOS 5.0, 374
 - metadataQueryDidFinishGathering, 383
 - MyDocument.h file, 379

- NSFileManager and
 - NSMetadataQuery classes, 382
 - NSMetadataQuery, 384
 - project configuration, 374
 - Provisioning Profiles section, 378
 - storing key-value data, 386
 - text saved and loaded, 386
- UIDocument: -
 - contentsForType:error: and -loadFromContents ofType:error:, 380
 - UIDocument abstract class, 379
- UITextView, 381
- managing files
 - core data, 373
 - delegate property, 362–363
 - encodeWithCoder method, 370
 - file management system, 360
 - Hotspot property, 362
 - Hotspot.h, 360
 - Hotspot.m, 360
 - HotspotInfoViewController.h file, 363
 - HotspotInfoViewController.xib, 362–363
 - HotspotsInfoDelegate protocol, 365
 - initWithCoder method, 371
 - iOS's file management system, 359
 - loadData method, 372
 - newHotspot, 366
 - NSArray, 372
 - NSDictionary, 370
 - NSFileManager, 371
 - NSIndexPath, 367–369
 - NSMutableArray, 365
 - NSObject subclass, 360
 - populateWithHotspot method, 364
 - saveButtonPressed, 364
 - saveData method, 372
 - Single View Application template, 360
 - UIApplication, 369
 - UINavigationController, 366

- UITableView, 365, 367, 369
 - UITableViewCellEditingStyle, 373
 - UITableViewDelegate and UITableViewDataSource protocols, 365
 - <UITextFieldDelegate>, 363
 - UITextField element, 362
 - UIViewController subclass, 361
 - viewDidLoad method, 363
 - XIB for user interface, 361
 - NSUserDefaults, 357
 - Boolean values, 353
 - iOS simulator, 358
 - iPhone family, 353–354
 - persisting, 358
 - +resetStandardUserDefaults, 356
 - +standardUserDefaults method, 356
 - Stubborn, 353
 - synchronize method, 356
 - UISwitch, 357
 - UITextFieldDelegate protocol methods, 355, 356
 - view controller's XIB, 354, 355
 - viewDidLoad method, 356–358
 - viewDidUnload method, 355
 - Xcode, 358
 - Data transmission recipes, 453
 - attachment parameter, 461
 - composing e-mail, 459–460
 - data to mail attachment, 461–467
 - fileName parameter, 461
 - formatted printing, with page renderers, 478
 - drawPageAtIndex:inRect: method, 479–480
 - drawPrintFormatter:forPageAtIndex: method, 480
 - NSString properties, 478
 - printCustomPressed action, 481–483
 - UIPrintPageRenderer class, 478
 - getImagePressed method, 463
 - image printing, 467
 - printer simulator application, 471–473
 - UINavigationController, 467
 - UIPrintInfoOutputGeneral, 469
 - UIPrintInfoOutputGrayscale, 468
 - UIPrintInfoOutputPhoto, 468
 - UIPrintInteractionController, 469–470
 - mailPressed method, 459, 465–466
 - MFMailComposeViewController, 457–458, 461
 - MFMailComposeViewController's delegate method, 466–467
 - mimeType parameter, 461
 - plain text printing, 473
 - printFormatter property, 474–475
 - viewDidLoad method, 473–474
 - text messaging, 453
 - configuration, 455
 - description, 453
 - MFMessageComposeViewController, 457–458
 - single view application, 454
 - textPressed method, 457
 - UITextView's delegate methods, 457
 - viewDidLoad method, 455–456
 - UIImagePickerControllerDelegate protocol methods, 463–465
 - view printing, 475–477
 - dataDetectorTypes, 101
 - datePickerMode property, 107
 - defersCurrentPageDisplay property, 98
 - directionalLockEnabled property, 103
 - dismissModalViewControllerAnimated:method, 121
 - dismissWithClickedButtonIndex:animated: method, 123, 124
- E**
- E-mail composing, 459–460
- F**
- flashScrollIndicators method, 104
 - Formatted printing, 478–483

G

Game achievements, 569
 code setup, 572–573
 GKAchievementsViewController,
 574–575
 iTunes connect setup
 configuration, 570–572
 Game Center management, 569
 new achievement addition, 570
 MainMenuScene, 574–575
 Game Center, 555
 achievements *see*

checking for, 561
 iTunes connect setup
 App ID configuration, 556
 application information, 556
 management, 557–558
 Leaderboards *see*
 multiplayer, 575–581
 player authentication, 561–563
 project setup
 Build Phases tab, 558
 Game Kit framework, 559
 iTunes connect, 560

Gesture recognizers
 -addGestureRecognizer: method,
 108
 +isKindOfClass method, 108
 -locationInView: method, 109
 -locationOfTouch:inView: method,
 109
 UIGestureRecognizerDelegate
 protocol, 109
 UIGestureRecognizerStateBegan,
 108
 UIGestureRecognizerStateCancelled,
 108
 UIGestureRecognizerStateChanged,
 108
 UIGestureRecognizerStateEnded,
 108
 UIGestureRecognizerStatePossible,
 108
 UIGestureRecognizerStateRecognized,
 108

UILongPressGestureRecognizer,
 110–111
 UIPanGestureRecognizer, 110
 UIPinchGestureRecognizer, 111
 UIRotationGestureRecognizer, 111
 UISwipeGestureRecognizer,
 109–110
 UITapGestureRecognizer, 108, 109
 userInteractionEnabled property,
 108
 GitHub, 18–20

H

handleGesture method, 109, 110
 hidesForSinglePage property, 98
 hidesWhenStopped property, 96
 highlightedAnimationImages property,
 100
 highlightedImage properties, 99
 highlightedTextColor property, 89
 horizontalAccuracy property, 133

I, J

(IBAction)regionMonitoringToggle:(id)se
 nder method, 154
 iCloud
 12345ABCDE.com.domainName.iCl
 oudTest, 378
 App ID, 375
 com.domainName.iCloudTest, 378
 Documents & Data, 384
 Enable Entitlements, 375
 iCloudStoreViewController.m file,
 378
 iCloudStoreViewController.xib file,
 380
 iOS 5.0, 374
 metadataQueryDidFinishGathering,
 383
 MyDocument.h file, 379
 NSFileManager and
 NSMetadataQuery classes, 382
 NSMetadataQuery, 384
 project configuration, 374

- Provisioning Profiles section, 378
- storing key-value data, 386
- text saved and loaded, 386
- UIDocument: -
 - contentsForType:error: and -loadFromContents:ofType:error: UIDocument abstract class, 379
- UITextView, 381
- Image feature detection
 - files addition, 550–551
 - findFacePressed method, 551–552
- Single View Application template, 548
- view controller's XIB setup, 550
- viewDidLoad method, 551
- +imageName:method, 99
- Image printing, 467–473
- Image recipes
 - filters
 - CIImage creation, 539
 - CoreImage.framework library, 537
 - hue adjustment, 542–543
 - image rotation, 543
 - NSMutableArray property, 538
 - populateImagesWithImage, 539, 544
 - setMainImage, 538
 - tableView:didSelectRowAtIndexPath:, 540
 - tableView:cellForRowAtIndexPath:, 541
 - UIImagePickerControllerDelegate protocol, 542
 - programming screenshots, 520–522
 - scaling images *see* Scaling images)
 - simple shapes
 - path creation, 519–520
 - QuartzCore and CoreGraphics.framework, 516–518
 - rectangle and ellipse, 519
 - single view application, 515–516
 - UIView, 518–519
 - UIImageViews *see*
- imageForSegmentAtIndex: method, 91
- imageFromSampleBuffer, 226
- imagePickerController:didFinishPickingMediaWithInfo: delegate method, 219
- initWithContentViewController: initializer, 119
- initWithCoordinate method, 175
- initWithItems: method, 91
- inputAccessoryView, 102
- inputViewproperty, 102
- insertSegmentWithImage:
 - atIndex:animated: method, 91
- insertSegmentWithTitle:atIndex:animated: method, 91
- Interface Builder
 - Assistant Editor, 30
 - inspector pane, 30
 - navigator pane, 29
 - outlet connection
 - action creation and configuration, 33
 - labelHelloWorld updation, 34
 - outlet creation, 32
 - placeholders, 34
 - storyboards *see*
 - Tint control, 42
 - touch gesture recognizers, 36
 - adjusting attributes, 39
 - attributes inspector, 38
 - gesture recognizer addition, 36
 - outline view, 38
 - placeholders, 40
 - tapTheLabel action, 41
- iPod library
 - +applicationMusicPlayer, 254
 - buttons, 253
 - elements, 253
 - +iPodMusicPlayer, 254
 - MPMediaItemCollection, 253
 - MPMediaPickerController's delegate methods, 256
 - MPMusicPlayerController, 253
 - MusicPick, 252
 - player's queue, 257
 - setNotifications method, 254–256

- updateQueueWithMediaItem
Collection, 256–257
- user interface, 252
- viewDidLoad method, 254
- viewDidLoad method, 258–259

K

- kCLLocationAccuracyHundredMeters, 160
- kUTTypeMovie, 214

L

Leaderboards

- code setup, 567–568
- high scores, 568
- iTunes setup
 - configuration, 566
 - Game Center management, 561–563
 - language display settings, 566
 - setup, 564
 - type selection, 565

Local Git repository, Xcode 4

- commit message, 13
- creation, 9
- disabled version control, 13
- file changes, 12
- filtered modified files, 12
- modified and added project files, 10

Location recipes, 125

- CLLocationCoder object, 162
- CLLocationManager object, 127
- completionHandler, 162
- Core Location framework, 125
- device location information, 136
 - locationManager:didUpdateToLocation:fromLocation: method, 132
- application without location data, 135
- Chapter4SampleProject, 127
- Chapter4SampleProjectViewController interface file (.h), 130
- CLLocation object, 133

- CLLocationManager object, 131–132
- CLLocationManagerDelegate, 130
- Core Location framework
 - addition, 127, 128
 - description property, 133
 - desiredAccuracy property, 131
 - distanceFilter property, 131
 - Interface Builder, 128
 - interface file, 130
 - kCLLocationDistanceFilterNone property, 131
 - labelLocation, 133–135
 - location permissions request, 134
 - newLocation.description value, 133
 - NSString, 133
 - purpose property, 131, 134
 - startUpdatingLocation method, 131
 - stopUpdatingLocation method, 131, 132
 - toggleLocationServices:sender: action, 130
 - UILabel, 128–129
 - UISwitch, 128, 129, 134
 - Xcode 4, 127
- location services requirements, 126
- magnetic bearing
 - _locationManager, 144
 - Chapter4HeadingTracking, 141
 - Chapter4HeadingTrackingViewController, 143–144
 - CLLocationManager object, 141
 - CLLocationManagerDelegate protocol, 143
 - delegate methods, 145
 - didFailWithError method, 145
 - didUpdateHeading method, 145
 - heading calibration screen, 146
 - heading tracking services, 144–145
 - headingAccuracy property, 145
 - headingFilter property, 144, 145
 - headingOrientation property, 141

- headingSwitch, 144
- labelHeading, 145
- locationManagerShouldDisplayHeadingCalibration, 146
- magnetic poles, 141
- magneticHeading, 145
- purpose property, 144
- startUpdatingHeading, 144
- switchHeadingService method, 143, 144
- UILabel and UISwitch, 142–143
- NSArray placemarks, 162
- region monitoring
 - Chapter4RegionMonitoring, 151
 - Chapter4RegionMonitoringViewController.xib, 151
 - CLLocationManager object, 151
 - CLLocationManagerDelegate protocol, 153
 - CLRegion object, 154–155
 - custom coordinates, 156
 - delegate methods, 155
 - did enter and did exit, 156
 - identifier property, 155
 - implementation file (.m), 154
 - interface file (.h), 153–154
 - kCLErrorRegionMonitoringDenied, 155–156
 - kCLErrorRegionMonitoringFailure error, 151, 155–156
 - locationManager:monitoringDidFailForRegion:withError: delegate method, 151
 - maximumRegionMonitoringDistance property, 154
 - monitoredRegions property, 151, 155
 - startMonitoringForRegion:desiredAccuracy: method, 151
 - toggleing action, 153
 - UILabel and UISwitch, 151–153
- reverse and forward geocoding
 - action's creation, 159
 - actionWhereAml method, 158, 160
 - Chapter4Geocoder, 157
 - Chapter4GeocoderViewController implementation file (.m), 160
 - Chapter4GeocoderViewController interface file (.h), 159–160
 - Chapter4GeocoderViewController.xib file, 157
 - CLGeocoder, 157
 - CLPlacemarks, 161
 - didFailWithError method, 160
 - didUpdateToLocation delegate method, 160
 - didUpdateToLocation method, 161
 - distanceFilter property, 160
 - GPS coordinates, 156
 - labelGeocodeInfo, 158
 - latitude and longitude coordinates, 156
 - newLocation timestamp property, 160
 - NSArray, 161
 - NSError, 161
 - placemarks, 161
 - UIButton, 157–158
 - UILabel, 157–158
 - UISwitch, 159
- significant location changes, 126, 127
 - (IBAction)toggleLocationServices:(id)sender method, 138
 - application:didReceiveLocalNotification: method, 140
 - Chapter4SignificantLocationTracker, 136
 - delegate method, 140–141
 - desiredAccuracy property, 139
 - distanceFilter property, 139
 - implementation file (.m), 138
 - Info.plist, 136
 - interface file (.h), 138
 - labelLocation, 138
 - newLocation, 140
 - purpose property, 139
 - required background mode, 136, 137

- self.labelLocation.text =
 - newLocation.description;, 140
- startMonitoringSignificantLocationChanges method, 139–140
- toggleLocationServices, 138
- toggleLocationServices, 138
- UIAlertView, 138
- UIBackgroundModes, 136
- UILabel, 138
- UILocalNotification, 140
- standard location service, 126–127
- supported devices, 125
- true bearing
 - Chapter4HeadingTrackingViewController
 - controller.xib file, 147
 - CLHeading object, 147
 - declination, 146
 - didUpdateHeading method, 149
 - implementation file (.m), 149–150
 - interface file (.h), 148
 - labelTrueHeading, 147
 - startUpdatingLocation method, 147, 148
 - stopUpdatingLocation, 148
 - switchHeadingServices method, 148–149
 - trueHeading property, 147
 - user interface with label, 147

M

Map Kit recipes, 163

- annotations grouping, location, 199
 - abs function, 198
 - cleanPlaces method, 200
 - CLLocationDegrees, 194
 - delegate method, 198
 - fabs function, 198
 - full -group: method, 200–201
 - group: method, 198
 - header file, 193
 - Hotspot class, 193, 199
 - HotspotMap, 193
 - hotspots, 195
 - implementation file, 200
 - initialization method, 194

- initWithCoordinate: method, 200
- map with far too many annotations, 197
- mapView:
 - regionDidChangeAnimated: method, 198, 202
- .m file, 194
- MKAnnotation protocol, 193
- MKMapView, 194
- MKPinAnnotationView, 201
- NSArrays, 195
- .NSMutableArray property, 199
- NSObject subclass, 193
- places property, 194
- placesCount method, 200
- view controller's .m file, 197–198
- viewDidLoad method, 194–196
- viewDidUnload method, 196
- viewForAnnotation method, 196, 201–202
- viewForAnnotation: method, 199
- (void)group(NSArray *)hotspots, 198
 - with number-specific colors, 203
- custom annotations
 - application, 184
 - avatar.png image, 178, 185
 - callouts, 186, 190
 - canShowCallout property, 184
 - centerOffset property, 182
 - CGPoint value, 182
 - CGPointMake() function, 182
 - coordinate, title, and subtitle properties, 180
 - “Copy items into destination group's folder (if needed)”, 178, 179
 - CustomAnnotationView class, 181–182
 - CustomAnnotationView.m file, 184–185
 - DetailViewController .xib, 187, 188
 - full method, 182–183
 - header file, 180

- #import “DetailViewController.h”, 189
- initWithAnnotation:reuseIdentifier: method, 182
- leftCalloutAccessoryView, 184, 185
- mapView:annotationView: calloutAccessoryControlTapped: method, 186
- MKAnnotationView class, 178, 182
- MKAnnotationView subclass, 181
- MKPinAnnotationView objects, 177, 183
- MyAnnotation.h and CustomAnnotationView.h files, 183
- MyAnnotation.m file, 181
- NSObject subclass, 180
- NSString, 188–189
- Objective-C class, 179
- overlays addition, 190–192
- titleLabel and subtitleLabel properties, 188
- UIImage, 182
- UIImageView, 185
- UIViewController subclass, 186
- viewDidLoad method, 178, 183, 189
- map with device’s location
 - application with panning and user tracking, 173
 - BarItemItem, 171
 - + button, framework addition, 165
 - configuration settings, 164
 - Core Location and Map Kit frameworks selection, 165
 - if statement, 169–170
 - initWithMapView: method, 171
 - labelUserLocation, 167
 - location access, 171
 - MapKit/MapKit.h framework library, 167
 - mapView:didUpdateUserLocation: delegate method, 170
 - MKCoordinateRegionMakeWithDistance method, 168
 - MKMapView outlet, 167
 - MKUserLocationFollowWithHeading, 173
 - MKUserTrackingBarButtonItem, 171, 172
 - MKUserTrackingModeFollow, 169
 - SBViewController interface file (.h), 166, 167
 - SBViewController.h file, 167
 - self.mapView.userMap, 170
 - setUserTrackingMode:animated: method, 169
 - showUserLocation, 168–169
 - Single View Application template, 163, 164
 - toolbarMapTools, 171
 - userLocationVisible property, 169
 - .userTrackingMode property, 169
 - viewDidLoad method, 168, 171, 172
 - viewDidUnload method, 170
 - .xib file with MKMapView and UILabel, 165–166
 - .zoomEnabled and .scrollEnabled properties, 168
- marking locations with pins
 - annotations addition, 176
 - annotation’s coordinate property, 177
 - application with map and pins, 177
 - canShowCallout property, 176
 - MyAnnotation, 175–176
 - NSObject subclass, 173, 174
 - Objective-C class, 173, 174
 - rightCalloutAccessoryView property, 176
 - viewForAnnotation: delegate method, 177
- mapView:viewForAnnotation: method, 175
- maximumNumberOfTouches property, 110

- maximumZoomScaleand/or
 - minimumZoomScale properties, 104
- mediaType, 214
- minimumNumberOfTouches property, 110
- minimumPressDuration, 111
- MKMapViewDelegate protocol, 167, 178
- MKUserTrackingBarButtonItem, 171
- MKUserTrackingModeFollow, 169
- MKUserTrackingModeFollowWithHeadin
 - g, 169
- MKUserTrackingModeNone, 169
- modalPresentationStyle property, 121
- modalTransitionStyle property, 121
- Multimedia
 - addObserver, 270
 - application category, 265
 - audio toolbox, 243
 - AudioServicesPlaySystemSound(), 248
 - AV foundation, 243
 - AVAudioPlayer delegate methods, 248
 - AVAudioPlayerDelegate protocol, 245
 - AVAudioRecorder
 - pause method, 252
 - playPressed: method, 249, 252
 - prepareToRecord action, 250
 - recordPressed: method, 249
 - tempFileURL, 250
 - updateLabels method, 251–252
 - user interface, 249
 - viewDidUnload method, 249–250
 - canBecomeFirstResponder, 270
 - CMTIME_Make() function, 273
 - currentIndex, 268
 - +defaultCenter, 269
 - enableRate property, 247
 - frameworks addition, 242, 243
 - frameworks' header files import, 243
 - iPod library (see
 - libraryPressed: method, 273–274
 - MPMediaPropertyPredicates
 - comparisonType property, 262
 - MPMediaQuery, 262
 - NSArray, 270
 - NSMutableArray, 267
 - NSNotificationCenter, 270
 - NSNumber argument, 247
 - playButton, 267
 - playerItemDidReachEnd, 270
 - playlist, 267
 - playPressed: and -nextPressed:
 - methods, 271
 - plist file, 264–265
 - prevPressed: method, 272–273
 - querying media
 - MPMediaItemProperties, 261
 - textFieldArtist, 260
 - UIButton, 259
 - UITextField, 259
 - user interface, 260
 - viewDidLoad, 260
 - queryPressed: method, 260, 261, 274
 - remoteControlReceivedWithEvent, 269
 - required background modes, 265
 - single view application template, 241, 242
 - slider's values, 244, 245
 - sound clip, 245
 - UISliders, 247
 - updateLabels method, 247
 - updateNowPlaying, 271
 - user interface, 266, 268
 - view controller's XIB file, 243, 244
 - viewDidLoad method, 246, 263
 - viewDidUnload method, 245
 - viewWillDisappear:animated:
 - methods
- Multiplayer, 575–581

N, O

- numberOfComponentsInPickerView:
 - method, 105
- numberOfSegments property, 91

numberOfTapsRequired property, 109, 111
 numberOfTouchesRequired property, 109–111
 NSManagedObjects
 -add method, 410
 adding and deleting data, 412–413
 -application:didFinishLaunchingWithOptions method, 407
 delegate, 418
 empty tables, 407–408
 fetch requests filtering, 419–422
 -fetchedObjects, 404
 MainTableViewController, 402, 407, 417–418
 MainViewController's -viewDidLoad method, 408
 MusicSchool.xcdatamodeld file, 413–414
 NSFetchedResultsController, 404, 405
 NSFetchRequest, 419–422
 NSManagedObject, 404
 NSManagedObjectContext, 409
 setEditing:animated:method, 412
 subclass, 414–415
 -tableView:cellForRowAtIndexPath method, 415–417
 temporary data, 409
 UINavigationController, 406
 UITableView, 402, 411
 UITableViewDelegate and UITableViewDataSource protocols, 403
 viewDidLoad method, 406
 NSUserDefaults, 357
 Boolean values, 353
 iOS simulator, 358
 iPhone family, 353–354
 persisting, 358
 +resetStandardUserDefaults, 356
 +standardUserDefaults method, 356
 Stubborn, 353
 synchronize method, 356
 UISwitch, 357

UITextFieldDelegate protocol
 methods, 355, 356
 view controller's XIB, 354, 355
 viewDidLoad method, 356–358
 viewDidLoad method, 355
 Xcode, 358

P, Q

pagingEnabled property, 103
 pickerView:didSelectRow:inComponent: method, 105
 -pickerView:numberOfRowsInComponent: method, 105
 pickerView:rowHeightForComponent: method, 105
 pickerView:titleForRow:forComponent: method, 105
 pickerView:viewForRow:forComponent:reusingView: method, 105
 pickerView:widthForComponent: method, 105
 Plain text printing, 473–475
 -presentModalViewController:animated: method, 121
 -presentPopoverFromBarButtonItem:permittedArrowDirections:animated: method, 119
 -presentPopoverFromRect:inView:permittedArrowDirections:animated: method, 119
 Printing
 formatted, 478–483
 image, 467–473
 plain text, 473–475
 view, 475–477
 progressVisualStyle property, 97

R

-removeAllSegments: method, 91
 -removeSegmentAtIndex:animated: method, 91
 Required device capabilities, 126
 -resignFirstResponder method, 94, 102

S

- Scaling images
 - configuration, 529
 - detail view controller, 529
 - image resizing, 530–531
 - advantages and issues, 536–537
 - UIImageView, 532–536
 - imagePickerController, 530
 - MasterViewController, 529–530
- scrollEnabled property, 103
- scrollRectToVisible:animated: method, 103
- scrollsToTop property, 103
- selectedRowInComponent:method, 106
- selectedSegmentIndex, 91
- setBackgroundImage:forState:
 - andsetImage:forState: methods, 90
- setContentOffset:animated: method, 103
- setContentViewController:animated: method, 119
- setDate:animated: method, 107
- setImage:forSegmentAtIndex: method, 91
- setOn:animated: method, 96
- setPopoverContentSize:animated: method, 119
- setProgress:animated: method, 97
- setTitle:forSegmentAtIndex: method, 91
- setTitle:forState: property, 89
- setValue:animated: method, 95
- shadowColorandshadowOffsetproperties, 88
- Shake gesture, 433
- showsSelectionIndicator property, 106
- sizeForNumberOfPages: method, 98
- startAnimating method, 96
- stopAnimating method, 96
- Storyboards
 - aboutUsViewController view, 48
 - aboutUsViewController
 - implementation, 85
 - Back button, 84
 - configuration, 46
 - controllers interface, 80
 - UIButton action, 81
 - Contact Info view, 53
 - customized cells, 56
 - duplicating cells, 56
 - file copying, 82
 - file loading, 47
 - grouped cells, 56
 - loaded storyboard, 84
 - Main storyboard file base name, 46
 - performSegueWithIdentifier, 51
 - project configuration, 79
 - ProjectViewController, 83
 - renaming, 82
 - scenes, 43
 - segue identifier settings, 53
 - Segues, 45
 - single view application selection, 78
 - static cells configuration, 55
 - subgroup addition, 80
 - target settings, 47
 - UINavigationController, 52
 - UITableView, 57
 - UITableViewCell prototypes, 72
 - AppUITableViewCellClass
 - addition, 76, 77
 - cell identifier, 75
 - configuring cells, 75
 - dynamic prototype reselection, 74
 - MyAppClass, 77
 - new table view, 74
 - outlet connection, 75
 - segue reconfiguration, 75
 - subclass, 73
 - UILabel and UIImage outlet property, 73
 - UITableViewController, 54
 - UIViewController, 50
- stringValue, 281

T

- tableView: cellForRowAtIndexPath: method, 326
- TableView cells, 175

- tapGesture, 108
- Text messaging, 453–458
- textField:shouldChangeCharactersInRange:replacementString:
 - method, 93
- textFieldDidBeginEditing: method, 93
- textFieldDidEndEditing: method, 93
- textFieldShouldBeginEditing: method, 93
- textFieldShouldEndEditing: method, 93
- textFieldShouldReturn: method, 94
- textView:shouldChangeTextInRange:replacementText:
 - method, 102
- titleColorForState: method, 90
- titleForSegmentAtIndex: method, 91
- titleShadowColorForState: method, 90
- Touch gesture recognizers, 36
 - adjusting attributes, 39
 - attributes inspector, 38
 - gesture recognizer addition, 36
 - outline view, 38
 - placeholders, 40
 - tapTheLabel action, 41
- translationInView: method, 110
- Tweets
 - composing, 485
 - configuration, 485–487
 - description, 485
 - simpleTweetPressed method, 488–490
 - Twitter.framework, 487
 - TWTweetComposeViewController, 491
 - filtering, 508–512
 - retrieving, 494
 - homePressed method, 506–508
 - IBAction methods, 497
 - NSObject, 502–504
 - public timeline data, 502
 - publicPressed method, 499–501
 - tabbed application template, 494–496
 - UITableView, 505
 - UITextView, 497–499
 - Twitter recipes, 485
 - description, 485
 - filtering tweets, 508–512
 - retrieving tweets, 494
 - homePressed method, 506–508
 - IBAction methods, 497
 - NSObject, 502–504
 - public timeline data, 502
 - publicPressed method, 499–501
 - tabbed application template, 494–496
 - UITableView, 505
 - UITextView, 497–499
 - searchPressed method, 510–512
 - tweets composing, 485
 - configuration, 485–487
 - description, 485
 - simpleTweetPressed method, 488–490
 - Twitter.framework, 487
 - TWTweetComposeViewController, 491
 - TWRequests creation, 491
 - description, 491
 - postTweetPressed method, 492–493
 - sending Tweets via, 492–494
 - UISearchBar, 508–510

U

- UIActionSheetDelegate protocol, 124
- UIActionSheetStyleAutomatic value, 123
- UIActionSheetStyleBlackOpaque value, 123
- UIActionSheetStyleBlackTranslucent value, 123
- UIActionSheetStyleDefault value, 123
- UIActivityIndicatorView, 97
- UIActivityIndicatorViewStyleGray, 96
- UIActivityIndicatorViewStyleWhite, 96
- UIActivityIndicatorViewStyleWhiteLarge, 96
- UIAlertViewDelegate protocol, 123
- UIAlertViewStyleDefault, 122

- UIAlertVisualStyleLoginAndPasswordInput, 122
- UIAlertVisualStylePlainTextInput, 122
- UIAlertVisualStyleSecureTextInput, 122
- UIBarButtonItem class, 171
- UIButtonTypeContactAdd, 89
- UIButtonTypeCustom, 89
- UIButtonTypeDetailDisclosure, 89
- UIButtonTypeInfoDark, 89
- UIButtonTypeInfoLight, 89
- UIButtonTypeRoundedRect, 89
- UIControlEventValueChanged, 99
- UIControlEventValueChanged events, 107
- UIControlState, 89
- UIDatePickerModeCountDownTimer, 107
- UIDatePickerModeDate, 107
- UIDatePickerModeDateAndTime, 107
- UIDatePickerModeTime, 107
- UIGestureRecognizerDelegate protocol, 109
- UIGestureRecognizerStateBegan state, 111
- UIGestureRecognizerStateChanged state, 110
- UIGestureRecognizerStateEnded state, 109, 110
- UIImagePickerControllerPhotoLibrary, 209
- UIImagePickerControllerSavedPhotosAlbum, 209
- UIImagePickerControllerSourceTypeCamera, 209
- UIImageViews, 522
 - autosizing, 525–526
 - clearImagePressed, 528
 - IOS simulator, 528
 - project setting configuration, 523
 - simulated application, 524–525
 - UIImagePickerControllerDelegate protocol, 527
 - UIPopoverController, 526
 - UISplitViewController, 523–524
- UIKeyboardDidHideNotification, 92
- UIKeyboardDidShowNotification, 92
- UIKeyboardWillHideNotification, 92
- UIKeyboardWillShowNotification, 92
- UILabel
 - CGSizeMake() function, 88
 - dim/undim labels, 88
 - font, 88
 - fundamental controls, 87
 - heavily shadowed text, 88
 - highlightedTextColor property, 89
 - label with no shadow, 88, 89
 - one square point shadow, 89
 - setText: method, 88
 - shadowOffset property, 88
 - textAlignment, 88
 - textColor, 88
 - userInteractionEnabled, 89
- UIModalPresentationCurrentContext, 121
- UIModalPresentationFormSheet, 121
- UIModalPresentationFullScreen, 121
- UIModalPresentationPageSheet, 121
- UIModalTransitionStyleCoverVertical, 121
- UIModalTransitionStyleCrossDissolve, 121
- UIModalTransitionStyleFlipHorizontal, 121
- UIModalTransitionStylePartialCurl, 121
- UIModalTransitionStylePartialCurltransition style, 121
- UIModalTransitionStylePartialCurlstyle, 121
- UINavigationController
 - back button, 113
 - configuration, 113
 - initWithRootViewController:, 112
 - pushViewController:animated: method, 112
 - right bar item(s), 114
 - root view controller, 112
 - setToolbarHidden:animated: method, 114
 - setToolbarItems: method, 114
 - title, 113
 - UINavigationControllerDelegate protocol, 114

- viewDidLoad methods, 114
- viewWillAppear:animated: method, 114
- viewWillDisappear:animated:
 - method, 114
- UIPageControl, 97–98
- UIPageViewController, 120
- UIPickerViewDataSource protocol, 105
- UIPickerViewDelegate protocol, 105
- UIPopoverController, 118–120
- UIProgressView, 97
- UIProgressViewStyleBar:Style, 97
- UIProgressViewStyleDefault:Standard
 - style, 97
- UIRequiredDeviceCapabilities, 126
- UIScrollViewDelegate protocol, 104
- UISegmentedControl class, 90–91
- UISlider, 95
- UISplitViewController
 - detail pane, 116
 - iPad-specific UISplitViewController, 117
 - master pane, 116
 - Master-Detail Application template, 117, 118
 - NSArray, 118
 - splitViewController:shouldHide
 - ViewController:inOrientation:
 - method, 118
 - UISplitViewControllerDelegate
 - protocol, 118
- UIStepper, 98–99
- UISwipeGestureRecognizerDirectionDown, 110
- UISwipeGestureRecognizerDirectionLeft, 110
- UISwipeGestureRecognizerDirectionRight, 110
- UISwipeGestureRecognizerDirectionUp, 110
- UISwitch, 96
- UITabBarController
 - configuration, 115–116
 - UITabBarItem, 115
 - viewDidLoad method, 115
- UITableView
 - configuration, 284, 285
- editing
 - deletion, 340
 - editButtonItem property, 337
 - row animations, 339–340
 - setEditing:animated: method, 338
 - tableView:commitEditingStyle:
 - forRowAtIndexPath:, 341–342
 - UITableView delegate methods, 342
- fetchEvents method, 286
- group creation
 - accessoryButtonTappedForRow
 - WithIndexPath:, 347
 - commitEditingStyle:forRowAtIndexPath:, 348
 - didSelectRowAtIndexPath, 347
 - moveRowAtIndexPath:toIndexPath:, 347
 - NSDictionary, 349
 - NSMutableArray, 345
 - numberOfRowsInSection, 346
 - table’s “Style, 345
 - tableView:viewForFooterInSection:, 350
 - tableView:cellForRowAtIndexPath:, 346
 - viewForHeaderInSection, 350
- NSMutableDictionary, 286
- tableViewEvents, 285
- UITableViewDataSource protocols, 286
- ungrouped table creation
 - adding files, 321
 - basic application, 324
 - beginUpdates, 333
 - Cell View Customization, 336–337
 - cell.textLabel.text property, 325
 - cellForRowAtIndexPath: method, 322
 - CellIdentifier, 323
 - country objects, 320
 - CountryInfoViewController, 328, 330, 332
 - delegate methods, 322

- dequeueReusableCellWithIdentifier, 323
- didFinishLaunchingWithOptions, 324
- empty application, 317–318
- endUpdates, 333
- enhanced user interaction, 334–336
- flag images, 326
- imageView, 325
- layer property, 327
- MainTableViewController, 318
- numberOfRowsInSection:
 - method, 322
- revertButton, 331
- tableView:cellForRowAtIndex Path:, 325
- tableViewCountries, 319–320
- UIImage, 325
- UINavigationController, 323–324
- UITextFieldDelegate protocol, 329
- viewDidLoad method, 321–322
- viewWillAppear:animated:
 - method, 330
- XIB file, 319
- viewDidUnload, 285
- UITableViewCell prototypes, 72
 - AppUITableViewCellClass addition, 76, 77
 - cell identifier, 75
 - configuring cells, 75
 - dynamic prototype reselection, 74
 - MyAppClass, 77
 - new table view, 74
 - outlet connection, 75
 - segue reconfiguration, 75
 - subclass, 73
 - UILabel and UIImage outlet property, 73
- UITextField
 - app with enabled functionality, 94
 - configuration, 93
 - Interface Builder, 92
 - notifications, 92
 - UITextView addition, XIB interface, 92
 - viewDidLoad method, 91
 - XIBfile, 91
- UITextFieldDelegate protocol, 93–94, 102
- UITextViewDelegate protocol, 102
- UITextViewTextDidBeginEditingNotification, 102
- UITextViewTextDidChangeNotification, 102
- UITextViewTextDidEndEditingNotification, 102
- UIViewContentModeScaleAspectFill, 101, 212
- UIViewContentModeScaleAspectFit, 101, 212
- updateCurrentPageDisplay method, 98
- User data
 - address book
 - __bridge_transfer, 302
 - ABMultiValueCopyValueAtIndex() function, 302–303
 - ABPeoplePickerNavigationController, 300–301
 - ABRecordCopyValue(), 301
 - ABRecordRef, 301
 - CFRelease() command, 302
 - findPressed, 300
 - property names, 300
 - XIB file, 299
 - contact information setting, 305–311
 - events recurring, 297–299
 - fetching events, 282–284
 - NSCalendar and NSDate
 - calendar types, 280
 - NSDateComponents classes, 279
 - NSUInteger unitFlags, 281
 - UITextField, 278–279
 - user interface, calendar conversion, 277, 278
 - simple events creation
 - delegate, 295
 - EKEvent, 291
 - EventAddViewController, 293, 296
 - MainViewController, 296
 - toolBarTop, 291

- UITextField, 294
- UIToolbar, 291
- UIViewController subclass, 292
- user interface, 293, 294
- viewDidLoad method, 291–292
- UITableView
 - configuration, 284, 285
 - fetchEvents method, 286
 - NSMutableDictionary, 286
 - tableViewEvents, 285
 - UITableViewDataSource
 - protocols, 286
 - viewDidUnload, 285
- viewing contacts, 312–315
- viewing, editing, and deleting events, 288–291

■ V, W

- velocityInView: method, 110
- verticalAccuracy property, 133
- View controllers
 - modal controllers, 120–122
 - UINavigationController
 - back button, 113
 - configuration, 113
 - initWithRootViewController:, 112
 - pushViewController:animated:
 - method, 112
 - right bar item(s), 114
 - root view controller, 112
 - setToolbarHidden:animated:
 - method, 114
 - setToolbarItems: method, 114
 - title, 113
 - UINavigationControllerDelegate
 - protocol, 114
 - viewDidLoad methods, 114
 - viewWillAppear:animated:
 - method, 114
 - viewWillDisappear:animated:
 - method, 114
 - UIPageViewController, 120
 - UIPopoverController, 118–120
 - UISplitViewController
 - detail pane, 116

- iPad-specific
 - UISplitViewController, 117
- master pane, 116
- Master-Detail Application
 - template, 117, 118
- NSArray, 118
- splitViewController:shouldHide
 - ViewController:inOrientation:
 - method, 118
- UISplitViewControllerDelegate
 - protocol, 118
- UITabBarController
 - UITabBarItem, 115
 - viewDidLoad method, 115
- View printing, 475–477
- viewWillAppear method, 227
- viewWillDisappear method, 227
- (void)locationManager:
 - (CLLocationManager *)manager
 - didUpdateToLocation:(CLLocation
 - on *)newLocation
 - fromLocation:(CLLocation
 - *)oldLocation method, 140

■ X, Y

- Xcode 4
 - ARC (see Automatic Reference
 - Counting (ARC))
 - lite and full version, 5–7
 - user interface, 1 see
 - Assistant Editor, 4
 - interface builder, 2, 3
 - Timeline Editor, 4
 - version control
 - branching and merging, 13–17
 - GitHub, 18–20
 - local Git repository see Local
 - Git repository, Xcode 4)
 - remote repositories, 17, 18
 - source control practices, 20

■ Z

- Zombie Hunter, 7–9