

# Subject Index

## A

Acute respiratory infections (ARI), 307

Adjustment

child, outcomes following trauma events, 83

children and adolescents' self-reports of their overall, 83

disaster-exposed children/adolescents displaying high levels of, 45

meaning making in, to loss and trauma, 115 and resilience following traumatic events, 45–47

Adolescent/youth emotional development during disaster (Hurricane Katrina), 27–28

ecological-needs-based perspective, 28–30

research on effects of Katrina

exosystem influences, 33–34

macrosystem influences, 30–33

mesosystem influences, 34–36

microsystem influences, 36–37

ontogenic influences, 37–40

Adults, psychological impact of hurricanes/storms, 97–98

diagnostic considerations, 98–99

findings from previous hurricanes/storms, 101–103

Hurricane Katrina

effects of displacement from Gulf Coast, 105–106

effects of exposure to, 105

findings from young adults, 104

mental illness, prevalence rates, and associated findings, 103–104

racial differences and resulting

psychological impact, 106

disruption to service and treatment, 107–108

effects on those with pre-hurricane

storm fears, 106–107

risk and resiliency, 100–101

Aftermath of natural disaster, helping others in, 233

association with faith community, 234–235

bridging belief-to-behavior gap, 236–237 good intentions, noble phrases, and ethics, 236

reports of “being helped,” 234

“Agentive” model, 100–101

Age-related change, older adult population, natural disasters and, 173–175

in cognition, 174

in physical health, 173–174

in social relations, 174–175

Aggression, as reaction to disaster, 37–38, 72

Aging, successful, 176

Alcohol, disasters and, 313–314

Ameliorative coping, 58

ARI, *see* Acute respiratory infections (ARI)

Arthritis, disasters and, 309

## B

Behavioral health activities, in response to catastrophic event, 249–251

Bioecological model, 114

Bronfenbrenner's ecological systems theory, 28

“Burnout,” *see* “vicarious traumatization”

## C

Cancer, disasters and, 312

Cardiovascular health outcomes, disasters and, 308–309

CERT, *see* Community Emergency Response Teams (CERT)

Child abuse, disasters and, 315

- Child adaptation, disasters affecting  
 exosystem influences on, 33  
 microsystem influences on, 36
- Child mental health  
 exosystem influences on, 33–34  
 parent–child separations during  
 trauma, 34
- Chronic disease, disasters and, 308–312  
 arthritis, 309  
 cancer, 312  
 cardiovascular health outcomes,  
 308–309  
 diabetes, 309  
 kidney and urinary health, 309–310  
 musculoskeletal problems, 311–312  
 neurological problems, 310  
 reproductive and developmental health,  
 310–311  
 respiratory health, 309  
 specific problems and conditions, 312
- Cognition, 174
- Cognitive–behavioral treatment, 72–73
- Cognitive development, very young *vs.* older  
 children, 7
- Cognitive restructuring, 47
- Communication, older children *vs.* very young  
 children, 7
- Community Emergency Response Teams  
 (CERT), 155
- Competence, 84
- Conservation of resources model, 28–29
- Coping, 48, 75  
 and adjustment, 48–50  
 parental, 49–50  
 youth, 49  
 before and after storms, 186  
 ameliorative coping, 58  
 approaches to, 204–207  
 destructive coping, 59  
 diversion, 58  
 issues, after Katrina, 197–198  
 and resilience in late adulthood, 176  
 determinants of adaptive behavior in  
 older adults, 178–180  
 review of coping, 178  
 review of resilience, 176–178  
 self-efficacy, 100–101
- Cost–reward model, 225–227
- Crisis, 197  
 issues, after Katrina, 196–197
- Cultural competence and disaster behavioral  
 health, 67  
 focus groups, objectives, 67–68
- D**
- Dark humor, *see* survival humor
- Death, trauma-related, 283–285
- Diabetes, disasters and, 309
- Diathesis–stress model, 74–75
- Disaster behavioral health, cultural  
 competence and, 67
- Disaster humor, *see* survival humor
- Disaster mental health response to catastrophic  
 event, 241–242  
 assistance to children and schools, 254–255  
 behavioral health activities, 250–251  
 first-responder intervention, 248–249  
 emergency response and employee  
 stress management, 249  
 first-responder crisis counseling,  
 248–249  
 first wave of emergency responding,  
 244–247  
 extended community mental health  
 center hours, 248  
 general needs shelters and mobile crisis  
 teams, 248  
 medical special needs shelters, 246–247  
 SARBO – I-10 & causeway Blvd and  
 TIMOSA – New Orleans Airport,  
 247–248  
 TMOSA-Baton Rouge, 247  
 initial response, 251–252  
 mass casualty identification, 249–250  
 preparation and response, 242–244  
 work on cruise ships with first responders  
 and their families, 252–254  
 work with re-opening schools, 255–257
- Disaster recovery in workplace organizations,  
 261–262  
 guide for disaster prevention, preparation,  
 and recovery process, 276
- OD in extraordinary circumstances, 264  
 developmental stages of disaster  
 response, 265–266  
 restoring human, operational, and  
 technical organizational structures,  
 267–274
- ordinary disaster and typical approaches  
 to OD  
 ordinary disasters *versus* catastrophic  
 disasters, 263  
 typical OD in normal circumstances,  
 263–264
- organizational recovery needs after  
 Hurricane Katrina, 273

- practical and scientific suggestions for workplace disaster recovery
  - research directions, 275–276
  - workplace preparation and planning, 274–275
- workplace recovery in overview, 262
- Disaster response, developmental stages of, 265–266
  - during-stage emergency, 265–266
  - post-stage disaster, 266
  - pre-stage crisis, 265
- Disasters
  - benefit finding, families and
    - improved relationships, 118–119
    - prioritization and planning, 119
    - reappraisal, 119
  - child adaptation, 36
  - child interviews, 17–20
    - See also* Narrative story stem technique (NSST)
  - children's emotional responses to, drawing roofs, 22
  - developmental adaptation to, 38
  - early childhood education and, 8–10
  - effects on young children, 7–8
  - exposure to natural, 75
  - humor, families and, 122–123
  - internalizing reactions to, 37
  - leading to emotional dysregulation, 37
  - mediating factors, effects of, 7–8
  - optimism, families and, 121–122
  - ordinary *versus* catastrophic disasters, 263
  - post-traumatic stress, effects on older children, 7
  - preparation, social work perspective
    - disaster planning teams and partnerships, 163
    - emergency preparedness, 160–162
    - identifying high-risk elders, 163–164
    - older persons' resilience and exposure to hurricanes, 162–163
    - social work roles and risks – freelancing and credentialing issues, 164–166
  - role of educators following, 9
  - sense making, families and
    - attribution to higher power, 120–121
    - general acceptance, 121
    - old adages survive, 121
    - order in social environment, 119–120
  - social support and discrimination, 31–32
  - stages exhibited in play and conversations, 17
  - young children knowledge before, during, and after, 9
- Disasters and population health, 281–282
  - chronic disease, 308–312
    - arthritis, 309
    - cancer, 312
    - cardiovascular health outcomes, 308–309
    - diabetes, 309
    - kidney and urinary health, 309–310
    - musculoskeletal problems, 311–312
    - neurological problems, 310
    - reproductive and developmental health, 310–311
    - respiratory health, 309
    - specific problems and conditions, 312
  - health behavior, 312–315
    - alcohol, 313–314
    - child abuse and domestic violence, 315
    - drug abuse, 314
    - tobacco, 314–315
  - health systems and infrastructure, 289–295
    - challenges to health care in post-disaster setting, 291–292
    - challenges to other medical services, 293
    - challenges to rescue and emergency medical operations, 289–291
    - emergency medical assistance teams, 292–293
    - mental health services utilization, 294–295
    - primary health-care utilization, 293–294
  - infectious disease, 304–307
    - epidemics, 305
    - impact on health system, 305–306
    - infectious disease mortality, 305
    - sources of infection, 306–307
  - injury and mortality, 282–288
    - burden of emergency response and cleanup activities, 287–288
    - disaster-specific injury and mortality patterns, 286–287
    - long-lasting impact, 288
    - temporal distribution of trauma-related death, 283–285
    - vulnerability factors, 285–286
  - mental health, 295–304
    - anxiety, 302–303
    - behavioral problems, 303
    - daily functioning – social and occupational, 303–304

- Disasters and population health (*cont.*)
- depression, 301–302
  - non-specific measures of mental health, 296–297
  - post-traumatic stress disorder, 299–301
  - sleep problems, 297–298
  - somatic complaints and medically unexplained symptoms, 298–299
  - suicidality, 303
  - method, 282
- Disaster services with frail older persons, 153–154
- disaster preparation from social work perspective
    - disaster planning teams and partnerships, 163
    - emergency preparedness, 160–162
    - identifying high-risk elders, 163–164
    - older persons' resilience and exposure to hurricanes, 162–163
    - social work roles and risks – freelancing and credentialing issues, 164–166
  - hurricane aftereffects and elderly, 154–156
    - effects of evacuation and transfer, 156–157
    - hurricanes of 2008: Gustav and Ike, 158–160
    - special needs shelters and transportation issues, 157–158
- Disaster Technical Assistance Cadre (DTAC), 66
- Diversion, 58–59
- Domestic violence, disasters and, 315
- Drug abuse, disasters and, 314
- DTAC, *see* Disaster Technical Assistance Cadre (DTAC)
- E**
- Early childhood education
- developmental and educational needs, 5–6, 21
  - and disasters, 8–10
- Ecological-needs-based perspective of adolescent/youth emotional development in disaster, 28–30
- Ecological systems theory, 28
- Ecologies
- and Bronfenbrenner's ecological systems theory, 28
  - and needs influencing youth adaptation following disaster, 29
- Emotional development
- community peer groups, microsystem, 36
  - very young *vs.* older children, 7
- Emotional development of adolescent/youth during disaster, 27–28
- ecological-needs-based perspective, 28–30
- research on effects of Katrina
- exosystem influences, 33–34
  - macrosystem influences, 30–33
  - mesosystem influences, 34–36
  - microsystem influences, 36–37
  - ontogenic influences, 37–40
- Empathy, 223
- Empathy–altruism hypothesis, 223–224
- vs.* relief of negative state view, 224
- Ethnicity, 80
- Exosystem, 28, 29
- child adaptation and, 33
  - child mental health and, 33–34
  - Katrina (Hurricane), research on effects of, 33–34
- Exposure, 75
- level of, 75–76
- Expression of knowledge, development, and learning, children's, 6–7
- F**
- Faith, crisis, coping, and meaning making after Katrina, 195–196
- approaches to coping, 204–207
  - crisis as tragedy/opportunity/"part of life," 201–204
  - discussion, 212–213
  - issues
    - coping, 197–198
    - crisis, 196–197
    - meaning making, 198–199
  - meaning making, 207–212
  - method
    - analysis and coding, 199–200
    - reflexivity, 200–201
    - sample and interview procedures, 199
- Families and disasters, 113–114
- description of targeted study site and data collection, 116–117
  - benefit finding, 118–119
  - discussion, 123–124
  - humor, 122–123
  - method, 117
  - optimism, 121–122
  - results, 117–118
  - sense making, 119–121
  - recommendations and future directions, 125–127
  - theoretical background and related literature, 114–115

*Family Relations* (FR), 113  
 Family Support Scale (FSS), 32  
 Federal Emergency Management Agency (FEMA), 32  
 FEMA, *see* Federal Emergency Management Agency (FEMA)  
 Financial strain, impact of disaster on child and, 34  
 "Frail elderly," 155

## G

Gallows humor, *see* survival humor  
 Geographic differences in language/literacy/play and disasters  
   conversations, 16–17  
   drawing hurricane experiences, 15–16  
   hurricane stories, 13–15  
   play, 16  
   using books about hurricanes, 16  
   writing about hurricanes, 15

## H

Health and quality of life before and after storms, 182  
 Health behavior, disasters and, 312–315  
   alcohol, 313–314  
   child abuse and domestic violence, 315  
   drug abuse, 314  
   tobacco, 314–315  
 Health outcomes following traumatic events, 84–85  
 Health status, medications, and life circumstances, changes in, 183  
 Health systems and infrastructure, disasters and, 289–295  
   challenges to health care in post-disaster setting, 291–292  
   challenges to other medical services, 293  
   challenges to rescue and emergency medical operations, 289–291  
   emergency medical assistance teams, 292–293  
   mental health services utilization, 294–295  
   primary health-care utilization, 293–294  
 Healthy emotional adaptation, 28  
 Helping in aftermath of natural disaster, 233  
   association with faith community, 234–235  
   bridging belief-to-behavior gap, 236–237  
   good intentions, noble phrases, and ethics, 236  
   reports of "being helped," 234  
 Hurricanes  
   aftereffects and elderly, 154–156

  effects of evacuation and transfer, 156–157  
   hurricanes of 2008: Gustav and Ike, 158–160  
   special needs shelters and transportation issues, 157–158  
 children about, 9–10  
 children's cognitive processing of, 6  
 children's demonstrated knowledge on effects of, 20  
 conversations, 16–17  
 drawing experiences, 15–16  
 experienced related to psychological symptoms, 31  
 spontaneous student-initiated activities, 12  
 stories, 13–15  
   differences in classroom activities across states, 14  
 teacher's responses to, 11  
 using books about, 16  
 writing about, 15  
 young children's understanding of, assessment, 10

## I

Infectious disease, disasters and, 304–307  
 Acute respiratory infections (ARI), 307  
 diarrheal diseases, 307  
 epidemics, 305  
 impact on health system, 305–306  
 infectious disease mortality, 305  
 sources of infection, 306–307  
   conditions and species of concern, 307  
   hospital-acquired disease, 306–307  
   person-to-person/crowding, 307  
   soil and water, 306  
   vector borne disease, 306  
 Injury and mortality, disaster and, 282–288  
   burden of emergency response and cleanup activities, 287–288  
   disaster-specific injury and mortality patterns, 286–287  
   long-lasting impact, 288  
   outcome and length of survival for patients who died from trauma, 283  
   temporal distribution of trauma-related death, 283–285  
   vulnerability factors, 285–286

## J

*Journal of Marriage and Family* (JMF), 113

**K**

- Katrina Aid and Relief Effort (KARE), 271
- Katrina (Hurricane), 65–66
- challenges psychologists encountered post, 85
  - educate school teachers/administrators on needs of students impacted by, 67
  - impact on residents, 97
  - impacts in Louisiana and Mississippi
    - children displaced by, 7
    - decrease in student population, 4
    - no counseling/instructions regarding hurricanes, 9
    - psychological distress in children, 4
    - schools, 3, 5
    - statistics, 4
  - mother's psychopathology on her child's distress following, 71
  - profound effects on child/adolescent emotional development, 27
  - psychological impact of, 68–69
  - regional differences in psychosocial impact of, 31
  - research on effects of
    - exosystem influences, 33–34
    - macrosystem influences, 30–33
    - mesosystem influences, 34–36
    - microsystem influences, 36–37
    - ontogenic influences, 37–40
  - young children's cognitive reactions to, 69
- Katrina (Hurricane), impact on children and adolescents, 65–66
- challenges, 85
    - African–American Church and community-based organizations preparedness, 88
    - breach, 87–88
    - cultural sensitivity for psychologists working in disaster relief, 86
    - disaster and relief issues, 87
    - getting back into field/profession, 85–86
    - lessons learned and recommendations, 85–87
    - public policy issues, 88
    - recommendations for interventions, 88–89
    - restoration issues, 87–88
    - safety, general well-being, and vicarious traumatization, 86
    - social sciences, 86–87
  - children's functioning following traumatic experiences, 74–82

- clinical initiatives, 66
    - deployments to Gulf Coast, 66–68
  - complimentary models, 82–85
  - impact 15 months post-disaster, 69, 73
  - impact of stress on low-income families, 70
  - impact on adolescents in Mississippi, Marsee, 72
  - literature on reactions to, 68
    - assessment, 68–72
    - interventions, 72–74
    - shortcoming of assessment and intervention, 74
  - parent–child interaction, 81–82
  - psychological impact on children from New Orleans area, 71
  - role of ethnicity, 80
- Kidney and urinary health, disasters and, 309–310
- Kin selection theory, 221–222

**L**

- Language development, very young *vs.* older children, 7
- Learning technique, connecting between prior knowledge and new knowledge, 6
- Louisiana Health Aging Study (LHAS), 172, 180, 189, 220, 233

**M**

- Macrosystem, 28, 29
- Katrina (Hurricane), research on effects of, 30–33
- Meaning making, 207–212
- issues, after Katrina, 198–199
- Mental health
- impacts of storm on children/adults, 68
  - post-traumatic stress disorder, 299–301
- Mesosystem, 28, 29
- Katrina (Hurricane), research on effects of, 34–36
    - severed ties in children's lives, 34
- Microsystem, 28, 29
- Katrina (Hurricane), research on effects of, 36–37
- Moral development, very young *vs.* older children, 7
- Musculoskeletal problems, disasters and, 311–312

**N**

- Narrative story stem technique (NSST), 18, 23
- typical scene created by a child regarding hurricane, 19

- Natural disasters and oldest-old adults, 171–173  
 coping with Katrina and Rita: LHAS hurricane study, 180  
 overview of method, 181  
 results and discussion, 181–187  
 implications, 187  
 practical, 189  
 psychological, 187–188  
 older adult population, 173  
 developmental implications, 175–176  
 three domains of age-related change, 173–175  
 resilience and coping in late adulthood, 176  
 determinants of adaptive behavior in older adults, 178–180  
 review of coping, 178  
 review of resilience, 176–178
- Negating, 208
- Negative state relief hypothesis, 225
- Neurological problems, disasters and, 310
- NSST, *see* narrative story stem technique (NSST)
- O**
- OD, *see* organizational development (OD)
- Older adult population, natural disasters and, 173  
 developmental implications, 175–176  
 three domains of age-related change, 173–175  
 age-related changes in cognition, 174  
 age-related changes in physical health, 173–174  
 age-related changes in social relations, 174–175
- Older adults in aftermath of Katrina (Hurricane), 136  
 coding and analyses, 138  
 help and support received from individuals and community services, 140  
 immediacy of support: days following Hurricane Katrina, 139–140  
 informal support, 141–144  
 ambivalent relationships, 141–142  
 negative relationships, 144  
 neutral relationships, 143–144  
 positive relationships, 142–143  
 journey out of New Orleans, 138–139  
 perceptions of source of support, 147  
 perceptions of support, 146  
 procedures, 136–137  
 questions and measures, 137–138  
 rebuilding relationships, 145–146
- Oldest-old adults, natural disasters and, 171–173  
 coping with Katrina and Rita: LHAS hurricane study, 180  
 overview of method, 181  
 results and discussion, 181–187  
 implications, 187  
 practical, 189  
 psychological, 187–188  
 older adult population, 173  
 developmental implications, 175–176  
 three domains of age-related change, 173–175  
 resilience and coping in late adulthood, 176  
 determinants of adaptive behavior in older adults, 178–180  
 review of coping, 178  
 review of resilience, 176–178
- Ontogenic level, 28, 29  
 Katrina (Hurricane), research on effects of, 37–40
- Organizational development (OD), 263  
 in circumstances of disaster, 261  
 classical practices, 263–264  
 in extraordinary circumstances, 264  
 developmental stages of disaster response, 265–266  
 restoring human, operational, and technical organizational structures, 267–274  
 ordinary disaster and typical approaches to ordinary disasters *versus* catastrophic disasters, 263  
 typical OD in normal circumstances, 263–264
- P**
- Parent–child separations  
 during trauma and child mental health, 34
- PFA, *see* Psychological First Aid (PFA)
- Physical and language development, children, 6
- Positive adjustment in youth post-Katrina, 45–47  
 coping and adjustment, 48–50  
 current study and hypotheses, 50–54  
 discussion, 57–59  
 additional findings, 60  
 study strengths and limitations, 60  
 results  
 descriptive statistics, 54–55  
 regression analyses, 55–57  
 social support and adjustment, 47–48

- Post-disaster, positive outcomes for youth, 50
- demographic characteristics, 53
  - descriptive statistics
    - community violence, 55
    - Hurricane exposure, 54–55
    - positive adjustment and adaptive skills, 55
    - youth and parent coping, 55
    - youth and parent social support, 55
  - maternal/youth risk and protective factors, 53–54
  - measures used, 51–52
  - regression analyses, 55–56
    - child-reported personal adjustment, 56
    - parent-reported child adaptive skills, 57
    - predicting child-reported personal adjustment, 56
    - predicting parent-reported adaptive skills, 57
  - See also* Social support, parent-provided
- Post-traumatic growth (PTG), 46–47, 58
- vs.* resilience, 47
- Post-traumatic stress
- disasters' effects on older children, 7
- Post-traumatic stress disorder (PTSD), 266
- age effects in, 80–81
  - assessment in preschool-aged children, 39
  - during disasters, 7, 8
  - effects on child and adolescent emotional development, 27
  - as impact of Katrina
    - children diagnosed with, 68–69
  - mediating effect between exposure and somatic symptoms, 85
  - moderational role of competence and, 84
  - reduction in, test anxiety reduction
    - intervention, 35
  - risk factors of developing, 100
  - sense of control or calmness and
    - developing, 88
    - trait anxiety and, 38–39
- Presocialization, 229
- Project SERV, *see* School Emergency Response to Violence (Project SERV)
- Prosocial behaviors, 220
- Protective factors, 177–178
- Psychological adjustment
- of children and adolescents following trauma, 83
- Psychological First Aid (PFA), 258
- Psychology behind helping and prosocial behaviors, 219–220
- crossing barrier from intention to action
    - disaster helping literature, 231–233
    - life span development view, 228–231
  - helping others in aftermath of natural disaster, 233
  - bridging belief-to-behavior gap, 236–237
  - pride through association with faith community, 234–235
  - reports of “being helped,” 234
  - road paved with good intentions, noble phrases, and ethics, 236
  - purpose of helping, 220–221
    - belief in just world, 227–228
    - cost–reward model, 225–227
    - empathy–altruism hypothesis and relief of negative state, 223–225
    - kin selection view of prosocial behavior, 221–223
- PTSD, *see* post-traumatic stress disorder (PTSD)
- R**
- Reciprocal altruism, 222–223
- Reflexivity, after Katrina, 200–201
- Relief of negative state view, 224–225
- vs.* empathy–altruism hypothesis, 223–224
- Reproductive and developmental health, disasters and, 310–311
- Resilience, 45–46, 84, 176–177
- areas of functioning in youth that reflect, 46
  - and coping in late adulthood, 176
  - determinants of adaptive behavior in older adults, 178–180
  - review of coping, 178
  - review of resilience, 176–178
  - families and, 114
  - pathways leading to, 100
  - stress and, 176
  - vs.* PTG, 47
- Resilience model, 84
- Resiliency, 100
- Resource loss, 78–79
- Respiratory health, disasters and, 309
- Respiratory protection measures, 287–288
- Response, 258
- Restoring human, operational, and technical organizational structures, 267–274
- recovering human structure of organization, 267–270
  - recovering operational structure of organization, 270–273

- recovering technical structure of organization, 273–274
- Risk and resilience model, 28
- Rita (Hurricane), impacts on Louisiana and Mississippi
  - school, 5
    - decrease in student population, 4
    - statistics, 4
- S**
- SAMHSA, *see* Substance Abuse and Mental Health Services Administration (SAMHSA)
- SAMHSA Crisis Counseling Program, 33
- SARBO, *see* Search and Rescues Operations Bases (SARBO)
- School Emergency Response to Violence (Project SERV), 255
- Search and Rescues Operations Bases (SARBO), 244, 246
- Seniors Without Families Triage (SWiFT), 164
- Social support, 47, 76–77
  - and adjustment, 47–48
    - maternal, 48
    - youth, 48
  - and mental health, 70
  - parent-provided, 58–59
- Social support networks, dynamics of older adults, 133–134
  - implications, 146–150
  - older adults in aftermath of Hurricane Katrina, 136
    - coding and analyses, 138
    - immediacy of support: days following Hurricane Katrina, 139–140
    - informal support: relationships and interactions, 141–144
    - journey out of New Orleans, 138–139
    - perceptions of support, 146
    - procedures, 136–137
    - questions and measures, 137–138
    - rebuilding relationships, 145–146
  - social support in late life, 134–135
    - support for older adults in times of disasters, 135–136
- Social work perspective, disaster preparation from
  - disaster planning teams and partnerships, 163
  - emergency preparedness, 160–162
  - identifying high-risk elders, 163–164
  - older persons' resilience and exposure to hurricanes, 162–163
  - social work roles and risks – freelancing and credentialing issues, 164–166
- Special needs, 157
- Special Needs Shelters (SNS), 157
- Stafford Disaster Relief and Emergency Assistance Act, 32–33
- Storms' aftermath, assessing children's needs, 9
- Stress in young children due to uncertainty and change, 10
- Substance Abuse and Mental Health Services Administration (SAMHSA), 32–33
  - See also* Federal Emergency Management Agency (FEMA)
- Survival humor, 122
- SWiFT, *see* Seniors Without Families Triage (SWiFT)
- T**
- Temporary Medical Observation Staging Areas (TMOSA), 244, 245
- TMOSA, *see* Temporary Medical Observation Staging Areas (TMOSA)
- Tobacco, disasters and, 314–315
- Transactional stress and coping model (TSC), 82–83
- Trauma
  - adjustment and resilience following, 45–47
  - child adjustment outcomes following, 83
  - children's functioning following, 74–82
    - health outcomes following, 84–85
    - leading to negative health outcomes, 84–85
  - loss, 115
    - parent–child separations, 34
  - psychological adjustment of children and adolescents following, 83
- V**
- VIA Inventory of Strengths (VIA-IS), 232
- “Vicarious traumatization,” 86
- Vulnerability analysis, 163
- Vulnerability–stress model, 74–75
- W**
- Workplace, disaster recovery in, 261–262
  - OD in extraordinary circumstances, 264
    - developmental stages of disaster response, 265–266
  - restoring human, operational, and technical organizational structures, 267–274

- Workplace, disaster recovery in (*cont.*)
- ordinary disaster and typical approaches to OD
    - ordinary disasters *versus* catastrophic disasters, 263
    - typical OD in normal circumstances, 263–264
  - practical and scientific suggestions for workplace disaster recovery
    - research directions, 275–276
    - workplace preparation and planning, 274–275
  - workplace recovery in overview, 262
- X**
- Young children's demonstrated understanding of hurricanes, 3–4
- child interviews, 17–20
  - destruction of schools and effects on developing children, 4–5
  - development of young children, 5–7
  - early childhood education and disasters, 8–10
    - young children and disasters, 7–8
  - future directions, 22–23
  - geographic differences in language, literacy, and play
    - conversations, 16–17
    - drawing hurricane experiences, 15–16
    - hurricane stories, 13–15
    - play, 16
      - using books about hurricanes, 16
      - writing about hurricanes, 15
  - stages of disasters exhibited in play and conversations, 17
  - study, 10–11
    - discussion, 20–22
    - teacher survey, 11–13