

Subject Index

A

- Acquired immunodeficiency syndrome
 - AIDS enteropathy/colopathy, 153
 - See also Human immunodeficiency virus (HIV), 153–156
 - Actinomycosis, 2, 79–88
 - appendix in, 89
 - Acute infectious-type colitis, 2, 3, 28, 30, 69, 81
 - general histologic features, 2–3
 - Acute self-limited colitis (ASLC), 2, 9, 29
 - general histologic features, 2–3
 - Acute viral gastroenteritis, 143–146
 - ancillary tests, 144, 206
 - clinical features, 143
 - differential diagnosis, 144
 - histologic features, 144
 - Adenovirus, 125, 128, 130, 135, 139–141, 143, 144, 154
 - ancillary tests, 140–141
 - appendix in, 139
 - differential diagnosis, 140
 - comparison to CMV and HSV, 130
 - epidemiology, 139
 - histologic features, 139–141
 - immunohistochemistry, 141
 - inclusions, 139–141
 - intussusception in, 139
 - risk factors for, 139
 - Aeromonas* spp, 9–12
 - architectural distortion, 11
 - association with chronic idiopathic inflammatory bowel disease, 9–10
 - clinical features, 9
 - differential diagnosis, 9–10
 - epidemiology, 9–10
 - histologic features, 9
 - macroscopic features, 9
 - mimic of chronic idiopathic inflammatory bowel disease, 9–10
 - stool cultures in, 9
 - Amoebae, nonpathogenic or low pathogenicity, 165
 - Ancylostoma duodenale*, 196
 - See also Hookworms
 - Angiostrongylus costaricensis*, 197
 - Anisakis* spp, 211–212
 - ancillary tests, 212
 - clinical features, 211
 - differential diagnosis, 212
 - epidemiology, 211
 - histologic features, 211–212
 - macroscopic features, 211
 - morphologic features of organism, 211–212
 - Anus
 - anal intraepithelial neoplasia, 150
 - condylomata, 148–149
 - HPV infection in, 148–150
 - tuberculosis in, 49
 - Ascaris lumbricoides*, 195
 - Aspergillus* spp, 103–106
 - differential diagnosis, 104
 - epidemiology, 103
 - histologic features, 103–104
 - macroscopic features, 103–104
 - morphologic features of the organism, 103–105
 - risk factors, 103
 - Astrovirus, 143
- ## B
- Bacillary angiomatosis, 86, 158
 - Bacterial esophagitis, 79–88
 - Bacterial infections
 - classification by morphology, 2
 - Balantidium coli*, 166–167
 - Bartonella* spp, 85–86
 - bacillary angiomatosis, 86
 - Blastocystis hominis*, 166
 - Blastomyces dermatididis*, 93, 116–117
 - vs. *Cryptococci*, 116–117
 - Brachyspira aalborgi*, 71
 - Brachyspira pilosicoli*, 71
 - Brucellosis, 80–81

C

- Campylobacter* spp, 13–15
 clinical features, 13
 complications of, 13
 crypt distortion in, 15
 differential diagnosis, 14
 epidemiology, 13
 focal active colitis and, 14
 Guillain-Barre syndrome and, 13
 histologic features, 13–15
 macroscopic features, 13
 mimic of chronic idiopathic inflammatory bowel disease, 15
 treatment of, 13
- Candida* spp, 97–101
C. albicans, 97
C. krusei, 97
 contaminant vs. invasive, 99
C. parapsilosis, 97
C. (Torulopsis) glabrata, 97, 101, 113
C. tropicalis, 97
 differential diagnosis, 97–98
 epidemiology, 97
 histologic features, 97–101
 macroscopic features, 97–98
 morphologic features of the organism, 97
 risk factors, 97
- Capillaria*, 197
- Cat scratch disease, 45, 88
- Cestodes (tapeworms), 193
 classification, 193–194
- Chagas disease, *see* Trypanosoma cruzi (Chagas' disease)
- Chlamydia trachomatis*, 87
- Chronic idiopathic inflammatory bowel disease
 CMV in, 128–130
 infectious mimics of, 2
- Clostridia* spp, 59–66
C. difficile
 clinical features, 59
 differential diagnosis, 60
 epidemiology, 59
 histologic features, 59–64
 macroscopic features, 59–60
 pseudomembranous colitis and, 59–60
 recurrent disease, 59
 risk factors, 59
 stool assay, 60
 toxins, 59
- C. perfringens (welchii)*
 clinical features, 61
 differential diagnosis, 62
 epidemiology, 60–61
 histologic features, 61, 64
 macroscopic features, 61
 pig-bel, 61
- C. septicum*
 cancer and, 63
 clinical features, 65
 differential diagnosis, 66
 epidemiology, 62
 histologic features, 65–66
 macroscopic features, 65
 neutropenic enterocolitis/typhlitis and, 62–63
- Coccidians, 183
 ancillary tests, 183
 classification of, 183
 clinical features, 183
 epidemiology, 183
See also Specific organisms
- Condyloma acuminatum, anal, 148
- Corynebacterium equi*, *see* Rhodococcus equi
- Cryptococcus neoformans*, 115–118
 AIDS and, 115
 capsule-deficient, 116–117
 differential diagnosis, 94, 116–117
 vs. Blastomyces, 94, 116–117
 vs. Histoplasma capsulatum, 94, 116–117
 epidemiology, 115
 histologic features, 115–117
 macroscopic features, 115
 morphologic features of the organism, 116
 special stains, 116–117
- Cryptosporidium* spp, 183–185
 clinical features, 183
 differential diagnosis, 185
 epidemiology, 183
 histologic features, 184–185
 macroscopic features, 184–185
- Cyclospora*, 184–186
 differential diagnosis, 185
 epidemiology, 184
 histologic features, 184–186
- Cytomegalovirus (CMV), 125–131
 ancillary tests, 131
 appendix and, 127
 clinical features, 125
 differential diagnosis, 128–130
 vs. adenovirus, 130
 vs. graft-versus-host disease, 131
 vs. HSV, 130
 epidemiology, 125
 histologic features, 125–131
 hypertrophic gastropathy and, 126
 immunocompetent patients and, 125
 inclusions, 125–128
 macroscopic features, 125

- risk factors, 125
- superimposed on chronic idiopathic inflammatory bowel disease, 128–130
- vasculitis, 127, 129

D

- Dientameba fragilis*, 165–166
- Diphyllobothrium latum*, 195
- Dwarf tapeworm, *see Hymenolepsis nana*

E

- Echinostoma* spp, 193–198
- Edwardsiella tarda*, 10
- Ehrlichiosis, 84
- Entamoeba dispar*, 172
- Entamoeba histolytica*, 169–174
 - ancillary tests, 172
 - appendix and, 169
 - clinical features, 169
 - complications, 169
 - differential diagnosis, 171
 - vs.* other amoebae, 170–171
 - histologic features, 169–172
 - macroscopic features, 169
 - mimic of chronic idiopathic inflammatory bowel disease, 169–170
 - morphologic features of organism, 170
- Entamoeba moshkovskii*, 170, 171
- Entamoeba polecki*, 165
- Enteric viruses, *see Acute Viral Gastroenteritis; Specific viruses*
- Enterobius vermicularis*, 201–203
 - ancillary tests, 202
 - appendicitis and, 201
 - clinical features, 201
 - differential diagnosis, 201–202
 - eggs, 203
 - epidemiology, 201
 - histologic features, 201–203
 - macroscopic features, 201
 - morphologic features of organism, 201
- Epstein-Barr virus (EBV), 159–160
 - lymphoepithelioma-like adenocarcinoma and, 160
- Escherichia coli*, 37–42
 - classification of, 37
 - cultures and, 37
 - enteroadherent *E. coli* (EAEC), 38–39
 - AIDS and, 38
 - clinical features, 38
 - differential diagnosis, 38–39
 - epidemiology, 38
 - histologic features, 38–39
 - macroscopic features, 38

- enterohemorrhagic *E. coli* (EHEC), 38–40
 - clinical features, 40
 - cultures, 40
 - differential diagnosis, 40
 - epidemiology, 38
 - histologic features, 39–41
 - immunohistochemistry, 41
 - macroscopic features, 39
 - mimicking ischemia, 39–40
 - vs.* *C. difficile*-related colitis, 40
- enteroinvasive *E. coli* (EIEC), 38
 - clinical features, 38
 - epidemiology, 38
 - pathologic features, 39
- enteropathogenic *E. coli* (EPEC), 38
 - AIDS and, 38
 - clinical features, 38
 - epidemiology, 38
 - pathologic features, 39
- enterotoxigenic *E. coli* (ETEC), 37
 - clinical features, 37
 - epidemiology, 37
 - pathologic features, 37

F

- Fasciolopsis buski*, 193–198
- Fish tapeworm, *see Diphyllobothrium latum*
- Flagellates, intestinal, 177–181
- Flukes, intestinal
 - classification, 191
 - See also* Trematodes
- Focal active colitis (FAC)
 - Campylobacter* and, 14
 - clinical implications of, 4
 - general histologic features, 3–4
- Fungi, gastrointestinal
 - ancillary tests, 93
 - clinical features, 93
 - general approach to diagnosis, 93
 - summary table of morphologic features, 94
- Fusarium* spp, 93, 104

G

- Gastrointestinal infections
 - general approach to diagnosis, 1–2
 - risk factors, 1
 - worldwide significance of, 1
- Gastrosprillum hominis*, *see Helicobacter heilmannii*
- Giardia lamblia*, 177–181
 - clinical features, 177
 - common variable immunodeficiency and, 178
 - differential diagnosis, 178
 - epidemiology, 177

Giardia lamblia (cont.)

- histologic features, 177–179
- macroscopic features, 177
- morphologic features of organism, 177–179

H*Helicobacter* spp, 17–24

- Helicobacter heilmannii*, 20–26
 - epidemiology, 20
 - histologic features, 21–26
 - immunohistochemistry and, 21
 - morphologic features of the organism, 21–26
- Helicobacter pylori*, 17–24
 - ancillary tests, 20
 - atrophic gastritis and, 17
 - chronic gastritis and, 17
 - clinical features, 17
 - coccoid forms, 18–19
 - differential diagnosis, 19
 - gastric adenocarcinoma and, 17
 - histologic features, 17–18
 - immunohistochemistry, 19–20
 - intestinal metaplasia and, 17–18
 - macroscopic features, 17
 - MALT lymphoma and, 19
 - morphologic features of the organism, 18–19
 - special stains, 19
 - rare species of, 21

Helminths

- classification, 193
- epidemiology, 193

Herpes simplex virus, 133–137

- ancillary studies, 136
- clinical features, 133
- differential diagnosis, 133, 135
- epidemiology, 133
- esophagitis and, 133
- histologic features, 134
- inclusions, 134–137
- macroscopic features, 133–134
- proctitis and, 133

Herpes zoster/varicella, 157–158

Heterophyes spp, 193–194*Histoplasma capsulatum*, 107–111

- AIDS and, 107
- ancillary studies, 109
- clinical features, 107
- differential diagnosis, 110
 - vs. Whipple's disease, 111
- epidemiology, 107
- histologic features, 108–112
- macroscopic features, 107–108
- morphologic features of organisms, 109

Hookworms, 196

Human herpesvirus-6 (HHV-6), 158–159

Human herpesvirus-8 (HHV-8), 158–159

- immunohistochemistry for, 159

Kaposi's sarcoma and, 158

Human immunodeficiency virus (HIV), 153–155

- chronic idiopathic esophageal ulcers and, 153–154

enteropathy and, 153–156

Human papillomaviruses, 147–151

- anus and, 148

anal intraepithelial neoplasia, 150

Condyloma acuminatum, 148

immunohistochemistry, 153

squamous cell carcinoma, 149–150

vs. normal transitional epithelium, 151

esophagus and, 147

squamous papillomas, 147–148

Hymenolepsis nana, 193–195**I**

Ischemic colitis

- infectious mimics of, 2

Isospora spp, 185–187

- differential diagnosis, 183, 186

epidemiology, 185

histologic features, 186–187

life cycle, 185

macroscopic features, 185–186

KKala-azar, *see* *Leishmania* spp

Kaposi's sarcoma

- HHV-8 and, 158–159

Klebsiella oxytoca

- antibiotic-associated colitis and, 40, 60

Leishmania spp, 177–181

- clinical features, 177

differential diagnosis, 178

epidemiology, 177

histologic features, 178–179

macroscopic features, 178

Lymphogranuloma venereum, 87

M

Malakoplakia, 84–85

MALT lymphoma

- H. pylori* and, 22

Measles virus, 157

Microsporidia spp, 186–188

- clinical features, 186

differential diagnosis, 186, 189

epidemiology, 186
 histologic features, 188–189
Mucor, *see* Zygomycetes
 Mycobacteria spp, 49–57
 Mycobacterium avium-intracellulare, 54–58
 AIDS and, 54
 ancillary tests, 58
 atypical spindle cell nodule, 56–57
 clinical features, 54
 differential diagnosis, 55
 epidemiology, 54
 histologic features, 54–57
 macroscopic features, 54
 special stains, 55–57
 Mycobacterium tuberculosis
 adenopathy, mesenteric, 50
 AIDS and, 49
 anal/perianal disease, 49
 ancillary tests, 53
 appendiceal, 49
 clinical features, 49
 differential diagnosis, 53–54
 vs. Crohn's disease, 54
 vs. Yersinia, 54
 epidemiology, 49
 gastroesophageal disease, 49
 histologic features, 50–54
 macroscopic features, 49–50
 morphologic features of organism, 54–55
 special stains, 50–53
 tuberculoma, 50
 other atypical mycobacteria, 55

N

Necator americanus, 194
 See also Hookworms
Neisseria gonorrhoea, 2, 87–88
 Nematodes (roundworms)
 classification, 193
 Neutropenic enterocolitis/typhlitis, 62–63
 Norwalk virus, 143

O

Oesophagostomum spp, 198
Oxyuris vermicularis, *see* *Enterobius vermicularis*

P

Paracoccidioides brasiliensis (South American
 blastomycosis), 93
Penicillium marneffei, 110–111
 vs. *H. capsulatum*, 110–111
 Pinworm, *see* *Enterobius vermicularis*
Plesiomonas spp, 10

Pneumocystis carinii, 119–121
 AIDS and, 119
 differential diagnosis, 119
 epidemiology, 119
 histologic features, 119–121
 macroscopic features, 119–121
 morphologic features of organism, 119–121

Protozoa

 general classification of gastrointestinal protozoa, 165
 miscellaneous, 165–167
 Pseudomembranous colitis, *see* *Clostridia* spp, *C. difficile*

R

Resolving infectious colitis, histologic features of, 4–5
Rhodacoccus equi, 81–83
 Rickettsial disease, 81–83
 risk factors, 103
 Rocky mountain spotted fever, 82
 Rotavirus, 143
 Roundworms, *see* Nematodes
 Rubeola virus, *see* Measles virus

S

Salmonella spp, 27–31
 architectural distortion with, 28–29
 classification of, 27
 clinical features, 28
 differential diagnosis, 29–30
 epidemiology, 27
 histologic features, 28–30
 macroscopic features, 28
 mimicking chronic idiopathic inflammatory bowel
 disease, 29
 non-typhoid species, pathologic features, 29–30
 risk factors, 27
 typhoid fever, 27–28
 Schistosomiasis, 215–218
 ancillary tests, 216–217
 appendix and, 215
 clinical features, 215
 differential diagnosis, 216
 eggs, 215–216
 epidemiology, 215
 histologic features, 215–216
 macroscopic features, 216
 special stains, 216
Shigellae spp, 33–35
 ancillary tests, 33
 architectural distortion in, 33, 35
 clinical features, 33
 differential diagnosis, 33
 epidemiology, 33
 histologic features, 33–35

- Shigellae* spp (*cont.*)
 macroscopic features, 34
 mimic of chronic idiopathic inflammatory bowel disease, 33
 pseudomembranes in, 33, 35
- Spirochetosis, intestinal, 70–73
 clinical features, 71
 differential diagnosis, 73
 epidemiology and associations, 71
 histologic features, 71–72
 special stains, 71–73
- Squamous intraepithelial lesions, anal HPV and, 150
- Squamous papillomas, esophageal, 147
See also Human papillomaviruses
- Strongyloidiasis, 205–207
 ancillary tests, 206
 appendix and, 202
 clinical features, 206
 differential diagnosis, 206–207
 epidemiology, 205
 histologic features, 205–206
 macroscopic features, 206
- Syphilis, gastrointestinal, 69–70
 ancillary tests, 70
 clinical features, 69
 differential diagnosis, 70
 gastritis and, 69
 histologic features, 69–70
 macroscopic features, 69
 proctitis, 69
 special stains, 70
- T**
- Taenia saginata*, 194
- Taenia solium*, 194
- Tapeworms, *see* Cestodes (tapeworms)
- Toxoplasma gondii*, 189–190
 ancillary tests, 190
 clinical features, 189
 epidemiology, 189
 histologic features, 190–191
 lymph nodes, mesenteric, 189
 macroscopic features, 190
- Trematodes
 classification, 193
- Treponema pallidum*, *see* Syphilis, gastrointestinal
- Trichinella spiralis*, 198
- Trichuris* spp, 197–198
- Tropheryma whipplei*, *see* Whipple's disease
- Trypanosoma cruzi* (Chagas' disease), 177–181
 ancillary tests, 181
 clinical features, 181
 differential diagnosis, 181
 epidemiology, 181
 geographic distribution, 181
 histologic findings, 181
 macroscopic findings, 180
- V**
- Vibrio* spp, 9–12
 ancillary tests, 12
 cholera, 11
 clinical features, 11
 epidemiology, 10
 pathologic findings, 9–10
- Visceral leishmaniasis, *see* *Leishmania* spp
- W**
- Whipple's disease, 75–77
 adenopathy, mesenteric, 75
 ancillary tests, 76
 clinical features, 75
 differential diagnosis, 76
 epidemiology, 75
 granulomas in, 75, 76
 histologic findings, 75–77
 macroscopic findings, 75
 special stains, 75–76
- Whipworm, *see* *Trichuris* spp
- Y**
- Yersinia* spp, 43–47
 adenopathy, mesenteric, 43–44, 49
 ancillary tests, 45
 clinical features, 43
 differential diagnosis, 45
 epidemiology, 43
 granulomatous appendicitis, 43, 45
 histologic features, 44–46
 macroscopic features, 43–44
 mimic of Crohn's disease, 43, 44, 46
 pseudoappendicular syndrome and, 43
 risk factors, 43
- Z**
- Zygomycetes, 103–106
 differential diagnosis, 104
 epidemiology, 103
 histologic features, 104–106
 macroscopic features, 103–104
 morphologic features of the organism, 104