

Index

A

- Abdominal skin reduction
 - clinical examination, 207–208
 - method of device, liposuction and surgical excision, 208–209
 - possible complications, 211–212
 - post-operative care, 209–211
- Ablative laser resurfacing
 - device and treatment application methods
 - fractional resurfacing, 216–218
 - lesions treatment, 218–219
 - Portrait® Plasma Skin Rejuvenation, 216
 - patient selection, 215
- Acne scarring
 - ablative lasers, 58
 - hypertrophic and keloidal, 56–57
 - pulsed dye laser, 57–58
 - semi-ablative lasers, 58
- Ambulatory phlebectomy (AP)
 - clinical examination, 135–136
 - contraindications, 135
 - indications, 135
 - treatment application
 - complications, 141
 - postoperative instructions, 141
 - procedural protocol, 136–141
 - sclerotherapy, 141
- Antiaging therapies, 231–232
- AP. *See* Ambulatory phlebectomy (AP)
- Arm fat reduction
 - liposuction
 - clinical examination and patient history, 111
 - complications, 115
 - indications, 111
 - postoperative instructions, 113–115
 - procedural protocol, 111–113
 - surgical excision
 - clinical examination and patient history, 117–118
 - outcomes and complications, 120
 - treatment application, 118–120
- Asian patients
 - cutaneous racial, 233
 - treatment applications
 - Botulinum Toxin A (Botox®), 233
 - laser and radiofrequency skin rejuvenation, 233–236

B

- Body Cosmeceutical treatment application
 - antiaging therapies, 231–232
 - cleansers, 229
 - exfoliants, 229
 - moisturizers, 229–230
 - skin lightening agents, 230–231
 - sunscreens, 230
- Botulinum toxin, 3–7
- Botulinum Toxin A (Botox®), 233
 - clinical examination, 77
 - patient selection, 77
 - treatment application, 77–78
 - treatment technique
 - clinical trial, 79–81
 - mechanism, 79
 - special considerations, 80–81
- Breast reduction
 - adverse events management, 75–76
 - clinical examination and patient history, 73
 - device and treatment application method, 73–75
 - results and post-operative care, 75
 - tumescent liposuction, 73

C

- Calcium hydroxylapatite (CaHA) administration
 - hand
 - adverse events, 222–223
 - lidocaine, 222
 - posttreatment, 222
 - non-facial areas, 223–224
- Cellulite reduction, subcision
 - adverse events management, 170–171
 - classification, 168
 - clinical examination and patient selection, 167–168
 - method of device and treatment application
 - postoperative recommendations, 169
 - preoperative recommendations, 168
 - technique, 168–169
- Chemical peeling, keratoses and lentigines
 - clinical examination, 85
 - conventional approaches, 85
 - device methods and treatment applications
 - postoperative care, 87

Chemical peeling, keratoses and lentiginos (*Continued*)
 side effects, 87
 superficial peeling, 87
 patient history, 85
 pigment alterations, 87
 postoperative care, 87
 side effects, 87

Chemical peels, poikiloderma

Cook body peel
 glycolic acid, 42
 Jessner's solution, 42
 salicylic acid, 43–44
 superficial peeling agents and concentrations, 41–42
 tretinoin, 43
 trichloroacetic acid (TCA), 42

Cook body peel, 39, 44

Cosmeceuticals

clinical examination
 antiaging therapies, 231–232
 cleansers, 229
 exfoliants, 229
 moisturizers, 229–230
 skin lightening agents, 230–231
 sunscreens, 230
 facial application, 227

D

Device and treatment application methods

fractional resurfacing
 Fraxel restore and repair, 216–217
 Portrait® procedure, 217
 lesions treatment, 218–219
 Portrait® Plasma Skin Rejuvenation, 216

Dynamic cooling device (DCD), 39

Dyspigmentation treatment and prevention

clinical examination and patient history, 239–240
 treatment application
 azelaic acid, 242
 hydroquinone, 241
 keratolytic agents, 242
 laser therapy, 242–243
 post-inflammatory hyperpigmentation (PIH), 240
 topical glucocorticoids, 242

E

Endovenous laser treatment, leg veins

alternative treatment methods, 151
 clinical examination and patient history, 148–152
 complications, 151–152
 contraindications, 147–148
 postoperative instructions, 151
 principle and recanalization, 145
 treatment application
 procedural protocol, 148
 technique, 148–151

Endovenous radiofrequency treatment, leg veins

alternative treatment methods, 151
 clinical examination and patient history, 148–152
 complications, 151–152

contraindications, 147–148
 postoperative instructions, 151
 principle, 145
 treatment application
 procedural protocol, 148
 technique, 148–151

F

Face skin tightening methods

clinical examination, 193
 contraindications, RF and IBBL, 194
 device comparison, 196
 method of device
 adverse events management, 198–199
 dose/setting selection, 193–194
 infrared broadband light (IBBL) technique, 197
 post-operative care, 197
 radiofrequency (RF) technique, 195–197
 treatments number and frequency, 197–198

Facial acne scars, 55

Fat grafting, 105

Female genital surgery

labia minora reduction
 clinical examination, 201–202
 definition, 201
 treatment application, 202–203
 vulvar reshaping and vaginal rejuvenation
 clinical examination, 204
 definition, 204
 treatment application, 204–205

Foam sclerotherapy

consensus statements, 99
 solution preparation, 99

Fractional photothermolysis, 69

Fraxel restore and repair, 216–217

G

Geometric Broken Line Closure (GBLC), 70

H

Hair follicle composition, 62

Hand atrophy, fat transplantation

clinical examination, 105
 treatment application
 anesthesia considerations, 105–106
 fat harvesting, 106–107
 fat injections, 107–108
 fat processing, 107
 postoperative management, 108

Hydroquinone, 241

I

Infrared broadband light (IBBL) technique

adverse events management, 198–199
 clinical examination, 193
 contraindications, 194
 dose/setting selection, 193–194

- post-operative care, 197
 - vs. RF device, 196
- I**
- Injection lipolysis
- adverse effects
 - local effects, 27–28
 - persistent nodularity and paresthesias, 28
 - skin necrosis and hyperpigmentation, 28
 - systemic effects, 28
 - clinical examination, 23–24
 - treatment application method, 25–27
- Intense pulsed light (IPL) systems, 39
- J**
- Jessner's solution, 42–43
- K**
- Keratolytic agents, 242
- Keratosis and lentiginos
- off-face laser treatment
 - clinical examination, 89
 - device method and treatment application, 89–98
 - patient history, 89
 - peels and PDT
 - clinical examination, 85
 - conventional approaches, 85
 - device methods and treatment applications, 86
 - patient history, 85
- L**
- Labia minora reduction
- clinical examination, 201–202
 - definition, 201
 - treatment application, 202–203
- Lanugo hair, 61
- Laser and radiofrequency skin rejuvenation
- body contouring, 234–236
 - hair removal, 236
 - hypertrophic and keloid scars, 236
 - laser considerations, 233–234
 - neck rejuvenation, 234
- Laser-mediated photodynamic therapy with pulsed dye laser (PDL), 96–98
- Laser therapy, 242–243
- Lesions treatment, 218–219
- Liposuction
- arm fat reduction
 - clinical examination and patient history, 111
 - complications, 115
 - indications, 111
 - postoperative instructions, 113–115
 - procedural protocol, 111–113
 - clinical examination and patient history
 - skin examination, 173–174
 - snap test, 173
 - postoperative clinical considerations
 - compression garments, 190, 191
 - lidocaine toxicity signs, 190
 - pain control, 190
 - pre-operative antibiotics, 190
 - super absorbent pads application, 190
- treatment method
- anesthesia, 178–179
 - arms, 180
 - buttock, 183
 - cannulas, 175
 - end-point for infusion, 178
 - epinephrine dose, 176
 - equipments, 175
 - infusion devices, 175
 - legs, 183–188
 - lidocaine concentration, 176
 - love handles and abdomen, men, 188–190
 - non-dominant smart hand, 179
 - preoperative mark, 174, 179
 - pre-operative photographs, 174
 - sedatives and analgesics, 178
 - triangulation, 179
 - trunk, 180–183
- N**
- Neck laxity treatment
- clinical examination, 9
 - infrared wavelengths
 - infrared light, 13–14
 - 1,310 nm laser, 14
 - quantitative grading and classification system, 10
 - radiofrequency
 - adverse events management, 12–13
 - dose/settings, 9–12
 - post-operative care, 12
 - treatment protocols, 11
 - ultrasound technique
 - adverse events management, 20
 - alternative treatment methods, 20
 - dose/setting selection, 19
 - high intensity focused ultrasound (HIFU), 18
 - patient history and clinical examination, 17–19
 - post-operative care, 20
 - treatment technique, 19
- 1550 nm erbium-doped fractional photothermolysis (Fraxel™), 92–96
- Noninvasive body rejuvenation
- device methods/treatment application
 - Accent RF, 163
 - adverse event management, 163
 - dosages and settings, 161
 - postoperative care, 163
 - ReFirme, 163
 - Smoothshapes, 161
 - Thermage, 161–162
 - Titan, 162–163
 - Ultrashape, 163
 - Velashape, 161
 - patient history and clinical examination
 - abdomen, 155–156
 - arms, 156–161
 - thighs and buttocks, 156

O

- Off-face laser treatment, keratoses and lentiginos
 - clinical examination, 89
 - device method and treatment application
 - fractional photothermolysis, 92
 - pulsed-dye laser-mediated PDT, 97–98
 - QS ruby and 532 nm QS Nd:YAG lasers, 89
 - patient history

P

- PDL. *See* Pulsed dye lasers (PDL)
- Photodynamic therapy (PDT), keratoses and lentiginos
 - clinical examination, 85
 - conventional approaches, 85
 - device methods and treatment applications, 86
 - patient history, 85
 - photodamage and actinic keratoses (AK), 86–87
- Platysmal bands treatment
 - clinical examination, 3
 - treatment indications
 - alternative treatment methods, 6–7
 - Botulinum toxins, 7
 - setting selection, 3–4
 - treatment technique, 4–6
- Poikiloderma of civatte (POC)
 - bleaching treatments, 51
 - clinical examination and patient history
 - patient evaluation, 40–41
 - preoperative evaluation, 40
 - dynamic cooling device (DCD), 39
 - fractional photothermolysis, 39
 - intense pulsed light (IPL) systems, 39, 49–51
 - laser treatment
 - argon laser, 48
 - potassium-titanyl-phosphate (KTP), 48
 - pulsed dye laser (PDL), 48–49
 - postoperative care, 44
 - treatment application
 - chemical peels, 41–44
 - preoperative patient preparation, 41
- Poikiloderma treatment
 - clinical examination and patient history, 31–32
 - definition, 31
 - method of device, fractional resurfacing
 - alternative treatment methods, 34
 - dose/setting selection, 32–34
 - management, adverse events, 35
 - post-operative care, 34–35
 - treatment techniques, 33–34
- Portrait® Plasma Skin Rejuvenation, 216
- Post-inflammatory hyperpigmentation (PIH), 240
- Prepackaged injectable soft-tissue rejuvenation
 - clinical examination, 221
 - Radiesse, 221
 - treatment application, CaHA administration
 - hand, 222–223
 - non-facial areas, 223–224
- Pulsed dye lasers (PDL)
 - acne scarring, 57–58
 - surgical scars, 69

Q

- Q-switched (QS) (532nm) Nd:YAG and 694 nm QS ruby lasers, 89–92

R

- Radiesse, 221
- Radiofrequency (RF) technique, face skin tightening
 - adverse events management, 198–199
 - clinical examination, 193
 - contraindications, 194
 - dose/setting selection, 193–194
 - post-operative care, 197
 - vs. IBBL device, 196
- Relaxed skin tension lines (RSTL), 67, 69, 70
- Revision technique algorithm, 67

S

- Sclerotherapy, hand veins
 - clinical examination, 100
 - device methods and treatment application, 100–103
 - vs. endovenous laser hand vein ablation (EVLH), 100
- Sclerotherapy, leg veins
 - clinical examination, 127–128
 - definition, 127
 - treatment application
 - adverse events management, 133
 - compression, 132
 - foam sclerotherapy, 131–132
 - large and small vessels, 128–131
 - post-operative care, 132
 - sclerosants, 128
- Skin lightening agents, 230–231
- Skin tightening, arms and legs
 - clinical examination, 123
 - intense pulsed light (IPL), 121–122
 - radiofrequency (RF)
 - electrode configurations, 121
 - properties, 121
 - treatment application
 - adverse events, 124
 - anesthetics, 123
 - grid marking pattern, 123
 - non-facial skin, 123
 - patient feedback, 123
 - post-procedural care, 124
- Subcision technique
 - adverse events management, 170–171
 - classification, cellulite, 168
 - clinical examination and patient selection, 167–168
 - method of device and treatment application
 - postoperative recommendations, 169
 - preoperative recommendations, 168
 - technique, 168–169
- Surgical scars
 - clinical examination and patient history, 65–67
 - treatment methods
 - cryosurgery, 68

intralesional injections, 68
laser treatments, 68–69
surgical treatments, 69–70
topical treatments, 67–68

T

Telogen hair, 61
Terminal hair follicle, 61–62
Topical glucocorticoids, 242
Trichloroacetic acid (TCA), 42
Truncal acne scarring
 patient history and clinical examination, 55
 therapeutic considerations and applications
 ablative lasers, 58
 fillers, 59
 intralesional corticosteroids, 59
 non-ablative lasers, 58
 pulsed dye laser, 57–58
 semi-ablative lasers, 58
 surgical excision, 55–57

Truncal hair removal
 clinical examination, 61
 treatment application
 hirsutism, 61
 hypertrichosis, 61–63
Tumescent liposuction, 73

V

Vaginal rejuvenation. *See* Vulvar reshaping
Vellus hair, 61
Vulvar reshaping
 clinical examination, 204
 definition, 204
 treatment application
 mons veneris and labia majora, 204–205
 vulvo-vaginal mucosae, 205

W

W-plasty, 70