

# Index

- Adaptive  
design weights, 222, 227, 233, 281, 282, 284, 285, 308, 311, 312  
longitudinal design, 220, 221, 229, 233, 278, 285
- Algorithm  
Newton–Ralphson (NR), 45, 78, 86, 111, 112, 125, 150, 159, 169, 170, 206, 212, 230, 272  
monte carlo expectation-maximization (MCEM), 111, 112  
monte carlo Newton–Ralphson (MCNR), 111, 112, 169
- Autocorrelations of repeated  
binary responses, 242, 250, 252, 256, 261, 280, 287, 291, 297  
continuous responses, 10, 15, 18, 19, 20, 30, 31, 32  
count responses, 187, 190, 194, 203, 206
- Autoregressive  
binary, 242, 250  
binary mixed, 395  
Gaussian, 10, 15, 17  
Poisson, 187, 241  
Poisson mixed, 338
- Beta-binomial, 364
- Binomial  
approximation, 64, 119, 123, 124, 391, 394, 457, 463, 474, 480  
distribution, 224, 283, 363, 481  
thinning, 186, 187, 322, 363
- Class of autocorrelations, 6  
nonstationary, 181, 201, 204, 271, 423  
stationary, 10, 14, 15, 20, 188, 260
- Clinical  
adaptive, 278, 307  
random walk design, 223, 224, 226  
SLPW design, 222, 224, 225, 226
- Conditional correlation  
for binary data, 426, 427, 428, 429, 456, 457  
for count data, 321, 322, 323, 334, 428
- Conditional  
AR(1) model, 425, 447  
density, 61, 120, 146, 169, 189, 261, 364  
design weights, 220, 221, 316  
equicorrelation model, 428  
GQL, 232, 292, 334, 372  
independence, 343, 432  
MA(1) model, 426
- Conditional-conditional  
AR(1) model, 456  
EQC model, 459  
MA(1) model, 458
- Control group, 34
- Conditional and unconditional moments  
first– and second-order, 61, 62, 79, 93, 95, 97, 121, 147, 148, 149, 227, 229, 279, 285, 310, 323, 372, 374, 390, 399, 424, 427, 429, 457, 472  
third– and fourth-order, 81, 82, 97, 122, 308, 310, 351, 353, 373, 477, 478

- COPD* data, 143
- Data example  
*COPD* data, 143  
 epileptic data, 367  
 health care utilization, 91, 217, 450  
 patent count, 357, 358, 361  
 rat data, 33  
 salamander mating data, 160  
*SLID* data, 274  
 smoking prevention data, 472
- Design  
 adaptive, 222, 227, 233, 281, 282, 284, 285, 308, 311, 312  
 adaptive longitudinal, 220, 221, 229, 233, 278, 285  
 two-way factorial, 93, 95, 146, 147, 149, 162
- Dynamic dependence  
 for binary data, 242, 249, 251, 253, 260, 271, 290, 295, 304, 306, 390, 396, 398, 409, 415, 456, 471, 472  
 for continuous data, 15, 36, 37, 38, 40, 41, 42  
 for count data, 188, 202, 203, 204, 322, 364
- Dynamic dependence parameter, 42, 49, 53, 242, 254, 295, 303, 308, 312, 389, 396, 400, 415, 472, 474
- Dynamic logit model, 304, 306, 307, 455, 471
- Efficiency  
 asymptotic, 52, 99, 101, 138, 167, 168, 193, 196, 198, 199, 262, 265, 335, 405  
 small sample, 85, 88, 329, 408
- EGEE*, 5
- Epileptic data, 367
- Equicorrelation  
 for binary data, 259  
 for continuous data, 17, 29  
 for count data, 187, 188, 195, 200, 203, 214
- Error variance, 10, 30, 31, 36
- Familial correlation, 61, 121, 391, 429, 431, 446, 449, 450, 462
- Familial data, 29, 91, 146
- Familial model  
 binary, 119, 120, 138  
 count, 59, 60, 65, 66, 68, 79, 94
- Familial longitudinal model  
 binary, 455, 456, 458, 459, 460, 463, 468, 471, 472, 474  
 count, 423, 425, 426, 428, 430, 440, 442, 443, 444, 446, 447, 449, 452
- First order responses, 48, 49, 80, 125, 132, 299, 316, 400
- Fixed time effect, 23
- Gamma ‘working’ distribution, 69
- GEE*, 196, 197, 198, 199, 200, 264
- Generalized least squares, 12, 13, 18, 24, 31, 48, 49
- GLLMM*, 425, 446, 468  
*GLM*, 59  
*GLMM*, 59
- Generalized method of moments, 41, 42, 43, 44, 45, 52, 53, 324, 325, 327, 329, 331, 332, 335, 337, 398, 404, 405, 407
- Generalized penalized quasi-likelihood, 470, 471
- Generalized quasi-likelihood (GQL)  
 binary, 131, 134, 139, 164, 261, 270, 403, 405, 411, 415, 417  
 continuous, 43, 48, 49, 50, 51, 53, 54  
 count, 78, 79, 80, 83, 85, 88, 96, 101, 189, 205, 211, 430, 439
- Gram–Charlier series, 72
- Health care utilization data, 91, 217, 450
- Hierarchical likelihood, 75, 88, 119
- Improved method of moments, 42, 43, 94, 124, 126, 127, 138, 142, 324, 398
- Instrumental variable, 40
- Integral approximation  
 binomial, 64, 123, 124,

simulated normal, 63, 123

Inverse of autocorrelation matrix

AR(1), 24, 25

Equicorrelation, 25

MA(1), 25

Joint density

conditional, 120, 326

unconditional, 105, 107, 347

Least square dummy variable, 38

Likelihood

exact, 63, 135, 136

hierarchical, 75, 88, 119

higher-order approximation, 71

monte carlo based, 111, 112

penalized quasi-, 65, 66, 67, 68, 70, 71, 119, 166, 440

small variance approximation, 68

Longitudinal model

for binary data, 241, 245, 249, 260, 271, 278, 293, 295, 306

for continuous data, 9, 19, 29, 30, 31, 33, 36, 53

for count data, 181, 183, 184, 188, 201, 204, 207, 209, 216, 219

Marginal quasi-likelihood, 166

Mean deflation, 348

Method of moments, 10, 18, 32, 77, 95, 124

generalized, 41, 42, 43, 44, 45, 52, 53, 324, 325, 327, 329, 331, 332, 335, 337, 398, 404, 405, 407

improved, 42, 43, 94, 124, 126, 127, 138, 142, 324, 398

Model selection

longitudinal 207, 213, 271

Moment generating function, 61, 62, 113, 182, 376

Moving average of order 1

for binary data, 256, 260, 268, 271, 274, 458

for continuous data, 16, 25

for count data, 187, 188, 193, 197, 198, 199, 200, 203, 204, 207, 209, 214, 217, 426, 427, 450

Negative binomial

autoregressive, 363, 369

distribution, 362, 363, 368

higher-order moments, 376, 377

longitudinal fixed model, 343, 362, 367

nonstationary correlation, 369

stationary correlation, 364, 366, 370

Nonstationary correlation

binary, 248, 249, 251, 254, 266, 267, 269, 271, 277, 290, 311

count, 201, 202, 203, 204, 206, 209, 210, 218, 369, 371, 425, 442

Ordinary least squares, 11, 13, 24

Overdispersion, 60, 62, 75, 89, 144, 342, 354, 355, 362, 363, 369, 379, 439

Patent count data, 357, 358, 361

Penalized quasi-likelihood, 65, 66, 67, 68, 70, 71, 119, 166, 440

Probit model

dynamic mixed, 415, 416, 417, 418, 419

Random effects

distribution free, 29, 30, 36, 37, 43, 103, 104, 164

two-way factorial, 93, 146, 147, 149, 162

Random effects variance

single component, 29, 60, 62, 120, 164, 321, 322, 390, 396, 415, 423, 456, 471

two components, 93, 95, 146, 147, 149, 162

*Rat* data, 33

Regression effects

binary, 120, 244, 392, 460

count, 60, 94, 103, 183, 324, 424

linear, 9, 29, 30

Salamander mating data, 160

Second order responses, 49, 80, 299, 304, 333, 475

Semiparametric, 60, 62, 103, 104, 110, 113, 120, 164, 166, 168, 257, 397, 401

*SLID* data, 274

- Small variance asymptotic, 68
- Smoking prevention data, 472
- Software
  - FORTRAN-90*, 19
  - NLMIXED, 63,
  - R*, 19
  - S-PLUS*, 19
- Stationary correlation
  - binary, 246, 252, 254, 256, 260, 269, 469
  - count, 185, 188, 190, 191, 202, 203, 204, 205, 363, 427
  - linear, 10, 14, 16, 24
- Time-dependent random effects, 30
- Treatment
  - allocation, 219, 220, 223, 224, 278, 284
  - effect, 227, 286, 307, 311, 312
  - group, 9, 20, 35, 369, 469
  - random, 307
- Weighted GQL, 227, 285
- ‘Working’ covariance, 46, 196, 334