

Index

A

adjacency
 correlation, 28
 intermodular, 25
adjacency function, 77
 based on topological overlap, 21
 correlation-mutual information, 388
 examples, 77
 Moebius, 78, 386
 power, 78
 rank-preserving, 85
 threshold, 78
 threshold-preserving, 84
adjacency matrix, 1
 based on categorical vectors, 384
 based on mutual information, 385
 block diagonal, 61
 eigenvector-based, 127
 intermodular, 63
agglomerative hierarchical clustering, 184
AIC criterion
 NEO, 304
algorithm
 for computing CF, 36
 MM, 39
anchor
 common pleiotropic, 298
 orthogonal causal, 298
angle between vectors, 91
apoptosis genes
 humans versus chimpanzees, 231
approximate conformity based adjacency, 39
approximately factorizable
 protein interaction network, 56
ARACNE approach, 161, 373
area hyperbolic tangent, 253
area under ROC curve, *see* C-index
arrow
 causal direction, 280

association measure, 249, 379
 in terms of counts, 381
 between numeric random variables, 402
association network
 categorical vectors, 373
 joint probability distribution, 401
assumption
 bounded moment, 52
 maximum conformity, 50
Aten
 Jason, xi, 279
average linkage hierarchical clustering, 184

B

Barabasi
 Laszlo, vii
Bayesian network, 408, 409
bell curve, 401
biclustering procedure, 199
binary variables
 cor and chi-square statistic, 382
biweight midcorrelation, 95
biweight midcorrelation, 243, 392
 R code, 116
block diagonal, 61
Bonferroni corrected
 p-value, 257
Bonferroni correction, 249
bounded moment assumption, 52
 correlation network, 130
branch cutting
 cluster tree, 188

C

C-index, 96
 between p-value and q-value, 256
 for network construction, 366

- C-index (*cont.*)
 - for network definition, 365
 - threshold-implication, 269
 - calibrating networks, 84
 - R code, 348
 - Canberra distance, 165
 - sample network, 169
 - canonical Euclidean distance based network, 166
 - categorical variable, 249
 - causal anchor, 295
 - centralization, 10
 - centroid, 12
 - CF-based approximation
 - module-based, 39
 - Chebyshev distance, 165
 - cholesterol biosynthesis module
 - preservation in mouse tissues, 221
 - cliquishness, 11
 - cluster
 - cohesiveness measure, 213
 - tree, 185
 - validation statistics, 208
 - cluster quality statistics, 192, 244
 - mouse network, 342
 - cluster validation statistics, *see* module preservation statistics
 - based on prediction error, 208
 - clustering coefficient, 11
 - mean, 54
 - preservation statistic, 214
 - clustering procedure, 179
 - biclustering, 199
 - co-clustering, 199
 - two-way, 199
 - co-clustering, 199
 - R code, 197
 - Rand index, 196
 - co-expression information, 102
 - coefficients
 - SEM model, 282
 - coexpression network, 91
 - common pleiotropic anchors, 298
 - complete linkage hierarchical clustering, 184
 - composite module preservation statistics, 212
 - for correlation networks, 218
 - concordance index, *see* C-index
 - conditional mutual information, 383
 - conformity, 13, 35
 - algorithm, 37, 41
 - in a general network, 36
 - intramodular centroid, 25
 - uniqueness proof, 42
 - connectivity, 2
 - correlation, 28
 - differential, 27
 - frequency, 6
 - scaled, 6
 - connectivity plot, 337
 - connectivity preservation statistics, 214
 - consensus
 - module, 173
 - module R code, 344
 - network, 173
 - network R code, 344
 - consensus module, 3
 - R code, 344
 - cophenetic distance, 164
 - based on a dendrogram, 186
 - Coppola
 - Giovanni, xi
 - correction
 - Bonferroni, 257
 - Sidak, 258
 - correlation
 - biweight, 95
 - Goodman-Kruskal gamma, 96
 - partial, 367
 - Pearson, 93
 - R code, 116
 - related to mutual information, 387
 - robust alternatives, 94
 - Spearman, 94
 - test and p-value, 252, 311
 - correlation network, 91
 - general definition, 99
 - signed, 99
 - social network interpretation, 98
 - correlation test
 - R code, 254
 - cosine correlation, 93
 - covariance, 94
 - model based prediction, 283
 - covariate, 249
 - CPA, 298
 - criterion for choosing parameters
 - hard threshold with p-value, 274
 - mean connectivity, 82
 - scale free topology, 83
 - SFT in brain cancer, 110
 - Cytoscape software, 339
- D**
- data reduction methods, 110, 141
 - decomposition
 - module- and CF-based, 39

- degree, 2
 - dendogram, 185
 - dendrogram, 185
 - density, 9
 - relationship among concepts, 131
 - density preservation statistics, 213
 - dependence
 - statistical, 410
 - dictionary
 - for relating fundamental and eigenvector-based concepts, 135
 - differential network analysis, 27
 - CF-based, 64
 - differential network concepts, 27
 - for choosing parameters, 83
 - directed network
 - based on LEO scores, 299
 - constructed from a matrix, 300
 - discretize
 - equal-width, 377, 381
 - function, 6
 - discriminatory power, 96
 - dissimilarity measure, 164
 - dist R function, 166
 - distance
 - Canberra, 165
 - Chebyshev, 165
 - cophenetic, 164
 - Euclidean, 165
 - Euclidean and correlation, 166
 - general properties, 164
 - infinity norm, 169
 - Manhattan, 165
 - p-norm, 165
 - R code, 166
 - taxicab, 165
 - ultra, 185
 - distance based network, 166
 - disturbance, 281
 - structural error, 282
 - Dong
 - Jun, 35, 45, 123
 - dot product, 92
 - Drake
 - Tom, xi
 - dynamicTreeCut, 179
 - R package, 188
- E**
- edge orienting score, 295
 - eigengene, 125
 - network, 135
 - eigennode, 125
 - eigenvector, 125
 - factorizability, 126
 - network, 134
 - endogenous variable, 281
 - energy, 408
 - entropy
 - joint between categorical vectors, 376
 - continuous variable, 402
 - defining properties, 375
 - estimation methods, 378
 - interpretation with question-asking strategy, 403
 - normal distribution, 402, 404
 - of numeric variable and its discretized version, 403
 - related to mutual information, 385
 - relative, 405
 - equivalence
 - network construction methods, 86
 - error rate
 - family-wise, 257
 - error variable, 281
 - estimation method
 - for probability density, 377
 - Euclidean distance, 165
 - relation to correlation, 166
 - exogenous variable, 281
 - exponentially truncated power law, 7, 113
- F**
- factor analysis, 37
 - oblique, 135
 - factorizability
 - eigennode, 240
 - eigenvector, 126
 - factorizability measure, 36
 - alternative expressions, 56
 - module based, 40, 41
 - factorizable
 - protein interaction network, 56
 - factorizable network, 35
 - characterization of correlation, 126
 - false discovery rate, 258
 - R code, 260
 - false positive rate, 258
 - family-wise error rate, 257
 - FDR, *see* false discovery rate
 - feature
 - types, 249
 - Fisher
 - exact test, 26, 380
 - exact test for overlap, 198
 - exact test R code, 383

Fisher (*cont.*)

Z statistic of cor, 253

Z transformation, 253

fitting criterion

SEM model, 288

flashClust R function, 185

Fox

John, 279, 289, 307

frequency distribution, 377

categorical variable, 374

joint, categorical variables, 375

Frobenius norm, 5

G

Gaussian distribution, 401

multivariate, 406

gene expression data

mouse module preservation, 340

mouse tissues, 103

gene screening

in brain cancer, 112

genetic polymorphism, 300

geometric interpretation

of correlation network, 137

of eigenvector-based concepts, 136

of factorizability, 138

Geschwind

Dan, xi, 98

glioblastoma multiforme, 110

GO enrichment analysis, 333

GTOM

neighborhood analysis, 18

H

Hamiltonian, 408

hard-thresholding, 78

hclust R function, 185

heatmap, 155, 342

heterogeneity, 8

hierarchical clustering, 184

in brain cancer, 110

R functions, 185

Hotelling statistic, 253

hub gene significance, 11

hub node significance, 11

characterizing networks, 140

hyperbolic function, 253

hypergeometric distribution, 26

I

IC algorithm

causal inference, 309

identity matrix, 5

IGP statistic, 208, 243

cholesterol biosynthesis, 224

correlation with Zsummary, 228

dependence on module size, 228

in-group proportion, *see* IGP statistic

independence

categorical vectors, 374

inequality

between vectors, 91

Cauchy-Schwarz, 92

Hoelder, 92

triangle, 164

infinity norm distance, 169

inner product, 92

inter-cluster dissimilarity, 184

inter-group distance, 184

intermediate nodes, 4, 140

intermodular, 26

eigenvector-based approximation, 132

intramodular connectivity

preservation statistic, 214

J

joint entropy, 376

numeric variables, 402

just-identified, 287

K

k-means clustering, 183

k-medoid clustering, 181

Kullback-Leibler, 405

dissimilarity as objective function, 170

dissimilarity between positive definite

matrices, 169

for model fit, 405

multivariate normal distributions, 406

pre-dissimilarity, 169

SEM model fitting criterion, 288

L

Lange

Kenneth, xi, 41

Langfelder

Peter, 31, 95, 116, 188, 207, 321

Laplace principle, 406

latent variable, 281

LEO score, 295

multi-anchor, 297

R code, 311

- single anchor, 295
 - thresholds, 299
- LEO.OCA score, 298
- Li
 - Ai, 16
- likelihood ratio test
 - categorical vectors, 379
 - causal models, 279
 - for causal fit, 280
- linear model
 - fitting index, 365
- linear transformation, 93
- linkage method
 - in hierarchical clustering, 184
- list notation, 172
- local edge orienting score, 295, *see* LEO score
- local structural equation models, 295
- Lusis
 - Jake, xi, 279, 321

- M**
- Manhattan distance, 165
 - R code, 169
- MAR
 - maximum adjacency ratio, preservation statistic, 214
- Markov network, 408
- matrix
 - multiplication, 5
 - positive definite, 169, 406
- maximum
 - of a matrix, 5
- maximum adjacency ratio, 8
 - non-increasing function of power, 80
 - preservation statistic, 214
- maximum conformity assumption, 50
 - block diagonal example, 63
- maximum likelihood estimate
 - SEM model parameters, 285
- MCC transformation, 263
- MDI
 - principle, 406
- MDS, *see* multi-dimensional scaling
- medianRank
 - human chimp module preservation, 228
 - module preservation statistic, 220
 - module preservation statistic, 212
 - sex differences in mouse livers, 343
- medoid, 181
 - partitioning around, 181
- meta analysis, 267
- metric, *see* distance

- microarray
 - brain cancer network, 110
- microarray data
 - description, 101
- Miller
 - Jeremy, xi
- Miller-Madow estimator, 378
- minimum
 - of a matrix, 5
- Mischel
 - Paul, xi, 98, 110
- MM algorithm, 39
- model fitting criterion
 - SEM model, 288
- model fitting index, 365
- model fitting p-value, 287, 288
- model p-value, 288
- module, 22
 - general definition, 208
 - based on hierarchical clustering, 23
- module membership
 - module preservation statistic, 216
- module membership measure
 - fuzzy, 4
 - intramodular connectivity, 141
- module preservation
 - strong versus weak, 210
- module preservation statistics, 29
 - chapter, 207
 - comparisons in simulations, 243
 - composite, 212
 - cross-tabulation based, 193
 - density based, 215
 - dependence on module size, 212
 - discussion and limitations, 243
 - for correlation networks, 214
 - for general networks, 213
 - human versus chimpanzee brains, 224
 - KEGG pathways human versus chimpanzees, 231
 - R code, 214, 244
 - relationships among them, 239
 - significance test and p-value, 218
 - simulations, 233
 - thresholds, 219
- module quality statistics, 243
- module reproducibility, *see* module preservation statistics
- module separability statistics, 217
- module significance
 - in mouse, yeast, and humans, 147
- module- and conformity-based approximation
 - of A, 39
- Moebius transformation, 78, 386

- mQTL, 335
 - MTOM
 - neighborhood analysis, 18
 - multi-dimensional scaling
 - plot, 337
 - multiple comparison correction, 249, 255
 - abstract discussion, 262
 - transformation, 263
 - multiplication
 - of matrices, 5
 - multivariate normal distribution, 406
 - mutual information
 - for bivariate normal distribution, 403
 - categorical vectors, 380
 - conditioning variables, 383
 - R packages, 395
 - related to entropy, 385
 - relation to LRT, 380
 - relation with correlation, 387
 - mutual information network
 - discretized numeric variables, 385
 - discussion, 394
 - R package, 395

 - N**
 - nats
 - unit of entropy, 380
 - neighborhood analysis, 18
 - Nelson
 - Stan, xi, 98, 110
 - NEO method, 301
 - network
 - among categorical vectors, 373
 - among correlation modules, 134
 - based on a dissimilarity or distance, 164
 - based on a similarity, 161
 - based on a symmetric matrix, 162
 - based on C-index, 366
 - based on distances between vectors, 165
 - based on general square matrix, 163
 - based on partial correlations, 366
 - based on predictive accuracy, 365
 - based on several similarity matrices, 172
 - based on the C-index, 365
 - based on the Euclidean distance, 166
 - between discretized numeric variables, 385
 - between modules, 25
 - between random variables, 407
 - calibration, 84
 - calibration R code, 348
 - constructed from a matrix, 161
 - constructed using Kullback-Leibler, 170
 - eigenvector-based, 134
 - exactly factorizable, 35
 - module, *see* module
 - protein-protein interaction, 56
 - screening, 271
 - unweighted correlation, 97
 - weighted correlation, 97
 - network concept, 4
 - for measuring similarity, 28
 - approximate CF-based, 49
 - conformity based, 45, 48
 - differential, 27
 - differential CF-based, 64
 - eigenvector-based, 123, 129
 - for comparing networks, 27
 - for module preservation, 209
 - function, 46
 - fundamental, 5, 47
 - higher order approximation, 52
 - intermodular, 26
 - intermodular CF-based, 63, 242
 - intermodular eigenvector based, 132
 - intramodular, 24
 - motivational example, 104
 - overview, 45
 - R code, 29, 67
 - relationships in approx. factorizable networks, 54
 - scaled, 6
 - second order eigenvector based, 159
 - special relationships, 54
 - types, 46
 - used for module preservation, 240
- network concept function
 - higher order approximation, 52
 - Taylor expansion, 53
- network edge orienting
 - method, 301
- network significance, 12
- node conformity, 35
- node significance measure, 2
 - eigenvector-based, 127
 - trait-based, 97
- norm
 - Frobenius, 5
- normal distribution, 401
 - multivariate, 406
- null hypothesis, 250
 - truly null, 255
-
- O**
- object scatter, 180
- object significance measure, 268
- oblique factor analysis, 135

- Oldham
 - Mike, xi, 167, 199, 225
- Ophoff
 - Roel, xi
- orthogonal causal anchor, 298
- overview
 - WGCNA, 108

- P**
- p-norm, 92
 - distance, 165
- p-value
 - for model fit, 287
 - histogram, 256
 - SEM model fitting, 288
- Pajek software, 340
- pam, 181
- parallel
 - maximum and minimum, 173
 - mean, 172
 - quantile transformation, 173
- parsimonious parametrization
 - of network, 39
- partial correlation, 367
 - R code, 368
- partition function, 408
- partitioning-around-medoids, *see* pam
- paste function, 374
- path analysis, 279
- path diagram, 280
- PC algorithm
 - causal inference, 309
- Pearl
 - Judea, 310
- Pearson
 - chi-square statistic, 379
 - chi-square vs. cor, 382
 - correlation, 93
- polynomial regression
 - fitting index, 365
- positive definite matrix, 169, 406
- potential, 408
- power adjacency function, 78
 - effects on approx. CF-based concepts, 80
 - topological effects, 79
- preservation networks, 174
- preservation of connectivity patterns, 229
- preservation of intramodular connectivity
 - human chimp comparison, 229
- Presson
 - Angela, xi
- principle
 - insufficient reason, 406
 - Laplace, 406
 - maximum entropy, 406
 - of minimum discrimination, 406
 - probability density
 - estimation, 376
 - Kullback-Leibler divergence, 405
 - probability theory, 401
 - proportion of variance explained, 125
 - module preservation statistic, 216
 - protein-protein interaction, 56

- Q**
- q-value, 249, 258
 - R code, 260
- quantile, 10
- quantile transformation, 173

- R**
- R-squared
 - model fitting index, 365
- RAM formulation of causal model, 289
- Rand index, 195
- rank-equivalence
 - mutual information networks, 386
 - object significance measures, 269
 - of adjacency matrices, 85
- rankPvalue, 267
- Ranola
 - John, xi, 41
- rcorr.cens R function, 97
- reticular action model, 289
- ROC curve, 96

- S**
- sample mean
 - random vector, 407
- sample network
 - correlation based, 168
 - Euclidean distance based, 167, 321
- sample networks, 167
 - for enhancing cluster analysis, 199
 - R code, 321
- sample trait, 97
- scale free topology, 7
 - fitting index, 7
- scale free topology criterion, 83, 324
 - in brain cancer, 110
- scale function, 92
- scatter
 - of objects or nodes, 180

Schadt
 Eric, xi, 321
 screening
 network based, 271
 standard marginal, 266
 screening method, 267
 sector plot, 27
 SEM, *see* structural equation model, sem
 sem
 R code, 289
 R package, 279
 separability score
 of clusters, 217
 separability statistic
 eigenvector-based, 133
 separability statistics, 26
 CF-based, 64
 of modules, 217
 Shannon
 entropy, 375
 signal balancing, 124
 signed correlation network, 99
 significance
 chapter, 249
 object, 268
 of network concepts, 140
 p-value, 250
 set of variables, 260, 267
 similarity measure, 161
 simulation
 R code for expression data, 153
 single linkage hierarchical clustering, 184
 single nucleotide polymorphism, 300
 singular value decomposition, 123
 singular values, 124
 singular vector, 124
 SNP
 causal anchor, 300
 soft thresholding, 78
 Song
 Lin, 390
 Spearman correlation, 94
 p-value, 254
 standard screening, 266
 static tree cutting, 188
 statistical criteria: for choosing a hard
 threshold, 274
 statistical dependence
 universal definition, 410
 statistical significance, *see* significance
 statistics
 cluster quality, 192, 244
 straight line
 fitting index, 365

structural equation model, 279, 408
 Student t statistic
 for comparing 2 means, 253
 for correlations, 252
 systems genetics, 300

T

Taylor expansion, 53
 threshold-equivalence
 of linear significance measures, 269
 unweighted linear networks, 273
 threshold-implication
 of matrices, 384
 correlation and mutual information, 391
 thresholding
 of correlation, 98
 TOM plot, 337
 topological criteria
 differential network concepts for choosing
 parameters, 83
 for choosing parameters/thresholds, 82, 324
 topological effects
 of adjacency functions, 79
 of thresholding, 112
 R code, 112
 topological overlap matrix, 13
 generalized, 14
 multinode, 16
 neighborhood analysis, 18
 plot, 337
 relationship to other concepts, 55
 trace of matrix product
 convenient calculation, 287
 transpose, 5
 triangle-inequality, 164
 two-way clustering, 199

U

ultra
 distance, 164, 171, 185
 metric, *see* ultra distance, 171
 universal distance
 based on mutual information, 386

V

variable
 types, 249
 categorical, 249
 discrete numeric, 250

- variable selection
 - marginal, 266
 - network based, 271
- variance-covariance matrix, 407
- vectorize a matrix, 9
- VisANT software, 339
- visualization
 - of network, 337

W

- Wald test, 291
- weighted network, 1
- Wright
 - Sewall, 279

Y

- Yip
 - Andy, xi, 14

Z

- Zhang
 - Bin, xi, 98, 188
- Zsummary
 - human chimp module preservation, 228
 - cholesterole biosynthesis module preservation, 223
 - module preservation statistic, 212
 - sex differences in mouse livers, 343
- ZsummaryADJ
 - module preservation statistic, 220