

Index

A

Abdomen

- appendix, 73
 - axial CT image, prominent portocaval lymph node, 63
 - colorectal, 73–80
 - inferior phrenic nodal pathways, 71–72
 - lymphatics of, 59–62
 - lymphatic spread of malignancies
 - adrenal tumors, 82
 - liver, 63–66
 - pancreatic cancer, 82–86
 - renal tumor, 81–82
 - stomach, 66–69
 - urothelial tumors, 82
 - lymph node metastasis, in malignant tumors, 59
 - nodal metastases
 - in gastrocolic ligament, 71, 72
 - in gastrohepatic ligament, 69–71
 - in gastrosplenic ligament, 70–71
 - and lymphatic spread, 83–87
 - paraesophageal and paracardiac nodes, 69–70
 - retroperitoneal lymph nodes, 77, 80
 - size criteria for malignant lymph nodes
 - detection, 63
 - small intestine, 72
- Abdominal tuberculosis, 172
- ADC. *See* Apparent diffusion coefficient (ADC) map
- Adenopathy, 130
- Adrenal tumors, 82
- Anal tumors, 76, 79, 80
- Aortic nodes, 40
 - paraaortic, 38, 39
 - subaortic, 38, 39
- Aortocaval lymph node, 81
- Apparent diffusion coefficient (ADC) map
 - inguinal nodes, 102
 - invasive cervical cancer, 115

- metastatic external iliac lymph node, 122
 - rectal cancer, 78
 - transitional cell cancer of urethra, 141
- Appendix, 73
- Axial contrast-enhanced T1-weighted MR image
 - inguinal lymph node, penile cancer, 127
 - vaginal cancer, 113
 - vulvar cancer, 110–111
- Axial CT image
 - anal cancer, 79
 - bilateral external iliac metastatic nodes, endometrial cancer, 121
 - bladder cancer, 147–149
 - breast cancer, internal mammary lymph node, 171
 - celiac lymph node, esophageal cancer, 70
 - colon cancer, 73
 - common iliac nodal group, 90, 91
 - contrast-enhanced
 - anterior diaphragmatic lymph node, 54
 - axillary lymph nodes, 50
 - cervical cancer, 116
 - hilar group of lymph nodes, 44
 - internal mammary lymph nodes, 52
 - lower pretracheal lymph node, 37
 - paraesophageal group of lymph nodes, 40, 41
 - paratracheal lymph node, 38
 - pericardial lymph node, 53
 - prevascular nodes, 34
 - subcarinal group of lymph nodes, 40
 - enlarged pericardial lymph node, ovarian cancer, 171
 - external iliac nodal group, 92, 94–97
 - gastric carcinoma, 69
 - groin, enlarged inguinal lymph node, 176
 - inguinal nodes, 101, 103
 - internal iliac (hypogastric) nodal group, 99
 - liver cancer, 64–66
 - lung cancer, retrocrural lymph node, 170

- Axial CT image (*cont.*)
- melanoma, enlarged femoral node, 172
 - mesenteric root lymph nodes,
 - lymphoma, 72
 - mimicking lymph node, 160–165, 168–170
 - noncontrast, nonopacified collateral vessel, 157
 - ovarian cancer, 124, 125
 - pancreatic cancer, 85
 - paratracheal lymph nodes, 33
 - perirectal lymph node, 104
 - prostate cancer, 133, 135, 137–139
 - rectal cancer, 77, 79
 - renal cell cancer, aortocaval lymph node, 81
 - retroperitoneal nodal group, 132
 - sarcoidosis, 176
 - supraclavicular nodes, 31–32
 - testicular cancer, 144, 145
 - transverse colon, 76
- Axial T2-weighted image, 166
- anal cancer, 80
 - gradient echo image, bladder cancer, 150
 - hyperintense undescended testis, 170
 - metastatic external iliac lymph node, 122
 - MR image
 - cervical cancer, 116
 - inguinal nodes, 102
 - internal iliac (hypogastric) nodal group, 99
 - metastatic internal iliac node, in prostate cancer, 136
 - perirectal lymph node, rectal cancer, 78
 - rectal cancer, 80
 - transitional cell cancer of urethra, 141
- Axillary lymph nodes, 48–51
- B**
- Bilateral obturator lymph nodes, 95, 115, 133
- Bilateral prominent diaphragmatic crura, 157
- Bladder cancer
- axial CT image, 147–149
 - axial T2-weighted gradient echo image, 150
 - coronal T2-weighted MRI, 151
 - external iliac lymph node, 148–151
 - nodal metastasis, 147, 148
 - N-stage classification, 151
- Bronchogenic cyst, 165
- C**
- Candela, 8
- Castleman's disease, 174
- CECT image
- level I, submental (IA) and submandibular (IB), 6, 7
 - level II nodes, 9–14
 - level III nodes, 15–18
 - level IV, 19–22
- Celiac lymph nodes, 61, 70, 73
- Cervical cancer, invasive
- axial T2-weighted and ADC images, 115
 - axial T2-weighted MR image, 116–117
 - bilateral metastatic obturator lymph nodes, 115
 - reformatted coronal CT image, metastatic external iliac node, 117–118
- Cervical hemangioma, 163
- Cervical lymphadenopathy, 5
- Cervical lymph nodes
- levels and sublevels, 4
 - in primaries, 5
- Cervix, lymphatic drainage, 119
- Chest lymph node
- axillary lymph nodes
 - anterior/pectoral group, 49
 - apical group, 49–50
 - central group, 49
 - lateral/brachial group, 48–49
 - malignant causes of enlargement, 50
 - posterior/subscapular group, 49
 - chest wall nodes
 - anterior (pre-pericardial/cardiophrenic) group, 53
 - diaphragmatic nodes, 52
 - internal mammary (internal thoracic or parasternal) nodes, 51
 - juxtavertebral (pre-vertebral or paravertebral) nodes, 52
 - malignant causes of enlargement, 51
 - middle (juxtaphrenic/lateral) group, 53
 - posterior (retrocruval) group, 53
 - posterior intercostal nodes, 51–52
 - mediastinal
 - aortic nodes, 38–40
 - enlargement, malignant causes of, 46–48
 - hilar, lobar, and (sub)segmental nodes, 44–45
 - inferior mediastinal nodes, 38, 40–43
 - superior mediastinal nodes, 33–38
 - supraclavicular nodes, 31–32
 - schematic illustration, 55, 56
- Colic nodes, 62
- Colorectal cancer
- anus, 76, 79, 80

- axial CT image, enlarged celiac lymph node, 73
- caecum and ascending colon, 74–75
- heterogenous metastatic perirectal lymph node, 80
- left side of colon and upper rectum, 75, 76
- lower rectum, 76–79
- lymphatic drainage pathways, 74
- nodes classification, 74
- regional lymph nodes, 74
- transverse colon, 75, 76
- Common iliac lymph node, prostate cancer, 138, 139
- Common iliac nodal group
 - axial CT image
 - bilateral lymph nodes, 90
 - enlarge nodes, 91
 - sacral promontory nodes, 91
 - lateral, medial and middle chain, 89, 90
- Coronal CT image
 - pericardial recess, 164
 - reformatted
 - ascending metastatic lymph nodes, 130
 - cecal cancer, ileocolic lymph node, 75
 - cervical cancer, external iliac node in, 117–118
 - external iliac nodal group, 96–97
 - gastrocolic ligament lymph nodes, 72
 - gastrohepatic ligament lymph nodes, 71
 - lower pretracheal lymph node, 37
 - metastatic external iliac nodes, in penile cancer, 140
 - multiple calcified mesenteric lymph nodes, 175
 - periaortic lymph nodes, 79
- Coronal MR image, metastatic external iliac lymph node, 120
- Coronal T2-weighted image
 - ascending colon adenocarcinoma, pericolic lymph node, 75
 - external iliac nodal group, in rectal cancer, 93
 - MRI, metastatic adenopathy, 151
- Cystic node, 60
- D**
- Diaphragmatic lymph node, 54
- E**
- Endometrial cancer, lymphatic dissemination patterns, 123
- External iliac lymph node, 80, 116, 117, 135, 140, 148–151
- External iliac nodal group
 - axial CT image, 92, 94–97
 - coronal reformatted CT images, 96–97
 - coronal T2-weighted image, rectal cancer, 93
 - enlarged bilateral obturator lymph nodes, 95
 - enlarged obturator and internal iliac lymph nodes, 96–97
 - lateral, middle, and medial chain, 91, 92
- F**
- Fallopian tube, 123
- Female pelvic lymphatic drainage pattern, 107, 108
- Femoral node, in melanoma, 172
- Fludeoxyglucose (FDG) avid lymph nodes, 46–48, 125, 173, 176
 - inguinal lymph node, vulvar cancer, 103
 - perirectal lymph node, 78
- G**
- Gadolinium-enhanced T1-weighted image, periaortic lymph nodes, 82
- Gastric cancer, 67–69
- Gastric nodes, 60
- Gastrocolic ligament, nodal metastases, 71, 72
- Gastrohepatic ligament, nodal metastases, 69–71
- Gastro-omental nodes, 60
- Gastrosplenic ligament, nodal metastases, 70–71
- Gonadal vein, coronal reformatted image, 169
- Granulomatous disease, multiple calcified mesenteric lymph nodes, 175
- Gstrohepatic ligament lymph nodes, 71
- H**
- Head and neck lymph node
 - anatomical landmarks and nodal groups, 2
 - classification, 1–3
 - criteria for enlargement, 5
 - level I, submental (IA) and submandibular (IB), 3
 - coronal CECT scans, 7
 - metastasis, unusual site of, 9
 - metastatic involvement, 8
 - sagittal CECT scans, 6

- Head and neck lymph node (*cont.*)
- level II
 - axial CECT, 9–14
 - internal jugular chain, 8, 9
 - metastasis, unusual site of, 12
 - metastatic involvement, 12
 - level III
 - axial CECT, 15–17
 - coronal CECT, 18
 - hyoid bone, 18
 - level IV
 - axial CECT, 19, 20, 22
 - coronal CECT, 21
 - level V (A + B)
 - axial CECT, 23–26
 - central necrosis and peripheral enhancement, 26
 - coronal CECT, 23–24
 - enlarged supraclavicular nodes, 25
 - level VI, 27, 28
 - occipital, facial and mastoid groups of nodes, 28
- Hepatic nodes, 60
- Hepatocellular carcinoma, 66
- Hilar group of lymph nodes, 44, 45
- Hyoid bone, 18
- Hyperintense undescended testis, axial T2-weighted image, 170
- Hypodense lymph nodes, 167
- Hypogastric nodal group. *See* Internal iliac (hypogastric) nodal group
- I**
- Ileocolic lymph nodes, 62, 75
- Imaging
- axial CT image, 170–172
 - differential diagnosis on nodal morphology
 - Castleman's disease, 174
 - fludeoxyglucose (FDG) avid, 173, 176
 - granulomatous disease, 175
 - groin, inguinal lymph node, 176
 - internal calcification, 173
 - Kaposi's sarcoma, 174
 - lymphangiogram, 173, 177
 - mucinous ovarian cancer, 175
 - necrosis and cystic degeneration, 173
 - sarcoidosis, 176
 - uncommon, 177
 - Whipple's disease, 174
 - femoral node, in melanoma, 172
 - internal mammary lymph node, in breast cancer, 171
 - mimicking lymph node, 155–158
 - axial contrast-enhanced CT, early arterial and delayed phase, 158
 - axial CT image, 160–165, 168–170
 - axial T2-weighted image, 166, 170
 - bilateral prominent diaphragmatic crura, 157
 - bronchogenic cyst, 165
 - cervical hemangioma, 163
 - coronal CT image, 164
 - coronal reformatted image, 169
 - hyperintense undescended testis, 170
 - internal iliac lymph node, in prostate cancer, 166
 - intraparenchymal lymph node, 161
 - nonopacified bowel loop mimicking, 155, 156
 - nonopacified collateral vessel, axial noncontrast CT scan, 157
 - ovary, 169
 - paraesophageal varices, 159
 - parathyroid adenoma, 162, 163
 - pericardial recess, 164
 - phleboliths, on MRI, 160
 - post-contrast T1-weighted images, 166–167
 - prominent papillary process of liver, 161
 - retrocrural focal prominence of cisterna chyli, 160
 - sagittal image, thyroid gland, 162
 - scalene muscle, asymmetric medial, 164
 - small splenule, 168
 - splenic hilar collateral vessels, 158
 - thyroid gland, intrathoracic extension of, 162
 - ultrasound image of neck, hypoechoic lesion, 162, 163
 - unopacified bowel, close proximity of, 165
- missed adenopathy
- abdominal tuberculosis, 172
 - hypodense lymph nodes, 167
 - metastatic squamous cell carcinoma, 172
- pericardial lymph node, in ovarian cancer, 171
- retrocrural lymph node, in metastatic lung cancer, 170
- Inferior mediastinal nodes
- paraesophageal, 38, 40–42
 - pulmonary ligament, 38, 43
 - subcarinal, 38, 40
- Inferior mesenteric lymph node, 76

- Inferior phrenic nodal pathways, 71–72
- Inguinal nodes, 79, 141
 - apparent diffusion coefficient (ADC) map, 102
 - axial CT image, 101, 103
 - axial T2-weighted MR image, 102
 - penile cancer, 127
 - PET-CT-fused image, vulvar cancer, 103
 - superficial and deep, schematic of, 100
 - vaginal cancer, 113
 - vulva cancer, 110
- Interlobar group of lymph node, 45
- Internal iliac (hypogastric) nodal group
 - axial CT and axial T2-weighted MR images, 99
 - chains, schematic of, 98
 - sacral and junctional nodes, 98
- Internal jugular chain, 8–10
- Intraparenchymal lymph node, 161
- Invasive cervical cancer, 114
- J**
- Japanese Classification of Gastric Cancer (JCGC), perigastric lymph nodes, 67–69
- Japan Pancreas Society, lymph node stations, 83, 84
- Juxtavertebral (pre-vertebral or paravertebral) nodes, 52
- K**
- Kaposi's sarcoma, 174
- L**
- Lateral aortic nodes, 62
- Libshitz, H.I., 48
- Libson, E., 48
- Liver
 - axial CT image
 - cholangiocarcinoma, prepancreatic and retroperitoneal nodes, 66
 - hypervascular nodes, 65
 - periportal and peripancreatic location, enlarged nodes in, 65
 - portocaval lymph node, 64
 - deep pathways of lymphatic drainage, 64, 65
 - hepatocellular carcinoma
 - N-stage classification, 66
 - regional lymph nodes, 66
 - superficial lymphatics, drainage of, 63–64
- Lobar group of lymph node, 44, 45
- Lymphoma, mediastinal lymph nodes, 47, 48
- M**
- Mahon, T.G., 48
- Male urogenital pelvic malignancies, 126
- Mammary nodes
 - in breast cancer, 171
 - internal, 51, 52
- McLoud, T.C., 48
- Mediastinal lymph node
 - aortic nodes, 38–40
 - enlargement, malignant causes of, 46–48
 - hilar, lobar, and (sub)segmental nodes, 44–45
 - inferior mediastinal nodes, 38, 40–43
 - superior mediastinal nodes, 33–38
 - supraclavicular nodes, 31–32
- Mesenteric nodes, 61, 62, 72
- Metastatic squamous cell carcinoma, 172
- Mucinous ovarian cancer, 175
- N**
- Naruke, T., 31
- Nonopacified collateral vessel, axial noncontrast CT scan, 157
- O**
- Obturator nodes, 91, 92, 96
 - prostate cancer, 133, 134
- Ovarian cancer
 - axial CT image, 124, 125
 - lymphatic spread, 124
 - PET-CT images, 125
- Ovary
 - axial CT image, 169
 - lymphatic drainage, 126
- P**
- Pancreatic cancer, 82
 - axial CT image, 85, 86
 - coronal reformatted image, 86
 - dorsal pancreatic route, 84
 - gastroduodenal route, 83
 - inferior pancreaticoduodenal route, 83
 - lymph node groups, 83
 - lymph node stations, Japan Pancreas Society, 83, 84
 - N-stage classification, 85
 - regional lymph nodes, 85

- Pancreaticoduodenal nodes, 61, 85, 86
 Pancreaticosplenic nodes, 61
 Para-aortic nodes, 38, 39
 in testicular cancer, 144, 145
 Para-aortic pathway of metastasis, 130–132, 143
 Paracardiac nodes, 69
 Paraesophageal nodes, 38, 40–42, 69
 Paraesophageal varices, 159
 Pararectal nodes, 62
 Paratracheal lymph nodes, 33, 35, 38
 Pelvic lymph nodes
 abnormal nodes, diagnostic criteria
 gynecologic malignancies, 105
 internal architecture, 105
 nodal staging, 105
 regional and nonregional nodes, pelvic malignancies, 106
 shape and margin, 105
 size, 105
 classification and anatomical location
 common iliac nodal group, 89–91
 external iliac nodal group, 91–97
 inguinal nodes, 100–103
 internal iliac (hypogastric) nodal group, 98–99
 perivisceral nodes, 104
 female pelvic lymphatic drainage pattern, 107, 108
 lymphatic spread of malignancies
 bladder cancer, 147–151
 fallopian tube, 123
 invasive cervical cancer, 114–118
 male urogenital pelvic malignancies, 126
 modified post-therapeutic pathways, 131
 ovary, 123–126
 para-aortic pathway, 130–132
 pelvic pathways, 127, 129, 130
 penile cancer, 139–143
 prostate cancer, 132–139
 superficial inguinal pathway, 126–128
 testicular cancer, 143–146
 urogenital tumors, nodal spread pathways, 132
 uterine body, 119–123
 uterus, 113
 vagina, 109, 112–114
 vulva, 109–112
 Pelvic pathways, 127, 129, 130
 Penile cancer, 127
 axial T2-weighted image and ADC map, inguinal node, 141
 coronal reformatted CT image, external iliac lymph nodes, 140
 lymphatic drainage routes, 139
 N-stage classification, 142
 superficial inguinal lymphatic drainage pathway, 142
 Periaortic lymph nodes, 79, 82
 Pericardial lymph node, 53, 54
 in ovarian cancer, 171
 Pericardial recess, 164
 Pericollic lymph node, 75
 Perirectal lymph node, 77, 78, 80
 axial CT image, 104
 Perivisceral nodes, 104
 PET. *See* Positron emission tomography (PET) image
 Phleboliths, mimicking lymph node, 160
 Portocaval lymph node, 63, 64
 Positron emission tomography (PET) image
 groin, enlarged inguinal lymph node, 176
 mediastinal lymph nodes, 46–48
 PET-CT images
 inguinal lymph node, 103
 ovarian cancer, 125
 perirectal lymph node, 78
 sarcoidosis, 176
 Posterior intercostal nodes, 51–52
 Pretracheal lymph node, 37
 Prevascular group of lymph nodes, 34–35
 Prostate cancer, lymphatic spread
 axial CT image, 133, 135, 137–139
 axial T2-weighted MR image, 136
 common iliac lymph node, 138, 139
 external iliac lymph node, 135
 internal iliac node, 136
 metastatic pathways, 133
 oblique sagittal T2-weighted MR image, 134
 obturator lymph node, 133, 134
 presacral lymph node, 137
 Pulmonary ligament, 38, 43
 Pyloric nodes, 61
- R**
 Rectal cancer, 76–79
 Renal tumors
 axial CT image, 81
 N-stage classification, 81
 Retrocaval lymph node, 79
 Retrocrural focal prominence of cisterna chyli, 160
 Retrocrural lymph node, 53
 in metastatic lung cancer, 170

- Retropancreatic lymph node, 85
- Retroperitoneal lymph nodes, 77, 80
axial CT image, 132
- Retrotracheal group of lymph nodes, 35, 36
- Rouviere, H., 1
- S**
- Sagittal image
reformatted CT scan, pericardial lymph node, 54
thyroid gland, 162
T2-weighted MR image, prostate cancer, 134
- Sarcoidosis, 176
- Scalene muscle, 164
- Segmental lymph node, 44, 45
- Sentinel nodes, 143
- Shah, J.P., 1
- Small intestine, 72
- Som, P.M., 9
- Stomach
axial CT image, gastric carcinoma, 69
extent of nodal metastasis, 67
gastric cancer
N-stage classification for, 67
regional lymph nodes, 68
JCGC classification for perigastric lymph nodes, 67–69
lymphatic drainage pathways, 66–67
- Subaortic nodes, 38, 39
- Subcarinal group of lymph nodes, 38, 40
- Subsegmental lymph node, 44, 45
- Superficial inguinal pathway, 126–128
- Superior mediastinal nodes
lower paratracheal, 35, 38
lower pretracheal, 37
prevascular, 34–35
retrotracheal, 35, 36
upper paratracheal, 33
- Supraclavicular nodes, 25
- T**
- Testicular cancer
axial CT image, 144, 145
lymphatic spread, 143–144
metastasis routes, from bladder cancer, 146
nodal metastasis routes, para-aortic pathway, 143
N-stage classification, 144–146
para-aortic pathway, 131
- Thoracic mediastinal lymph nodes, 46
- Thyroid gland, axial CT and sagittal image, 162
- U**
- Ultrasound image of neck, hypoechoic lesion, 162, 163
- Urogenital pelvic malignancies, nodal spread pathways, 132
- Urothelial tumors, 82
- Uterine body, cancer of, 119
axial CT image, bilateral external iliac metastatic nodes, 121
axial T2-weighted image and ADC map, metastatic external iliac lymph node, 122
endometrial cancer, lymphatic dissemination patterns, 123
oblique coronal MR image, metastatic external iliac lymph node, 120
- Uterus, 113
- V**
- Vaginal carcinomas, 109, 112
axial contrast-enhanced T1-weighted MR image, 113
N-stage classification, 113
- Vagina, lymphatic drainage, 114
- Virchow node, 19
- Vulva, lymphatic drainage, 112
- Vulvar cancer
axial contrast-enhanced T1-weighted MR image, 110–111
N-stage classification, 109
- W**
- Whipple's disease, 174