

Index

A

- Abscess, 194
- Acyanotic heart disease, 154
- Adventitia, 140
- Alfieri repair, 133
- Aliasing
 - color Doppler, 33
 - spectral Doppler, 35
- Anastomosis
 - heart failure, 206, 207
 - pulmonary vein, 42
- Aneurysm
 - aortic, 143
 - aortic root, 145
 - ascending aortic, 145
 - ventricle, 72
- Annular dilatation, 135
- Annuloaortic ectasia, 145
- Annuloplasty, 132, 135
- Anterior leaflet repair, 133
- Aorta
 - anatomy, 138
 - aortic arch arteries, 139
 - ascending, 24, 25
 - descending, 20, 21
 - TEE views, 138
 - valve sparing procedure, 144–145
- Aortic aneurysm, 143
- Aortic arch, 22, 23, 139
- Aortic cannula, 203
- Aortic dissection, 148–149
- Aortic insufficiency (AI)
 - clinical findings, 86
 - color Doppler, 89
 - cuspid prolapse, 87
 - etiology, 86
 - jets, 87–89
 - mitral valve, indirect effects on, 87
 - severity, 86
 - spectral Doppler tracings, 89
 - VAD, 201
- Aortic root aneurysm, 145
- Aortic stenosis (AS)
 - calcified *vs.* rheumatic aortic valve, 83
 - etiology, 82
 - image findings, 82–83
 - indications for surgery, 85
 - LVOT, 84–85
 - planimetry, 85
 - prognosis, 85
 - stenosis severity, 82
 - AS velocity, 84
- Aortic valve, 10, 11. *See also* Aortic insufficiency (AI); Aortic stenosis (AS)
 - aortic root, 78
 - bicuspid, 81
 - normal aortic valve, 78
 - prosthesis, 124
 - repairs, 134–135
 - TEE views, 79–80
- Artificial chordae, 132
- Ascending aortic aneurysm, 145
- Atheroma, 140
- Atrial septal defects
 - cleft mitral valve, 158
 - 2D and Doppler imaging, 156
 - device closure, 157
 - primum, 158
 - secundum, 157
 - sinus venosus, 159
 - types, 156
- AV groove separation, 197
- Axial flow, 200

B

- Baffle obstructions, 168–169
- Ball cage valve, 119
- Barlow's disease, 102
- Bi-atrial heart transplant, 206
- Bicaval heart transplant, 206
- Bicuspid aortic valve (BAV), 81
- Bileaflet valve, 119, 120
- Billowing leaflet, 98
- Bioprosthetic heart valves, 122–123

C

- Calcific valves, 83
- Cannula thrombus, 204
- Cannulation, 183
- Cardiac structures
 - aortic arch, 22, 23
 - aortic valve, 10, 11
 - ascending aorta, 24, 25
 - coronary sinus, 29
 - descending aorta, 20, 21
 - five chamber, 26
 - four chamber, 6
 - inferior vena cava, 27
 - left atrial appendage, 28
 - right ventricular inflow, 19
 - right ventricular outflow, 12
 - two chamber, 8, 16
- Cardiac tamponade, 204, 223
- Cardiopulmonary pressure, 44
- Catheter, 184
- Chronic segmental dysfunction, 71
- Coanda effect, 99
- Coarctation stent, 184
- Color Doppler
 - aliasing/flow acceleration, 33
 - assessment, 32
 - color scale, 33
 - Doppler artifacts, 36
 - Doppler indications, 35
 - normal, 32
 - parameters, 32
 - pulsed Doppler, 32
 - turbulent flow, 33
- Commissural prolapse and resuspension, 135
- Congenital heart disease
 - atrial septal defects (*see* Atrial septal defects)
 - classification, 154
 - cor triatriatum, 175
 - D-TGA, 166–167
 - Ebstein's anomaly, 172–173
 - Fontan procedure, 170–171
 - inter-atrial septum, 155
 - L-TGA, 174
 - mustard procedure, 168–169

- patent ductus arteriosum, 176
- patent foramen ovale, 155
- subaortic membran, 177
- TEE segmental approach, 152–153
- tetralogy of fallot (TOF), 164–165
- ventricular septal defect (*see* Ventricular septal defect)

- Constrictive pericarditis, 224–225
- Continuity equation, 45
- Coronary anatomy, 70
- Coronary sinus, 29
- Cor triatriatum, 175
- Cusp perforation, 135
- Cusp prolapse and resuspension, 135
- Cyanotic heart disease, 154

D

- Dacron graft, 144
- Dehiscence, 196
- Device deairing, 202
- Diastasis, 214
- Diastolic function
 - clinical manifestation, 215
 - color M mode transmitral flow, 217
 - definition, 215
 - diastolic phases, 214
 - 2D mode, 215
 - IVRT, 216
 - pulmonary vein flow Doppler, 216
 - tissue Doppler imaging, 217
 - transmitral Doppler flow, 216
- Doppler artifacts, 36. *See also* Color Doppler; Spectral Doppler
- Doppler effect, 34
- D-transposition of the great arteries (D-TGA), 166–167
- Duke criteria, 192

E

- Ebstein's anomaly, 172–173
- Effective regurgitant orifice area, 47
- Ejection fraction, 65
- Elephant trunk, 184
- El Khoury classification, 134
- Endocarditis
 - abscess, 194

- AV groove separation, 197
 - complications, 192
 - Duke criteria, 192
 - fistula, 196, 197
 - infective endocarditis, 192
 - jet lesion, 196
 - predisposition, 192
 - prosthetic valve dehiscence, 196
 - pseudoaneurysm, 195, 197
 - vegetations, 193
 - Epiaortic scanning, 141
- F**
- Fibroelastic degeneration, 103
 - Fibroelastoma, 187
 - Fistula, 196, 197
 - Flail leaflet, 98
 - Fontan procedure, 170–171
 - Foreign material
 - cannulation, 183
 - coarctation stent, 184
 - elephant trunk, 184
 - intra-aortic balloon pump catheter, 184
 - pleural effusions, 183
 - pulmonary artery band, 184
 - Fractional area change (FAC), 64
 - Fractional shortening (FS), 64
- G**
- Gerbode defect, 163
 - Global systolic function, 64
- H**
- Heart transplantation, 206–207
 - Hematoma, intramural, 142
 - Hypertrophic obstructive cardiomyopathy (HOCM)
 - asymmetrical vs. symmetrical hypertrophy, 210
 - clinical manifestation, 210
 - diastolic function (*see* Diastolic function)
 - pathophysiology, 210–211
 - post-myectomy, 213
 - TEE findings, 212–213
- I**
- Imaging planes, 4
 - Impaired relaxation, 215
 - Infective endocarditis, 192
 - Inferior vena cava, 27
 - Inflow cannula obstruction, 204
 - Inter-atrial septum and PFO, 155
 - Intima, 140
 - Intracavitary thrombus, 201
 - Intramural hematoma, 142
 - Intraventricular pressure (dP/dt), 64
 - Ischemic complications
 - aneurysm, 72
 - chronic segmental dysfunction, 71
 - ischemic mitral valve, 75
 - LV ventricular dilatation, 71
 - mitral regurgitation, 74
 - papillary muscle rupture, 74–75
 - pseudoaneurysm, 72
 - thrombus, 71
 - ventricular septal defect, 73
 - Isovolumic relaxation time (IVRT), 214, 216
- J**
- Jet lesion, 196
- L**
- Left atrial appendage, 28
 - Left superior vena cava (LSVC), 182
 - Left ventricle
 - AHA 17 segment LV model, 54–55
 - SCA/ASE 16 segment LV model, 52–53
 - Left ventricular assist device (LVAD), 201
 - Left ventricular diastolic function, 214
 - L-transposition of the great arteries (L-TGA), 174
 - LV apical cannula, 203
 - LV decompression, 202
 - LV ventricular dilatation, 71
- M**
- Masses
 - thrombi (*see* Thrombus)

- tumor (*see* Tumor)
- Mechanical heart valves
 - aortic position, 121
 - ball cage, 119
 - bileaflet, 119, 120
 - mitral position, 120
 - tilting disc, 119, 121
 - valved conduit, 119
- Media, 140
- Mitral commissural, 7
- Mitral regurgitation (MR), 74
 - anterior mitral regurgitation jet, 101–102
 - Barlow's mitral valve, 102–103
 - clinical findings, 96
 - CW Doppler, 97
 - etiology, 96
 - excessive mitral leaflet motion, 98
 - fibroelastic disease, 103
 - jet area mapping, 97
 - mitral valve prolapse, 98–100
 - PISA (EROA), 97
 - posterior mitral regurgitation jet, 100–101
 - severity assessment, 96–97
 - vena contracta, 97
- Mitral stenosis (MS)
 - clinical findings, 104
 - etiology, 104
 - restricted mitral valve, 106–107
 - severity assessment, 104–105
- Mitral valve. *See also* Mitral regurgitation (MR); Mitral stenosis (MS)
 - anatomy, 90–92
 - function, 92
 - orientation, 91
 - prosthesis, 125
 - repairs, 132–133
 - TEE views, 91, 93–95
- Mitral valve inflow, 216
- Mustard procedure, 168–169
- Myectomy, 213
- Myocardial ischemia, 71
- Myocardial performance index (RVMPI), 69
- Myxoma, 186
- N
- Native cardiac valve anatomy
 - aortic valve, 78
 - mitral valve, 90–92
 - pulmonic valve, 113
 - tricuspid valve, 108
- Normal variants
 - aortic and mitral valve, 180
 - artifacts, 181
 - bicaval view, 181
 - intra-atrial septum, 180
 - LAA view, 181
 - left and right atrium, 180
 - ME 2C, 181
 - ME 4C view, 181
 - pericardium, 180
 - persistent LSVC, 182
 - right and left ventricle, 180
- Nyquist limit, 33
- O
- Outflow cannula, 200, 204
- P
- Pacer thrombus, 190
- Papillary muscle rupture, 74–75
- Paravalvular leaks, 126
- Patch closure, 135
- Patent ductus arteriosus, 176
- Patent foramen ovale (PFO), 155, 201
- Patient prosthetic mismatch (PPM), 123
- Percutaneous ventricular assist devices, 205
- Pericardial effusion, 222
- Pericardial spaces, 220
- Pericarditis, 224–225
- Pericardium
 - anatomy, 220
 - cardiac tamponade, 223
 - effusion, 222
 - pericarditis, 224–225
 - TEE views, 221
- Pleural effusions, 183

- Plication, 135
 - Pressure gradients, 34, 38, 44, 45
 - Pressure half-time, 45–46
 - Prolapsed leaflet, 98
 - Prosthetic cardiac valves
 - bioprosthetic heart valves (*see* Bioprosthetic heart valves)
 - mechanical heart valves (*see* Mechanical heart valves)
 - normal prosthetic valve findings, 118
 - patient prosthetic mismatch, 123
 - pressure gradients, 118
 - types, 118
 - valve function (*see* function)
 - Prosthetic valve function
 - aortic valve prosthesis, 124
 - mitral and aortic positions, 126
 - mitral valve prosthesis, 125
 - paravalvular leaks, 126
 - prosthetic valve dysfunction, 127
 - pulmonic valve prosthesis, 125
 - tricuspid valve prosthesis, 125
 - washing (regurgitant) jets, 126
 - Proximal isovelocity area (PISA)
 - method, 46
 - Pseudoaneurysm, 72, 195–197
 - Pseudonormal diastolic dysfunction, 215
 - Pseudonormal pattern, 215
 - Pulmonary artery band, 184
 - Pulmonary emboli, 191
 - Pulmonary thomboendarterectomy, 191
 - Pulmonary vein flow, 216
 - Pulmonary veins, 42–43
 - Pulmonary venous baffle, 168–169
 - Pulmonic valve
 - anatomy, 113
 - prosthesis, 125
 - pulmonic insufficiency, 114
 - pulmonic stenosis, 115
 - Pulsatile flow, 200
 - Pulsus paradoxus, 224
- Q**
- Quadrangular resection, 133
- R**
- Regurgitant fraction, 48
 - Regurgitant volume, 48
 - Restrictive cardiomyopathy, 224
 - Restrictive diastolic dysfunction, 215
 - Rheumatic valves, 83
 - Right ventricle, 68–69
 - inflow, 19
 - outflow, 12
 - Right ventricular assist device (RVAD), 205
 - Right ventricular ejection fraction (RVEF), 69
 - Right ventricular fractional area change (RVFAC), 69
- S**
- Sectors, 4, 13, 16, 18
 - Segmental wall motion, 62
 - Septal hypertrophy, 210
 - Shunt fraction, 49
 - Sinus of Valsalva aneurysm (SOVA), 146–147
 - Speckle tracking, 67
 - Spectral Doppler. *See also* Spectral profiles
 - aliasing, 35
 - Doppler artifacts, 36
 - Doppler indications, 35
 - fast Fourier transformation, 34
 - parameters, 34
 - pulsed *vs.* continuous wave, 35
 - spectral broadening, 36
 - velocity measurement, 35
 - Spectral profiles
 - aortic insufficiency, 39
 - aortic stenosis, 39
 - aortic valve, 37
 - ascending aorta, 41
 - coronary artery, 40
 - coronary sinus, 40
 - descending aorta, 41
 - distal aortic arch, 41

- hepatic vein, 41
 - left atrial appendage, 40
 - mitral regurgitation, 38
 - mitral stenosis, 38
 - mitral valve, 37
 - pulmonary artery, 40
 - pulmonic insufficiency, 39
 - pulmonic stenosis, 39
 - pulmonic valve, 37
 - tricuspid regurgitation, 38
 - tricuspid stenosis, 38
 - tricuspid valve, 37
 - Standard TEE views, 2–3, 5
 - Stented bioprosthetic valve, 122
 - Stentless prosthetic valve, 123
 - Strain, 66
 - Stroke volume, 63
 - Subaortic membrane, 177
 - Systemic venous baffle, 168–169
 - Systolic anterior motion (SAM), 211
 - Systolic flow reversal, 42
- T**
- TEE. *See* Transesophageal echocardiography (TEE)
 - Tetralogy of Fallot (TOF), 164–165
 - Thrombus, 71
 - cannula, 204
 - intracavitary, 201
 - LAA thrombus, 190
 - pacer, 190
 - pacer thrombus, 190
 - pulmonary emboli, 191
 - pulmonary thromboendarterectomy, 191
 - transit, 190
 - Tilting disc valve, 119, 121
 - TOF. *See* Tetralogy of fallot (TOF)
 - Transcatheter aortic valve implantation (TAVI), 129
 - Transcatheter valves, 128–131
 - Transesophageal echocardiography (TEE)
 - mid-esophageal aortic valve long-axis, 10
 - mid-esophageal aortic valve short axis, 11
 - mid-esophageal ascending aorta long-axis, 25
 - mid-esophageal ascending aorta short-axis, 24
 - mid-esophageal bicaval, 13
 - mid-esophageal coronary sinus, 29
 - mid-esophageal descending aorta long-axis, 21
 - mid-esophageal descending aorta short-axis, 20
 - mid-esophageal five chamber, 26
 - mid-esophageal four chamber, 6
 - mid-esophageal left atrial appendage, 28
 - mid-esophageal long-axis, 9
 - mid-esophageal mitral commissural, 7
 - mid-esophageal right ventricular outflow, 12
 - mid-esophageal two chamber, 8
 - planes and display, 4
 - standard TEE views, 2–3, 5
 - transgastric basal short-axis, 14
 - transgastric deep long-axis, 18
 - transgastric inferior vena cava, 27
 - transgastric long-axis, 17
 - transgastric mid short-axis, 15
 - transgastric right ventricular inflow, 19
 - transgastric two chamber, 16
 - upper-esophageal aortic arch long-axis, 22
 - upper-esophageal aortic arch short-axis, 23
 - Transposition of the great arteries, 166–167, 174
 - Tricuspid annular plane systolic excursion (TAPSE), 69
 - Tricuspid valve
 - anatomy, 108–109
 - prosthesis, 125
 - tricuspid regurgitation, 110–111
 - tricuspid stenosis, 112
 - Tumor
 - diagnosis, 185

- etiology, 185
 - fibroelastoma, 187
 - myxoma, 186
 - renal cell tumor, 189
 - sarcoma, 188, 189
 - surgery, 185
- V**
- VAD. *See* Ventricular assist devices (VAD)
 - Valve area
 - aortic, 45
 - mitral, 46
 - Valved conduit, 119
 - Valve regurgitation
 - aortic insufficiency, 86–89
 - mitral regurgitation, 96–103
 - tricuspid regurgitation, 110–111
 - Valve repairs
 - aortic, 134–135
 - mitral, 132–133
 - Valve sparing procedure, 144–145
 - Valve stenosis
 - aortic, 82–85
 - mitral, 104–107
 - pulmonic, 115
 - tricuspid, 112
 - Vegetations, 193
 - Ventricular assist devices (VAD)
 - aortic insufficiency, 201
 - complication, 204
 - continuous flow VADs, 200
 - function, 202–203
 - heart transplantation, 206–207
 - intracavitary thrombus, 201
 - patent foramen ovale, 201
 - percutaneous VAD, 205
 - pulsatile VADs, 200
 - right ventricular assist device, 205
 - Ventricular dimensions, 56–61
 - Ventricular septal defect (VSD), 73
 - 2D and Doppler imaging, 160
 - Doppler flow, 163
 - Gerbode defect, 163
 - perimembranous inlet/outlet, 162
 - TEE views, 161
 - types, 160